

EQUIPMENT LIST

For training purposes only!

EQUIPMENT LIST

| Section | Page | Date | Section | Page | Date | Section | Page | Date |
|-----------------|-----------|-------------|----------|------|-------------|--------------|------|-------------|
| EFFECTIVE PAGES | | | R AP0600 | 1 | Nov 12/2012 | C00300 cont. | | |
| | 1 thru 13 | Nov 12/2012 | R AP0700 | 1 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| | 14 | BLANK | R AP0900 | 1 | Nov 12/2012 | R C00400 | 1 | Nov 12/2012 |
| R A00000 | 1 | Nov 12/2012 | R AP1800 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R AP2800 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R AB0200 | 1 | Nov 12/2012 | R AS0000 | 1 | Nov 12/2012 | R C00500 | 1 | Nov 12/2012 |
| R AB0300 | 1 | Nov 12/2012 | R AW0200 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R AB0400 | 1 | Nov 12/2012 | R AW0700 | 1 | Nov 12/2012 | R C00600 | 1 | Nov 12/2012 |
| R AB0500 | 1 | Nov 12/2012 | R C00000 | 1 | Nov 12/2012 | R C00700 | 1 | Nov 12/2012 |
| R AB0700 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R AB0800 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R AB0900 | 1 | Aug 30/2007 | R | 4 | Nov 12/2012 | R C00800 | 1 | Nov 12/2012 |
| R AB1000 | 1 | Nov 12/2012 | R C00100 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R AB1100 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R AC0500 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R C00900 | 1 | Nov 12/2012 |
| R AD0500 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R AE0100 | 1 | Nov 12/2012 | R | 5 | Nov 12/2012 | R C01000 | 1 | Nov 12/2012 |
| R AE0200 | 1 | Nov 12/2012 | R | 6 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R AE0300 | 1 | Nov 12/2012 | R C00200 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R AE0400 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R AE0500 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R AE0600 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 | R C01100 | 1 | Nov 12/2012 |
| R AE0800 | 1 | Nov 12/2012 | R | 5 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R AE1100 | 1 | Nov 12/2012 | R C00300 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R AF0200 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R AJ0000 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R C01200 | 1 | Nov 12/2012 |
| R AL0600 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R AL0700 | 1 | Nov 12/2012 | R | 5 | Nov 12/2012 | R | 3 | Nov 12/2012 |

A = Added, R = Revised, D = Deleted, O = Overflow

EQUIPMENT LIST

D280A108

EFFECTIVE PAGES

Page 1
Nov 12/2012



EQUIPMENT LIST

| Section | Page | Date | Section | Page | Date | Section | Page | Date |
|--------------|------|-------------|--------------|------|-------------|--------------|------|-------------|
| C01200 cont. | | | C03000 cont. | | | D00500 cont. | | |
| R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 5 | Nov 12/2012 | R | 1 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 5 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 1 | Nov 12/2012 |
| R | 6 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 7 | Nov 12/2012 | R | 5 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 8 | Nov 12/2012 | R | 6 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 1 | Nov 12/2012 | R | 7 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 8 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 1 | Nov 12/2012 | R | 1 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 5 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 6 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 7 | Nov 12/2012 | R | 1 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 1 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 1 | Nov 12/2012 | R | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 1 | Nov 12/2012 |
| R | 1 | Nov 12/2012 | R | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 5 | Nov 12/2012 |

A = Added, R = Revised, D = Deleted, O = Overflow

EQUIPMENT LIST

D280A108

EFFECTIVE PAGES

Page 2
Nov 12/2012

EQUIPMENT LIST

| Section | Page | Date | Section | Page | Date | Section | Page | Date |
|----------|------|-------------|--------------|------|-------------|--------------|------|-------------|
| R D01100 | 1 | Nov 12/2012 | D02600 cont. | | | D03600 cont. | | |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R D01200 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| | 2 | Aug 14/2012 | R | 4 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R D01300 | 1 | Nov 12/2012 | R | 5 | Nov 12/2012 | R | 7 | Nov 12/2012 |
| R D01400 | 1 | Nov 12/2012 | R D02700 | 1 | Nov 12/2012 | R | 8 | Nov 12/2012 |
| R D01500 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R D03700 | 1 | Nov 12/2012 |
| R D01600 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R D02800 | 1 | Nov 12/2012 | R D03800 | 1 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R D01700 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 4 | Nov 12/2012 | A | 4 | Nov 12/2012 |
| R D01800 | 1 | Nov 12/2012 | R D02900 | 1 | Nov 12/2012 | R D03900 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R D01900 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R D02100 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R D03000 | 1 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R D02200 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R D03100 | 1 | Nov 12/2012 | R | 7 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R D03200 | 1 | Nov 12/2012 | R D04000 | 1 | Nov 12/2012 |
| R D02300 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R D02400 | 1 | Nov 12/2012 | R D03300 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R D03400 | 1 | Nov 12/2012 | R D04100 | 1 | Nov 12/2012 |
| R D02500 | 1 | Nov 12/2012 | R D03500 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R D03600 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R D02600 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R D04200 | 1 | Nov 12/2012 |

A = Added, R = Revised, D = Deleted, O = Overflow

EQUIPMENT LIST

D280A108

EFFECTIVE PAGES

Page 3
Nov 12/2012



EQUIPMENT LIST

| Section | Page | Date | Section | Page | Date | Section | Page | Date |
|--------------|------|-------------|----------|------|-------------|--------------|------|-------------|
| D04200 cont. | | | R D08300 | 1 | Nov 12/2012 | D10300 cont. | | |
| R | 2 | Nov 12/2012 | R D08400 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R D08500 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 5 | Nov 12/2012 | O D08800 | 1 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 6 | Nov 12/2012 | R D10000 | 1 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R D04300 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 7 | Nov 12/2012 |
| R D04400 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 8 | Nov 12/2012 |
| R D04500 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 | R D10400 | 1 | Nov 12/2012 |
| R D04600 | 1 | Nov 12/2012 | R | 5 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 6 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R D04700 | 1 | Nov 12/2012 | R D10100 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R D04800 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R D05100 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 | R D10500 | 1 | Nov 12/2012 |
| R D05300 | 1 | Nov 12/2012 | R D10200 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R D05900 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R D06000 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 5 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R D06100 | 1 | Nov 12/2012 | R | 6 | Nov 12/2012 | R | 7 | Nov 12/2012 |
| R D07000 | 1 | Nov 12/2012 | R | 7 | Nov 12/2012 | R D10600 | 1 | Nov 12/2012 |
| R D07100 | 1 | Nov 12/2012 | R | 8 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 9 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| O | 3 | Nov 12/2012 | R | 10 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R D08000 | 1 | Nov 12/2012 | R | 11 | Nov 12/2012 | R D10700 | 1 | Nov 12/2012 |
| R D08100 | 1 | Nov 12/2012 | R | 12 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R D10300 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |

A = Added, R = Revised, D = Deleted, O = Overflow

EQUIPMENT LIST

D280A108

EFFECTIVE PAGES

Page 4
Nov 12/2012

EQUIPMENT LIST

| Section | Page | Date | Section | Page | Date | Section | Page | Date |
|--------------|------|-------------|--------------|------|-------------|--------------|------|-------------|
| D10700 cont. | | | D11400 cont. | | | D11800 cont. | | |
| R | 4 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 5 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 6 | Nov 12/2012 | R D11500 | 1 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 7 | Nov 12/2012 | R | 2 | Nov 12/2012 | R D11900 | 1 | Nov 12/2012 |
| R D10800 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 5 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 6 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R D10900 | 1 | Nov 12/2012 | R | 7 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 8 | Nov 12/2012 | R D12000 | 1 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 9 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R D11000 | 1 | Nov 12/2012 | R D11600 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R D11100 | 1 | Nov 12/2012 | R | 5 | Nov 12/2012 | R | 7 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 6 | Nov 12/2012 | O | 8 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 7 | Nov 12/2012 | R D12100 | 1 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 8 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R D11200 | 1 | Nov 12/2012 | R | 9 | Nov 12/2012 | O | 3 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R D11700 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R D11300 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 7 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R D11800 | 1 | Nov 12/2012 | R | 8 | Nov 12/2012 |
| R D11400 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 9 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 | R D12200 | 1 | Nov 12/2012 |

A = Added, R = Revised, D = Deleted, O = Overflow

EQUIPMENT LIST

D280A108

EFFECTIVE PAGES

Page 5
Nov 12/2012



EQUIPMENT LIST

| Section | Page | Date | Section | Page | Date | Section | Page | Date |
|--------------|------|-------------|--------------|------|-------------|--------------|------|-------------|
| D12200 cont. | | | D13000 cont. | | | D14700 cont. | | |
| R | 2 | Nov 12/2012 | R | 7 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R D13100 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 | R D14800 | 1 | Nov 12/2012 |
| R D12300 | 1 | Nov 12/2012 | R D13200 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | O | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R D12400 | 1 | Nov 12/2012 | R D13300 | 1 | Nov 12/2012 | R D14900 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R D13600 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R D12500 | 1 | Nov 12/2012 | R D13700 | 1 | Nov 12/2012 | R D15000 | 1 | Nov 12/2012 |
| R D12600 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R D15200 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R D13800 | 1 | Nov 12/2012 | R D15300 | 1 | Nov 12/2012 |
| R D12700 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R D13900 | 1 | Nov 12/2012 | R D15400 | 1 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 | R D15500 | 1 | Nov 12/2012 |
| R | 5 | Nov 12/2012 | R | 3 | Nov 12/2012 | R D15700 | 1 | Nov 12/2012 |
| R D12800 | 1 | Nov 12/2012 | R D14100 | 1 | Nov 12/2012 | R D30000 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R D14200 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R D12900 | 1 | Nov 12/2012 | R D14300 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R D14400 | 1 | Nov 12/2012 | R D30100 | 1 | Nov 12/2012 |
| R D13000 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R D14500 | 1 | Nov 12/2012 | R D30200 | 1 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R D14600 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 5 | Nov 12/2012 | R | 2 | Nov 12/2012 | R D30400 | 1 | Nov 12/2012 |
| R | 6 | Nov 12/2012 | R D14700 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |

A = Added, R = Revised, D = Deleted, O = Overflow

EQUIPMENT LIST

D280A108

EFFECTIVE PAGES

Page 6
Nov 12/2012

EQUIPMENT LIST

| Section | Page | Date | Section | Page | Date | Section | Page | Date |
|--------------|------|-------------|--------------|------|-------------|--------------|------|-------------|
| D30400 cont. | | | D40100 cont. | | | D40400 cont. | | |
| R | 3 | Nov 12/2012 | R | 5 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R D37000 | 1 | Nov 12/2012 | R | 6 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R D39900 | 1 | Nov 12/2012 | R | 7 | Nov 12/2012 | R D40500 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 8 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 9 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 10 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 5 | Nov 12/2012 | R | 11 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 6 | Nov 12/2012 | R D40200 | 1 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 7 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 7 | Nov 12/2012 |
| R D40000 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R D40600 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 5 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 6 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 5 | Nov 12/2012 | R | 7 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 6 | Nov 12/2012 | R | 8 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 7 | Nov 12/2012 | R | 9 | Nov 12/2012 | R | 7 | Nov 12/2012 |
| R | 8 | Nov 12/2012 | R D40300 | 1 | Nov 12/2012 | R | 8 | Nov 12/2012 |
| R | 9 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 9 | Nov 12/2012 |
| R | 10 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 10 | Nov 12/2012 |
| R | 11 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 11 | Nov 12/2012 |
| R | 12 | Nov 12/2012 | R | 5 | Nov 12/2012 | R D40700 | 1 | Nov 12/2012 |
| R | 13 | Nov 12/2012 | R | 6 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 14 | Nov 12/2012 | R | 7 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R D40100 | 1 | Nov 12/2012 | R D40400 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 4 | Nov 12/2012 | R D40800 | 1 | Nov 12/2012 |

A = Added, R = Revised, D = Deleted, O = Overflow

EQUIPMENT LIST

D280A108

EFFECTIVE PAGES

Page 7
Nov 12/2012



EQUIPMENT LIST

| Section | Page | Date | Section | Page | Date | Section | Page | Date |
|--------------|------|-------------|----------|------|-------------|--------------|------|-------------|
| D40800 cont. | | | R D41800 | 1 | Nov 12/2012 | D43300 cont. | | |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 5 | Nov 12/2012 | R | 5 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 6 | Nov 12/2012 | R | 6 | Nov 12/2012 | R D43400 | 1 | Nov 12/2012 |
| R | 7 | Nov 12/2012 | R | 7 | Nov 12/2012 | R D43900 | 1 | Nov 12/2012 |
| R | 8 | Nov 12/2012 | A | 8 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R D40900 | 1 | Nov 12/2012 | R D42000 | 1 | Nov 12/2012 | R D44100 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R D44200 | 1 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R D42100 | 1 | Nov 12/2012 | R D44300 | 1 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 | R D44500 | 1 | Nov 12/2012 |
| R D41000 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R D45000 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R D42200 | 1 | Nov 12/2012 | R D45100 | 1 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R D42300 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R D41100 | 1 | Nov 12/2012 | R D42400 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R D42900 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R D43000 | 1 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R D41200 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R D45200 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R D41300 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R D41400 | 1 | Nov 12/2012 | R D43100 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R D41500 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R D43200 | 1 | Nov 12/2012 | R | 7 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 8 | Nov 12/2012 |
| R D41600 | 1 | Nov 12/2012 | R D43300 | 1 | Nov 12/2012 | R D45300 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R D45400 | 1 | Nov 12/2012 |

A = Added, R = Revised, D = Deleted, O = Overflow

EQUIPMENT LIST

D280A108

EFFECTIVE PAGES

Page 8
Nov 12/2012

EQUIPMENT LIST

| Section | Page | Date | Section | Page | Date | Section | Page | Date |
|--------------|------|-------------|----------|------|-------------|--------------|------|-------------|
| D45400 cont. | | | R D48100 | 1 | Nov 12/2012 | G00000 cont. | | |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R D45500 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R J00000 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R D48300 | 1 | Nov 12/2012 | R L00000 | 1 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R D45900 | 1 | Nov 12/2012 | R D48900 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R D46000 | 1 | Nov 12/2012 | R D49900 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R DA1300 | 1 | Nov 12/2012 | R L00100 | 1 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R DB1300 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R DM0000 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 5 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 6 | Nov 12/2012 | R DP1200 | 1 | Nov 12/2012 | R L00200 | 1 | Nov 12/2012 |
| R | 7 | Nov 12/2012 | R E001 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 8 | Nov 12/2012 | R E002 | 1 | Nov 12/2012 | R L00300 | 1 | Nov 12/2012 |
| R | 9 | Nov 12/2012 | R E003 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 10 | Nov 12/2012 | R E004 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 11 | Nov 12/2012 | R E005 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 12 | Nov 12/2012 | R E006 | 1 | Nov 12/2012 | R L00400 | 1 | Nov 12/2012 |
| R | 13 | Nov 12/2012 | R E008 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 14 | Nov 12/2012 | R E020 | 1 | Nov 12/2012 | R L00500 | 1 | Nov 12/2012 |
| R D46100 | 1 | Nov 12/2012 | R F00000 | 1 | Nov 12/2012 | R L00700 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 3 | Nov 12/2012 | R L00800 | 1 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 4 | Nov 12/2012 | R L01000 | 1 | Nov 12/2012 |
| R D46400 | 1 | Nov 12/2012 | R | 5 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R D46600 | 1 | Nov 12/2012 | R | 6 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 7 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R D48000 | 1 | Nov 12/2012 | R G00000 | 1 | Nov 12/2012 | R L01100 | 1 | Nov 12/2012 |

A = Added, R = Revised, D = Deleted, O = Overflow

EQUIPMENT LIST

D280A108

EFFECTIVE PAGES

Page 9
Nov 12/2012

EQUIPMENT LIST

| Section | Page | Date | Section | Page | Date | Section | Page | Date |
|--------------|------|-------------|--------------|------|-------------|--------------|------|-------------|
| L01100 cont. | | | M00300 cont. | | | M01700 cont. | | |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 1 | Nov 12/2012 | R | 7 | Nov 12/2012 |
| R L01200 | 1 | Nov 12/2012 | R M00400 | 2 | Nov 12/2012 | A | 8 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R M00500 | 1 | Nov 12/2012 | R M01800 | 1 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R L01300 | 1 | Nov 12/2012 | R M00600 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R M00700 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R M00800 | 1 | Nov 12/2012 | A | 5 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R M00900 | 1 | Nov 12/2012 | R M01900 | 1 | Nov 12/2012 |
| R L01400 | 1 | Nov 12/2012 | R M01000 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R M01100 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R L01500 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R L03000 | 1 | Nov 12/2012 | R M01200 | 1 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R M00000 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R M01300 | 1 | Nov 12/2012 | R | 7 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R M01400 | 1 | Nov 12/2012 | R M02000 | 1 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R M00100 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R M01500 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R M01600 | 1 | Nov 12/2012 | R | 5 | Nov 12/2012 |
| R M00200 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 6 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 7 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R M01700 | 1 | Nov 12/2012 | R | 8 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 | R M02100 | 1 | Nov 12/2012 |
| R | 5 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R M00300 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 | R | 3 | Nov 12/2012 |

A = Added, R = Revised, D = Deleted, O = Overflow

EQUIPMENT LIST

D280A108

EFFECTIVE PAGES

Page 10
Nov 12/2012



EQUIPMENT LIST

| Section | Page | Date | Section | Page | Date | Section | Page | Date |
|----------|------|-------------|----------|------|-------------|--------------|------|-------------|
| R M02200 | 1 | Nov 12/2012 | R P002 | 1 | Nov 12/2012 | R00000 cont. | | |
| R | 2 | Nov 12/2012 | R P003 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R P005 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R M02300 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R R00100 | 1 | Nov 12/2012 |
| R M02400 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R R00200 | 1 | Nov 12/2012 |
| R M02500 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 | R R00300 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R P006 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R P007 | 1 | Nov 12/2012 | R R00400 | 1 | Nov 12/2012 |
| R M02600 | 1 | Nov 12/2012 | R P008 | 1 | Nov 12/2012 | D | 2 | Nov 12/2012 |
| R M02700 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R R00500 | 1 | Nov 12/2012 |
| R M02800 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R P009 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R P013 | 1 | Nov 12/2012 | R R00600 | 1 | Nov 12/2012 |
| R M02900 | 1 | Nov 12/2012 | R P014 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R P015 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| A | 3 | Nov 12/2012 | R P018 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R M03000 | 1 | Nov 12/2012 | R P019 | 1 | Nov 12/2012 | R R00700 | 1 | Nov 12/2012 |
| R M10300 | 1 | Nov 12/2012 | R P021 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R M10700 | 1 | Nov 12/2012 | R P023 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R M10900 | 1 | Nov 12/2012 | R P028 | 1 | Nov 12/2012 | R R00800 | 1 | Nov 12/2012 |
| R M11000 | 1 | Nov 12/2012 | R P041 | 1 | Nov 12/2012 | R R00900 | 1 | Nov 12/2012 |
| R N00000 | 1 | Nov 12/2012 | R P042 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R N00100 | 1 | Nov 12/2012 | R P059 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R P061 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R P063 | 1 | Nov 12/2012 | A | 5 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R P091 | 1 | Nov 12/2012 | R R01000 | 1 | Nov 12/2012 |
| R N00200 | 1 | Nov 12/2012 | R P092 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R P001 | 1 | Nov 12/2012 | R R00000 | 1 | Nov 12/2012 | R R01100 | 1 | Nov 12/2012 |

A = Added, R = Revised, D = Deleted, O = Overflow

EQUIPMENT LIST

D280A108

EFFECTIVE PAGES

Page 11
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

EQUIPMENT LIST

| Section | Page | Date | Section | Page | Date | Section | Page | Date |
|----------|------|-------------|--------------|------|-------------|--------------|------|-------------|
| R R01900 | 1 | Nov 12/2012 | S01100 cont. | | | TB0500 cont. | | |
| R S00000 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 4 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 | R TB0600 | 1 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R T00000 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 | R TB0800 | 1 | Nov 12/2012 |
| R S00100 | 1 | Nov 12/2012 | R T00100 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R T00200 | 1 | Nov 12/2012 | R TB0900 | 1 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R T00300 | 1 | Nov 12/2012 | R TB1000 | 1 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 2 | Nov 12/2012 | R TB1100 | 1 | Nov 12/2012 |
| R S00200 | 1 | Nov 12/2012 | R T00400 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 |
| R S00300 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R TB1200 | 1 | Nov 12/2012 |
| R S00500 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 | R TB1300 | 1 | Nov 12/2012 |
| R S00600 | 1 | Nov 12/2012 | R T00500 | 1 | Nov 12/2012 | R TB1400 | 1 | Nov 12/2012 |
| R S00700 | 1 | Nov 12/2012 | R | 2 | Nov 12/2012 | R TB1500 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R | 3 | Nov 12/2012 | R TB1800 | 1 | Nov 12/2012 |
| R S00800 | 1 | Nov 12/2012 | R T03000 | 1 | Nov 12/2012 | R TB2100 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R TB0000 | 1 | Nov 12/2012 | R TB2200 | 1 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R | 2 | Nov 12/2012 | R TB3000 | 1 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R | 3 | Nov 12/2012 | R TB3100 | 1 | Nov 12/2012 |
| R S00900 | 1 | Nov 12/2012 | R | 4 | Nov 12/2012 | R TB3200 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R TB0100 | 1 | Nov 12/2012 | R TB3300 | 1 | Nov 12/2012 |
| R S01000 | 1 | Nov 12/2012 | R TB0200 | 1 | Nov 12/2012 | R TB3900 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R TB0300 | 1 | Nov 12/2012 | R TB4100 | 1 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R TB0400 | 1 | Nov 12/2012 | R TB4200 | 1 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R TB0500 | 1 | Nov 12/2012 | R TB4600 | 1 | Nov 12/2012 |
| R | 5 | Nov 12/2012 | R | 2 | Nov 12/2012 | R TB5000 | 1 | Nov 12/2012 |
| R S01100 | 1 | Nov 12/2012 | R | 3 | Nov 12/2012 | R | 2 | Nov 12/2012 |

A = Added, R = Revised, D = Deleted, O = Overflow

EQUIPMENT LIST

D280A108

EFFECTIVE PAGES

Page 12
Nov 12/2012

EQUIPMENT LIST

| Section | Page | Date | Section | Page | Date | Section | Page | Date |
|----------|------|-------------|----------|------|-------------|----------|------|-------------|
| R TB5100 | 1 | Nov 12/2012 | R YABA00 | 1 | Nov 12/2012 | R YUSL00 | 1 | Nov 12/2012 |
| R TB5200 | 1 | Nov 12/2012 | R YABS00 | 1 | Nov 12/2012 | R YUSP00 | 1 | Nov 12/2012 |
| R TB5400 | 1 | Nov 12/2012 | R YAC+ | 1 | Nov 12/2012 | R YUXP00 | 1 | Nov 12/2012 |
| R TB5800 | 1 | Nov 12/2012 | R YACA00 | 1 | Nov 12/2012 | R YVEJ00 | 1 | Nov 12/2012 |
| R TB6100 | 1 | Nov 12/2012 | R YAD+ | 1 | Nov 12/2012 | R YVES00 | 1 | Nov 12/2012 |
| R V00000 | 1 | Nov 12/2012 | R YADP00 | 1 | Nov 12/2012 | R YWC+ | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R YADS00 | 1 | Nov 12/2012 | R YWD+ | 1 | Nov 12/2012 |
| R | 3 | Nov 12/2012 | R YAE+ | 1 | Nov 12/2012 | R YWDS00 | 1 | Nov 12/2012 |
| R | 4 | Nov 12/2012 | R YAEP00 | 1 | Nov 12/2012 | R YWE+ | 1 | Nov 12/2012 |
| R V00100 | 1 | Nov 12/2012 | R YAES00 | 1 | Nov 12/2012 | R YWES00 | 1 | Nov 12/2012 |
| R | 2 | Nov 12/2012 | R YAGS00 | 1 | Nov 12/2012 | A | 2 | BLANK |
| R | 3 | Nov 12/2012 | R YBA+ | 1 | Nov 12/2012 | | | |
| R Y004 | 1 | Nov 12/2012 | R YBAD00 | 1 | Nov 12/2012 | | | |
| R | 2 | Nov 12/2012 | R YBAF00 | 1 | Nov 12/2012 | | | |
| R | 3 | Nov 12/2012 | R YBAL00 | 1 | Nov 12/2012 | | | |
| R Y007 | 1 | Nov 12/2012 | R YBAM00 | 1 | Nov 12/2012 | | | |
| R | 2 | Nov 12/2012 | R YBD+ | 1 | Nov 12/2012 | | | |
| R | 3 | Nov 12/2012 | R YBDD00 | 1 | Nov 12/2012 | | | |
| R Y008 | 1 | Nov 12/2012 | R YBDF00 | 1 | Nov 12/2012 | | | |
| R | 2 | Nov 12/2012 | R YBDL00 | 1 | Nov 12/2012 | | | |
| R | 3 | Nov 12/2012 | R YBDM00 | 1 | Nov 12/2012 | | | |
| R Y04X | 1 | Nov 12/2012 | O YUR+ | 1 | Nov 12/2012 | | | |
| R Y07X | 1 | Nov 12/2012 | R YURB00 | 1 | Nov 12/2012 | | | |
| R Y08X | 1 | Nov 12/2012 | R YURJ00 | 1 | Nov 12/2012 | | | |
| R YAAM00 | 1 | Nov 12/2012 | O YURL00 | 1 | Nov 12/2012 | | | |
| R YAAT00 | 1 | Nov 12/2012 | R YURP00 | 1 | Nov 12/2012 | | | |
| R YAAV00 | 1 | Nov 12/2012 | R YUS+ | 1 | Nov 12/2012 | | | |
| R YAB+ | 1 | Nov 12/2012 | R YUSJ00 | 1 | Nov 12/2012 | | | |

A = Added, R = Revised, D = Deleted, O = Overflow

EQUIPMENT LIST

D280A108

EFFECTIVE PAGES

Page 13
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| A00006 | | 5-89354-3129 WINDSHIELD-LEFT 1 | 05-71761 81205 | 1 | 30-41-11 190/246/L002 | ALL |
| A00006 T | | MS25171-1S NIPPLE | 96906 | 6 | 30-41-11 190/246/L002 | ALL |
| A00007 | | 5-89357-33 WINDOW-LEFT 4 | 05-71764 32925 | 1 | 30-41-11 215/262/L015 | YC051-YD170, YN501 |
| A00008 | | 5-89358-41 WINDOW-LEFT 5 | 05-71765 32925 | 1 | 30-41-11 222/263/L026 | YC051-YD170, YN501 |
| A00009 | | 5-89355-78 WINDOW-RIGHT 2 | 05-71762 81205 | 1 | 30-41-11 207/240/R032 | ALL |
| A00009 T | | MS25171-1S NIPPLE | 96906 | 4 | 30-41-11 207/245/R032 | YR312-YR328 |
| A00010 | | 5-89354-3130 WINDOW-RIGHT 1 | 05-71761 81205 | 1 | 30-41-12 190/246/R001 | ALL |
| A00010 T | | MS25171-1S NIPPLE | 96906 | 6 | 30-41-12 190/246/R001 | YC051-YD158, YL951-YR328 |
| A00011 | | 5-89357-34 WINDOW-RIGHT 4 | 05-71764 32925 | 1 | 30-41-12 215/262/R015 | YC051-YD170, YN501 |
| A00012 | | 5-89358-42 WINDOW-RIGHT 5 | 05-71765 32925 | 1 | 30-41-12 224/262/R028 | YC051-YD170, YN501 |
| A00013 | | 5-89355-77 WINDOW-LEFT 2 | 05-71762 81205 | 1 | 30-41-12 207/245/L032 | ALL |
| A00013 T | | MS25171-1S NIPPLE | 96906 | 8 | 30-41-12 207/245/L032 | YC051-YD158, YL951-YL968, YN231-YN236, YN501-YR309 |
| A00013 T | | MS25171-1S NIPPLE | 96906 | 4 | 30-41-12 207/245/L032 | YR312-YR328 |
| A00021 | | 5-89356-19 WINDOW-LEFT 3 | TBD-0000 81205 | 1 | 30-41-11 245/247/L030 | ALL |
| A00022 | | 5-89356-20 WINDOW-RIGHT 3 | TBD-0000 81205 | 1 | 30-41-12 254/258/R040 | ALL |
| A00023 | | S232N911-4 HTR-LOWER LEFT PITOT | 232A9101 59885 | 1 | 30-31-11 192/225/L034 | YC051-YD153 |

EQUIPMENT LIST

D280A108

Section A00000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| A00023 | | S232N911-6 HTR-LOWER LEFT PITOT | 232A9101 59885 | 1 | 30-31-11 192/225/L034 | YD154-YR328 |
| A00024 | | S232N911-4 HTR-LEFT ELEVATOR FEEL PITOT PROBE | 232A9102 59885 | 1 | 30-31-11 1070/387/L008 | YC051-YD153 |
| A00024 | | S232N911-6 HTR-LEFT ELEVATOR FEEL PITOT PROBE | 232A9102 59885 | 1 | 30-31-11 1070/387/L008 | YD154-YR328 |
| A00025 | | S232N911-4 HTR-LOWER RIGHT PITOT | 232A9101 59885 | 1 | 30-31-12 192/213/R034 | YC051-YD153 |
| A00025 | | S232N911-6 HTR-LOWER RIGHT PITOT | 232A9101 59885 | 1 | 30-31-12 192/213/R034 | YD154-YR328 |
| A00026 | | S232N911-4 HTR-UPPER RIGHT PITOT | 232A9101 59885 | 1 | 30-31-12 192/224/R034 | YC051-YD153 |
| A00026 | | S232N911-6 HTR-UPPER RIGHT PITOT | 232A9101 59885 | 1 | 30-31-12 192/224/R034 | YD154-YR328 |
| A00027 | | S232N911-4 HTR-RIGHT ELEVATOR FEEL PITOT | 232A9102 59885 | 1 | 30-31-12 1070/387/R008 | YC051-YD153 |
| A00027 | | S232N911-6 HTR-RIGHT ELEVATOR FEEL PITOT | 232A9102 59885 | 1 | 30-31-12 1070/387/R008 | YD154-YR328 |

EQUIPMENT LIST

D280A108

Section A00000
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| AB0237A | | 287A4142 DISCONNECT BRACKET | 141A5100 | 1 | 73-21-21 237/201/L004 | ALL |
| AB0237B | | 287A4142 DISCONNECT BRACKET | 141A5100 81205 | 1 | 73-21-21 241/203/L005 | ALL |
| AB0250A | | 287A4142 DISCONNECT BRACKET- | 141A7600 | 1 | 91-04-02 250/195/L002 | ALL |
| AB0288 | | 287A4021 DISCONNECT BRACKET | 287A4181 81205 | 1 | 91-04-12 288/289/0 | ALL |

EQUIPMENT LIST

D280A108

Section AB0200

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| AB0340A | | 287A4021 DISCONNECT BRACKET-LEFT | 287A4181 81205 | 1 | 91-04-12 340/295/L006 | ALL |
| AB0340B | | 287A4021 DISCONNECT BRACKET-RIGHT | 287A4181 81205 | 1 | 91-04-12 340/295/R006 | ALL |
| AB0358 | | 287A4181 DISCONNECT BRACKET | 287A4181 81205 | 1 | 23-70-11 358/296/L003 | YL951-YR328 |
| AB0366 | | 287A4021 DISCONNECT BRACKET | 287A4181 | 0 | 91-04-12 360/290/L032 | YN501-YR328 |
| AB0369L | | 287A4021-193 DISCONNECT BRACKET | 287A4181 81205 | 1 | 91-04-12 369/280/L047 | YN501-YR328 |
| AB0372 | 1 | 287A4358 DISCONNECT BRACKET-TEST RECEPTACLES | 287A4352 | 1 | 91-04-12 372/184/R050 | ALL |
| AB0373 | | 287A4181 DISCONNECT BRACKET | 287A4181 81205 | 1 | 91-04-12 373/296/L013 | YC051-YL999, YN501-YR328 |
| AB0376R | | 287A4021-193 DISCONNECT BRACKET | 287A4181 81205 | 1 | 91-04-12 376/280/R047 | YN501-YR328 |
| AB0387 | | 287A4021 DISCONNECT BRACKET-UPR TCAS ANT | 287A4181 | 0 | 91-04-12 387/298/R010 | ALL |

EQUIPMENT LIST

D280A108

Section AB0300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| AB0405B | | 287A4021 DISCONNECT BRACKET | 287A4181 | 1 | 91-04-12 410/288/R040 | ALL |
| AB0410 | | 287A4358 DISCONNECT BRACKET | 287A4352 | 0 | 91-04-12 410/205/R039 | YL951-YR328 |
| AB0420A | | 287A4021 DISCONNECT BRACKET | 288A4311 81205 | 1 | 91-04-12 424/293/L033 | ALL |

EQUIPMENT LIST

D280A108

Section AB0400

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| AB0500DL | | 287A4314 DISCONNECT BRACKET-LEFT WING | 287A4314 81205 | 1 | 9104XX 500I/201/L040 | YC051-YL999, YR301-YR328 |
| AB0500DL | | 287A4314 DISCONNECT BRACKET-LEFT WING | 287A4314 81205 | 1 | 9104XX 500D/201/L040 | YN231-YN501 |
| AB0500DR | | 69-71502 DISCONNECT BRACKET-RIGHT WING | 65-49740 81205 | 1 | 9104XX 500I/201/R061 | YC051-YL999, YR301-YR328 |
| AB0500DR | | 69-71502 DISCONNECT BRACKET-RIGHT WING | 65-49740 81205 | 1 | 9104XX 500D/201/R047 | YN231-YN501 |
| AB0501DL | | 69-73778 DISCONNECT BRACKET-LEFT WING | 65C28038 81205 | 1 | 91-04-07 500D+7/180/L058 | ALL |
| AB0501DR | | 69-73778 DISCONNECT BRACKET-RIGHT WING | 65C28038 81205 | 1 | 91-04-07 500D+7/180/R058 | ALL |
| AB0536L | | 278A9112-39 DISCONNECT BRACKET-LEFT AC BAY | 111A2001 81205 | 1 | 91-00-00 541/159/L025 | ALL |
| AB0536R | | 287A9112-83 DISCONNECT BRACKET-RIGHT AC BAY | 111A2001 81205 | 1 | 91-00-00 541/159/R025 | ALL |

EQUIPMENT LIST

D280A108

Section AB0500

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| AB0727L | | 69-74694 DISCONNECT BRACKET-AFT CARGO COMPT | 65C28058 81205 | 1 | 91-04-15 727/193/L038 | ALL |
| AB0727R | | 69-74694 DISCONNECT BRACKET-AFT CARGO COMPT | 287A4613 81205 | 1 | 91-04-15 727/193/R045 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AB0700

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|-----------------------------------|-----------------------|-----|------------------------------|-------------|
| AB0858 | | 287A4015-19 DISCONNECT BRACKET | 287A4181 81205 | 1 | 91-04-15 858/219/R069 | YC051-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AB0800
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| AB0913 | | 287A4020 DISCONNECT BRACKET | 287A4181 81205 | 1 | 23-32-11 913/290/R038 | YN231-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AB0900

Page 1 End

Aug 30/2007



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| AB1030A | | 65-49766-37 DISCONNECT BRACKET-AFT PRESSURE BLKHD. | 148A0931 81205 | 1 | 91-04-15 1030/301/R012 | ALL |
| AB1030B | | 65-49766-14 DISCONNECT BRACKET-AFT PRESSURE BLKHD. | 148A0931 81205 | 1 | 91-04-15 1030/301/0000 | ALL |
| AB1030C | | 65-49766-30 DISCONNECT BRACKET-AFT PRESSURE BLKHD. | 148A0931 81205 | 1 | 91-04-15 1030/301/L011 | ALL |
| AB1042L | | 287A4811-71 DISCONNECT BRACKET -SEC 48 R | 148A3110 | 0 | 22-18-11 1042/297/L008 | YD160-YL999, YR301-YR328 |
| AB1050L | | 287A4811-71 DISCONNECT BRACKET-SEC 48 L | 148A3110 81205 | 1 | 91-04-15 1050/296/L015 | YC053-YR328 |
| AB1050R | | 287A4811-72 DISCONNECT BRACKET-SEC 48 R | 148A3110 81205 | 1 | 91-04-15 1050/297/R008 | YC053-YR328 |
| AB1080 | 9 | 287A4811-31 DISCONNECT BRACKET-STA 1080 (SB 27-1253) | 148A0931 81205 | 1 | 27-28-11 1080/299/0 | YC051-YD155 |
| AB1080 | | 287A4811-31 DISCONNECT BRACKET-STA 1080 | 148A0931 81205 | 1 | 27-28-11 1080/299/0 | ALL |
| AB1088 | | 352A2300 DISCONNECT BRACKET-STA 1088 | 148AXXXX 81205 | 1 | 91-04-15 1088/ / | ALL |

EQUIPMENT LIST

D280A108

Section AB1000
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| AB1156L | | 287A0000-00 DISCONNECT BRACKET-SEC 48 L | 148A0000 81205 | 1 | 91-04-15 1156/ / | ALL |
| AB1156R | | 287A0000-00 DISCONNECT BRACKET SEC 48 R | 148A0000 81205 | 1 | 91-04-15 1156/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AB1100

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|-----------------------------------|-----------------------|-----|------------------------------|-------------|
| AC0520 | | 287A4302-1 DISCONNECT BRACKET | 286A1140 | 1 | 91-04-13 500I+15/180/L059 | ALL |
| AC0538 | 1 | 287A4312-34 DISCONNECT BRACKET | 287A4302 | 0 | 47-30-11 537/199/R055 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AC0500
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|----------------------------------|-----------------------|-----|------------------------------|-------------|
| AD0520 | | 287A4302-2 DISCONNECT BRACKET | 286A1138 | 1 | 91-04-13 500D+10/194/R067 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AD0500

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| AE0101A | | 287A4134 DISCONNECT BRACKET - E1-1 SHELF | 284A1711 81205 | 1 | 91-04-04 / / | ALL |
| AE0101B | | 287A4133 DISCONNECT BRACKET - E1-1 SHELF | 284A1711 81205 | 1 | 91-04-04 / / | ALL |
| AE0102A | | 287A4133 DISCONNECT BRACKET - E1-2 SHELF | 287A4116 81205 | 1 | 91-04-04 312/169/R023 | ALL |
| AE0102B | | 284A3602 DISCONNECT BRACKET - E1-2 SHELF | 284A1602 81205 | 1 | 91-04-04 / / | ALL |
| AE0103A | | 287A4134 DISCONNECT BRACKET - E1-3 SHELF | 284A1713 81205 | 1 | 91-04-04 312/170/L025 | ALL |
| AE0104A | | 287A4133 DISCONNECT BRACKET - E1-4 SHELF | 287A4116 81205 | 1 | 91-04-04 312/160/R023 | ALL |
| AE0104B | | 284A3602 DISCONNECT BRACKET - E1-4 SHELF | 284A1602 81205 | 1 | 91-04-04 / / | ALL |
| AE0105A | | 287A4134 DISCONNECT BRACKET - E1-5 SHELF | 284A4116 81205 | 1 | 91-04-04 312/160/R025 | ALL |

EQUIPMENT LIST

D280A108

Section AE0100
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| AE0201A | | 287A4358 DISCONNECT BRACKET - E2-1 SHELF | 284A1721 81205 | 1 | 91-04-05 E002-01/ /0023 | ALL |
| AE0202A | | 287A4358 DISCONNECT BRACKET - E2-2 SHELF | 284A1722 81205 | 1 | 91-04-05 E002-02/ /0033 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AE0200

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| AE0301A | | 287A4358 DISCONNECT BRACKET - E3-1 | 284A1731 81205 | 1 | 91-04-06 E003-01/ /0041 | ALL |
| AE0302A | | 287A4358 DISCONNECT BRACKET - E3-2 SHELF | 284A1732 81205 | 1 | 91-04-06 E003-02/ /0056 | ALL |
| AE0303A | | 287A4358 DISCONNECT BRACKET - E3-3 SHELF | 284A1733 81205 | 1 | 91-04-06 384/173/L005 | ALL |

EQUIPMENT LIST

D280A108

Section AE0300
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| AE0401A | | 287A4358 DISCONNECT BRACKET - E4-1 SHELF | 286A1741 81205 | 1 | 91-04-07 E004-01/ /0052 | ALL |
| AE0401B | | 287A4358 DISCONNECT BRACKET - E4-1 SHELF | 284A1741 81205 | 0 | 91-04-07 E004-01/ / | ALL |
| AE0401D | | 287A4357 DISCONNECT BRACKET - E4-1 SHELF | 286A1741 81205 | 1 | 91-04-07 E004-01/ /0052 | ALL |
| AE0402A | | 287A4358 DISCONNECT BRACKET - E4-2 SHELF | 284A1742 81205 | 1 | 91-04-07 E004-02/ /0041 | ALL |

EQUIPMENT LIST

D280A108

Section AE0400

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| AE0502A | | 284A2642 DISCONNECT BRACKET - E5-2 SHELF | 284A0642 81205 | 1 | 91-04-08 E005-02/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AE0500
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| AE0601A | | TBD DISCONNECT BRACKET - E6-1 SHELF | 284A2760 81205 | 1 | 91-04-10 / / | YC051-YD170 |
| AE0602A | | 284A1762 DISCONNECT BRACKET - E6-2 SHELF | 284A0762 81205 | 1 | 91-04-10 E006-02/ / | YL951-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AE0600

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| AE0801A | | 284A2780 DISCONNECT BRACKET - E8-1 SHELF | 284A1781 81205 | 1 | 91-04-11 E008-01/ / | YC051-YD170, YN501-YR328 |
| AE0801B | 1 | 284A2780 DISCONNECT BRACKET E08-01 SHELF | 284A2781 81205 | 1 | 91-04-11 E008-01/ / | YC051-YD170, YN501-YR328 |
| AE0801C | 1 | 287A4134-9 DISCONNECT BRACKET - E8-1 SHELF | 284A1781 81205 | 1 | 91-04-11 E008-01/ / | YC051-YD170 |
| AE0801D | | 284A2780 DISCONNECT BRACKET - E8-1 SHELF | 284A1781 81205 | 1 | 91-04-11 E008-01/ / | YC051-YD170 |

EQUIPMENT LIST

D280A108

Section AE0800
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| AE1100A | | 65C16237 DISCONNECT BRACKET - E11 SHELF | 65C20884 81205 | 6 | 9104XX 212/180/R020 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AE1100

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| AF0213A | | 254A1303 DISCONNECT BRACKET-AISLE CONTROL STAND | 254A1220 81205 | 1 | 91-04-02 210/208/BL0 | ALL |
| AF0222A | | 254A1239 DISCONNECT BRACKET-AISLE CONTROL STAND | 254A1220 81205 | 1 | 91-04-01 210/208/ | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AF0200
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| AJ0004 | | 284A1204 DISCONNECT BRACKET-J4 | 286A0094 81205 | 1 | 27-41-12 273/168/R024 | ALL |
| AJ0011 | | 284A1214 DISCONNECT BRACKET-J11 | 286A0122 81205 | 1 | 27-31-11 J011-00/ / | ALL |
| AJ0020 | | 284A1203 DISCONNECT BRACKET-J20 | 286A0072 81205 | 1 | 32-31-12 J020-0B/ / | ALL |
| AJ0020A | | 284A1203 DISCONNECT BRACKET-J20-A | 286A0074 81205 | 1 | 32-31-12 J020-0A/ / | ALL |
| AJ0020B | | 284A1203 DISCONNECT BRACKET-J20-B | 286A0072 81205 | 1 | 32-31-12 J020-0B/ / | ALL |
| AJ0020C | 9 | 284A1203 DISCONNECT BRACKET-J20-C (SB 21-1135) | SB211135 81205 | 1 | 21-31-22 J020-0A/ / | YC053, YC055 |
| AJ0020C | | 284A1203 DISCONNECT BRACKET-J20-C | 286A0074 81205 | 1 | 21-31-22 J020-0A/ / | YC067-YR328 |
| AJ0020D | | 284A1203 DISCONNECT BRACKET-J20-D | 286A0074 81205 | 1 | 28-23-11 J020-0D/ / | ALL |
| AJ0022 | | 284A1222 DISCONNECT BRACKET-J22 | 286A0076 81205 | 1 | 32-31-11 J022-00/ / | ALL |
| AJ0023 | | 284A1223 DISCONNECT BRACKET-J23 | 286A0078 81205 | 1 | 35-21-11 J023-00/ / | ALL |
| AJ0024 | | 284A1224 DISCONNECT BRACKET-J24 | 286A0080 81205 | 1 | 78-32-61 J024-00/ / | ALL |
| AJ0039A | | 284A1239 DISCONNECT BRACKET-J39-A | 286A0082 | 0 | 27-62-11 J039-0A/ / | YL951-YN260, YR301-YR328 |
| AJ0039B | | 284A1239 DISCONNECT BRACKET-J39-B | 286A0084 | 0 | 23-42-14 J039-0B/ / | YN501-YR328 |
| AJ0046A | | 287A4140 DISCONNECT BRACKET - J46A | 286ATBD 81205 | 1 | 21-25-11 263/177/R031 | ALL |
| AJ0046B | | 287A4140 DISCONNECT BRACKET - J46B | 286ATBD 81205 | 1 | 21-25-11 263/177/R031 | ALL |
| AJ0048A | | 287A4140-5 DISCONNECT BRACKET - J48A | 286ATBD 81205 | 1 | 21-25-11 263/177/L033 | ALL |

EQUIPMENT LIST

D280A108

Section AJ0000

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| AL0675A | | 287A4413-1 DISCONNECT BRACKET-MAIN WHEEL WELL | 144A7710 81205 | 1 | 91-04-14 676/198/L040 | ALL |
| AL0675B | | 287A4413-2 DISCONNECT BRACKET-MAIN WHEEL WELL | 144A7710 81205 | 0 | 91-04-14 675/198/L036 | ALL |
| AL0675C | | 287A4413-4 DISCONNECT BRACKET-MAIN WHEEL WELL | 144A7710 81205 | 1 | 91-04-14 675/198/R036 | ALL |
| AL0694L | | 287A1562-3 DISCONNECT BRACKET-STA 694 | 287A1552 81205 | 1 | 32-64-11 / / | ALL |
| AL0694R | | 287A1562-4 DISCONNECT BRACKET-STA 694 | 287A1552 81205 | 1 | 32-64-11 / / | ALL |

EQUIPMENT LIST

D280A108

Section AL0600
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| AL0706L | | 287A1542-3 DISCONNECT BRACKET-STA 706 | 287A1552 81205 | 1 | 32-31-12 / / | ALL |
| AL0706R | | 287A1542-4 DISCONNECT BRACKET-STA 706 | 287A1552 81205 | 1 | 32-31-12 / / | ALL |
| AL0711L | | 115A2162-9 DISCONNECT BRACKET-STA 711 | 115A1100 81205 | 1 | 32-64-12 / / | ALL |
| AL0711R | | 115A2162-9 DISCONNECT BRACKET-STA 711 | 115A1100 81205 | 1 | 32-64-12 / / | ALL |
| AL0720A | | 287A4413-5 DISCONNECT BRACKET-MAIN WHEEL WELL | 144A7710 81205 | 1 | 91-04-14 717/200/L032 | ALL |
| AL0720B | | 287A4413-6 DISCONNECT BRACKET-MAIN WHEEL WELL | 144A7710 81205 | 0 | 91-04-14 717/200/L027 | ALL |
| AL0720C | | 287A4413-8 DISCONNECT BRACKET-MAIN WHEEL WELL | 144A7710 81205 | 1 | 91-04-14 717/200/R032 | ALL |
| AL0720D | | 287A4413-7 DISCONNECT BRACKET-MAIN WHEEL WELL | 144A7710 81205 | 0 | 91-04-14 717/200/R027 | ALL |

EQUIPMENT LIST

D280A108

Section AL0700

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| AP0600A | | 287A4124 DISCONNECT BRACKET-P5-P6 INTEGRATION | 287A4106 81205 | 1 | 91-04-02 270/280/R005 | ALL |
| AP0600B | | 287A4124 DISCONNECT BRACKET-LOWER P6 PANEL | 287A4105 81205 | 1 | 91-04-02 260/215/R040 | ALL |
| AP0600C | | 69-50971 DISCONNECT BRACKET-UPPER P6 PANEL | 233A5301 81205 | 1 | 91-04-02 260/275/R015 | ALL |

EQUIPMENT LIST

D280A108

Section AP0600
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| AP0700A | | 69-7881-1 DISCONNECT BRACKET-P7 PANEL | 65-49730 81205 | 1 | 9103XX P007-00/250/L005 | ALL |
| AP0700B | | 69-7881-1 DISCONNECT BRACKET-P7 PANEL | 65-49730 81205 | 1 | 9103XX P007-00/250/R005 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AP0700

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| AP0900A | | 287A4124 DISCONNECT BRACKET-P9-FWD INSTR PANEL | 287A4103 81205 | 1 | 91-04-01 190/214/0 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AP0900
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| AP1800A | | 287A4124 DISCONNECT BRACKET-P5-P18 INTEGRATION | 287A4106 81205 | 1 | 91-04-02 270/280/L005 | ALL |
| AP1800B | | 287A4124 DISCONNECT BRACKET-LOWER P18 PANEL | 287A4104 81205 | 1 | 91-04-02 255/215/L040 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AP1800

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| AP2800A | | 355A5340 DISCONNECT BRACKET-P28 PANEL | 355A5300 | 1 | 49-62-11 724/172/R018 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AP2800
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| AS0001 | | 311A2519 DISCONNECT BRACKET-FIRE WALL | 311A2511 81205 | 2 | 91-04-13 NS175/ / | ALL |
| AS0001L | | 311A2519 DISCONNECT BRACKET-FIRE WALL(STRUT SIDE) | 311A2511 81205 | 1 | 91-04-13 NS175/135/L | ALL |
| AS0001R | | 311A2519 DISCONNECT BRACKET-FIRE WALL(STRUT SIDE) | 311A2511 81205 | 1 | 91-04-13 NS175/135/R | ALL |
| AS0002 | | 312A2807 DISCONNECT BRACKET-LEFT SLEEVE | 313A2240 | 0 | 91-04-13 NR201/136/ | ALL |
| AS0002L | | 312A2807 DISCONNECT BRACKET-T/R LEFT STRUT | 313A2240 | 0 | 91-04-03 NS201/136/L | ALL |
| AS0002R | | 312A2807 DISCONNECT BRACKET-T/R RIGHT STRUT | 313A2240 | 0 | 91-04-03 NS201/136/R | ALL |
| AS0003 | | 313A2240 DISCONNECT BRACKET RIGHT SLEEVE | 312A2200 | 0 | 91-04-13 NS201/136/ | ALL |
| AS0003L | | 312A2807 DISCONNECT BRACKET T/R LEFT STRUT | 313A2240 | 0 | 91-04-07 NS201/136/L | ALL |
| AS0003R | | 312A2807 DISCONNECT BRACKET-T/R RIGHT STRUT | 313A2240 | 0 | 91-04-07 NS201/136/R | ALL |

EQUIPMENT LIST

D280A108

Section AS0000

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| AW0219L | | 65C26727 DISCONNECT BRACKET-CLOSURE RIB(L-WING) | 65C26707 81205 | 1 | 91-04-07 LES219/ / | ALL |
| AW0219R | | 65C26727 DISCONNECT BRACKET-CLOSURE RIB(R-WING) | 65C26707 81205 | 1 | 91-04-07 / / | ALL |
| AW0254L | | 287A1542-10 DISCONNECT BRACKET-LEFT WING STA 254 | 287A1562 81205 | 1 | 27-53-21 / / | ALL |
| AW0254R | | 287A1542-10 DISCONNECT BRACKET-RIGHT WING STA 254 | 287A1562 81205 | 1 | 27-53-21 / / | ALL |
| AW0258L | | TBD DISCONNECT BRACKET | 286A1172 81205 | 1 | 91-04-13 IFSS 217/ / | ALL |
| AW0258R | | TBD DISCONNECT BRACKET | 286A1272 81205 | 1 | 91-04-13 IFSS 217/ / | ALL |

EQUIPMENT LIST

D280A108

Section AW0200

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| AW0742L | | 287A1542-13 DISCONNECT BRACKET-LEFT WING STA 742 | 287A1552 81205 | 1 | 22-11-31 / / | ALL |
| AW0742R | | 287A1542-14 DISCONNECT BRACKET-RIGHT WING STA 742 | 287A1552 81205 | 1 | 22-11-31 / / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section AW0700

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00014 | | BACC18AD2 CB-AC GEN 1 IND | S281A601 81205 | 1 | 24-28-11 P091-00/ /B012 | ALL |
| C00015 | | BACC18AD2 CB-AC APU GEN IND | S281A601 81205 | 1 | 24-28-11 P091-00/ /B011 | ALL |
| C00016 | | BACC18AD2 CB-AC GEN 2 IND | S281A601 81205 | 1 | 24-28-11 P092-00/ /B012 | ALL |
| C00023 | | BACC18AD2 CB-DC BUS INDICATION BUS 1 | 233A5202 81205 | 1 | 24-33-11 P006-04/ /F016 | YC051-YC055 |
| C00023 | | BACC18AD2 CB-DC BUS INDICATION BUS 1 | 233A5224 81205 | 1 | 24-33-11 P006-04/ /F016 | YC056-YR328 |
| C00025 | | BACC18AD2 CB-TR3-DC IND | S281A601 07217 | 0 | 24-31-12 M01720/ /C003 | ALL |
| C00026 | | BACC18AD2 CB-DC BUS INDICATION BAT | 233A5202 81205 | 1 | 24-33-11 P006-04/ /F014 | YC051-YC055 |
| C00026 | | BACC18AD2 CB-DC BUS INDICATION BAT | 233A5224 81205 | 1 | 24-33-11 P006-04/ /F014 | YC056-YR328 |
| C00032 | | BACC18AD5 CB-FUEL FUELING CONT | 233A5202 81205 | 1 | 28-44-11 P006-03/ /A003 | YC051-YC055 |
| C00032 | | BACC18AD5 CB-FUEL FUELING CONT | 233A5223 81205 | 1 | 28-44-11 P006-03/ /A003 | YC056-YR328 |
| C00033 | | BACC18AD7 CB-AUX POWER UNIT CONT | 233A5202 81205 | 1 | 49-62-11 P006-04/ /A014 | YC051-YC055 |
| C00033 | | BACC18AD7 CB-AUX POWER UNIT CONT | 233A5224 81205 | 1 | 49-62-11 P006-04/ /A014 | YC056-YR328 |
| C00040 | | BACC18AD7 CB-28V AC GND SERV 2 | S281A601 07217 | 1 | 24-53-11 P092-00/ /E006 | ALL |
| C00041 | | BACC18AD5 CB-28V AC GND SERV 1 | S281A601 07217 | 1 | 24-53-11 P091-00/ /E011 | YC051-YD158 |
| C00041 | | BACC18AD5 CB-28V AC GND SERV 1 | S281A601 07217 | 1 | 24-53-11 P091-00/ /E012 | YD160-YR328 |
| C00054 | | BACC18AD10 CB-ANTI-ICE & RAIN WSHLD WIPER LEFT | 233A5502 81205 | 1 | 30-42-11 P018-03/ /B003 | YC051-YC055 |
| C00054 | | BACC18AD10 CB-ANTI-ICE & RAIN WSHLD WIPER LEFT | 233A5523 81205 | 1 | 30-42-11 P018-03/ /B003 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C00055 | | BACC18AD10 CB-ANTI-ICE & RAIN WSHLD WIPER RIGHT | 233A5502 81205 | 1 | 30-42-11 P018-03/ /B001 | YC051-YC055 |
| C00055 | | BACC18AD10 CB-ANTI-ICE & RAIN WSHLD WIPER RIGHT | 233A5523 81205 | 1 | 30-42-11 P018-03/ /B001 | YC056-YR328 |
| C00058 | | BACC18AD3 CB-COMMUNICATIONS SELCAL | 233A5502 81205 | 1 | 23-22-11 P018-02/ /D015 | YC051-YC055 |
| C00058 | | BACC18AD3 CB-COMMUNICATIONS SELCAL | 233A5522 81205 | 1 | 23-22-11 P018-02/ /D015 | YC056-YR328 |
| C00072 | | BACC18AD2 CB-AC BUS STBY BUS 115V AC IND | 233A5202 81205 | 1 | 24-28-11 P006-04/ /D016 | YC051-YC055 |
| C00072 | | BACC18AD2 CB-AC BUS STBY BUS 115V AC IND | 233A5224 81205 | 1 | 24-28-11 P006-04/ /D016 | YC056-YR328 |
| C00073 | | BACC18AD2 CB-PASSENGER CABIN CREW CALL | 233A5502 81205 | 1 | 23-42-11 P018-03/ /A009 | YC051-YC055 |
| C00073 | | BACC18AD2 CB-PASSENGER CABIN CREW CALL | 233A5523 81205 | 1 | 23-42-11 P018-03/ /A009 | YC056-YR328 |
| C00076 | | BACC18AD2 CB-AIR CONDITIONING TEMP IND | 233A5202 81205 | 1 | 21-61-51 P006-04/ /D008 | YC051-YC055 |
| C00076 | | BACC18AD2 CB-AIR CONDITIONING TEMP IND | 233A5224 81205 | 1 | 21-61-51 P006-04/ /D008 | YC056-YR328 |
| C00077 | | BACC18AD2 CB-AIR CONDITIONING BLEED AIR PRESS IND | 233A5202 81205 | 1 | 36-21-11 P006-04/ /B005 | YC051-YC055 |
| C00077 | | BACC18AD2 CB-AIR CONDITIONING BLEED AIR PRESS IND | 233A5224 81205 | 1 | 36-21-11 P006-04/ /B005 | YC056-YR328 |
| C00080 | | BACC18AD3 CB-ENTERTAINMENT PA TAPE RPDR AC | 233A5202 81205 | 1 | 23-31-06 P006-01/ /C009 | YC051-YC055 |
| C00080 | | BACC18AD3 CB-ENTERTAINMENT PA TAPE RPDR AC | 233A5221 81205 | 1 | 23-31-06 P006-01/ /C009 | YC056-YN260 |
| C00082 | | BACC18AD10 CB-COMMUNICATIONS PA AMPL BAT | 233A5202 81205 | 1 | 23-31-11 P006-01/ /D004 | YC051-YC055 |
| C00082 | | BACC18AD10 CB-COMMUNICATIONS PA AMPL BAT | 233A5221 81205 | 1 | 23-31-11 P006-01/ /D004 | YC056-YR328 |
| C00083 | | BACC18AD2 CB-AUDIO CAPT | 233A5202 81205 | 1 | 23-51-51 P006-02/ /D023 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C00000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00083 | | BACC18AD2 CB-AUDIO CAPT | 233A5222 81205 | 1 | 23-51-51 P006-02/ /D023 | YC056-YR328 |
| C00084 | | BACC18AD2 CB-INTPH AND WARN | 233A5202 81205 | 1 | 23-51-51 P006-02/ /D021 | YC051-YC055 |
| C00084 | | BACC18AD2 CB-INTPH AND WARN | 233A5222 81205 | 1 | 23-51-51 P006-02/ /D021 | YC056-YR328 |
| C00085 | | BACC18AD2 CB-AUDIO OBS | 233A5202 81205 | 1 | 23-51-51 P006-02/ /D024 | YC051-YC055 |
| C00085 | | BACC18AD2 CB-AUDIO OBS | 233A5222 81205 | 1 | 23-51-51 P006-02/ /D024 | YC056-YR328 |
| C00086 | | BACC18AD2 CB-AUDIO F/O | 233A5202 81205 | 1 | 23-51-51 P006-02/ /D022 | YC051-YC055 |
| C00086 | | BACC18AD2 CB-AUDIO F/O | 233A5222 81205 | 1 | 23-51-51 P006-02/ /D022 | YC056-YR328 |
| C00087 | | BACC18AD10 CB-PASS READING LIGHTS LEFT | S281A601 07217 | 1 | 33-23-11 P091-00/ /B001 | ALL |
| C00088 | | BACC18AD10 CB-PASS READING LIGHTS-LEFT | S281A601 07217 | 1 | 33-23-11 P091-00/ /B002 | ALL |
| C00089 | | BACC18AD10 CB-PASS READING LIGHTS-LEFT | S281A601 07217 | 1 | 33-23-11 P091-00/ /B003 | ALL |
| C00090 | | BACC18AD10 CB-PASS READING LIGHTS-LEFT | S281A601 07217 | 1 | 33-23-12 P091-00/ /B004 | ALL |
| C00091 | | BACC18AD10 CB-PASS READING LIGHTS-LEFT | S281A601 07217 | 1 | 33-23-12 P091-00/ /B005 | ALL |
| C00092 | | BACC18AD10 CB-PASS READING LIGHTS-LEFT | S281A601 07217 | 1 | 33-23-12 P091-00/ /B006 | ALL |
| C00094 | | BACC18AD10 CB-PASS READING LIGHTS-RIGHT STA340-464 | S281A601 07217 | 1 | 33-23-21 P092-00/ /B001 | ALL |
| C00095 | | BACC18AD10 CB-PASS READING LIGHTS-RIGHT | S281A601 07217 | 1 | 33-23-21 P092-00/ /B002 | ALL |
| C00096 | | BACC18AD10 CB-PASS READING LIGHTS-RIGHT | S281A0601 07217 | 1 | 33-23-21 P092-00/ /B003 | ALL |
| C00097 | | BACC18AD10 CB-PASS READING LIGHTS-RIGHT | S281A601 07217 | 1 | 33-23-22 P092-00/ /B004 | ALL |

EQUIPMENT LIST

D280A108

Section C00000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C00098 | | BACC18AD10 CB-PASS READING LIGHTS-RIGHT | S281A601 07217 | 1 | 33-23-22 P092-00/ /B005 | ALL |
| C00099 | | BACC18AD10 CB-PASS READING LIGHTS-RIGHT | S281A601 07217 | 1 | 33-23-22 P092-00/ /B006 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section C00000

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C00104 | | BACC18AD5 CB-LAVATORY WATER HEATER A | 233A5502 81205 | 1 | 38-21-11 P018-03/ /F013 | YC051-YC055 |
| C00104 | | BACC18AD5 CB-LAVATORY WATER HEATER A | 233A5523 81205 | 1 | 38-21-11 P018-03/ /F013 | YC056-YR328 |
| C00107 | | BACC18AD2 CB-VOICE RCDR | 233A5502 81205 | 1 | 23-71-11 P018-02/ /D007 | YC051-YC055 |
| C00107 | | BACC18AD2 CB-VOICE RCDR | 233A5522 81205 | 1 | 23-71-11 P018-02/ /D007 | YC056-YR328 |
| C00109 | | BACC18AD2 CB-FLIGHT RECORDER AC | 233A5502 81205 | 1 | 31-31-11 P018-02/ /C009 | YC051-YC055 |
| C00109 | | BACC18AD2 CB-FLIGHT RECORDER AC | 233A5522 81205 | 1 | 31-31-11 P018-02/ /C009 | YC056-YR328 |
| C00110 | | BACC18AD2 CB-EXTERIOR LIGHTING WING SCAN | 233A5502 81205 | 1 | 33-41-11 P018-03/ /A014 | YC051-YC055 |
| C00110 | | BACC18AD2 CB-EXTERIOR LIGHTING WING SCAN | 233A5523 81205 | 1 | 33-41-11 P018-03/ /A014 | YC056-YR328 |
| C00111 | | BACC18AD5 CB-EXTERIOR LIGHTING ANTI COLLISION RED | 233A5502 81205 | 1 | 33-44-11 P018-03/ /B012 | YC051-YC055 |
| C00111 | | BACC18AD5 CB-EXTERIOR LIGHTING ANTI COLLISION RED | 233A5523 81205 | 1 | 33-44-11 P018-03/ /B012 | YC056-YR328 |
| C00113 | | BACC18AD5 CB-EXTERIOR LIGHTING POSITION RIGHT | 233A5502 81205 | 1 | 33-43-11 P018-03/ /A012 | YC051-YC055 |
| C00113 | | BACC18AD5 CB-EXTERIOR LIGHTING POSITION RIGHT | 233A5523 81205 | 1 | 33-43-11 P018-03/ /A012 | YC056-YR328 |
| C00114 | | BACC18AD5 CB-EXTERIOR LIGHTING POSITION LEFT | 233A5502 81205 | 1 | 33-43-11 P018-03/ /A013 | YC051-YC055 |
| C00114 | | BACC18AD5 CB-EXTERIOR LIGHTING POSITION LEFT | 233A5523 81205 | 1 | 33-43-11 P018-03/ /A013 | YC056-YR328 |
| C00115 | | BACC18AD7 CB-EXT LIGHTING ANTI COLLISION WHITE | 233A5502 81205 | 1 | 33-44-12 P018-03/ /B013 | YC051-YC055 |
| C00115 | | BACC18AD7 CB-EXT LIGHTING ANTI COLLISION WHITE | 233A5523 81205 | 1 | 33-44-12 P018-03/ /B013 | YC056-YR328 |
| C00116 | | BACC18AD7 CB-SERVICE OUTLETS | S281A601 07217 | 1 | 25-29-11 P092-00/ /E007 | ALL |

EQUIPMENT LIST

D280A108

Section C00100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C00117 | | BACC18AD5 CB-28V DC SERVICE OUTLETS | 233A5202 81205 | 1 | 25-29-11 P006-03/ /F001 | YC051-YC055 |
| C00117 | | BACC18AD5 CB-28V DC SERVICE OUTLETS | 233A5223 81205 | 1 | 25-29-11 P006-03/ /F001 | YC056-YR328 |
| C00118 | | BACC18AD10 CB-VAC OUTLET FWD | S281A601 07217 | 1 | 25-29-11 P092-00/ /E008 | ALL |
| C00119 | | BACC18AD10 CB-VAC OUTLET AFT | S281A601 07217 | 1 | 25-29-11 P092-00/ /E009 | ALL |
| C00120 | | BACC18AD5 CB-WEATHER RADAR RT | 233A5202 81205 | 1 | 34-41-11 P006-01/ /D013 | YC051-YC055 |
| C00120 | | BACC18AD5 CB-WEATHER RADAR RT | 233A5221 81205 | 1 | 34-41-11 P006-01/ /D013 | YC056-YR328 |
| C00123 | | BACC18AD10 CB-EXT LIGHTING NOSE GEAR TAXI | 233A5502 81205 | 1 | 33-45-11 P018-03/ /D014 | YC051-YC055 |
| C00123 | | BACC18AD10 CB-EXT LIGHTING NOSE GEAR TAXI | 233A5523 81205 | 1 | 33-45-11 P018-03/ /D014 | YC056-YR328 |
| C00124 | | BACC18AD2 CB-AIR CONDITIONING MIX VALVE POS IND | 233A5224 81205 | 1 | 21-61-21 P006-04/ /D007 | YN231-YN501 |
| C00125 | | BACC18AD7 CB-WHEEL WELL LT | S281A601 07217 | 1 | 33-32-11 P092-00/ /C002 | ALL |
| C00126 | | BACC18AD7 CB-AIR COND COMPT LT | S281A601 81205 | 1 | 33-33-11 P092-00/ /C003 | ALL |
| C00127 | | BACC18AD7 CB-CARGO COMPT LT-FWD | S281A601 07217 | 1 | 33-36-11 P092-00/ /C004 | ALL |
| C00128 | | BACC18AD7 CB-CARGO COMPT LT-AFT | S281A601 07217 | 1 | 33-36-12 P092-00/ /C005 | ALL |
| C00129 | | BACC18AD2 CB-LANDING GEAR LATCH & PRESS WARN | 233A5202 81205 | 1 | 32-31-11 P006-03/ /B017 | YC051-YC055 |
| C00129 | | BACC18AD2 CB-LANDING GEAR LATCH & PRESS WARN | 233A5223 81205 | 1 | 32-31-11 P006-03/ /B017 | YC056-YR328 |
| C00131 | | BACC18AD3 CB-MASTER CAUTION ANNUNCIATOR BAT | 233A5202 81205 | 1 | 31-52-11 P006-03/ /B013 | YC051-YC055 |
| C00131 | | BACC18AD3 CB-MASTER CAUTION ANNUNCIATOR BAT | 233A5223 81205 | 1 | 31-52-11 P006-03/ /B013 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| C00132 | | BACC18AD3 CB-MASTER CAUTION ANNUNCIATOR BUS 1 | 233A5202 81205 | 1 | 31-52-11 P006-03/ /B012 | YC051-YC055 |
| C00132 | | BACC18AD3 CB-MASTER CAUTION ANNUNCIATOR BUS 1 | 233A5223 81205 | 1 | 31-52-11 P006-03/ /B012 | YC056-YR328 |
| C00133 | | BACC18AD5 CB-INDICATOR MASTER DIM DIM/TST CONT | 233A5202 81205 | 1 | 33-18-11 P006-03/ /D011 | YC051-YC055 |
| C00133 | | BACC18AD5 CB-INDICATOR MASTER DIM DIM/TST CONT | 233A5223 81205 | 1 | 33-18-11 P006-03/ /D011 | YC056-YR328 |
| C00134 | | BACC18AD2 CB-DC BUS INDICATION HOT BAT | 233A5202 81205 | 1 | 24-33-11 P006-04/ /E015 | YC051-YC055 |
| C00134 | | BACC18AD2 CB-DC BUS INDICATION HOT BAT | 233A5224 81205 | 1 | 24-33-11 P006-04/ /E015 | YC056-YR328 |
| C00136 | | BACC18AD2 CB-DC BUS INDICATION STBY | 233A5202 81205 | 1 | 24-33-11 P006-04/ /E018 | YC051-YC055 |
| C00136 | | BACC18AD2 CB-DC BUS INDICATION STBY | 233A5224 81205 | 1 | 24-33-11 P006-04/ /E018 | YC056-YR328 |
| C00137 | | BACC18AD3 CB-DOOR LOCK | 233A5202 81205 | 1 | 52-51-11 P006-03/ /E001 | YC051-YC055 |
| C00137 | | BACC18AD3 CB-DOOR LOCK | 233A5223 81205 | 1 | 52-51-11 P006-03/ /E001 | YC056-YR328 |
| C00138 | | BACC18AD2 CB-WATER QTY IND | S281A601 07217 | 1 | 38-41-11 P091-00/ /C009 | ALL |
| C00139 | | BACC18AD7 CB-ELEC RACK LT-FWD | S281A601 07217 | 1 | 33-34-11 P091-00/ /C002 | ALL |
| C00140 | | BACC18AD3 CB-WORK AND THSHD LTS | S281A601 07217 | 1 | 33-26-11 P091-00/ /C003 | ALL |
| C00142 | 1 | BACC18X100B CB-BATTERY CHARGER | 284A0816 81205 | 1 | 24-31-11 J009-00/ /A004 | YC051-YN260, YR301-YR328 |
| C00142 | 1 | BACC18X60B CB-BATTERY CHARGER | 284A0816 81205 | 1 | 24-31-11 J009-00/ /A004 | YN501 |
| C00142 | 2 | BACC18X100 CB-BATTERY CHARGER | 284A0816 81205 | 1 | 24-31-11 J009-00/ /A004 | YC051-YN260, YR301-YR328 |
| C00142 | 2 | BACC18X60 CB-BATTERY CHARGER | 284A0816 81205 | 1 | 24-31-11 J009-00/ /A004 | YN501 |

EQUIPMENT LIST

D280A108

Section C00100

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00146 | | BACC18AD5 CB-ANTI-ICE & RAIN WING ANTI-ICE VALVE | 233A5502 81205 | 1 | 30-11-11 P018-03/ /A001 | YC051-YC055 |
| C00146 | | BACC18AD5 CB-ANTI-ICE & RAIN WING ANTI-ICE VALVE | 233A5523 81205 | 1 | 30-11-11 P018-03/ /A001 | YC056-YR328 |
| C00148 | | BACC18AD2 CB-ANTI-ICE & RAIN ENG 1 & WING CONT | 233A5502 81205 | 1 | 30-21-11 P018-03/ /A006 | YC051-YC055 |
| C00148 | | BACC18AD2 CB-ANTI-ICE & RAIN ENG 1 & WING CONT | 233A5523 81205 | 1 | 30-21-11 P018-03/ /A006 | YC056-YR328 |
| C00149 | | BACC18AD2 CB-ANTI-ICE & RAIN ENGINE 2 CONTROL | 233A5502 81205 | 1 | 30-21-11 P018-03/ /B006 | YC051-YC055 |
| C00149 | | BACC18AD2 CB-ANTI-ICE & RAIN ENGINE 2 CONTROL | 233A5523 81205 | 1 | 30-21-11 P018-03/ /B006 | YC056-YR328 |
| C00151 | | BACC18AD2 CB-ENGINE 2 IGNITION LEFT | 233A5202 81205 | 1 | 74-11-11 P006-02/ /D006 | YC051-YC055 |
| C00151 | | BACC18AD2 CB-ENGINE 2 IGNITION LEFT | 233A5222 81205 | 1 | 74-11-11 P006-02/ /D006 | YC056-YR328 |
| C00153 | | BACC18AD2 CB-ENGINE 1 IGNITION LEFT | 233A5502 81205 | 1 | 74-11-11 P018-02/ /A003 | YC051-YC055 |
| C00153 | | BACC18AD2 CB-ENGINE 1 IGNITION LEFT | 233A5522 81205 | 1 | 74-11-11 P018-02/ /A003 | YC056-YR328 |
| C00154 | | BACC18AD2 CB-ENGINE 2 START VALVE | 233A5202 81205 | 1 | 80-11-11 P006-02/ /C004 | YC051-YC055 |
| C00154 | | BACC18AD2 CB-ENGINE 2 START VALVE | 233A5222 81205 | 1 | 80-11-11 P006-02/ /C004 | YC056-YR328 |
| C00155 | | BACC18AD2 CB-ENTRY LIGHTS DIM | 233A5202 81205 | 1 | 33-29-11 P006-04/ /E009 | YC051-YC055 |
| C00155 | | BACC18AD2 CB-ENTRY LIGHTS DIM | 233A5224 81205 | 1 | 33-29-11 P006-04/ /E009 | YC056-YR328 |
| C00156 | | BACC18AD5 CB-OXYGEN IND | 233A5502 81205 | 1 | 35-21-11 P018-03/ /F007 | YC051-YC055 |
| C00156 | | BACC18AD5 CB-OXYGEN IND | 233A5523 81205 | 1 | 35-21-11 P018-03/ /F007 | YC056-YR328 |
| C00161 | | BACC18AD3 CB-CONTROL CABIN LIGHTING STBY COMPASS | 233A5202 81205 | 1 | 33-14-12 P006-03/ /A014 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C00100

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00161 | | BACC18AD3 CB-CONTROL CABIN LIGHTING STBY COMPASS | 233A5223 81205 | 1 | 33-14-12 P006-03/ /A014 | YC056-YR328 |
| C00163 | | BACC18AD3 CB-LAVATORY MIRROR LIGHT | 233A5502 81205 | 1 | 33-26-31 P018-03/ /E014 | YC051-YC055 |
| C00163 | | BACC18AD3 CB-LAVATORY MIRROR LIGHT | 233A5523 81205 | 1 | 33-26-31 P018-03/ /E014 | YC056-YN260 |
| C00165 | | BACC18AD10 CB-COMMUNICATIONS VHF 1 | 233A5502 81205 | 1 | 23-12-11 P018-02/ /D011 | YC051-YC055 |
| C00165 | | BACC18AD10 CB-COMMUNICATIONS VHF 1 | 233A5522 81205 | 1 | 23-12-11 P018-02/ /D011 | YC056-YR328 |
| C00166 | | BACC18AD10 CB-COMMUNICATIONS VHF 2 | 233A5202 81205 | 1 | 23-12-21 P006-01/ /C003 | YC051-YC055 |
| C00166 | | BACC18AD10 CB-COMMUNICATIONS VHF 2 | 233A5221 81205 | 1 | 23-12-21 P006-01/ /C003 | YC056-YR328 |
| C00169 | | BACC18X25 CB-SW HOT BAT BUS | S281A601 07217 | 0 | 24-61-11 M01720/ /B004 | ALL |
| C00170 | | BACC18AD3 CB-MACH WARN SYS-1 | 233A5502 81205 | 1 | 34-16-11 P018-02/ /E003 | YC051-YC055 |
| C00170 | | BACC18AD3 CB-MACH WARN SYS-1 | 233A5522 81205 | 1 | 34-16-11 P018-02/ /E003 | YC056-YR328 |
| C00184 | | BACC18AD3 CB-GND SERV CLG NIGHT CONT | S281A601 07217 | 1 | 33-22-11 P091-00/ /C004 | ALL |
| C00186 | | BACC18AD5 CB-ATC 1 | 233A5502 81205 | 1 | 34-53-11 P018-01/ /B005 | YC051-YC055 |
| C00186 | | BACC18AD5 CB-ATC 1 | 233A5521 81205 | 1 | 34-53-11 P018-01/ /B005 | YC056-YR328 |
| C00188 | | BACC18AD5 CB-ATC 2 | 233A5202 81205 | 1 | 34-53-21 P006-01/ /D014 | YC051-YC055 |
| C00188 | | BACC18AD5 CB-ATC 2 | 233A5221 81205 | 1 | 34-53-21 P006-01/ /D014 | YC056-YR328 |
| C00190 | | BACC18AD2 CB-RADIO NAVIGATION DME 1 | 233A5502 81205 | 1 | 34-55-11 P018-01/ /B003 | YC051-YC055 |
| C00190 | | BACC18AD2 CB-RADIO NAVIGATION DME 1 | 233A5521 81205 | 1 | 34-55-11 P018-01/ /B003 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00100

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00192 | | BACC18AD2 CB-RADIO NAVIGATION DME 2 | 233A5202 81205 | 1 | 34-55-21 P006-01/ /A014 | YC051-YC055 |
| C00192 | | BACC18AD2 CB-RADIO NAVIGATION DME 2 | 233A5221 81205 | 1 | 34-55-21 P006-01/ /A014 | YC056-YR328 |
| C00195 | | BACC18AD2 CB-LANDING GEAR ANTISKID OUTBD | 233A5202 81205 | 1 | 32-41-11 P006-03/ /E018 | YC051-YC055 |
| C00195 | | BACC18AD2 CB-LANDING GEAR ANTISKID OUTBD | 233A5223 81205 | 1 | 32-41-11 P006-03/ /E018 | YC056-YR328 |
| C00196 | | BACC18AD2 CB-LANDING GEAR ANTISKID INBD | 233A5202 81205 | 1 | 32-41-11 P006-03/ /E016 | YC051-YC055 |
| C00196 | | BACC18AD2 CB-LANDING GEAR ANTISKID INBD | 233A5223 81205 | 1 | 32-41-11 P006-03/ /E016 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00100

Page 6 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00204 | | BACC18AD5 CB-FLIGHT CONTROL SHUTOFF VALVES SPOILER | 233A5202 81205 | 1 | 27-61-11 P006-02/ /B012 | YC051-YC055 |
| C00204 | | BACC18AD5 CB-FLIGHT CONTROL SHUTOFF VALVES SPOILER | 233A5222 81205 | 1 | 27-61-11 P006-02/ /B012 | YC056-YR328 |
| C00205 | | BACC18AD7 CB-ELEX PANEL LIGHTS AFT CAPT | 233A6301 81205 | 1 | 33-11-41 P008-00/ / | ALL |
| C00207 | | BACC18AD7 CB-FLIGHT CONTROL STAB TRIM CONT | 233A5202 81205 | 1 | 27-41-11 P006-02/ /B010 | YC051-YC055 |
| C00207 | | BACC18AD7 CB-FLIGHT CONTROL STAB TRIM CONT | 233A5222 81205 | 1 | 27-41-11 P006-02/ /B010 | YC056-YR328 |
| C00210 | | BACC18AD5 CB-FLIGHT CONTROL FLAP SHUTOFF VALVES | 233A5202 81205 | 1 | 27-53-11 P006-02/ /A007 | YC051-YC055 |
| C00210 | | BACC18AD5 CB-FLIGHT CONTROL FLAP SHUTOFF VALVES | 233A5222 81205 | 1 | 27-53-11 P006-02/ /A007 | YC056-YR328 |
| C00211 | | BACC18AD2 CB-FLIGHT CONTROL FSEU DC 1 | 233A5202 81205 | 1 | 27-81-11 P006-02/ /A008 | YC051-YC055 |
| C00211 | | BACC18AD2 CB-FLIGHT CONTROL FSEU DC 1 | 233A5222 81205 | 1 | 27-81-11 P006-02/ /A008 | YC056-YR328 |
| C00213 | | BACC18AD2 CB-FC TE FLAP POS/SKEW SNSR & IND LEFT | 233A5202 81205 | 1 | 27-52-11 P006-02/ /A012 | YC051-YC055 |
| C00213 | | BACC18AD2 CB-FC TE FLAP POS/SKEW SNSR & IND LEFT | 233A5222 81205 | 1 | 27-52-11 P006-02/ /A012 | YC056-YR328 |
| C00219 | | BACC18AD3 CB-PANEL & INSTR CB PANEL | 233A5202 81205 | 1 | 33-14-12 P006-03/ /C009 | YC051-YC055 |
| C00219 | | BACC18AD3 CB-PANEL & INSTR CB PANEL | 233A5223 81205 | 1 | 33-14-12 P006-03/ /C009 | YC056-YR328 |
| C00224 | | BACC18AD3 CB-WINDOW HEAT CONTROL LEFT FRONT AC | 233A5502 81205 | 1 | 30-41-11 P018-03/ /E001 | YC051-YC055 |
| C00224 | | BACC18AD3 CB-WINDOW HEAT CONTROL LEFT FRONT AC | 233A5523 81205 | 1 | 30-41-11 P018-03/ /E001 | YC056-YR328 |
| C00225 | | BACC18AD3 CB-WINDOW HEAT CONTROL LEFT SIDE AC | 233A5502 81205 | 1 | 30-41-12 P018-03/ /D002 | YC051-YC055 |
| C00225 | | BACC18AD3 CB-WINDOW HEAT CONTROL LEFT SIDE AC | 233A5523 81205 | 1 | 30-41-12 P018-03/ /D002 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C00226 | | BACC18AD3 CB-WINDOW HEAT CONTROL RIGHT FRONT AC | 233A5502 81205 | 1 | 30-41-12 P018-03/ /D001 | YC051-YC055 |
| C00226 | | BACC18AD3 CB-WINDOW HEAT CONTROL RIGHT FRONT AC | 233A5523 81205 | 1 | 30-41-12 P018-03/ /D001 | YC056-YR328 |
| C00227 | | BACC18AD3 CB-WINDOW HEAT CONTROL RIGHT SIDE AC | 233A5502 81205 | 1 | 30-41-11 P018-03/ /E002 | YC051-YC055 |
| C00227 | | BACC18AD3 CB-WINDOW HEAT CONTROL RIGHT SIDE AC | 233A5523 81205 | 1 | 30-41-11 P018-03/ /E002 | YC056-YR328 |
| C00228 | | BACC18X25 CB-WINDOW HEAT POWER LEFT FRONT | 233A5202 81205 | 1 | 30-41-11 P006-11/ /B009 | YC051-YC055 |
| C00228 | | BACC18X25 CB-WINDOW HEAT POWER LEFT FRONT | 233A5225 81205 | 1 | 30-41-11 P006-11/ /B009 | YC056-YR328 |
| C00229 | | BACC18AD5 CB-WINDOW HEAT POWER L3, L4 & L5 | 233A5202 81205 | 1 | 30-41-11 P006-11/ /B007 | YC051-YC055 |
| C00229 | | BACC18AD5 CB-WINDOW HEAT POWER L3, L4 & L5 | 233A5225 81205 | 1 | 30-41-11 P006-11/ /B007 | YC056-YD157 |
| C00233 | | BACC18AD7 CB-HEATERS DRAIN | 233A5502 81205 | 1 | 30-71-11 P018-03/ /E005 | YC051-YC055 |
| C00233 | | BACC18AD7 CB-HEATERS DRAIN | 233A5523 81205 | 1 | 30-71-11 P018-03/ /E005 | YC056-YR328 |
| C00234 | | BACC18AD5 CB-HEATERS DRAIN MAST GND | 233A5502 81205 | 1 | 30-71-11 P018-03/ /E003 | YC051-YC055 |
| C00234 | | BACC18AD5 CB-HEATERS DRAIN MAST GND | 233A5523 81205 | 1 | 30-71-11 P018-03/ /E003 | YC056-YR328 |
| C00236 | | BACC18AD2 CB-HEATERS ELEV PITOT LEFT | 233A5502 81205 | 1 | 30-31-11 P018-03/ /C004 | YC051-YC055 |
| C00236 | | BACC18AD2 CB-HEATERS ELEV PITOT LEFT | 233A5523 81205 | 1 | 30-31-11 P018-03/ /C004 | YC056-YR328 |
| C00237 | | BACC18AD2 CB-HEATERS ELEV PITOT RIGHT | 233A5502 81205 | 1 | 30-31-12 P018-03/ /D004 | YC051-YC055 |
| C00237 | | BACC18AD2 CB-HEATERS ELEV PITOT RIGHT | 233A5523 81205 | 1 | 30-31-12 P018-03/ /D004 | YC056-YR328 |
| C00238 | | BACC18AD5 CB-HEATERS TEMP PROBE | 233A5502 81205 | 1 | 30-31-11 P018-03/ /C002 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C00200

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C00238 | | BACC18AD5 CB-HEATERS TEMP PROBE | 233A5523 81205 | 1 | 30-31-11 P018-03/ /C002 | YC056-YR328 |
| C00239 | | BACC18AD5 CB-INTERPHONE POWER CAPT DC 2 | 233A5202 81205 | 1 | 23-51-11 P006-02/ /C023 | YC051-YC055 |
| C00239 | | BACC18AD5 CB-INTERPHONE POWER CAPT DC 2 | 233A5222 81205 | 1 | 23-51-11 P006-02/ /C023 | YC056-YR328 |
| C00240 | | BACC18AD5 CB-INTERPHONE POWER CAPT BAT | 233A5202 81205 | 1 | 23-51-11 P006-02/ /C024 | YC051-YC055 |
| C00240 | | BACC18AD5 CB-INTERPHONE POWER CAPT BAT | 233A5222 81205 | 1 | 23-51-11 P006-02/ /C024 | YC056-YR328 |
| C00242 | | BACC18AD5 CB-GALLEY LTS | S281A601 07217 | 1 | 33-26-21 P092-00/ /E010 | ALL |
| C00244 | | BACC18AD10 CB-EXTERIOR LIGHTING RUNWAY TURNOFF LEFT | 233A5502 81205 | 1 | 33-45-11 P018-03/ /C013 | YC051-YC055 |
| C00244 | | BACC18AD10 CB-EXTERIOR LIGHTING RUNWAY TURNOFF LEFT | 233A5523 81205 | 1 | 33-45-11 P018-03/ /C013 | YC056-YR328 |
| C00245 | | BACC18AD10 CB-EXT LIGHTING RUNWAY TURNOFF RIGHT | 233A5502 81205 | 1 | 33-45-11 P018-03/ /C012 | YC051-YC055 |
| C00245 | | BACC18AD10 CB-EXT LIGHTING RUNWAY TURNOFF RIGHT | 233A5523 81205 | 1 | 33-45-11 P018-03/ /C012 | YC056-YR328 |
| C00250 | | BACC18AD7 CB-PASS CABIN LIGHTING EMER CHGR FWD | 233A5502 81205 | 1 | 33-51-11 P018-03/ /A011 | YC051-YC055 |
| C00250 | | BACC18AD7 CB-PASS CABIN LIGHTING EMER CHGR FWD | 233A5523 81205 | 1 | 33-51-11 P018-03/ /A011 | YC056-YR328 |
| C00257 | | BACC18AD2 CB-AIR CONDITIONING OVERHEAT | 233A5224 81205 | 1 | 21-51-15 P006-04/ /C004 | YN231-YN501 |
| C00258 | | BACC18AD2 CB-AIR CONDITIONING TEMP CONTROL AUTO R | 233A5224 81205 | 1 | 21-61-22 P006-04/ /B002 | YN231-YN501 |
| C00259 | | BACC18AD2 CB-AIR CONDITIONING BLEED AIR VALVE ISLN | 233A5202 81205 | 1 | 36-11-11 P006-04/ /A005 | YC051-YC055 |
| C00259 | | BACC18AD2 CB-AIR CONDITIONING BLEED AIR VALVE ISLN | 233A5224 81205 | 1 | 36-11-11 P006-04/ /A005 | YC056-YR328 |
| C00262 | | BACC18AD2 CB-AIR CONDITIONING PACK CONT VALVES L | 233A5202 81205 | 1 | 21-51-11 P006-04/ /C006 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C00200

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00262 | | BACC18AD2 CB-AIR CONDITIONING PACK CONT VALVES L | 233A5224 81205 | 1 | 21-51-11 P006-04/ /C006 | YC056-YR328 |
| C00263 | | BACC18AD2 CB-AIR CONDITIONING PACK CONT VALVES R | 233A5202 81205 | 1 | 21-51-21 P006-04/ /C005 | YC051-YC055 |
| C00263 | | BACC18AD2 CB-AIR CONDITIONING PACK CONT VALVES R | 233A5224 81205 | 1 | 21-51-21 P006-04/ /C005 | YC056-YR328 |
| C00265 | | BACC18AD2 CB-AIR CONDITIONING RAM AIR MOD CONT L | 233A5224 81205 | 1 | 21-51-14 P006-04/ /A008 | YN231-YN501 |
| C00266 | | BACC18AD2 CB-AIR CONDITIONING RAM AIR MOD CONT R | 233A5224 81205 | 1 | 21-51-24 P006-04/ /B008 | YN231-YN501 |
| C00267 | | BACC18AD2 CB-AIR CONDITIONING TEMP CONTROL MANUAL | 233A5224 81205 | 1 | 21-61-21 P006-04/ /A003 | YN231-YN501 |
| C00268 | | BACC18AD2 CB-AIR CONDITIONING TEMP CONTROL AUTO L | 233A5224 81205 | 1 | 21-61-21 P006-04/ /A002 | YN231-YN501 |
| C00271 | | BACC18AD7 CB-EXTERIOR LIGHTING LANDING LEFT FIXED | 233A5502 81205 | 1 | 33-42-11 P018-03/ /B015 | YC051-YC055 |
| C00271 | | BACC18AD7 CB-EXTERIOR LIGHTING LANDING LEFT FIXED | 233A5523 81205 | 1 | 33-42-11 P018-03/ /B015 | YC056-YR328 |
| C00272 | | BACC18AD7 CB-EXTERIOR LIGHTING LANDING RIGHT FIXED | 233A5502 81205 | 1 | 33-42-11 P018-03/ /C014 | YC051-YC055 |
| C00272 | | BACC18AD7 CB-EXTERIOR LIGHTING LANDING RIGHT FIXED | 233A5523 81205 | 1 | 33-42-11 P018-03/ /C014 | YC056-YR328 |
| C00273 | | BACC18AD7 CB-EXTERIOR LIGHTING LANDING LEFT RETR | 233A5502 81205 | 1 | 33-42-11 P018-03/ /C015 | YC051-YC055 |
| C00273 | | BACC18AD7 CB-EXTERIOR LIGHTING LANDING LEFT RETR | 233A5523 81205 | 1 | 33-42-11 P018-03/ /C015 | YC056-YR328 |
| C00274 | | BACC18AD7 CB-EXTERIOR LIGHTING LANDING RIGHT RETR | 233A5502 81205 | 1 | 33-42-11 P018-03/ /B014 | YC051-YC055 |
| C00274 | | BACC18AD7 CB-EXTERIOR LIGHTING LANDING RIGHT RETR | 233A5523 81205 | 1 | 33-42-11 P018-03/ /B014 | YC056-YR328 |
| C00276 | | BACC18AD3 CB-ENGINE 1 THRUST REVERSER CONT | 233A5502 81205 | 1 | 78-34-11 P018-02/ /B005 | YC051-YC055 |
| C00276 | | BACC18AD3 CB-ENGINE 1 THRUST REVERSER CONT | 233A5522 81205 | 1 | 78-34-11 P018-02/ /B005 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00200

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00277 | | BACC18AD3 CB-ENGINE 2 THRUST REVERSER CONT | 233A5202 81205 | 1 | 78-34-21 P006-02/ /C007 | YC051-YC055 |
| C00277 | | BACC18AD3 CB-ENGINE 2 THRUST REVERSER CONT | 233A5222 81205 | 1 | 78-34-21 P006-02/ /C007 | YC056-YR328 |
| C00282 | | BACC18AD3 CB-CONTROL CABIN LIGHTING DOME WHITE | 233A5202 81205 | 1 | 33-14-12 P006-03/ /A015 | YC051-YC055 |
| C00282 | | BACC18AD3 CB-CONTROL CABIN LIGHTING DOME WHITE | 233A5223 81205 | 1 | 33-14-12 P006-03/ /A015 | YC056-YR328 |
| C00283 | | BACC18AD3 CB-CONTROL CABIN LIGHTING CONT STAND | 233A5202 81205 | 1 | 33-14-12 P006-03/ /A008 | YC051-YC055 |
| C00283 | | BACC18AD3 CB-CONTROL CABIN LIGHTING CONT STAND | 233A5223 81205 | 1 | 33-14-12 P006-03/ /A008 | YC056-YR328 |
| C00284 | | BACC18AD7 CB-PANEL & INSTR ELEX PANEL | 233A5202 81205 | 1 | 33-11-41 P006-03/ /C010 | YC051-YC055 |
| C00284 | | BACC18AD7 CB-PANEL & INSTR ELEX PANEL | 233A5223 81205 | 1 | 33-11-41 P006-03/ /C010 | YC056-YR328 |
| C00285 | | BACC18AD2 CB-YAW DAMPER AC | 233A5502 81205 | 1 | 22-23-11 P018-01/ /C007 | YC051-YC055 |
| C00285 | | BACC18AD2 CB-YAW DAMPER AC | 233A5521 81205 | 1 | 22-23-11 P018-01/ /C007 | YC056-YR328 |
| C00286 | | BACC18AD5 CB-YAW DAMPER 1 DC | 233A5502 81205 | 1 | 22-23-11 P018-01/ /D007 | YC051-YC055 |
| C00286 | | BACC18AD5 CB-YAW DAMPER 1 DC | 233A5521 81205 | 1 | 22-23-11 P018-01/ /D007 | YC056-YR328 |
| C00296 | | BACC18AD5 CB-FIRE PROTECTION EXTINGUISHERS LEFT | 233A5202 81205 | 1 | 26-21-11 P006-02/ /B022 | YC051-YC055 |
| C00296 | | BACC18AD5 CB-FIRE PROTECTION EXTINGUISHERS LEFT | 233A5222 81205 | 1 | 26-21-11 P006-02/ /B022 | YC056-YR328 |
| C00297 | | BACC18AD5 CB-FIRE PROTECTION EXTINGUISHERS RIGHT | 233A5202 81205 | 1 | 26-21-11 P006-02/ /B020 | YC051-YC055 |
| C00297 | | BACC18AD5 CB-FIRE PROTECTION EXTINGUISHERS RIGHT | 233A5222 81205 | 1 | 26-21-11 P006-02/ /B020 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00200

Page 5 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C00306 | | BACC18AD3 CB-HYDRAULIC SYSTEM BRAKE PRESS IND | 233A5202 81205 | 1 | 29-32-11 P006-02/ /A013 | YC051-YC055 |
| C00306 | | BACC18AD3 CB-HYDRAULIC SYSTEM BRAKE PRESS IND | 233A5222 81205 | 1 | 29-32-11 P006-02/ /A013 | YC056-YR328 |
| C00308 | | BACC18AD3 CB-CONTROL CABIN LIGHTING MAP & KIT | 233A5202 81205 | 1 | 33-17-11 P006-03/ /A009 | YC051-YC055 |
| C00308 | | BACC18AD3 CB-CONTROL CABIN LIGHTING MAP & KIT | 233A5223 81205 | 1 | 33-17-11 P006-03/ /A009 | YC056-YR328 |
| C00309 | | BACC18AD3 CB-CONTROL CABIN LIGHTING OBS READING | 233A5202 81205 | 1 | 33-17-11 P006-03/ /A010 | YC051-YC055 |
| C00309 | | BACC18AD3 CB-CONTROL CABIN LIGHTING OBS READING | 233A5223 81205 | 1 | 33-17-11 P006-03/ /A010 | YC056-YR328 |
| C00310 | | BACC18AD7 CB-INDICATOR MASTER DIM BAT | 233A5202 81205 | 1 | 33-18-11 P006-03/ /D012 | YC051-YC055 |
| C00310 | | BACC18AD7 CB-INDICATOR MASTER DIM BAT | 233A5223 81205 | 1 | 33-18-11 P006-03/ /D012 | YC056-YR328 |
| C00311 | | BACC18AD7 CB-INDICATOR MASTER DIM BUS 1 | 233A5202 81205 | 1 | 33-18-11 P006-03/ /D013 | YC051-YC055 |
| C00311 | | BACC18AD7 CB-INDICATOR MASTER DIM BUS 1 | 233A5223 81205 | 1 | 33-18-11 P006-03/ /D013 | YC056-YR328 |
| C00312 | | BACC18AD7 CB-INDICATOR MASTER DIM BUS 2 | 233A5202 81205 | 1 | 33-18-11 P006-03/ /D014 | YC051-YC055 |
| C00312 | | BACC18AD7 CB-INDICATOR MASTER DIM BUS 2 | 233A5223 81205 | 1 | 33-18-11 P006-03/ /D014 | YC056-YR328 |
| C00313 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 1 | 233A5202 81205 | 1 | 33-18-11 P006-03/ /E011 | YC051-YC055 |
| C00313 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 1 | 233A5223 81205 | 1 | 33-18-11 P006-03/ /E011 | YC056-YR328 |
| C00314 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 2 | 233A5202 81205 | 1 | 33-18-11 P006-03/ /E012 | YC051-YC055 |
| C00314 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 2 | 233A5223 81205 | 1 | 33-18-11 P006-03/ /E012 | YC056-YR328 |
| C00315 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 3 | 233A5202 81205 | 1 | 33-18-11 P006-03/ /E013 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C00300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00315 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 3 | 233A5223 81205 | 1 | 33-18-11 P006-03/ /E013 | YC056-YR328 |
| C00316 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 4 | 233A5202 81205 | 1 | 33-18-11 P006-03/ /E014 | YC051-YC055 |
| C00316 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 4 | 233A5223 81205 | 1 | 33-18-11 P006-03/ /E014 | YC056-YR328 |
| C00317 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 5 | 233A5202 81205 | 1 | 33-18-11 P006-03/ /F011 | YC051-YC055 |
| C00317 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 5 | 233A5223 81205 | 1 | 33-18-11 P006-03/ /F011 | YC056-YR328 |
| C00318 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 6 | 233A5202 81205 | 1 | 33-18-11 P006-03/ /F012 | YC051-YC055 |
| C00318 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 6 | 233A5223 81205 | 1 | 33-18-11 P006-03/ /F012 | YC056-YR328 |
| C00320 | | BACC18AD7 CB-ELEX PANEL LIGHTS FWD | 233A6301 81205 | 1 | 33-11-41 P008-00/ / | ALL |
| C00323 | | BACC18AD7 CB-OVERHEAD 28V PRI | 233A5202 81205 | 1 | 33-12-11 P006-03/ /D009 | YC051-YC055 |
| C00323 | | BACC18AD7 CB-OVERHEAD 28V PRI | 233A5223 81205 | 1 | 33-12-11 P006-03/ /D009 | YC056-YR328 |
| C00325 | | BACC18AD7 CB-OVERHEAD 28V SEC | 233A5202 81205 | 1 | 33-12-11 P006-03/ /D010 | YC051-YC055 |
| C00325 | | BACC18AD7 CB-OVERHEAD 28V SEC | 233A5223 81205 | 1 | 33-12-11 P006-03/ /D010 | YC056-YR328 |
| C00326 | | BACC18AD7 CB-OVERHEAD 5V SECONDARY | 233A5202 81205 | 1 | 33-12-11 P006-03/ /E008 | YC051-YC055 |
| C00326 | | BACC18AD7 CB-OVERHEAD 5V SECONDARY | 233A5223 81205 | 1 | 33-12-11 P006-03/ /E008 | YC056-YR328 |
| C00327 | | BACC18AD7 CB-OVERHEAD 5V SECONDARY | 233A5202 81205 | 1 | 33-12-12 P006-03/ /F008 | YC051-YC055 |
| C00327 | | BACC18AD7 CB-OVERHEAD 5V SECONDARY | 233A5223 81205 | 1 | 33-12-12 P006-03/ /F008 | YC056-YR328 |
| C00328 | | BACC18AD7 CB-OVERHEAD 5V SECONDARY | 233A5202 81205 | 1 | 33-12-11 P006-03/ /E010 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C00300

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00328 | | BACC18AD7 CB-OVERHEAD 5V SECONDARY | 233A5223 81205 | 1 | 33-12-11 P006-03/ /E010 | YC056-YR328 |
| C00329 | | BACC18AD7 CB-OVERHEAD 5V SECONDARY | 233A5202 81205 | 1 | 33-12-11 P006-03/ /E009 | YC051-YC055 |
| C00329 | | BACC18AD7 CB-OVERHEAD 5V SECONDARY | 233A5223 81205 | 1 | 33-12-11 P006-03/ /E009 | YC056-YR328 |
| C00330 | | BACC18AD7 CB-OVERHEAD 5V SECONDARY | 233A5202 81205 | 1 | 33-12-12 P006-03/ /F009 | YC051-YC055 |
| C00330 | | BACC18AD7 CB-OVERHEAD 5V SECONDARY | 233A5223 81205 | 1 | 33-12-12 P006-03/ /F009 | YC056-YR328 |
| C00331 | | BACC18AD7 CB-PANEL & INSTR 28V PRI CAPT & CTR | 233A5202 81205 | 1 | 33-11-11 P006-03/ /B009 | YC051-YC055 |
| C00331 | | BACC18AD7 CB-PANEL & INSTR 28V PRI CAPT & CTR | 233A5223 81205 | 1 | 33-11-11 P006-03/ /B009 | YC056-YR328 |
| C00335 | | BACC18AD3 CB-PANEL & INSTR 28V PRI F/O | 233A5202 81205 | 1 | 33-11-21 P006-03/ /B010 | YC051-YC055 |
| C00335 | | BACC18AD3 CB-PANEL & INSTR 28V PRI F/O | 233A5223 81205 | 1 | 33-11-21 P006-03/ /B010 | YC056-YR328 |
| C00344 | | BACC18AD2 CB-AIR CONDITIONING TEMP CONT 35 DEG F L | 233A5224 81205 | 1 | 21-51-16 P006-04/ /A001 | YN231-YN501 |
| C00345 | | BACC18AD2 CB-AIR CONDITIONING TEMP CONT 35 DEG F R | 233A5224 81205 | 1 | 21-51-26 P006-04/ /B001 | YN231-YN501 |
| C00347 | | BACC18AD5 CB-HYDRAULIC SYSTEM SHUTOFF VALVE ENG 1 | 233A5202 81205 | 1 | 29-11-11 P006-02/ /C019 | YC051-YC055 |
| C00347 | | BACC18AD5 CB-HYDRAULIC SYSTEM SHUTOFF VALVE ENG 1 | 233A5222 81205 | 1 | 29-11-11 P006-02/ /C019 | YC056-YR328 |
| C00348 | | BACC18AD5 CB-HYDRAULIC SYSTEM SHUTOFF VALVE ENG 2 | 233A5202 81205 | 1 | 29-11-11 P006-02/ /C018 | YC051-YC055 |
| C00348 | | BACC18AD5 CB-HYDRAULIC SYSTEM SHUTOFF VALVE ENG 2 | 233A5222 81205 | 1 | 29-11-11 P006-02/ /C018 | YC056-YR328 |
| C00355 | | BACC18AD3 CB-FUEL TEMP IND | 233A5202 81205 | 1 | 28-42-11 P006-03/ /A007 | YC051-YC055 |
| C00355 | | BACC18AD3 CB-FUEL TEMP IND | 233A5223 81205 | 1 | 28-42-11 P006-03/ /A007 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00300

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00357 | | BACC18AD3 CB-STBY ALTM/ASI VIB | 233A5502 81205 | 1 | 34-21-11 P018-02/ /D010 | YC051-YC055 |
| C00357 | | BACC18AD3 CB-STBY ALTM/ASI VIB | 233A5522 81205 | 1 | 34-21-11 P018-02/ /D010 | YC056-YD157 |
| C00359 | | BACC18AD2 CB-FUEL SPAR VALVE ENG 1 | 233A5202 81205 | 1 | 28-21-11 P006-03/ /B004 | YC051-YC055 |
| C00359 | | BACC18AD2 CB-FUEL SPAR VALVE ENG 1 | 233A5223 81205 | 1 | 28-21-11 P006-03/ /B004 | YC056-YR328 |
| C00360 | | BACC18AD2 CB-FUEL SPAR VALVE ENG 2 | 233A5202 81205 | 1 | 28-21-11 P006-03/ /B003 | YC051-YC055 |
| C00360 | | BACC18AD2 CB-FUEL SPAR VALVE ENG 2 | 233A5223 81205 | 1 | 28-21-11 P006-03/ /B003 | YC056-YR328 |
| C00361 | | BACC18AD2 CB-FUEL CROSS FEED VALVE | 233A5202 81205 | 1 | 28-22-11 P006-03/ /B007 | YC051-YC055 |
| C00361 | | BACC18AD2 CB-FUEL CROSS FEED VALVE | 233A5223 81205 | 1 | 28-22-11 P006-03/ /B007 | YC056-YR328 |
| C00362 | | BACC18AD5 CB-FLIGHT CONT SHUTOFF VALVES STBY RUD | 233A5202 81205 | 1 | 27-23-11 P006-02/ /C011 | YC051-YC055 |
| C00362 | | BACC18AD5 CB-FLIGHT CONT SHUTOFF VALVES STBY RUD | 233A5222 81205 | 1 | 27-23-11 P006-02/ /C011 | YC056-YR328 |
| C00363 | | BACC18AD5 CB-FLIGHT CONT SHUTOFF VALVES FLT CONT | 233A5202 81205 | 1 | 27-23-11 P006-02/ /B013 | YC051-YC055 |
| C00363 | | BACC18AD5 CB-FLIGHT CONT SHUTOFF VALVES FLT CONT | 233A5222 81205 | 1 | 27-23-11 P006-02/ /B013 | YC056-YR328 |
| C00374 | | BACC18AD3 CB-AFCS SYS B WARN LIGHT (BAT) | 233A5202 81205 | 1 | 22-14-11 P006-02/ /B001 | YC051-YC055 |
| C00374 | | BACC18AD3 CB-AFCS SYS B WARN LIGHT (BAT) | 233A5222 81205 | 1 | 22-14-11 P006-02/ /B001 | YC056-YR328 |
| C00388 | | BACC18AD3 CB-FIRE PROTECTION DET OVHT WW WING BODY | 233A5202 81205 | 1 | 26-12-11 P006-02/ /A019 | YC051-YC055 |
| C00388 | | BACC18AD3 CB-FIRE PROTECTION DET OVHT WW WING BODY | 233A5222 81205 | 1 | 26-12-11 P006-02/ /A019 | YC056-YR328 |
| C00389 | | BACC18AD7 CB-ACCESS COMPT LT | S281A601 07217 | 1 | 33-35-11 P091-00/ /C005 | ALL |

EQUIPMENT LIST

D280A108

Section C00300

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00390 | | BACC18AD7 CB-OVERHEAD 5V SECONDARY | 233A5202 81205 | 1 | 33-12-12 P006-03/ /F010 | YC051-YC055 |
| C00390 | | BACC18AD7 CB-OVERHEAD 5V SECONDARY | 233A5223 81205 | 1 | 33-12-12 P006-03/ /F010 | YC056-YR328 |
| C00392 | | BACC18AD15 CB-WINDOW HEAT POWER LEFT SIDE | 233A5202 81205 | 1 | 30-41-12 P006-12/ /B009 | YC051-YC055 |
| C00392 | | BACC18AD15 CB-WINDOW HEAT POWER LEFT SIDE | 233A5226 81205 | 1 | 30-41-12 P006-12/ /B009 | YC056-YR328 |
| C00393 | | BACC18AD15 CB-WINDOW HEAT POWER RIGHT SIDE | 233A5202 81205 | 1 | 30-41-11 P006-11/ /B008 | YC051-YC055 |
| C00393 | | BACC18AD15 CB-WINDOW HEAT POWER RIGHT SIDE | 233A5225 81205 | 1 | 30-41-11 P006-11/ /B008 | YC056-YR328 |
| C00394 | | BACC18X25 CB-WINDOW HEAT POWER RIGHT FRONT | 233A5202 81205 | 1 | 30-41-12 P006-12/ /B008 | YC051-YC055 |
| C00394 | | BACC18X25 CB-WINDOW HEAT POWER RIGHT FRONT | 233A5226 81205 | 1 | 30-41-12 P006-12/ /B008 | YC056-YR328 |
| C00395 | | BACC18AD5 CB-WINDOW HEAT POWER R3, R4 & R5 | 233A5202 81205 | 1 | 30-41-12 P006-12/ /B007 | YC051-YC055 |
| C00395 | | BACC18AD5 CB-WINDOW HEAT POWER R3, R4 & R5 | 233A5226 81205 | 1 | 30-41-12 P006-12/ /B007 | YC056-YD157 |
| C00396 | | BACC18AD5 CB-FIRE PROT DETECTION MA WRN & CONT | 233A5202 81205 | 1 | 26-11-21 P006-02/ /A021 | YC051-YC055 |
| C00396 | | BACC18AD5 CB-FIRE PROT DETECTION MA WRN & CONT | 233A5222 81205 | 1 | 26-11-21 P006-02/ /A021 | YC056-YR328 |
| C00397 | | BACC18AD2 CB-FUEL QTY 1 | 233A5202 81205 | 1 | 28-41-11 P006-03/ /A006 | YC051-YC055 |
| C00397 | | BACC18AD2 CB-FUEL QTY 1 | 233A5223 81205 | 1 | 28-41-11 P006-03/ /A006 | YC056-YR328 |
| C00398 | | BACC18AD2 CB-FUEL QTY 2 | 233A5202 81205 | 1 | 28-41-11 P006-03/ /A005 | YC051-YC055 |
| C00398 | | BACC18AD2 CB-FUEL QTY 2 | 233A5223 81205 | 1 | 28-41-11 P006-03/ /A005 | YC056-YR328 |
| C00399 | | BACC18AD2 CB-AIR CONDITIONING RAM AIR MOD LEFT | 233A5202 81205 | 1 | 21-51-14 P006-04/ /A004 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C00300

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| C00399 | | BACC18AD2 CB-AIR CONDITIONING RAM AIR MOD LEFT | 233A5224 81205 | 1 | 21-51-14 P006-04/ /A004 | YC056-YR323, YR325-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section C00300
Page 6 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| C00400 | | BACC18AD2 CB-AIR CONDITIONING RAM AIR MOD RIGHT | 233A5202 81205 | 1 | 21-51-24 P006-04/ /B004 | YC051-YC055 |
| C00400 | | BACC18AD2 CB-AIR CONDITIONING RAM AIR MOD RIGHT | 233A5224 81205 | 1 | 21-51-24 P006-04/ /B004 | YC056-YR323, YR325-YR328 |
| C00403 | | BACC18AD5 CB-FIRE PROTECTION DETECTION APU | 233A5202 81205 | 1 | 26-11-31 P006-02/ /A023 | YC051-YC055 |
| C00403 | | BACC18AD5 CB-FIRE PROTECTION DETECTION APU | 233A5222 81205 | 1 | 26-11-31 P006-02/ /A023 | YC056-YR328 |
| C00405 | | BACC18AD3 CB-FIRE PROTECTION DETECTION ENG 1 | 233A5202 81205 | 1 | 26-11-11 P006-02/ /A024 | YC051-YC055 |
| C00405 | | BACC18AD3 CB-FIRE PROTECTION DETECTION ENG 1 | 233A5222 81205 | 1 | 26-11-11 P006-02/ /A024 | YC056-YR328 |
| C00407 | | BACC18AD3 CB-FIRE PROTECTION DETECTION ENG 2 | 233A5202 81205 | 1 | 26-11-21 P006-02/ /A022 | YC051-YC055 |
| C00407 | | BACC18AD3 CB-FIRE PROTECTION DETECTION ENG 2 | 233A5222 81205 | 1 | 26-11-21 P006-02/ /A022 | YC056-YR328 |
| C00412 | | BACC18AD5 CB-INSTR XFR | 233A5502 81205 | 1 | 34-21-14 P018-02/ /E002 | YC051-YC055 |
| C00412 | | BACC18AD5 CB-INSTR XFR | 233A5522 81205 | 1 | 34-21-14 P018-02/ /E002 | YC056-YR328 |
| C00413 | | BACC18AD3 CB-BRT ENTRY LTS | S281A601 07217 | 1 | 33-29-11 P091-00/ /E010 | YC051-YD158 |
| C00413 | | BACC18AD3 CB-BRT ENTRY LTS | S281A601 07217 | 1 | 33-29-11 P091-00/ /E011 | YD160-YN260 |
| C00413 | | BACC18AD3 CB-BRT ENTRY LTS (INOP) | S281A601 07217 | 1 | 33-29-11 P091-00/ /E011 | YN501-YR328 |
| C00425 | | BACC18AD3 CB-ADIRU LEFT EXC | 233A5502 81205 | 1 | 34-21-11 P018-02/ /E008 | YC051-YC055 |
| C00425 | | BACC18AD3 CB-ADIRU LEFT EXC | 233A5522 81205 | 1 | 34-21-11 P018-02/ /E008 | YC056-YR328 |
| C00426 | | BACC18AD3 CB-ADIRU RIGHT EXC | 233A5202 81205 | 1 | 34-21-21 P006-01/ /C015 | YC051-YC055 |
| C00426 | | BACC18AD3 CB-ADIRU RIGHT EXC | 233A5221 81205 | 1 | 34-21-21 P006-01/ /C015 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C00440 | | BACC18AD5 CB-FLIGHT CONTROL AUTO SPEED BRAKE | 233A5202 81205 | 1 | 27-62-11 P006-02/ /B009 | YC051-YC055 |
| C00440 | | BACC18AD5 CB-FLIGHT CONTROL AUTO SPEED BRAKE | 233A5222 81205 | 1 | 27-62-11 P006-02/ /B009 | YC056-YR328 |
| C00442 | | BACC18AD2 CB-PASSENGER CABIN SIGNS PASS SIGN CONT | 233A5502 81205 | 1 | 33-25-11 P018-03/ /D011 | YC051-YC055 |
| C00442 | | BACC18AD2 CB-PASSENGER CABIN SIGNS PASS SIGN CONT | 233A5523 81205 | 1 | 33-25-11 P018-03/ /D011 | YC056-YR328 |
| C00451 | | BACC18AD3 CB-LANDING GEAR AURAL WARN | 233A5202 81205 | 1 | 31-51-11 P006-03/ /D018 | YC051-YC055 |
| C00451 | | BACC18AD3 CB-LANDING GEAR AURAL WARN | 233A5223 81205 | 1 | 31-51-11 P006-03/ /D018 | YC056-YR328 |
| C00452 | | BACC18AD5 CB-FIRE PROTECTION EXTINGUISHERS APU | 233A5202 81205 | 1 | 26-21-11 P006-02/ /B021 | YC051-YC055 |
| C00452 | | BACC18AD5 CB-FIRE PROTECTION EXTINGUISHERS APU | 233A5222 81205 | 1 | 26-21-11 P006-02/ /B021 | YC056-YR328 |
| C00456 | | BACC18AD3 CB-AFCS SYS A MACH TRIM AC | 233A5502 81205 | 1 | 22-18-11 P018-01/ /C004 | YC051-YC055 |
| C00456 | | BACC18AD3 CB-AFCS SYS A MACH TRIM AC | 233A5521 81205 | 1 | 22-18-11 P018-01/ /C004 | YC056-YR328 |
| C00457 | | BACC18AD3 CB-AFCS SYS A MACH TRIM DC | 233A5502 81205 | 1 | 22-18-11 P018-01/ /D004 | YC051-YC055 |
| C00457 | | BACC18AD3 CB-AFCS SYS A MACH TRIM DC | 233A5521 81205 | 1 | 22-18-11 P018-01/ /D004 | YC056-YR328 |
| C00458 | | BACC18AD2 CB-ENGINE 1 IGNITION RIGHT | 233A5502 81205 | 1 | 74-11-11 P018-02/ /A001 | YC051-YC055 |
| C00458 | | BACC18AD2 CB-ENGINE 1 IGNITION RIGHT | 233A5522 81205 | 1 | 74-11-11 P018-02/ /A001 | YC056-YR328 |
| C00459 | | BACC18AD2 CB-ENGINE 2 IGNITION RIGHT | 233A5202 81205 | 1 | 74-11-11 P006-02/ /D004 | YC051-YC055 |
| C00459 | | BACC18AD2 CB-ENGINE 2 IGNITION RIGHT | 233A5222 81205 | 1 | 74-11-11 P006-02/ /D004 | YC056-YR328 |
| C00468 | | BACC18AD2 CB-FLIGHT RECORDER DC | 233A5502 81205 | 1 | 31-31-11 P018-02/ /C010 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C00400

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------------|-----------------------|-----|------------------------------|-------------|
| C00468 | | BACC18AD2 CB-FLIGHT RECORDER DC | 233A5522 81205 | 1 | 31-31-11 P018-02/ /C010 | YC056-YR328 |
| C00471 | | BACC18AD10 CB-COMMUNICATIONS VHF 3 | 233A5502 81205 | 1 | 23-12-31 P018-02/ /D012 | YC051-YC055 |
| C00471 | | BACC18AD10 CB-COMMUNICATIONS VHF 3 | 233A5522 81205 | 1 | 23-12-31 P018-02/ /D012 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00400

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|-------------------------------|-----------------------------|
| C00523 | | BACC18AD2 CB-HEATERS CAPT PITOT | 233A5502 81205 | 1 | 30-31-11 P018-03/ /C001 | YC051-YC055 |
| C00523 | | BACC18AD2 CB-HEATERS CAPT PITOT | 233A5523 81205 | 1 | 30-31-11 P018-03/ /C001 | YC056-YR328 |
| C00524 | | BACC18AD2 CB-HEATERS AUX PITOT | 233A5502 81205 | 1 | 30-31-12 P018-03/ /D006 | YC051-YC055 |
| C00524 | | BACC18AD2 CB-HEATERS AUX PITOT | 233A5523 81205 | 1 | 30-31-12 P018-03/ /D006 | YC056-YR328 |
| C00525 | | BACC18AD2 CB-HEATERS F/O PITOT | 233A5502 81205 | 1 | 30-31-12 P018-03/ /D005 | YC051-YC055 |
| C00525 | | BACC18AD2 CB-HEATERS F/O PITOT | 233A5523 81205 | 1 | 30-31-12 P018-03/ /D005 | YC056-YR328 |
| C00540 | | BACC18AD3 CB-FUEL SPAR VALVE IND | 233A5202 81205 | 1 | 28-21-11 P006-03/ /B005 | YC051-YC055 |
| C00540 | | BACC18AD3 CB-FUEL SPAR VALVE IND | 233A5223 81205 | 1 | 28-21-11 P006-03/ /B005 | YC056-YR328 |
| C00542 | | 170-002-140 CB-EXTERNAL POWER DC (PROV) | 284A0816 07217 | 1 | 24-31-11 J009-340/166/L015 | ALL |
| C00544 | | BACC18AD5 CB-FLIGHT RECORDER POSITION SENSOR | 233A5502 81205 | 1 | 31-31-14 P018-02/ /C008 | YC051-YC055 |
| C00544 | | BACC18AD5 CB-FLIGHT RECORDER POSITION SENSOR | 233A5522 81205 | 1 | 31-31-14 P018-02/ /C008 | YC056-YR328 |
| C00549 | | BACC18AD3 CB-MACH WARN SYS -2 | 233A5202 81205 | 1 | 34-16-21 P006-01/ /B007 | YC051-YC055 |
| C00549 | | BACC18AD3 CB-MACH WARN SYS -2 | 233A5221 81205 | 1 | 34-16-21 P006-01/ /B007 | YC056-YR328 |
| C00555 | | BACC18AD2 CB-AIR CONDITIONING RAM AIR MOD CONT L | 233A5202 81205 | 1 | 21-51-14 P006-04/ /A008 | YC051-YC055 |
| C00555 | | BACC18AD2 CB-AIR CONDITIONING RAM AIR MOD CONT L | 233A5224 81205 | 1 | 21-51-14 P006-04/ /A008 | YC056-YL999, YR301-YR328 |
| C00560 | | BACC18AD5 CB-INTERPHONE POWER F/O DC 2 | 233A5202 81205 | 1 | 23-51-21 P006-02/ /C021 | YC051-YC055 |
| C00560 | | BACC18AD5 CB-INTERPHONE POWER F/O DC 2 | 233A5222 81205 | 1 | 23-51-21 P006-02/ /C021 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C00561 | | BACC18AD5 CB-INTERPHONE POWER F/O BAT | 233A5202 81205 | 1 | 23-51-21 P006-02/ /C022 | YC051-YC055 |
| C00561 | | BACC18AD5 CB-INTERPHONE POWER F/O BAT | 233A5222 81205 | 1 | 23-51-21 P006-02/ /C022 | YC056-YR328 |
| C00566 | | BACC18AD3 CB-FLIGHT CONTROL FLAP LOAD RELIEF | 233A5202 81205 | 1 | 27-54-11 P006-02/ /A006 | YC051-YC055 |
| C00566 | | BACC18AD3 CB-FLIGHT CONTROL FLAP LOAD RELIEF | 233A5222 81205 | 1 | 27-54-11 P006-02/ /A006 | YC056-YR328 |
| C00569 | | BACC18AD2 CB-PROBE INDICATION CAPT | 233A5202 81205 | 1 | 30-31-11 P006-03/ /F018 | YC051-YC055 |
| C00569 | | BACC18AD2 CB-PROBE INDICATION CAPT | 233A5223 81205 | 1 | 30-31-11 P006-03/ /F018 | YC056-YR328 |
| C00570 | | BACC18AD2 CB-PROBE INDICATION F/O | 233A5202 81205 | 1 | 30-31-12 P006-03/ /F016 | YC051-YC055 |
| C00570 | | BACC18AD2 CB-PROBE INDICATION F/O | 233A5223 81205 | 1 | 30-31-12 P006-03/ /F016 | YC056-YR328 |
| C00583 | | BACC18AD3 CB-LANDING GEAR AUTOBRAKE BITE CONT 1 | 233A5202 81205 | 1 | 32-42-11 P006-03/ /A018 | YC051-YC055 |
| C00583 | | BACC18AD3 CB-LANDING GEAR AUTOBRAKE BITE CONT 1 | 233A5223 81205 | 1 | 32-42-11 P006-03/ /A018 | YC056-YR328 |
| C00590 | | BACC18AD10 CB-CEILING LT-R | S281A601 07217 | 1 | 33-22-11 P091-00/ /D011 | YC051-YD158 |
| C00590 | | BACC18AD10 CB-CEILING LT-R | S281A601 07217 | 1 | 33-22-11 P091-00/ /E009 | YD160-YR328 |
| C00591 | | BACC18AD10 CB-CEILING LT-L | S281A601 07217 | 1 | 33-22-11 P091-00/ /D012 | YC051-YD158 |
| C00591 | | BACC18AD10 CB-CEILING LT-L | S281A601 07217 | 1 | 33-22-11 P091-00/ /E010 | YD160-YR328 |
| C00594 | | BACC18AD7 CB-WINDOW LIGHT RIGHT | S281A601 07217 | 1 | 33-21-11 P092-00/ /E011 | ALL |

EQUIPMENT LIST

D280A108

Section C00500

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C00629 | | BACC18AD2 CB-GND PROX WARN | 233A5502 81205 | 1 | 34-49-11 P018-01/ /B007 | YC051-YC055 |
| C00629 | | BACC18AD2 CB-GND PROX WARN | 233A5521 81205 | 1 | 34-49-11 P018-01/ /B007 | YC056-YR328 |
| C00644 | | BACC18AD2 CB-EXTERIOR LIGHTING LOGO ILLUM | 233A5502 81205 | 1 | 33-49-11 P018-03/ /A015 | YC051-YC055 |
| C00644 | | BACC18AD2 CB-EXTERIOR LIGHTING LOGO ILLUM | 233A5523 81205 | 1 | 33-49-11 P018-03/ /A015 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00600
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00700 | | BACC18AD7 CB-HEATERS DRAIN MAST AIR | 233A5502 81205 | 1 | 30-71-11 P018-03/ /E004 | YC051-YC055 |
| C00700 | | BACC18AD7 CB-HEATERS DRAIN MAST AIR | 233A5523 81205 | 1 | 30-71-11 P018-03/ /E004 | YC056-YR328 |
| C00701 | | BACC18AD5 CB-EMER PANEL LTG | 233A5202 81205 | 1 | 33-11-30 P006-03/ /D008 | YC051-YC055 |
| C00701 | | BACC18AD5 CB-EMER PANEL LTG | 233A5223 81205 | 1 | 33-11-30 P006-03/ /D008 | YC056-YR328 |
| C00716 | | BACC18AD5 CB-AFCS SYS B ENGAGE INTLK | 233A5202 81205 | 1 | 22-11-12 P006-02/ /B004 | YC051-YC055 |
| C00716 | | BACC18AD5 CB-AFCS SYS B ENGAGE INTLK | 233A5222 81205 | 1 | 22-11-12 P006-02/ /B004 | YC056-YR328 |
| C00721 | | BACC18AD10 CB-AUTOTHROTTLE DC 1 | 233A5502 81205 | 1 | 22-31-11 P018-01/ /E001 | YC051-YC055 |
| C00721 | | BACC18AD10 CB-AUTOTHROTTLE DC 1 | 233A5521 81205 | 1 | 22-31-11 P018-01/ /E001 | YC056-YD155 |
| C00721 | | BACC18AD7 CB-AUTOTHROTTLE DC 1 | 233A5521 81205 | 1 | 22-31-11 P018-01/ /E001 | YD157-YR328 |
| C00736 | | BACC18AD3 CB-MISC CLOCK DISPLAY | 233A5202 81205 | 1 | 31-22-11 P006-03/ /A001 | YC051-YC055 |
| C00736 | | BACC18AD3 CB-MISC CLOCK DISPLAY | 233A5223 81205 | 1 | 31-22-11 P006-03/ /A001 | YC056-YR328 |
| C00737 | | BACC18AD3 CB-MISC CLOCK | 233A5202 81205 | 1 | 31-22-11 P006-03/ /A002 | YC051-YC055 |
| C00737 | | BACC18AD3 CB-MISC CLOCK | 233A5223 81205 | 1 | 31-22-11 P006-03/ /A002 | YC056-YR328 |
| C00743 | | BACC18AD2 CB-ACARS MU DC | 233A5202 81205 | 1 | 23-27-11 P006-01/ /E008 | YC051-YC055 |
| C00743 | | BACC18AD2 CB-ACARS MU DC | 233A5221 81205 | 1 | 23-27-11 P006-01/ /E008 | YC056-YD157 |
| C00744 | | BACC18AD2 CB-ACARS MU AC | 233A5202 81205 | 1 | 23-27-11 P006-01/ /E007 | YC051-YC055 |
| C00744 | | BACC18AD2 CB-ACARS MU AC | 233A5221 81205 | 1 | 23-27-11 P006-01/ /E007 | YC056-YD157 |

EQUIPMENT LIST

D280A108

Section C00700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C00751 | | BACC18AD2 CB-CONT CABIN LIGHTING PANEL FLOOD CONT | 233A5202 81205 | 1 | 33-14-11 P006-03/ /A011 | YC051-YC055 |
| C00751 | | BACC18AD2 CB-CONT CABIN LIGHTING PANEL FLOOD CONT | 233A5223 81205 | 1 | 33-14-11 P006-03/ /A011 | YC056-YR328 |
| C00767 | | BACC18AD5 CB-ELEC HYD PUMP CONTROL SYS A | S281A601 07217 | 1 | 29-11-12 P092-00/ /C008 | ALL |
| C00768 | | BACC18AD5 CB-ELEC HYD PUMP CONTROL SYS B | S281A601 07217 | 1 | 29-11-12 P091-00/ /C008 | ALL |
| C00773 | | BACC18AD10 CB-PASS READING LIGHTS-LEFT | S281A601 07217 | 1 | 33-23-12 P091-00/ /B007 | ALL |
| C00774 | | BACC18AD10 CB-PASS READING LIGHTS-RIGHT | S281A601 07217 | 1 | 33-23-22 P092-00/ /B007 | ALL |
| C00776 | | BACC18AD7 CB-WINDOW LIGHT LEFT | S281A601 07217 | 1 | 33-21-11 P092-00/ /E012 | ALL |
| C00779 | | BACC18AD5 CB-HYD SYS ENG PUMP DEPRESS VALVE 1 | 233A5202 81205 | 1 | 29-11-11 P006-02/ /B015 | YC051-YC055 |
| C00779 | | BACC18AD5 CB-HYD SYS ENG PUMP DEPRESS VALVE 1 | 233A5222 81205 | 1 | 29-11-11 P006-02/ /B015 | YC056-YR328 |
| C00780 | | BACC18AD5 CB-HYD SYS ENG PUMP DEPRESS VALVE 2 | 233A5202 81205 | 1 | 29-11-11 P006-02/ /A017 | YC051-YC055 |
| C00780 | | BACC18AD5 CB-HYD SYS ENG PUMP DEPRESS VALVE 2 | 233A5222 81205 | 1 | 29-11-11 P006-02/ /A017 | YC056-YR328 |
| C00781 | | BACC18AD5 CB-HYD SYS LDG GR SYS XFR VALVE PRI | 233A5202 81205 | 1 | 29-23-11 P006-02/ /C016 | YC051-YC055 |
| C00781 | | BACC18AD5 CB-HYD SYS LDG GR SYS XFR VALVE PRI | 233A5222 81205 | 1 | 29-23-11 P006-02/ /C016 | YC056-YR328 |
| C00783 | | BACC18AD5 CB-OXYGEN PASS LEFT | 233A5502 81205 | 1 | 35-21-11 P018-03/ /F010 | YC051-YC055 |
| C00783 | | BACC18AD5 CB-OXYGEN PASS LEFT | 233A5523 81205 | 1 | 35-21-11 P018-03/ /F010 | YC056-YR328 |
| C00784 | | BACC18AD5 CB-OXYGEN PASS RIGHT | 233A5502 81205 | 1 | 35-21-11 P018-03/ /F009 | YC051-YC055 |
| C00784 | | BACC18AD5 CB-OXYGEN PASS RIGHT | 233A5523 81205 | 1 | 35-21-11 P018-03/ /F009 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00700

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00785 | | BACC18AD5 CB-OXYGEN MAN CONT | 233A5502 81205 | 1 | 35-21-11 P018-03/ /F008 | YC051-YC055 |
| C00785 | | BACC18AD5 CB-OXYGEN MAN CONT | 233A5523 81205 | 1 | 35-21-11 P018-03/ /F008 | YC056-YR328 |
| C00786 | | BACC18AD3 CB-FLIGHT CONTROL TRIM CONT AIL | 233A5202 81205 | 1 | 27-11-11 P006-02/ /D018 | YC051-YC055 |
| C00786 | | BACC18AD3 CB-FLIGHT CONTROL TRIM CONT AIL | 233A5222 81205 | 1 | 27-11-11 P006-02/ /D018 | YC056-YR328 |
| C00787 | | BACC18AD3 CB-FLIGHT CONTROL TRIM CONT RUD | 233A5202 81205 | 1 | 27-21-11 P006-02/ /D019 | YC051-YC055 |
| C00787 | | BACC18AD3 CB-FLIGHT CONTROL TRIM CONT RUD | 233A5222 81205 | 1 | 27-21-11 P006-02/ /D019 | YC056-YR328 |
| C00788 | | BACC18AD3 CB-FLIGHT CONTROL TRIM IND RUD | 233A5202 81205 | 1 | 27-28-11 P006-02/ /D016 | YC051-YC055 |
| C00788 | | BACC18AD3 CB-FLIGHT CONTROL TRIM IND RUD | 233A5222 81205 | 1 | 27-28-11 P006-02/ /D016 | YC056-YR328 |
| C00796 | | BACC18AD2 CB-AIR CONDITIONING BLEED AIR VALVES L | 233A5202 81205 | 1 | 36-11-11 P006-04/ /A007 | YC051-YC055 |
| C00796 | | BACC18AD2 CB-AIR CONDITIONING BLEED AIR VALVES L | 233A5224 81205 | 1 | 36-11-11 P006-04/ /A007 | YC056-YR328 |
| C00797 | | BACC18AD2 CB-AIR CONDITIONING BLEED AIR VALVES R | 233A5202 81205 | 1 | 36-11-11 P006-04/ /B007 | YC051-YC055 |
| C00797 | | BACC18AD2 CB-AIR CONDITIONING BLEED AIR VALVES R | 233A5224 81205 | 1 | 36-11-11 P006-04/ /B007 | YC056-YR328 |
| C00799 | | BACC18AD5 CB-HYD SYS LDG GR SYS XFR VALVE SEC | 233A5202 81205 | 1 | 29-23-11 P006-02/ /C015 | YC051-YC055 |
| C00799 | | BACC18AD5 CB-HYD SYS LDG GR SYS XFR VALVE SEC | 233A5222 81205 | 1 | 29-23-11 P006-02/ /C015 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00700

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C00801 | | 1151968-1 CB-GENERATOR BREAKER 1 | S281A0601 7217 | 1 | 24-22-11 P091-00/ / | ALL |
| C00802 | | 1151968-1 CB-GENERATOR BREAKER 2 | S281A0601 7217 | 1 | 24-22-21 P092-00/ / | ALL |
| C00803 | | 1151968-1 CB-AUXILIARY POWER BREAKER | S281A0601 7217 | 1 | 24-22-31 P091-00/ / | ALL |
| C00804 | | 1151968-1 CB-BUS TIE BREAKER 1 | S281A0601 7217 | 1 | 24-23-11 P091-00/ / | ALL |
| C00805 | | 1151968-1 CB-BUS TIE BREAKER 2 | S281A0601 7217 | 1 | 24-23-21 P092-00/ / | ALL |
| C00806 | | BACC18AC10 CB-TRU 1 | S281A0601 07217 | 1 | 24-32-11 P091-00/ /A006 | ALL |
| C00807 | | BACC18AC10 CB-TRU 2 | S281A0601 07217 | 1 | 24-32-11 P092-00/ /A004 | ALL |
| C00808 | | BACC18AC10 CB-TRU 3 | S281A0601 07217 | 1 | 24-32-11 P092-00/ /A006 | ALL |
| C00809 | | BACC18AC7 CB-BAT CHGR | S281A0601 07217 | 1 | 24-31-11 P092-00/ /E001 | ALL |
| C00812 | | BACC18AE25 CB-EXT PWR 1 | S281A601 07217 | 1 | 24-52-11 P092-00/ /A018 | ALL |
| C00813 | | BACC18AE25 CB-GND SERV 1 | S281A601 07217 | 1 | 24-52-11 P091-00/ /F001 | YC051-YD158 |
| C00813 | | BACC18AE25 CB-GND SERV 1 | S281A601 07217 | 1 | 24-52-11 P091-00/ /A014 | YD160-YR328 |
| C00815 | | BACC18AE35 CB-MAIN BUS 1 | S281A601 07217 | 1 | 24-51-11 P091-00/ /F006 | ALL |
| C00817 | | BACC18AE35 CB-MAIN BUS 2 | S281A601 07217 | 1 | 24-51-21 P092-00/ /F006 | ALL |
| C00826 | | BACC18AC7 CB-FUEL BOOST PUMP TANK 1 AFT | S281A601 81205 | 1 | 28-23-11 P092-00/ /D002 | YC051-YD158 |
| C00826 | | BACC18AC7 CB-FUEL BOOST PUMP TANK 1 AFT | S281A601 81205 | 1 | 28-23-11 P092-00/ /D001 | YD160-YR328 |
| C00827 | | BACC18AC7 CB-FUEL BOOST PUMP TANK 1 FWD | S281A601 81205 | 1 | 28-23-11 P091-00/ /D002 | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section C00800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C00827 | | BACC18AC7 CB-FUEL BOOST PUMP TANK 1 FWD | S281A601 81205 | 1 | 28-23-11 P091-00/ /D001 | YD160-YR328 |
| C00828 | | BACC18AC7 CB-FUEL BOOST PUMP TANK 2 AFT | S281A601 81205 | 1 | 28-23-11 P091-00/ /D004 | YC051-YD158 |
| C00828 | | BACC18AC7 CB-FUEL BOOST PUMP TANK 2 AFT | S281A601 81205 | 1 | 28-23-11 P091-00/ /D003 | YD160-YR328 |
| C00829 | | BACC18AC7 CB-FUEL BOOST PUMP TANK 2 FWD | S281A601 81205 | 1 | 28-23-11 P092-00/ /D004 | YC051-YD158 |
| C00829 | | BACC18AC7 CB-FUEL BOOST PUMP TANK 2 FWD | S281A601 81205 | 1 | 28-23-11 P092-00/ /D003 | YD160-YR328 |
| C00836 | | BACC18AC7 CB-EQPT CLG EXH FAN PWR-NORM | S281A601 07217 | 1 | 21-27-21 P091-00/ /E001 | ALL |
| C00837 | | BACC18AC7 CB-EQPT CLG EXH FAN PWR-ALTN | S281A601 07217 | 1 | 21-27-21 P092-00/ /A010 | YC051-YD158 |
| C00837 | | BACC18AC7 CB-EQPT CLG EXH FAN PWR-ALTN | S281A601 07217 | 1 | 21-27-21 P092-00/ /D012 | YD160-YR328 |
| C00839 | | BACC18AC5 CB-COMMUNICATIONS HF 1 | 233A5502 81205 | 1 | 23-11-11 P018-02/ /E011 | YC051-YC055 |
| C00839 | | BACC18AC5 CB-COMMUNICATIONS HF 1 | 233A5522 81205 | 1 | 23-11-11 P018-02/ /E011 | YC056-YR328 |
| C00840 | | BACC18AE15 CB-FLIGHT CONTROL STAB TRIM ACTUATOR | 233A5202 81205 | 1 | 27-41-11 P006-02/ /D010 | YC051-YC055 |
| C00840 | | BACC18AE15 CB-FLIGHT CONTROL STAB TRIM ACTUATOR | 233A5222 81205 | 1 | 27-41-11 P006-02/ /D010 | YC056-YR328 |
| C00841 | | BACC18AC10 CB-FLIGHT CONTROL ALTN T.E. FLAP DRIVE | 233A5202 81205 | 1 | 27-53-12 P006-02/ /D013 | YC051-YC055 |
| C00841 | | BACC18AC10 CB-FLIGHT CONTROL ALTN T.E. FLAP DRIVE | 233A5222 81205 | 1 | 27-53-12 P006-02/ /D013 | YC056-YR328 |
| C00845 | | BACC18AC10 CB-FUEL BOOST PUMP CTR TANK LEFT | S281A601 81205 | 1 | 28-23-11 P091-00/ /D006 | YC051-YD158 |
| C00845 | | BACC18AC10 CB-FUEL BOOST PUMP CTR TANK LEFT | S281A601 81205 | 1 | 28-23-11 P091-00/ /D005 | YD160-YR328 |
| C00846 | | BACC18AC10 CB-FUEL BOOST PUMP CTR TANK RIGHT | S281A601 81205 | 1 | 28-23-11 P092-00/ /D006 | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section C00800

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|---|
| C00846 | | BACC18AC10 CB-FUEL BOOST PUMP CTR TANK RIGHT | S281A601 81205 | 1 | 28-23-11 P092-00/ /D005 | YD160-YR328 |
| C00849 | | BACC18AE15 CB-AFCS STABILIZER TRIM | 233A5502 81205 | 1 | 22-13-11 P018-01/ /C002 | YC051-YC055 |
| C00849 | | BACC18AE15 CB-AFCS STABILIZER TRIM | 233A5521 81205 | 1 | 22-13-11 P018-01/ /C002 | YC056-YR328 |
| C00857 | | BACC18AC5 CB-COMMUNICATIONS HF 2 | 233A5221 81205 | 1 | 23-11-21 P006-01/ /D002 | YD158-YD170, YL955-YL999, YN236-YR328 |
| C00857 | | BACC18AC5 CB-COMMUNICATIONS HF 2 (INOP) | 233A5221 81205 | 1 | 23-11-21 P006-01/ /D002 | YL951-YL954, YN231-YN235 |
| C00873 | | BACC18AC7 CB-POT WATER COMPRESSOR | S281A601 | 0 | 38-41-13 P091-00/ /A018 | YC051-YD158 |
| C00873 | | BACC18AC7 CB-POT WATER COMPRESSOR | S281A601 | 0 | 38-41-13 P091-00/ /D011 | YD160-YR328 |
| C00881 | | 10-60806-1040 CB-ELEC HYD PUMP SYS A | S281A601 07217 | 1 | 29-11-12 P092-00/ /F003 | ALL |
| C00882 | | 10-60806-1040 CB-ELEC HYD PUMP SYS B | S281A601 07217 | 1 | 29-11-12 P091-00/ /F003 | ALL |
| C00884 | | BACC18AE20 CB-AC RECIRC RIGHT FAN CABIN AIR | 233A5202 81205 | 1 | 21-25-10 P006-04/ /E004 | YC051-YC055 |
| C00884 | | BACC18AE20 CB-AC RECIRC FAN RIGHT CABIN AIR | 233A5224 81205 | 1 | 21-25-10 P006-04/ /E004 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C00800
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| C00907 | | BACC18AC15 CB-AFT CARGO LOADER DRIVE (INOP) | S281A601 81205 | 1 | 25-51-21 P091-00/ /E008 | YC051-YD158 |
| C00907 | | BACC18AC15 CB-AFT CARGO LOADER DRIVE (INOP) | S281A601 81205 | 1 | 25-51-21 P091-00/ /A017 | YD160-YL999 |
| C00907 | | BACC18AC15 CB-AFT CARGO LOADER DRIVE | S281A601 81205 | 1 | 25-51-21 P091-00/ /A017 | YR301-YR328 |
| C00911 | | BACC18AE20 CB-A/C RECIRC FAN LEFT CABIN AIR | 233A5502 81205 | 1 | 21-25-11 P018-03/ /E007 | YC051-YC055 |
| C00911 | | BACC18AE20 CB-A/C RECIRC FAN LEFT CABIN AIR | 233A5523 81205 | 1 | 21-25-11 P018-03/ /E007 | YC056-YL999, YR301-YR328 |
| C00912 | | BACC18AE35 CB-GALLEY BUS A | S281A601 07217 | 1 | 25-31-11 P092-00/ /F007 | YC051-YD170 |
| C00912 | | 10-60806-1050 CB-GALLEY BUS A | S281A601 07217 | 1 | 25-31-11 P092-00/ /F007 | YL951-YL999, YR301-YR328 |
| C00913 | | BACC18AE35 CB-GALLEY BUS C | S281A601 07217 | 1 | 25-31-11 P091-00/ /F007 | YD158-YR328 |
| C00914 | | BACC18AE35 CB-GALLEY BUS B | S281A601 07217 | 1 | 25-31-11 P092-00/ /F008 | ALL |
| C00915 | | 10-60806-1050 CB-GALLEY BUS D | S281A601 07217 | 1 | 25-31-11 P091-00/ /F008 | ALL |
| C00922 | | BACC18AC7 CB-AUX BAT CHGR | S281A601 07217 | 1 | 24-31-11 P091-00/ /E003 | ALL |
| C00923 | | BACC18AD3 CB-DATA LOADER | 233A5502 81205 | 1 | 34-61-18 P018-02/ /A009 | YC051-YC055 |
| C00923 | | BACC18AD3 CB-DATA LOADER | 233A5522 81205 | 1 | 34-61-18 P018-02/ /A009 | YC056-YC058 |
| C00923 | | BACC18AD3 CB-DATA LOADER | 233A5522 81205 | 1 | 31-32-15 P018-02/ /A009 | YC059-YR328 |
| C00934 | | BACC18AC7 CB-EQPT CLG SPLY FAN PWR-NORM | S281A601 07217 | 1 | 21-27-31 P092-00/ /A008 | YC051-YD158 |
| C00934 | | BACC18AC7 CB-EQPT CLG SPLY FAN PWR-NORM | S281A601 07217 | 1 | 21-27-31 P092-00/ /D010 | YD160-YR328 |
| C00935 | | BACC18AC7 CB-EQPT CLG SPLY FAN PWR-ALTN | S281A601 07217 | 1 | 21-27-31 P091-00/ /A008 | ALL |

EQUIPMENT LIST

D280A108

Section C00900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C00936 | | BACC18AD3 CB-EXT PWR BPCU | S281A601 81205 | 1 | 24-41-11 P092-00/ /A012 | ALL |
| C00937 | | 1151970-1 CB-EXTERNAL POWER CONTRACTOR | S281A601 7217 | 1 | 24-41-11 P092-00/ / | ALL |
| C00941 | | BACC18AC10 CB-TRU 3 ALTN | S281A601 07217 | 1 | 24-32-11 P091-00/ /A004 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section C00900

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C01001 | | BACC18AD2 CB-ANTI-ICE & RAIN ENG 1 COWL AI VALVE | 233A5502 81205 | 1 | 30-21-11 P018-03/ /A007 | YC051-YC055 |
| C01001 | | BACC18AD2 CB-ANTI-ICE & RAIN ENG 1 COWL AI VALVE | 233A5523 81205 | 1 | 30-21-11 P018-03/ /A007 | YC056-YR328 |
| C01002 | | BACC18AD2 CB-ANTI-ICE & RAIN ENG 2 COWL AI VALVE | 233A5502 81205 | 1 | 30-21-11 P018-03/ /B007 | YC051-YC055 |
| C01002 | | BACC18AD2 CB-ANTI-ICE & RAIN ENG 2 COWL AI VALVE | 233A5523 81205 | 1 | 30-21-11 P018-03/ /B007 | YC056-YR328 |
| C01003 | | BACC18AD2 CB-ENGINE 1 THRUST REVERSER IND | 233A5502 81205 | 1 | 78-36-11 P018-02/ /B004 | YC051-YC055 |
| C01003 | | BACC18AD2 CB-ENGINE 1 THRUST REVERSER IND | 233A5522 81205 | 1 | 78-36-11 P018-02/ /B004 | YC056-YR328 |
| C01004 | | BACC18AD2 CB-ENGINE 2 THRUST REVERSER IND | 233A5202 81205 | 1 | 78-36-21 P006-02/ /C008 | YC051-YC055 |
| C01004 | | BACC18AD2 CB-ENGINE 2 THRUST REVERSER IND | 233A5222 81205 | 1 | 78-36-21 P006-02/ /C008 | YC056-YR328 |
| C01007 | | BACC18AD3 CB-ADIRU LEFT AC | 233A5502 81205 | 1 | 34-21-11 P018-01/ /E007 | YC051-YC055 |
| C01007 | | BACC18AD3 CB-ADIRU LEFT AC | 233A5521 81205 | 1 | 34-21-11 P018-01/ /E007 | YC056-YR328 |
| C01008 | | BACC18AD3 CB-ADIRU RIGHT AC | 233A5202 81205 | 1 | 34-21-21 P006-01/ /C014 | YC051-YC055 |
| C01008 | | BACC18AD3 CB-ADIRU RIGHT AC | 233A5221 81205 | 1 | 34-21-21 P006-01/ /C014 | YC056-YR328 |
| C01009 | | BACC18AD10 CB-ADIRU LEFT DC | 233A5502 81205 | 1 | 34-21-11 P018-01/ /E005 | YC051-YC055 |
| C01009 | | BACC18AD10 CB-ADIRU LEFT DC | 233A5521 81205 | 1 | 34-21-11 P018-01/ /E005 | YC056-YR328 |
| C01010 | | BACC18AD10 CB-ADIRU RIGHT DC | 233A5202 81205 | 1 | 34-21-21 P006-01/ /C017 | YC051-YC055 |
| C01010 | | BACC18AD10 CB-ADIRU RIGHT DC | 233A5221 81205 | 1 | 34-21-21 P006-01/ /C017 | YC056-YR328 |
| C01015 | | BACC18AD2 CB-AIR CONDITIONING RECIRC FAN CONT | 233A5224 81205 | 1 | 21-25-10 P006-04/ /E001 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section C01000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| C01017 | | BACC18AD3 CB-FMCS CMPTR 1 | 233A5502 81205 | 1 | 34-61-11 P018-02/ /A006 | YC051-YC055 |
| C01017 | | BACC18AD3 CB-FMCS CMPTR 1 | 233A5522 81205 | 1 | 34-61-11 P018-02/ /A006 | YC056-YR328 |
| C01021 | | BACC18AD5 CB-FIRE PROTECTION EXTINGUISHERS ALTN L | 233A5202 81205 | 1 | 26-21-11 P006-02/ /B024 | YC051-YC055 |
| C01021 | | BACC18AD5 CB-FIRE PROTECTION EXTINGUISHERS ALTN L | 233A5222 81205 | 1 | 26-21-11 P006-02/ /B024 | YC056-YR328 |
| C01022 | | BACC18AD5 CB-FIRE PROTECTION EXTINGUISHERS ALTN R | 233A5202 81205 | 1 | 26-21-11 P006-02/ /B023 | YC051-YC055 |
| C01022 | | BACC18AD5 CB-FIRE PROTECTION EXTINGUISHERS ALTN R | 233A5222 81205 | 1 | 26-21-11 P006-02/ /B023 | YC056-YR328 |
| C01023 | | BACC18AD2 CB-A/C RECIRC FAN RIGHT CONT. | 233A5202 81205 | 1 | 21-25-11 P006-04/ /E002 | YC051-YC055 |
| C01023 | | BACC18AD2 CB-A/C RECIRC FAN RIGHT CONT. | 233A5224 81205 | 1 | 21-25-11 P006-04/ /E002 | YC056-YL999, YR301-YR328 |
| C01027 | | BACC18AD2 CB-LANDING GEAR NOSE GEAR STEER | 233A5202 81205 | 1 | 32-51-11 P006-03/ /D017 | YC051-YC055 |
| C01027 | | BACC18AD2 CB-LANDING GEAR NOSE GEAR STEER | 233A5223 81205 | 1 | 32-51-11 P006-03/ /D017 | YC056-YR328 |
| C01037 | | BACC18AD3 CB-AFCS SYS B MACH TRIM AC | 233A5202 81205 | 1 | 22-18-11 P006-02/ /C001 | YC051-YC055 |
| C01037 | | BACC18AD3 CB-AFCS SYS B MACH TRIM AC | 233A5222 81205 | 1 | 22-18-11 P006-02/ /C001 | YC056-YR328 |
| C01041 | | BACC18Z1R CB-AFCS SYS A SNSR EXC AC | 233A5502 81205 | 1 | 22-11-11 P018-01/ /C005 | YC051-YC055 |
| C01041 | | BACC18Z1R CB-AFCS SYS A SNSR EXC AC | 233A5521 81205 | 1 | 22-11-11 P018-01/ /C005 | YC056-YR328 |
| C01042 | | BACC18Z1R CB-AFCS SYS B SNSR EXC AC | 233A5202 81205 | 1 | 22-11-11 P006-02/ /C002 | YC051-YC055 |
| C01042 | | BACC18Z1R CB-AFCS SYS B SNSR EXC AC | 233A5222 81205 | 1 | 22-11-11 P006-02/ /C002 | YC056-YR328 |
| C01044 | | BACC18AD5 CB-AFCS MCP DC 1 | 233A5502 81205 | 1 | 22-11-12 P018-01/ /D005 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C01000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C01044 | | BACC18AD5 CB-AFCS MCP DC 1 | 233A5521 81205 | 1 | 22-11-12 P018-01/ /D005 | YC056-YR328 |
| C01045 | | BACC18AD5 CB-AFCS SYS A FCC DC | 233A5502 81205 | 1 | 22-11-11 P018-01/ /D002 | YC051-YC055 |
| C01045 | | BACC18AD5 CB-AFCS SYS A FCC DC | 233A5521 81205 | 1 | 22-11-11 P018-01/ /D002 | YC056-YR328 |
| C01046 | | BACC18AD5 CB-AFCS SYS B FCC DC | 233A5202 81205 | 1 | 22-11-11 P006-02/ /B003 | YC051-YC055 |
| C01046 | | BACC18AD5 CB-AFCS SYS B FCC DC | 233A5222 81205 | 1 | 22-11-11 P006-02/ /B003 | YC056-YR328 |
| C01047 | | BACC18AD5 CB-AFCS MCP DC 2 | 233A5202 81205 | 1 | 22-11-12 P006-02/ /C003 | YC051-YC055 |
| C01047 | | BACC18AD5 CB-AFCS MCP DC 2 | 233A5222 81205 | 1 | 22-11-12 P006-02/ /C003 | YC056-YR328 |
| C01048 | | BACC18AD5 CB-AFCS SYS A ENGAGE INTLK | 233A5502 81205 | 1 | 22-11-12 P018-01/ /D003 | YC051-YC055 |
| C01048 | | BACC18AD5 CB-AFCS SYS A ENGAGE INTLK | 233A5521 81205 | 1 | 22-11-12 P018-01/ /D003 | YC056-YR328 |
| C01049 | | BACC18AD3 CB-AFCS SYS A WARN LIGHT (BAT) | 233A5502 81205 | 1 | 22-14-11 P018-01/ /D001 | YC051-YC055 |
| C01049 | | BACC18AD3 CB-AFCS SYS A WARN LIGHT (BAT) | 233A5521 81205 | 1 | 22-14-11 P018-01/ /D001 | YC056-YR328 |
| C01053 | | BACC18AD2 CB-INVERTER VOLTS | S281A601 07217 | 1 | 24-28-11 M01720/ /A002 | ALL |
| C01064 | | BACC18AD3 CB-AFCS SYS B MACH TRIM DC | 233A5202 81205 | 1 | 22-18-11 P006-02/ /B002 | YC051-YC055 |
| C01064 | | BACC18AD3 CB-AFCS SYS B MACH TRIM DC | 233A5222 81205 | 1 | 22-18-11 P006-02/ /B002 | YC056-YR328 |
| C01065 | | BACC18R60C CB-DC BUS 1 XFR | S281A601 07217 | 1 | 24-32-11 P091-00/ /A001 | ALL |
| C01066 | | BACC18R60C CB-DC BUS 2 XFR | S281A601 07217 | 1 | 24-32-11 P092-00/ /A001 | ALL |
| C01068 | | BACC18AD5 CB-FLIGHT CONTROL AUTOSLAT DC 1 | 233A5202 81205 | 1 | 27-83-11 P006-02/ /C014 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C01000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C01068 | | BACC18AD5 CB-FLIGHT CONTROL AUTOSLAT DC 1 | 233A5222 81205 | 1 | 27-83-11 P006-02/ /C014 | YC056-YR328 |
| C01070 | | BACC18AD5 CB-FLIGHT CONTROL AUTOSLAT DC 2 | 233A5202 81205 | 1 | 27-83-21 P006-02/ /B014 | YC051-YC055 |
| C01070 | | BACC18AD5 CB-FLIGHT CONTROL AUTOSLAT DC 2 | 233A5222 81205 | 1 | 27-83-21 P006-02/ /B014 | YC056-YR328 |
| C01071 | | BACC18AD5 CB-HEATERS ALPHA VANE RIGHT | 233A5502 81205 | 1 | 30-31-12 P018-03/ /D003 | YC051-YC055 |
| C01071 | | BACC18AD5 CB-HEATERS ALPHA VANE RIGHT | 233A5523 81205 | 1 | 30-31-12 P018-03/ /D003 | YC056-YR328 |
| C01072 | | BACC18AD5 CB-HEATERS ALPHA VANE LEFT | 233A5502 81205 | 1 | 30-31-11 P018-03/ /C003 | YC051-YC055 |
| C01072 | | BACC18AD5 CB-HEATERS ALPHA VANE LEFT | 233A5523 81205 | 1 | 30-31-11 P018-03/ /C003 | YC056-YR328 |
| C01073 | | BACC18AD5 CB-LAVATORY WATER HEATER D | 233A5202 81205 | 1 | 38-21-11 P018-03/ /F014 | YC051-YC055 |
| C01073 | | BACC18AD5 CB-LAVATORY WATER HEATER D | 233A5523 81205 | 1 | 38-21-11 P018-03/ /F014 | YC056-YR328 |
| C01074 | | BACC18AD5 CB-FLIGHT CONT SHUTOFF VALVES FLT CONT | 233A5202 81205 | 1 | 27-23-11 P006-02/ /C013 | YC051-YC055 |
| C01074 | | BACC18AD5 CB-FLIGHT CONT SHUTOFF VALVES FLT CONT | 233A5222 81205 | 1 | 27-23-11 P006-02/ /C013 | YC056-YR328 |
| C01076 | | BACC18AD2 CB-ENGINE VIB MON | 233A5202 81205 | 1 | 77-31-11 P006-02/ /A002 | YC051-YC055 |
| C01076 | | BACC18AD2 CB-ENGINE VIB MON | 233A5222 81205 | 1 | 77-31-11 P006-02/ /A002 | YC056-YR328 |
| C01081 | | BACC18AD5 CB-HYDRAULIC SYSTEM PTU VALVE CONT 1 | 233A5202 81205 | 1 | 29-25-11 P006-02/ /A015 | YC051-YC055 |
| C01081 | | BACC18AD5 CB-HYDRAULIC SYSTEM PTU VALVE CONT 1 | 233A5222 81205 | 1 | 29-25-11 P006-02/ /A015 | YC056-YR328 |
| C01085 | | BACC18AD5 CB-HYDRAULIC SYSTEM PTU VALVE CONT 2 | 233A5202 81205 | 1 | 29-25-11 P006-02/ /A016 | YC051-YC055 |
| C01085 | | BACC18AD5 CB-HYDRAULIC SYSTEM PTU VALVE CONT 2 | 233A5222 81205 | 1 | 29-25-11 P006-02/ /A016 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C01000

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| C01096 | | BACC18AD5 CB-LAVATORY WATER HEATER E | 233A5202 81205 | 1 | 38-21-11 P018-03/ /F015 | YC051-YC055 |
| C01096 | | BACC18AD5 CB-LAVATORY WATER HEATER E | 233A5523 81205 | 1 | 38-21-11 P018-03/ /F015 | YC056-YL999, YR301-YR328 |
| C01097 | | BACC18AD7 CB-ELEX PANEL LIGHTS AFT F/O | 233A6301 81205 | 1 | 33-11-41 P008-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section C01000

Page 5 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C01101 | | BACC18AD7 CB-ENTERTAINMENT MUX | 65C25704 81205 | 1 | 23-34-01 P006-01/ /C010 | YC051-YC055 |
| C01101 | | BACC18AD7 CB-ENTERTAINMENT MUX | 233A5221 81205 | 1 | 23-34-01 P006-01/ /C010 | YC056-YD157 |
| C01103 | | BACC18AD2 CB-ENGINE 1 START VALVE | 233A5502 81205 | 1 | 80-11-11 P018-02/ /B008 | YC051-YC055 |
| C01103 | | BACC18AD2 CB-ENGINE 1 START VALVE | 233A5522 81205 | 1 | 80-11-11 P018-02/ /B008 | YC056-YR328 |
| C01115 | | BACC18AD7 CB-ELEX PANEL LIGHTS AFT CENTER | 233A6301 81205 | 1 | 33-11-41 P008-00/ / | ALL |
| C01116 | | BACC18AD2 CB-EQPT COOLING SUPPLY FAN CONT-NORMAL | 233A5202 81205 | 1 | 21-27-31 P006-04/ /C012 | YC051-YC055 |
| C01116 | | BACC18AD2 CB-EQPT COOLING SUPPLY FAN CONT-NORMAL | 233A5224 81205 | 1 | 21-27-31 P006-04/ /C012 | YC056-YR328 |
| C01117 | | BACC18AD2 CB-EQPT COOLING SUPPLY FAN CONTROL-ALTN | 233A5202 81205 | 1 | 21-27-31 P006-04/ /C013 | YC051-YC055 |
| C01117 | | BACC18AD2 CB-EQPT COOLING SUPPLY FAN CONTROL-ALTN | 233A5224 81205 | 1 | 21-27-31 P006-04/ /C013 | YC056-YR328 |
| C01125 | | BACC18AD2 CB-LAVATORY SMOKE | 233A5502 81205 | 1 | 26-14-11 P018-03/ /E012 | YC051-YC055 |
| C01125 | | BACC18AD2 CB-LAVATORY SMOKE | 233A5523 81205 | 1 | 26-14-11 P018-03/ /E012 | YC056-YR328 |
| C01139 | | BACC18AD2 CB-AFT CARGO LOADER CONT | 233A5202 81205 | 1 | 25-51-21 P006-11/ /D008 | YC051-YC055 |
| C01139 | | BACC18AD2 CB-AFT CARGO LOADER CONT (INOP) | 233A5225 81205 | 1 | 25-51-21 P006-11/ /D008 | YC056-YL999 |
| C01139 | | BACC18AD2 CB-AFT CARGO LOADER CONT | 233A5225 81205 | 1 | 25-51-21 P006-11/ /D008 | YR301-YR328 |
| C01141 | | BACC18AD10 CB-AUTOTHROTTLE DC 2 | 233A5502 81205 | 1 | 22-31-11 P018-01/ /E003 | YC051-YC055 |
| C01141 | | BACC18AD10 CB-AUTOTHROTTLE DC 2 | 233A5521 81205 | 1 | 22-31-11 P018-01/ /E003 | YC056-YD155 |
| C01143 | | BACC18AD2 CB-CALSEL | 233A5502 | 0 | 23-29-11 P018-02/ /D013 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C01100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| C01143 | | BACC18AD2 CB-CALSEL | 233A5522 | 0 | 23-29-11 P018-02/ /D013 | YC056-YD157 |
| C01152 | | BACC18AD10 CB-PASS READING LIGHTS-LEFT STA768-880 | S281A601 07217 | 1 | 33-23-12 P091-00/ /B008 | YC051-YL999, YR301-YR328 |
| C01153 | | BACC18AC10 CB-PASS READING LIGHTS-L STA880-937 | S281A601 07217 | 1 | 33-23-21 P091-00/ /B009 | YC051-YL999, YR301-YR328 |
| C01156 | | BACC18AD2 CB-A/C RECIRC FAN LEFT CONT | 233A5502 81205 | 1 | 21-25-11 P018-03/ /E009 | YC051-YC055 |
| C01156 | | BACC18AD2 CB-A/C RECIRC FAN LEFT CONT | 233A5523 81205 | 1 | 21-25-11 P018-03/ /E009 | YC056-YL999, YR301-YR328 |
| C01157 | | BACC18AD2 CB-A/C TEMP CONT VALVE CLOSE LEFT | 233A5202 81205 | 1 | 21-51-12 P006-04/ /A001 | YC051-YC055 |
| C01157 | | BACC18AD2 CB-A/C TEMP CONT VALVE CLOSE LEFT | 233A5224 81205 | 1 | 21-51-12 P006-04/ /A001 | YC056-YL999, YR301-YR328 |
| C01158 | | BACC18AD2 CB-AIR CONDITIONING PACK CONTROL LEFT DC | 233A5202 81205 | 1 | 21-51-12 P006-04/ /A009 | YC051-YC055 |
| C01158 | | BACC18AD2 CB-AIR CONDITIONING PACK CONTROL LEFT DC | 233A5224 81205 | 1 | 21-51-12 P006-04/ /A009 | YC056-YL999, YR301-YR328 |
| C01159 | | BACC18AD2 CB-AIR CONDITIONING PACK CONTROL LEFT AC | 233A5202 81205 | 1 | 21-51-12 P006-04/ /A011 | YC051-YC055 |
| C01159 | | BACC18AD2 CB-AIR CONDITIONING PACK CONTROL LEFT AC | 233A5224 81205 | 1 | 21-51-12 P006-04/ /A011 | YC056-YL999, YR301-YR328 |
| C01160 | | BACC18AD2 CB-A/C TEMP CONT VALVE CLOSE RIGHT | 233A5202 81205 | 1 | 21-51-22 P006-04/ /B001 | YC051-YC055 |
| C01160 | | BACC18AD2 CB-A/C TEMP CONT VALVE CLOSE RIGHT | 233A5224 81205 | 1 | 21-51-22 P006-04/ /B001 | YC056-YL999, YR301-YR328 |
| C01161 | | BACC18AD2 CB-AIR CONDITIONING PACK CONT RIGHT DC | 237A5202 81205 | 1 | 21-51-22 P006-04/ /B009 | YC051-YC055 |
| C01161 | | BACC18AD2 CB-AIR CONDITIONING PACK CONT RIGHT DC | 233A5224 81205 | 1 | 21-51-22 P006-04/ /B009 | YC056-YL999, YR301-YR328 |
| C01162 | | BACC18AD2 CB-AIR CONDITIONING PACK CONT RIGHT AC | 233A5202 81205 | 1 | 21-51-22 P006-04/ /B011 | YC051-YC055 |
| C01162 | | BACC18AD2 CB-AIR CONDITIONING PACK CONT RIGHT AC | 233A5224 81205 | 1 | 21-51-22 P006-04/ /B011 | YC056-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section C01100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| C01163 | | BACC18AD2 CB-A/C ZONE TEMP VALVE/FAN CONT FLT DECK | 233A5202 81205 | 1 | 21-61-11 P006-04/ /B003 | YC051-YC055 |
| C01163 | | BACC18AD2 CB-A/C ZONE TEMP VALVE/FAN CONT FLT DECK | 233A5224 81205 | 1 | 21-61-11 P006-04/ /B003 | YC056-YL999, YR301-YR328 |
| C01164 | | BACC18AD2 CB-A/C ZONE TEMP DUCT OVHT FLT DECK | 233A5202 81205 | 1 | 21-61-11 P006-04/ /C004 | YC051-YC055 |
| C01164 | | BACC18AD2 CB-A/C ZONE TEMP DUCT OVHT FLT DECK | 233A5224 81205 | 1 | 21-61-11 P006-04/ /C004 | YC056-YL999, YR301-YR328 |
| C01166 | | BACC18AD2 CB-A/C ZONE TEMP DUCT OVHT FWD PASS | 233A5202 81205 | 1 | 21-61-13 P006-04/ /C003 | YC051-YC055 |
| C01166 | | BACC18AD2 CB-A/C ZONE TEMP DUCT OVHT FWD PASS | 233A5224 81205 | 1 | 21-61-13 P006-04/ /C003 | YC056-YL999, YR301-YR328 |
| C01167 | | BACC18AD2 CB-A/C ZONE TEMP VALVE/FAN CONT FWD PASS | 233A5202 81205 | 1 | 21-61-13 P006-04/ /B002 | YC051-YC055 |
| C01167 | | BACC18AD2 CB-A/C ZONE TEMP VALVE/FAN CONT FWD PASS | 233A5224 81205 | 1 | 21-61-13 P006-04/ /B002 | YC056-YL999, YR301-YR328 |
| C01169 | | BACC18AD2 CB-A/C ZONE TEMP DUCT OVHT AFT PASS | 233A5202 81205 | 1 | 21-61-14 P006-04/ /C002 | YC051-YC055 |
| C01169 | | BACC18AD2 CB-A/C ZONE TEMP DUCT OVHT AFT PASS | 233A5224 81205 | 1 | 21-61-14 P006-04/ /C002 | YC056-YL999, YR301-YR328 |
| C01170 | | BACC18AD2 CB-A/C ZONE TEMP VALVE/FAN CONT AFT PASS | 233A5202 81205 | 1 | 21-61-14 P006-04/ /A003 | YC051-YC055 |
| C01170 | | BACC18AD2 CB-A/C ZONE TEMP VALVE/FAN CONT AFT PASS | 233A5224 81205 | 1 | 21-61-14 P006-04/ /A003 | YC056-YL999, YR301-YR328 |
| C01172 | | BACC18AD5 CB-AIR CONDITIONING TRIM AIR PRESS | 233A5202 81205 | 1 | 21-61-15 P006-04/ /D009 | YC051-YC055 |
| C01172 | | BACC18AD5 CB-AIR CONDITIONING TRIM AIR PRESS | 233A5224 81205 | 1 | 21-61-15 P006-04/ /D009 | YC056-YL999, YR301-YR328 |
| C01176 | | BACC18AD2 CB-A/C PACK/ENGINE BLEED AIR OVHT LEFT | 233A5202 81205 | 1 | 21-51-15 P006-04/ /C008 | YC051-YC055 |
| C01176 | | BACC18AD2 CB-A/C PACK/ENGINE BLEED AIR OVHT LEFT | 233A5224 81205 | 1 | 21-51-15 P006-04/ /C008 | YC056-YL999, YR301-YR328 |
| C01177 | | BACC18AD2 CB-A/C PACK/ENGINE BLEED AIR OVHT RIGHT | 233A5202 81205 | 1 | 21-51-25 P006-04/ /C007 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C01100

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| C01177 | | BACC18AD2 CB-A/C PACK/ENGINE BLEED AIR OVHT RIGHT | 233A5224 81205 | 1 | 21-51-25 P006-04/ /C007 | YC056-YL999, YR301-YR328 |
| C01178 | | BACC18AD2 CB-AIR CONDITIONING RAM AIR MOD CONT R | 233A5202 81205 | 1 | 21-51-24 P006-04/ /B008 | YC051-YC055 |
| C01178 | | BACC18AD2 CB-AIR CONDITIONING RAM AIR MOD CONT R | 233A5224 81205 | 1 | 21-51-24 P006-04/ /B008 | YC056-YL999, YR301-YR328 |
| C01179 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 7 | 233A5202 81205 | 1 | 33-18-62 P006-03/ /F013 | YC051-YC055 |
| C01179 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 7 | 233A5223 81205 | 1 | 33-18-62 P006-03/ /F013 | YC056-YR328 |
| C01180 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 8 | 233A5202 81205 | 1 | 33-18-62 P006-03/ /F014 | YC051-YC055 |
| C01180 | | BACC18AD3 CB-INDICATOR MASTER DIM SECT 8 | 233A5223 81205 | 1 | 33-18-62 P006-03/ /F014 | YC056-YR328 |
| C01192 | | BACC18AD3 CB-FMCS BITE DC | 233A5502 81205 | 1 | 34-61-22 P018-02/ /B010 | YC051-YC055 |
| C01192 | | BACC18AD3 CB-FMCS BITE DC | 233A5522 81205 | 1 | 34-61-22 P018-02/ /B010 | YC056-YR328 |
| C01194 | | BACC18AD2 CB-ATC ANT SWITCH | 233A5202 81205 | 1 | 34-53-31 P006-01/ /E014 | YC051-YC055 |
| C01194 | | BACC18AD2 CB-ATC ANT SWITCH | 233A5221 81205 | 1 | 34-53-31 P006-01/ /E014 | YC056-YR328 |
| C01195 | | BACC18AD5 CB-TCAS | 233A5502 81205 | 1 | 34-45-11 P018-01/ /B006 | YC051-YC055 |
| C01195 | | BACC18AD5 CB-TCAS | 233A5521 81205 | 1 | 34-45-11 P018-01/ /B006 | YC056-YR328 |
| C01196 | | BACC18AD2 CB-ACMS | 233A5221 81205 | 1 | 31-35-03 P006-01/ /E004 | YN236-YR328 |

EQUIPMENT LIST

D280A108

Section C01100

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| C01200 | | BACC18AD3 CB-GND SERV WDO BRT CONT | S281A601 07217 | 1 | 33-21-11 P092-00/ /C001 | YC051-YN260 |
| C01200 | | BACC18AD3 CB-GND SERV WDO BRT CONT (INOP) | S281A601 07217 | 1 | 33-21-11 P092-00/ /C001 | YN501-YR328 |
| C01204 | | BACC18AD5 CB-SMYD-1 CMPTR DC | 233A5502 81205 | 1 | 27-32-11 P018-02/ /E005 | YC051-YC055 |
| C01204 | | BACC18AD5 CB-SMYD-1 CMPTR DC | 233A5522 81205 | 1 | 27-32-11 P018-02/ /E005 | YC056-YR328 |
| C01205 | | BACC18AD2 CB-SMYD-1 SNSR EXC AC | 233A5502 81205 | 1 | 27-32-11 P018-02/ /E006 | YC051-YC055 |
| C01205 | | BACC18AD2 CB-SMYD-1 SNSR EXC AC | 233A5522 81205 | 1 | 27-32-11 P018-02/ /E006 | YC056-YR328 |
| C01206 | | BACC18AD5 CB-SMYD-2 CMPTR DC | 233A5202 81205 | 1 | 27-32-21 P006-01/ /B005 | YC051-YC055 |
| C01206 | | BACC18AD5 CB-SMYD-2 CMPTR DC | 233A5221 81205 | 1 | 27-32-21 P006-01/ /B005 | YC056-YR328 |
| C01207 | | BACC18AD2 CB-SMYD-2 SNSR EXC AC | 233A5202 81205 | 1 | 27-32-21 P006-01/ /B004 | YC051-YC055 |
| C01207 | | BACC18AD2 CB-SMYD-2 SNSR EXC AC | 233A5221 81205 | 1 | 27-32-21 P006-01/ /B004 | YC056-YR328 |
| C01208 | | BACC18AD2 CB-STALL WARN ASYM MODE | 233A5502 81205 | 1 | 27-32-11 P018-02/ /E007 | YC051-YC055 |
| C01208 | | BACC18AD2 CB-STALL WARN ASYM MODE | 233A5522 81205 | 1 | 27-32-11 P018-02/ /E007 | YC056-YR328 |
| C01209 | 1 | BACC18X100B CB-AUX BAT CHARGER | 284A0816 81205 | 1 | 24-31-11 J009-00/ /A003 | ALL |
| C01209 | 2 | BACC18X100 CB-AUX BAT CHARGER | 284A0816 81205 | 1 | 24-31-11 J009-00/ /A003 | ALL |
| C01210 | | BACC18AD2 CB-AUX BAT DC VOLTMETER | 284A0816 81205 | 1 | 24-31-11 J009-00/ /A002 | ALL |
| C01212 | | BACC18AF100 CB-DUAL BATTERY RCCB | 284A0816 81205 | 1 | 24-31-11 J009-00/ / | ALL |
| C01216 | | BACC18AD2 CB-PRINTER | 233A5202 81205 | 1 | 31-33-01 P006-01/ /E005 | YC051-YC055, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section C01200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| C01216 | | BACC18AD2 CB-PRINTER | 233A5221 81205 | 1 | 31-33-01 P006-01/ /E005 | YC056-YN501 |
| C01217 | | BACC18AD5 CB-PASS CAB SIGNS LAV OCC SIGN | 233A5502 81205 | 1 | 33-26-31 P018-03/ /D009 | YC051-YC055 |
| C01217 | | BACC18AD5 CB-PASS CAB SIGNS LAV OCC SIGN | 233A5523 81205 | 1 | 33-26-31 P018-03/ /D009 | YC056-YL967, YN231-YN235 |
| C01217 | | BACC18AD5 CB-PASS CAB SIGNS LAV OCC SIGN | 233A5523 81205 | 1 | 33-26-31 P018-03/ /D010 | YL968-YL999, YN236-YR328 |
| C01238 | | BACC18AD3 CB-FMCS MCDU 1 | 233A5502 81205 | 1 | 34-61-11 P018-02/ /A007 | YC051-YC055 |
| C01238 | | BACC18AD3 CB-FMCS MCDU 1 | 233A5522 81205 | 1 | 34-61-11 P018-02/ /A007 | YC056-YR328 |
| C01239 | | BACC18AD3 CB-FMCS MCDU 2 | 233A5202 81205 | 1 | 34-61-11 P006-01/ /D015 | YC051-YC055 |
| C01239 | | BACC18AD3 CB-FMCS MCDU 2 | 233A5221 81205 | 1 | 34-61-11 P006-01/ /D015 | YC056-YR328 |
| C01255 | | BACC18AD2 CB-MIDU (INOP) | 233A5202 81205 | 1 | 23-27-11 P006-01/ /E006 | YC051-YC055 |
| C01255 | | BACC18AD2 CB-MIDU (INOP) | 233A5221 81205 | 1 | 23-27-11 P006-01/ /E006 | YC056-YD157 |
| C01262 | | BACC18AD3 CB-FMCS CMPTR 2 | 233A5202 81205 | 1 | 34-61-11 P006-01/ /D016 | YC051-YC055 |
| C01262 | | BACC18AD3 CB-FMCS CMPTR 2 | 233A5221 81205 | 1 | 34-61-11 P006-01/ /D016 | YC056-YR328 |
| C01263 | | BACC18AD5 CB-FMCS XFR | 233A5202 81205 | 1 | 34-61-12 P006-01/ /E015 | YC051-YC055 |
| C01263 | | BACC18AD5 CB-FMCS XFR | 233A5221 81205 | 1 | 34-61-12 P006-01/ /E015 | YC056-YR328 |
| C01266 | | BACC18AD5 CB-ENGINE 1 THRUST REVERSER SYNC LOCK | 233A5502 81205 | 1 | 78-32-51 P018-02/ /B007 | YC051-YC055 |
| C01266 | | BACC18AD5 CB-ENGINE 1 THRUST REVERSER SYNC LOCK | 233A5522 81205 | 1 | 78-32-51 P018-02/ /B007 | YC056-YR328 |
| C01267 | | BACC18AD5 CB-ENGINE 2 THRUST REVERSER SYNC LOCK | 233A5202 81205 | 1 | 78-32-61 P006-02/ /C005 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C01200

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C01267 | | BACC18AD5 CB-ENGINE 2 THRUST REVERSER SYNC LOCK | 233A5222 81205 | 1 | 78-32-61 P006-02/ /C005 | YC056-YR328 |
| C01269 | | BACC18AD7 CB-PRESSURIZATION CONTROL MANUAL | 233A5202 81205 | 1 | 21-31-11 P006-04/ /F006 | YC051-YC055 |
| C01269 | | BACC18AD7 CB-PRESSURIZATION CONTROL MANUAL | 233A5224 81205 | 1 | 21-31-11 P006-04/ /F006 | YC056-YR328 |
| C01270 | | BACC18AD7 CB-PRESSURIZATION CONTROL AUTO 1 | 233A5202 81205 | 1 | 21-31-22 P006-04/ /F003 | YC051-YC055 |
| C01270 | | BACC18AD7 CB-PRESSURIZATION CONTROL AUTO 1 | 233A5224 81205 | 1 | 21-31-22 P006-04/ /F003 | YC056-YR328 |
| C01271 | | BACC18AD5 CB-PRESSURIZATION CONTROL AUTO 2 | 233A5202 81205 | 1 | 21-31-23 P006-04/ /F005 | YC051-YC055 |
| C01271 | | BACC18AD5 CB-PRESSURIZATION CONTROL AUTO 2 | 233A5224 81205 | 1 | 21-31-23 P006-04/ /F005 | YC056-YR328 |
| C01272 | | BACC18AD2 CB-PRESSURIZATION CONTROL IND | 233A5202 81205 | 1 | 21-31-23 P006-04/ /F007 | YC051-YC055 |
| C01272 | | BACC18AD2 CB-PRESSURIZATION CONTROL IND | 233A5224 81205 | 1 | 21-31-23 P006-04/ /F007 | YC056-YR328 |
| C01273 | | BACC18AD2 CB-PRESSURIZATION CONTROL LCD LTG | 233A5202 81205 | 1 | 21-31-25 P006-04/ /F001 | YC051-YC055 |
| C01273 | | BACC18AD2 CB-PRESSURIZATION CONTROL LCD LTG | 233A5224 81205 | 1 | 21-31-25 P006-04/ /F001 | YC056-YR328 |
| C01274 | | BACC18AD2 CB-AIR CONDITIONING DOOR AREA HEAT CONT | 233A5502 81205 | 1 | 21-42-11 P018-03/ /E011 | YC051-YC055 |
| C01274 | | BACC18AD2 CB-AIR CONDITIONING DOOR AREA HEAT CONT | 233A5523 81205 | 1 | 21-42-11 P018-03/ /E011 | YC056-YR328 |
| C01275 | | BACC18AD3 CB-MASTER CAUTION ANNUNCIATOR CONT 1 | 233A5202 81205 | 1 | 31-52-25 P006-03/ /C011 | YC051-YC055 |
| C01275 | | BACC18AD3 CB-MASTER CAUTION ANNUNCIATOR CONT 1 | 233A5223 81205 | 1 | 31-52-25 P006-03/ /C011 | YC056-YR328 |
| C01276 | | BACC18AD3 CB-MASTER CAUTION ANNUNCIATOR CONT 2 | 233A5202 81205 | 1 | 31-52-21 P006-03/ /C012 | YC051-YC055 |
| C01276 | | BACC18AD3 CB-MASTER CAUTION ANNUNCIATOR CONT 2 | 233A5223 81205 | 1 | 31-52-21 P006-03/ /C012 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C01200

Page 3

Nov 12/2012

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C01277 | | BACC18AD3 CB-MASTER CAUTION ANNUNCIATOR CONT 3 | 233A5202 81205 | 1 | 31-52-51 P006-03/ /C013 | YC051-YC055 |
| C01277 | | BACC18AD3 CB-MASTER CAUTION ANNUNCIATOR CONT 3 | 233A5223 81205 | 1 | 31-52-51 P006-03/ /C013 | YC056-YR328 |
| C01278 | | BACC18AD3 CB-MASTER CAUTION ANNUNCIATOR CONT 4 | 233A5202 81205 | 1 | 31-52-71 P006-03/ /C014 | YC051-YC055 |
| C01278 | | BACC18AD3 CB-MASTER CAUTION ANNUNCIATOR CONT 4 | 233A5223 81205 | 1 | 31-52-71 P006-03/ /C014 | YC056-YR328 |
| C01279 | | BACC18AC5 CB-DOOR AREA HTR-AFT | S281A601 07217 | 1 | 21-42-11 P091-00/ /A014 | YC051-YD158 |
| C01279 | | BACC18AC5 CB-DOOR AREA HTR-AFT | S281A601 07217 | 1 | 21-42-11 P091-00/ /D007 | YD160-YR328 |
| C01280 | | BACC18AC5 CB-DOOR AREA HTR-FWD | S281A601 07217 | 1 | 21-42-11 P091-00/ /A016 | YC051-YD158 |
| C01280 | | BACC18AC5 CB-DOOR AREA HTR-FWD | S281A601 07217 | 1 | 21-42-11 P091-00/ /D009 | YD160-YR328 |
| C01283 | | BACC18AD5 CB-GENERATOR CONT UNIT 1 | 233A5202 81205 | 1 | 24-11-11 P006-04/ /F010 | YC051-YC055 |
| C01283 | | BACC18AD5 CB-GENERATOR CONT UNIT 1 | 233A5224 81205 | 1 | 24-11-11 P006-04/ /F010 | YC056-YR328 |
| C01284 | | BACC18AD5 CB-GENERATOR CONT UNIT 2 | 233A5202 81205 | 1 | 24-11-21 P006-04/ /F011 | YC051-YC055 |
| C01284 | | BACC18AD5 CB-GENERATOR CONT UNIT 2 | 233A5224 81205 | 1 | 24-11-21 P006-04/ /F011 | YC056-YR328 |
| C01285 | | BACC18AD5 CB-GENERATOR APU GEN CONT UNIT | 233A5202 81205 | 1 | 24-22-31 P006-04/ /F012 | YC051-YC055 |
| C01285 | | BACC18AD5 CB-GENERATOR APU GEN CONT UNIT | 233A5224 81205 | 1 | 24-22-31 P006-04/ /F012 | YC056-YR328 |
| C01286 | | BACC18AD7 CB-GENERATOR DISC 1 | 233A5202 81205 | 1 | 24-11-11 P006-04/ /F008 | YC051-YC055 |
| C01286 | | BACC18AD7 CB-GENERATOR DISC 1 | 233A5224 81205 | 1 | 24-11-11 P006-04/ /F008 | YC056-YR328 |
| C01287 | | BACC18AD7 CB-GENERATOR DISC 2 | 233A5202 81205 | 1 | 24-11-21 P006-04/ /F009 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C01200

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C01287 | | BACC18AD7 CB-GENERATOR DISC 2 | 233A5224 81205 | 1 | 24-11-21 P006-04/ /F009 | YC056-YR328 |
| C01288 | | BACC18AD2 CB-GEN 1 LOAD SHED | S281A601 81205 | 1 | 24-28-41 P091-00/ /C007 | ALL |
| C01289 | | BACC18AD2 CB-GEN 2 LOAD SHED | S281A601 81205 | 1 | 24-28-41 P092-00/ /C007 | ALL |
| C01290 | | BACC18AD5 CB-GENERATOR BUS PWR CONT UNIT | 1151932 81205 | 1 | 24-41-11 P006-04/ /F013 | YC051-YC055 |
| C01290 | | BACC18AD5 CB-GENERATOR BUS PWR CONT UNIT | 233A5224 81205 | 1 | 24-41-11 P006-04/ /F013 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C01200
Page 5 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C01312 | | BACC18AD2 CB-ENGINE 1 RUN/PWR | 233A5502 81205 | 1 | 73-22-31 P018-02/ /B003 | YC051-YC055 |
| C01312 | | BACC18AD2 CB-ENGINE 1 RUN/PWR | 233A5522 81205 | 1 | 73-22-31 P018-02/ /B003 | YC056-YR328 |
| C01313 | | BACC18AD2 CB-ENGINE 2 RUN/PWR | 233A5202 81205 | 1 | 73-22-31 P006-02/ /B005 | YC051-YC055 |
| C01313 | | BACC18AD2 CB-ENGINE 2 RUN/PWR | 233A5222 81205 | 1 | 73-22-31 P006-02/ /B005 | YC056-YR328 |
| C01314 | | BACC18AD2 CB-ENGINE 1 ALTN PWR CHAN A | 233A5502 81205 | 1 | 73-22-11 P018-02/ /A005 | YC051-YC055 |
| C01314 | | BACC18AD2 CB-ENGINE 1 ALTN PWR CHAN A | 233A5522 81205 | 1 | 73-22-11 P018-02/ /A005 | YC056-YR328 |
| C01315 | | BACC18AD2 CB-ENGINE 2 ALTN PWR CHAN A | 233A5202 81205 | 1 | 73-22-11 P006-02/ /D008 | YC051-YC055 |
| C01315 | | BACC18AD2 CB-ENGINE 2 ALTN PWR CHAN A | 233A5222 81205 | 1 | 73-22-11 P006-02/ /D008 | YC056-YR328 |
| C01316 | | BACC18AD2 CB-ENGINE 1 START LEVER CHAN A | 233A5502 81205 | 1 | 76-21-11 P018-02/ /B001 | YC051-YC055 |
| C01316 | | BACC18AD2 CB-ENGINE 1 START LEVER CHAN A | 233A5522 81205 | 1 | 76-21-11 P018-02/ /B001 | YC056-YR328 |
| C01317 | | BACC18AD2 CB-ENGINE 1 START LEVER CHAN B | 233A5502 81205 | 1 | 76-21-11 P018-02/ /B002 | YC051-YC055 |
| C01317 | | BACC18AD2 CB-ENGINE 1 START LEVER CHAN B | 233A5522 81205 | 1 | 76-21-11 P018-02/ /B002 | YC056-YR328 |
| C01318 | | BACC18AD2 CB-ENGINE 2 START LEVER CHAN A | 233A5202 81205 | 1 | 76-21-21 P006-02/ /B006 | YC051-YC055 |
| C01318 | | BACC18AD2 CB-ENGINE 2 START LEVER CHAN A | 233A5222 81205 | 1 | 76-21-21 P006-02/ /B006 | YC056-YR328 |
| C01319 | | BACC18AD2 CB-ENGINE 2 START LEVER CHAN B | 233A5202 81205 | 1 | 76-21-21 P006-02/ /B007 | YC051-YC055 |
| C01319 | | BACC18AD2 CB-ENGINE 2 START LEVER CHAN B | 233A5222 81205 | 1 | 76-21-21 P006-02/ /B007 | YC056-YR328 |
| C01320 | | BACC18AD2 CB-ENGINE FUEL ENGINE 1 HPSOV CONT | 233A5202 81205 | 1 | 76-21-11 P006-03/ /E005 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C01300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| C01320 | | BACC18AD2 CB-ENGINE FUEL ENGINE 1 HPSOV CONT | 233A5223 81205 | 1 | 76-21-11 P006-03/ /E005 | YC056-YR328 |
| C01321 | | BACC18AD2 CB-ENGINE FUEL ENGINE 2 HPSOV CONT | 233A5202 81205 | 1 | 76-21-21 P006-03/ /E003 | YC051-YC055 |
| C01321 | | BACC18AD2 CB-ENGINE FUEL ENGINE 2 HPSOV CONT | 233A5223 81205 | 1 | 76-21-21 P006-03/ /E003 | YC056-YR328 |
| C01326 | | BACC18AD5 CB-APU GEN CONT UNIT | S281A601 81205 | 1 | 24-22-31 P092-00/ /C009 | ALL |
| C01327 | | BACC18AD5 CB-BUS PWR CONT UNIT | S281A601 81205 | 1 | 24-41-11 P091-00/ /C010 | ALL |
| C01328 | | BACC18AD2 CB-ELECTRICAL GND SERV CONT | 233A5202 81205 | 1 | 24-23-51 P006-04/ /E013 | YC051-YC055 |
| C01328 | | BACC18AD2 CB-ELECTRICAL GND SERV CONT | 233A5224 81205 | 1 | 24-23-51 P006-04/ /E013 | YC056-YR328 |
| C01336 | | BACC18AE35 CB-APU START CONV | S281A601 07217 | 1 | 49-41-11 P091-00/ /A011 | ALL |
| C01338 | | BACC18AD2 CB-DC BUS INDICATION BUS 2 | 233A5202 81205 | 1 | 24-33-11 P006-04/ /F018 | YC051-YC055 |
| C01338 | | BACC18AD2 CB-DC BUS INDICATION BUS 2 | 233A5224 81205 | 1 | 24-33-11 P006-04/ /F018 | YC056-YR328 |
| C01340 | 1 | BACC18X100B CB-BATTERY BUS | 284A0816 07217 | 1 | 24-31-12 J009-00/ /A005 | ALL |
| C01340 | 2 | BACC18X100 CB-BATTERY BUS | 284A0816 07217 | 1 | 24-31-12 J009-00/ /A005 | ALL |
| C01341 | | BACC18AF60 CB-STATIC INVERTER RCCB | 284A0816 07217 | 1 | 24-34-11 J009-00/ / | YC051-YD169, YL951-YR328 |
| C01343 | | MS26574-1-2 CB-INVERTER REMOTE | S281A601 07217 | 0 | 24-34-11 M01720/ /A005 | ALL |
| C01344 | | BACC18AD5 CB-APU FIRE SW POWER | 233A5202 81205 | 1 | 49-62-11 P006-02/ /B019 | YC051-YC055 |
| C01344 | | BACC18AD5 CB-APU FIRE SW POWER | 233A5222 81205 | 1 | 49-62-11 P006-02/ /B019 | YC056-YR328 |
| C01345 | | BACC18AD3 CB-LANDING GEAR AUTOBRAKE BITE CONT 2 | 233A5202 81205 | 1 | 32-42-11 P006-03/ /A016 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C01300

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| C01345 | | BACC18AD3 CB-LANDING GEAR AUTOBRAKE BITE CONT 2 | 233A5223 81205 | 1 | 32-42-11 P006-03/ /A016 | YC056-YR328 |
| C01346 | | BACC18AD2 CB-LANDING GEAR PARKING BRAKE | 233A5202 81205 | 1 | 32-44-11 P006-03/ /B016 | YC051-YC055 |
| C01346 | | BACC18AD2 CB-LANDING GEAR PARKING BRAKE | 233A5223 81205 | 1 | 32-44-11 P006-03/ /B016 | YC056-YR328 |
| C01350 | | BACC18AD3 CB-THRSHOLD LTS | S281A601 07217 | 1 | 33-29-11 P091-00/ /C001 | ALL |
| C01354 | | BACC18AD5 CB-YAW DAMPER 2 DC | 233A5502 81205 | 1 | 22-23-11 P018-01/ /D006 | YC051-YC055 |
| C01354 | | BACC18AD5 CB-YAW DAMPER 2 DC | 233A5521 81205 | 1 | 22-23-11 P018-01/ /D006 | YC056-YR328 |
| C01355 | | BACC18AD2 CB-LANDING GEAR AIR/GND SYS 2 | 233A5202 81205 | 1 | 32-31-12 P006-03/ /C015 | YC051-YC055 |
| C01355 | | BACC18AD2 CB-LANDING GEAR AIR/GND SYS 2 | 233A5223 81205 | 1 | 32-31-12 P006-03/ /C015 | YC056-YR328 |
| C01356 | | BACC18AD2 CB-LANDING GEAR AIR/GND SYS 1 | 233A5202 81205 | 1 | 32-31-11 P006-03/ /C016 | YC051-YC055 |
| C01356 | | BACC18AD2 CB-LANDING GEAR AIR/GND SYS 1 | 233A5223 81205 | 1 | 32-31-11 P006-03/ /C016 | YC056-YR328 |
| C01357 | | BACC18AD7 CB-PASS CABIN LIGHTING EMER CHGR L AFT | 233A5502 81205 | 1 | 33-51-11 P018-03/ /A010 | YC051-YC055 |
| C01357 | | BACC18AD7 CB-PASS CABIN LIGHTING EMER CHGR L AFT | 233A5523 81205 | 1 | 33-51-11 P018-03/ /A010 | YC056-YR328 |
| C01358 | | BACC18AD7 CB-PASS CABIN LIGHTING EMER CHGR R AFT | 233A5502 81205 | 1 | 33-51-11 P018-03/ /B010 | YC051-YC055 |
| C01358 | | BACC18AD7 CB-PASS CABIN LIGHTING EMER CHGR R AFT | 233A5523 81205 | 1 | 33-51-11 P018-03/ /B010 | YC056-YL999, YR301-YR328 |
| C01358 | | BACC18AD5 CB-PASS CABIN LIGHTING EMER CHGR R AFT | 233A5523 81205 | 1 | 33-51-11 P018-03/ /B010 | YN231-YN501 |
| C01359 | | BACC18AD15 CB-DISPLAY DEU 1 PRI | 233A5502 81205 | 1 | 31-62-11 P018-02/ /D005 | YC051-YC055 |
| C01359 | | BACC18AD15 CB-DISPLAY DEU 1 PRI | 233A5522 81205 | 1 | 31-62-11 P018-02/ /D005 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C01300

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C01360 | | BACC18AD15 CB-DISPLAY DEU 2 PRI | 233A5202 81205 | 1 | 31-62-21 P006-01/ /D011 | YC051-YC055 |
| C01360 | | BACC18AD15 CB-DISPLAY DEU 2 PRI | 233A5221 81205 | 1 | 31-62-21 P006-01/ /D011 | YC056-YR328 |
| C01361 | | BACC18AD15 CB-DISPLAY DEU 1 HOLDUP | 233A5202 81205 | 1 | 31-62-11 P006-01/ /D010 | YC051-YC055 |
| C01361 | | BACC18AD15 CB-DISPLAY DEU 1 HOLDUP | 233A5221 81205 | 1 | 31-62-11 P006-01/ /D010 | YC056-YR328 |
| C01362 | | BACC18AD15 CB-DISPLAY DEU 2 HOLDUP | 233A5202 81205 | 1 | 31-62-21 P006-01/ /D009 | YC051-YC055 |
| C01362 | | BACC18AD15 CB-DISPLAY DEU 2 HOLDUP | 233A5221 81205 | 1 | 31-62-21 P006-01/ /D009 | YC056-YR328 |
| C01363 | | BACC18AD15 CB-DISPLAY CAPT OUTBD | 233A5502 81205 | 1 | 31-62-11 P018-02/ /D004 | YC051-YC055 |
| C01363 | | BACC18AD15 CB-DISPLAY CAPT OUTBD | 233A5522 81205 | 1 | 31-62-11 P018-02/ /D004 | YC056-YR328 |
| C01364 | | BACC18AD15 CB-DISPLAY F/O OUTBD | 233A5202 81205 | 1 | 31-62-21 P006-01/ /E010 | YC051-YC055 |
| C01364 | | BACC18AD15 CB-DISPLAY F/O OUTBD | 233A5221 81205 | 1 | 31-62-21 P006-01/ /E010 | YC056-YR328 |
| C01365 | | BACC18AD15 CB-DISPLAY CAPT INBD | 233A5502 81205 | 1 | 31-62-11 P018-02/ /D003 | YC051-YC055 |
| C01365 | | BACC18AD15 CB-DISPLAY CAPT INBD | 233A5522 81205 | 1 | 31-62-11 P018-02/ /D003 | YC056-YR328 |
| C01366 | | BACC18AD15 CB-DISPLAY F/O INBD | 233A5202 81205 | 1 | 31-62-21 P006-01/ /E011 | YC051-YC055 |
| C01366 | | BACC18AD15 CB-DISPLAY F/O INBD | 233A5221 81205 | 1 | 31-62-21 P006-01/ /E011 | YC056-YR328 |
| C01369 | | BACC18AD2 CB-DISPLAY CAPT EFIS CONT PANEL | 233A5502 81205 | 1 | 31-62-11 P018-02/ /D001 | YC051-YC055 |
| C01369 | | BACC18AD2 CB-DISPLAY CAPT EFIS CONT PANEL | 233A5522 81205 | 1 | 31-62-11 P018-02/ /D001 | YC056-YR328 |
| C01370 | | BACC18AD2 CB-DISPLAY F/O EFIS CONT PANEL | 233A5202 81205 | 1 | 31-62-21 P006-01/ /E013 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C01300

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C01370 | | BACC18AD2 CB-DISPLAY F/O EFIS CONT PANEL | 233A5221 81205 | 1 | 31-62-21 P006-01/ /E013 | YC056-YR328 |
| C01372 | | BACC18AD15 CB-DISPLAY CTR UPR | 233A5502 81205 | 1 | 31-62-11 P018-02/ /D002 | YC051-YC055 |
| C01372 | | BACC18AD15 CB-DISPLAY CTR UPR | 233A5522 81205 | 1 | 31-62-11 P018-02/ /D002 | YC056-YR328 |
| C01373 | | BACC18AD15 CB-DISPLAY CTR LWR | 233A5202 81205 | 1 | 31-62-21 P006-01/ /E012 | YC051-YC055 |
| C01373 | | BACC18AD15 CB-DISPLAY CTR LWR | 233A5221 81205 | 1 | 31-62-21 P006-01/ /E012 | YC056-YR328 |
| C01374 | | BACC18AD2 CB-RADIO NAVIGATION VOR/MKR BCN 1 | 233A5502 81205 | 1 | 34-51-11 P018-01/ /A001 | YC051-YC055 |
| C01374 | | BACC18AD2 CB-RADIO NAVIGATION VOR/MKR BCN 1 | 233A5521 81205 | 1 | 34-51-11 P018-01/ /A001 | YC056-YR328 |
| C01375 | | BACC18AD2 CB-RADIO NAVIGATION VOR 2 | 233A5202 81205 | 1 | 34-51-21 P006-01/ /A012 | YC051-YC055 |
| C01375 | | BACC18AD2 CB-RADIO NAVIGATION VOR 2 | 233A5221 81205 | 1 | 34-51-21 P006-01/ /A012 | YC056-YR328 |
| C01376 | | BACC18AD2 CB-RADIO NAVIGATION NAV SNSR DC-1 | 233A5502 81205 | 1 | 34-51-41 P018-01/ /B001 | YC051-YC055 |
| C01376 | | BACC18AD2 CB-RADIO NAVIGATION NAV SNSR DC-1 | 233A5521 81205 | 1 | 34-51-41 P018-01/ /B001 | YC056-YR328 |
| C01377 | | BACC18AD2 CB-RADIO NAVIGATION NAV SNSR DC-2 | 233A5202 81205 | 1 | 34-51-41 P006-01/ /A010 | YC051-YC055 |
| C01377 | | BACC18AD2 CB-RADIO NAVIGATION NAV SNSR DC-2 | 233A5221 81205 | 1 | 34-51-41 P006-01/ /A010 | YC056-YR328 |
| C01378 | | BACC18AD2 CB-RADIO NAVIGATION NAV CONT PNL 1 | 233A5502 81205 | 1 | 34-51-11 P018-01/ /A003 | YC051-YC055 |
| C01378 | | BACC18AD2 CB-RADIO NAVIGATION NAV CONT PNL 1 | 233A5521 81205 | 1 | 34-51-11 P018-01/ /A003 | YC056-YR328 |
| C01379 | | BACC18AD2 CB-RADIO NAVIGATION NAV CONT PNL 2 | 233A5202 81205 | 1 | 34-51-21 P006-01/ /A015 | YC051-YC055 |
| C01379 | | BACC18AD2 CB-RADIO NAVIGATION NAV CONT PNL 2 | 233A5221 81205 | 1 | 34-51-21 P006-01/ /A015 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C01300

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C01380 | | BACC18AD2 CB-RADIO NAVIGATION ILS 1 | 233A5502 81205 | 1 | 34-31-11 P018-01/ /A002 | YC052-YC055 |
| C01380 | | BACC18AD2 CB-RADIO NAVIGATION ILS 1 | 233A5521 81205 | 1 | 34-31-11 P018-01/ /A002 | YC056-YD157 |
| C01382 | | BACC18AD2 CB-RADIO NAVIGATION ADF 1 | 233A5502 81205 | 1 | 34-57-11 P018-01/ /A004 | YC051-YC055 |
| C01382 | | BACC18AD2 CB-RADIO NAVIGATION ADF 1 | 233A5521 81205 | 1 | 34-57-11 P018-01/ /A004 | YC056-YR328 |
| C01383 | 9 | BACC18AD2 CB-RADIO NAVIGATION ADF 2 (SB 34-2302)) | 233A5221 81205 | 1 | 34-57-21 P006-01/ /A017 | YL957 |
| C01383 | | BACC18AD2 CB-RADIO NAVIGATION ADF 2 (INOP) | 233A5202 81205 | 1 | 34-57-21 P006-01/ /A017 | YC051-YC055 |
| C01383 | | BACC18AD2 CB-RADIO NAVIGATION ADF 2 (INOP) | 233A5221 81205 | 1 | 34-57-21 P006-01/ /A017 | YC056-YR328 |
| C01384 | | BACC18AD2 CB-RADIO NAVIGATION RADIO ALTM 1 | 233A5502 81205 | 1 | 34-33-11 P018-01/ /B004 | YC051-YC055 |
| C01384 | | BACC18AD2 CB-RADIO NAVIGATION RADIO ALTM 1 | 233A5521 81205 | 1 | 34-33-11 P018-01/ /B004 | YC056-YR328 |
| C01385 | | BACC18AD2 CB-RADIO NAVIGATION RADIO ALTM 2 | 233A5202 81205 | 1 | 34-33-21 P006-01/ /A016 | YC051-YC055 |
| C01385 | | BACC18AD2 CB-RADIO NAVIGATION RADIO ALTM 2 | 233A5221 81205 | 1 | 34-33-21 P006-01/ /A016 | YC056-YR328 |
| C01386 | | BACC18AD2 CB-RADIO NAVIGATION RMI | 233A5502 81205 | 1 | 34-22-11 P018-01/ /A005 | YC051-YC055 |
| C01386 | | BACC18AD2 CB-RADIO NAVIGATION RMI | 233A5521 81205 | 1 | 34-22-11 P018-01/ /A005 | YC056-YR328 |
| C01387 | | BACC18AD3 CB-STBY ATT IND | 233A5502 81205 | 1 | 34-24-11 P018-02/ /D009 | YC051-YC055 |
| C01387 | | BACC18AD3 CB-STBY ATT IND | 233A5522 81205 | 1 | 34-24-11 P018-02/ /D009 | YC056-YD157 |
| C01388 | | BACC18AD5 CB-VACUUM WASTE CONT | 233A5502 81205 | 1 | 38-32-12 P091-00/ /C011 | ALL |
| C01389 | | 10-60806-1020 CB-VACUUM WASTE BLOWER | 233A5502 81205 | 1 | 38-32-12 P091-00/ /F002 | ALL |

EQUIPMENT LIST

D280A108

Section C01300

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C01390 | | BACC18AD2 CB-ENGINE 1 ALTN PWR CHAN B | 233A5502 81205 | 1 | 73-22-11 P018-02/ /A004 | YC051-YC055 |
| C01390 | | BACC18AD2 CB-ENGINE 1 ALTN PWR CHAN B | 233A5522 81205 | 1 | 73-22-11 P018-02/ /A004 | YC056-YR328 |
| C01391 | | BACC18AD2 CB-ENGINE 2 ALTN PWR CHAN B | 233A5202 81205 | 1 | 73-22-11 P006-02/ /D007 | YC051-YC055 |
| C01391 | | BACC18AD2 CB-ENGINE 2 ALTN PWR CHAN B | 233A5222 81205 | 1 | 73-22-11 P006-02/ /D007 | YC056-YR328 |
| C01392 | | BACC18AD5 CB-STICK SHAKER LEFT | 233A5502 81205 | 1 | 27-32-11 P018-02/ /E004 | YC051-YC055 |
| C01392 | | BACC18AD5 CB-STICK SHAKER LEFT | 233A5522 81205 | 1 | 27-32-11 P018-02/ /E004 | YC056-YR328 |
| C01393 | | BACC18AD5 CB-STICK SHAKER RIGHT | 233A5202 81205 | 1 | 27-32-21 P006-01/ /B006 | YC051-YC055 |
| C01393 | | BACC18AD5 CB-STICK SHAKER RIGHT | 233A5221 81205 | 1 | 27-32-21 P006-01/ /B006 | YC056-YR328 |
| C01395 | | BACC18AD2 CB-ENGINE FUEL ENGINE 1 HPSOV IND | 233A5202 81205 | 1 | 76-21-11 P006-03/ /E006 | YC051-YC055 |
| C01395 | | BACC18AD2 CB-ENGINE FUEL ENGINE 1 HPSOV IND | 233A5223 81205 | 1 | 76-21-11 P006-03/ /E006 | YC056-YR328 |
| C01396 | | BACC18AD2 CB-ENGINE FUEL ENGINE 2 HPSOV IND | 233A5202 81205 | 1 | 76-21-21 P006-03/ /E004 | YC051-YC055 |
| C01396 | | BACC18AD2 CB-ENGINE FUEL ENGINE 2 HPSOV IND | 233A5223 81205 | 1 | 76-21-21 P006-03/ /E004 | YC056-YR328 |
| C01397 | | BACC18AD2 CB-ELECTRICAL TR3 XFR RELAY CONT | 233A5202 81205 | 1 | 24-32-11 P006-04/ /E011 | YC051-YC055 |
| C01397 | | BACC18AD2 CB-ELECTRICAL TR3 XFR RELAY CONT | 233A5224 81205 | 1 | 24-32-11 P006-04/ /E011 | YC056-YR328 |
| C01398 | | BACC18Z1R CB-LANDING GEAR TAKEOFF WARNING CUTOFF | 233A5202 81205 | 1 | 31-53-11 P006-03/ /C018 | YC051-YC055 |
| C01398 | | BACC18Z1R CB-LANDING GEAR TAKEOFF WARNING CUTOFF | 233A5223 81205 | 1 | 31-53-11 P006-03/ /C018 | YC056-YR328 |
| C01399 | | BACC18AD5 CB-PSEU PRI | 233A5202 81205 | 1 | 32-64-11 P006-03/ /D001 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C01300

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| C01399 | | BACC18AD5 CB-PSEU PRI | 233A5223 81205 | 1 | 32-64-11 P006-03/ /D001 | YC056-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section C01300
Page 8 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C01400 | | BACC18AD5 CB-PSEU ALTN | 233A5202 81205 | 1 | 32-64-12 P006-03/ /D002 | YC051-YC055 |
| C01400 | | BACC18AD5 CB-PSEU ALTN | 233A5223 81205 | 1 | 32-64-12 P006-03/ /D002 | YC056-YR328 |
| C01401 | | BACC18AD2 CB-LANDING GEAR AIR/GND RELAY | 233A5202 81205 | 1 | 32-31-11 P006-03/ /D015 | YC051-YC055 |
| C01401 | | BACC18AD2 CB-LANDING GEAR AIR/GND RELAY | 233A5223 81205 | 1 | 32-31-11 P006-03/ /D015 | YC056-YR328 |
| C01403 | | BACC18AD5 CB-PASSENGER CABIN PASS CALL LEFT | 233A5502 81205 | 1 | 33-27-11 P018-03/ /A008 | YC051-YC055 |
| C01403 | | BACC18AD5 CB-PASSENGER CABIN PASS CALL LEFT | 233A5523 81205 | 1 | 33-27-11 P018-03/ /A008 | YC056-YR328 |
| C01404 | | BACC18AD5 CB-PASSENGER CABIN PASS CALL RIGHT | 233A5502 81205 | 1 | 33-27-11 P018-03/ /B008 | YC051-YC055 |
| C01404 | | BACC18AD5 CB-PASSENGER CABIN PASS CALL RIGHT | 233A5523 81205 | 1 | 33-27-11 P018-03/ /B008 | YC056-YR328 |
| C01405 | | BACC18AD7 CB-PASS CABIN SIGNS FASTEN SEAT BELT L | 233A5502 81205 | 1 | 33-25-11 P018-03/ /C009 | YC051-YC055 |
| C01405 | | BACC18AD7 CB-PASS CABIN SIGNS FASTEN SEAT BELT L | 233A5523 81205 | 1 | 33-25-11 P018-03/ /C009 | YC056-YR328 |
| C01406 | | BACC18AD7 CB-PASS CABIN SIGNS FASTEN SEAT BELT R | 233A5502 81205 | 1 | 33-25-11 P018-03/ /C008 | YC051-YC055 |
| C01406 | | BACC18AD7 CB-PASS CABIN SIGNS FASTEN SEAT BELT R | 233A5523 81205 | 1 | 33-25-11 P018-03/ /C008 | YC056-YR328 |
| C01407 | | BACC18AD5 CB-PASS CABIN SIGNS NO SMOKING LEFT | 233A5502 81205 | 1 | 33-25-11 P018-03/ /C011 | YC051-YC055 |
| C01407 | | BACC18AD5 CB-PASS CABIN SIGNS NO SMOKING LEFT | 233A5523 81205 | 1 | 33-25-11 P018-03/ /C011 | YC056-YR328 |
| C01408 | | BACC18AD5 CB-PASS CABIN SIGNS NO SMOKING RIGHT | 233A5502 81205 | 1 | 33-25-11 P018-03/ /C010 | YC051-YC055 |
| C01408 | | BACC18AD5 CB-PASS CABIN SIGNS NO SMOKING RIGHT | 233A5523 81205 | 1 | 33-25-11 P018-03/ /C010 | YC056-YR328 |
| C01410 | | BACC18AD2 CB-SPCU NORMAL | S281A601 07217 | 0 | 24-31-12 M01720/ /B001 | ALL |

EQUIPMENT LIST

D280A108

Section C01400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C01411 | | BACC18AD2 CB-SPCU STANDBY | S281A601 07217 | 0 | 24-31-12 M01720/ /B002 | ALL |
| C01412 | | BACC18AD3 CB-ENGINE 1 THRUST REVERSER INTLK | 233A5502 81205 | 1 | 78-35-11 P018-02/ /B006 | YC051-YC055 |
| C01412 | | BACC18AD3 CB-ENGINE 1 THRUST REVERSER INTLK | 233A5522 81205 | 1 | 78-35-11 P018-02/ /B006 | YC056-YR328 |
| C01413 | | BACC18AD3 CB-ENGINE 2 THRUST REVERSER INTLK | 233A5202 81205 | 1 | 78-35-21 P006-02/ /C006 | YC051-YC055 |
| C01413 | | BACC18AD3 CB-ENGINE 2 THRUST REVERSER INTLK | 233A5222 81205 | 1 | 78-35-21 P006-02/ /C006 | YC056-YR328 |
| C01419 | | BACC18AD2 CB-CARGO LT CONT | S281A601 07217 | 1 | 33-36-11 P092-00/ /C010 | ALL |
| C01420 | | BACC18AD7 CB-SATCOM SDU (INOP) | 65C25705 81205 | 1 | 23-15-11 P018-02/ /E013 | YC051-YC055 |
| C01420 | | BACC18AD7 CB-SATCOM SDU (INOP) | 233A5522 81205 | 1 | 23-15-11 P018-02/ /E013 | YC056-YD157 |
| C01422 | | BACC18Z1R CB-SATCOM AURAL WARN (INOP) | 65C25705 81205 | 1 | 23-15-11 P018-02/ /E015 | YC051-YC055 |
| C01422 | | BACC18Z1R CB-SATCOM AURAL WARN (INOP) | 233A5522 81205 | 1 | 23-15-11 P018-02/ /E015 | YC056-YD157 |
| C01423 | | BACC18AD2 CB-VACUUM WASTE | 233A5502 81205 | 1 | 38-32-13 P018-03/ /D019 | YC051-YC055 |
| C01423 | | BACC18AD2 CB-VACUUM WASTE | 233A5523 81205 | 1 | 38-32-13 P018-03/ /D019 | YC056-YR328 |
| C01424 | | BACC18AD5 CB-AUX POWER UNIT SCU FAN POWER | 233A5202 81205 | 1 | 49-41-11 P006-04/ /B014 | YC051-YC055 |
| C01424 | | BACC18AD5 CB-AUX POWER UNIT SCU FAN POWER | 233A5224 81205 | 1 | 49-41-11 P006-04/ /B014 | YC056-YR328 |
| C01425 | | BACC18AD2 CB-CONT CABIN LIGHTING PANEL FLOOD STBY | 233A5202 81205 | 1 | 33-14-11 P006-03/ /A012 | YC051-YC055 |
| C01425 | | BACC18AD2 CB-CONT CABIN LIGHTING PANEL FLOOD STBY | 233A5223 81205 | 1 | 33-14-11 P006-03/ /A012 | YC056-YR328 |
| C01426 | | BACC18AD2 CB-BAT/STBY SW POS IND | S281A601 07217 | 0 | 24-31-12 M01720/ /B005 | ALL |

EQUIPMENT LIST

D280A108

Section C01400

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| C01429 | | BACC18AD2 CB-YAW DAMPER IND | 233A5502 81205 | 1 | 22-23-11 P018-01/ /C006 | YC051-YC055 |
| C01429 | | BACC18AD2 CB-YAW DAMPER IND | 233A5521 81205 | 1 | 22-23-11 P018-01/ /C006 | YC056-YL959, YN231-YN235 |
| C01432 | | BACC18AD2 CB-LANDING GEAR ALTN EXTEND SOL | 233A5202 81205 | 1 | 32-35-11 P006-03/ /D016 | YC051-YC055 |
| C01432 | | BACC18AD2 CB-LANDING GEAR ALTN EXTEND SOL | 233A5223 81205 | 1 | 32-35-11 P006-03/ /D016 | YC056-YR328 |
| C01433 | | BACC18AD2 CB-EQPT COOLING LOW FLOW DETECT SUPPLY | 233A5502 81205 | 0 | 21-27-31 P018-03/ /A017 | YC051-YC055 |
| C01433 | | BACC18AD2 CB-EQPT COOLING LOW FLOW DETECT SUPPLY | 233A5523 81205 | 0 | 21-27-31 P018-03/ /A017 | YC056-YR328 |
| C01434 | | BACC18AD2 CB-EQPT COOLING LOW FLOW DETECT EXHAUST | 233A5502 81205 | 0 | 21-27-21 P018-03/ /A018 | YC051-YC055 |
| C01434 | | BACC18AD2 CB-EQPT COOLING LOW FLOW DETECT EXHAUST | 233A5523 81205 | 0 | 21-27-21 P018-03/ /A018 | YC056-YR328 |
| C01435 | | BACC18AD2 CB-EQPT COOLING EXHAUST FAN CONT NORMAL | 233A5202 81205 | 0 | 21-27-21 P006-04/ /C014 | YC051-YC055 |
| C01435 | | BACC18AD2 CB-EQPT COOLING EXHAUST FAN CONT NORMAL | 233A5224 81205 | 0 | 21-27-21 P006-04/ /C014 | YC056-YR328 |
| C01436 | | BACC18AD2 CB-EQPT COOLING EXHAUST FAN CONT ALTN | 233A5202 81205 | 0 | 21-27-21 P006-04/ /C015 | YC051-YC055 |
| C01436 | | BACC18AD2 CB-EQPT COOLING EXHAUST FAN CONT ALTN | 233A5224 81205 | 0 | 21-27-21 P006-04/ /C015 | YC056-YR328 |
| C01437 | | BACC18AD10 CB-PASS READING LIGHTS-R STA768-880 | S281A601 07217 | 1 | 33-23-22 P092-00/ /B008 | YC051-YL999, YR301-YR328 |
| C01438 | | BACC18AD10 CB-PASS READING LIGHTS-R STA880-937 | S281A601 07217 | 1 | 33-23-22 P092-00/ /B009 | YC051-YL999, YR301-YR328 |
| C01441 | | BACC18AD5 CB-FUEL FUELING IND | 233A5202 81205 | 1 | 28-41-11 P006-03/ /A004 | YC051-YC055 |
| C01441 | | BACC18AD5 CB-FUEL FUELING IND | 233A5223 81205 | 1 | 28-41-11 P006-03/ /A004 | YC056-YR328 |
| C01443 | | BACC18AD2 CB-FC TE FLAP POS/SKEW SNSR & IND RIGHT | 233A5202 81205 | 1 | 27-52-11 P006-02/ /A011 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C01400

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C01443 | | BACC18AD2 CB-FC TE FLAP POS/SKEW SNSR & IND RIGHT | 233A5222 81205 | 1 | 27-52-11 P006-02/ /A011 | YC056-YR328 |
| C01444 | | BACC18AD2 CB-A/C OVERBOARD EXHAUST VALVE CONT | 233A5202 81205 | 1 | 21-43-21 P006-04/ /D001 | YC051-YC055 |
| C01444 | | BACC18AD2 CB-A/C OVERBOARD EXHAUST VALVE CONT | 233A5224 81205 | 1 | 21-43-21 P006-04/ /D001 | YC056-YR328 |
| C01445 | | BACC18Z1R CB-A/C OVERBOARD EXH VALVE RECONFIG CONT | 233A5202 81205 | 1 | 21-43-21 P006-04/ /D002 | YC051-YC055 |
| C01445 | | BACC18Z1R CB-A/C OVERBOARD EXH VALVE RECONFIG CONT | 233A5224 81205 | 1 | 21-43-21 P006-04/ /D002 | YC056-YR328 |
| C01447 | | BACC18AD5 CB-FLIGHT CONT RUDDER AUTHORITY LIMITER | 233A5202 | 1 | 27-25-11 P006-02/ /C009 | YC051-YC055 |
| C01447 | | BACC18AD5 CB-FLIGHT CONT RUDDER AUTHORITY LIMITER | 233A5222 | 1 | 27-25-11 P006-02/ /C009 | YC056-YR328 |
| C01449 | | 10-60806-1025 CB-STANDBY HYDRAULIC PUMP | 286A8538 81205 | 1 | 29-22-11 P092-00/ /F002 | ALL |
| C01450 | | BACC18AD5 CB-ENT VID CONT CENTER DC | 233A5202 81205 | 1 | 23-32-11 P006-01/ /C005 | YC051-YC055 |
| C01450 | | BACC18AD5 CB-ENT VID CONT CENTER DC | 233A5221 81205 | 1 | 23-32-11 P006-01/ /C005 | YC056-YD157 |
| C01450 | | BACC18AD7 CB-ENT VID CONT CENTER DC | 233A5221 81205 | 1 | 23-32-11 P006-01/ /C005 | YD158-YN260 |
| C01451 | | BACC18AD7 CB-ENT VID CONT CENTER AC | 233A5202 81205 | 1 | 23-32-11 P006-01/ /C007 | YC051-YC055 |
| C01451 | | BACC18AD7 CB-ENT VID CONT CENTER AC | 233A5221 81205 | 1 | 23-32-11 P006-01/ /C007 | YC056-YN260 |
| C01452 | | BACC18AD7 CB-VIDEO 1 | 233A5202 81205 | 1 | 23-32-31 P006-01/ /D005 | YC051-YC055 |
| C01452 | | BACC18AD7 CB-VIDEO 1 | 233A5221 81205 | 1 | 23-32-31 P006-01/ /D005 | YC056-YN260 |
| C01452 | | BACC18AD7 CB-VIDEO 1 | 233A5221 81205 | 1 | 44-21-36 P006-01/ /D005 | YN501-YR328 |
| C01453 | | BACC18AD7 CB-VIDEO 2 | 233A5202 81205 | 1 | 23-32-41 P006-01/ /D006 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C01400

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C01453 | | BACC18AD7 CB-VIDEO 2 | 233A5221 81205 | 1 | 23-32-41 P006-01/ /D006 | YC056-YN260 |
| C01453 | | BACC18AD7 CB-VIDEO 2 | 233A5221 81205 | 1 | 44-21-46 P006-01/ /D006 | YN501-YR328 |
| C01454 | | BACC18AD7 CB-VIDEO 3 | 233A5202 81205 | 1 | 23-32-51 P006-01/ /D007 | YC051-YC055 |
| C01454 | | BACC18AD7 CB-VIDEO 3 | 233A5221 81205 | 1 | 23-32-51 P006-01/ /D007 | YC056-YN260 |
| C01454 | | BACC18AD7 CB-VIDEO 3 | 233A5221 81205 | 1 | 44-21-37 P006-01/ /D007 | YN501-YR328 |
| C01455 | | BACC18AD7 CB-VIDEO 4 | 233A5202 81205 | 1 | 23-32-61 P006-01/ /D008 | YC051-YC055 |
| C01455 | | BACC18AD7 CB-VIDEO 4 | 233A5221 81205 | 1 | 23-32-61 P006-01/ /D008 | YC056-YN260 |
| C01455 | | BACC18AD7 CB-VIDEO 4 | 233A5221 81205 | 1 | 44-21-47 P006-01/ /D008 | YN501-YR328 |
| C01456 | | BACC18AD7 CB-ENTERTAINMENT AUDIO | 233A5202 81205 | 1 | 23-34-01 P006-01/ /C008 | YC051-YC055 |
| C01456 | | BACC18AD7 CB-ENTERTAINMENT AUDIO | 233A5221 8 05 | 1 | 23-34-01 P006-01/ /C008 | YC056-YD170 |
| C01456 | | BACC18AD7 CB-ENTERTAINMENT AUDIO | 233A5221 81205 | 1 | 23-34-01 P006-01/ /C008 | YL951-YN260 |
| C01456 | | BACC18AD7 CB-ENTERTAINMENT AUDIO | 233A5221 81205 | 1 | 44-21-26 P006-01/ /C008 | YN501-YR328 |
| C01459 | | MS26574-1-2 CB-DUAL BAT RCCB REMOTE | S281A601 07217 | 0 | 24-31-11 M01720/ /A004 | ALL |
| C01460 | 9 | BACC18AD15 CB-28V DC SERVICE OUTLETS | 233A5502 81205 | 1 | 25-29-11 P018-03/ /F019 | YC051-YC052 |
| C01460 | | BACC18AD15 CB-28V DC SERVICE OUTLETS | 233A5502 81205 | 1 | 25-29-11 P018-03/ /F019 | YC053-YC055 |
| C01460 | | BACC18AD15 CB-28V DC SERVICE OUTLETS | 233A5523 81205 | 1 | 25-29-11 P018-03/ /F019 | YC056-YD170 |
| C01462 | | BACC18AD5 CB-GREY WATER DRAIN VALVE | 233A5523 81205 | 1 | 38-31-31 P018-03/ /E019 | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section C01400

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C01463 | | BACC18AD5 CB-WASTE/WTR LINE HEATERS | 233A5502 | 1 | 30-71-11 P018-03/ /D018 | YC051-YC055 |
| C01463 | | BACC18AD5 CB-WASTE/WTR LINE HEATERS | 233A5523 | 1 | 30-71-11 P018-03/ /D018 | YC056-YR328 |
| C01464 | | BACC18AD2 CB-FLIGHT CONTROL ELEV TAB VLV RIGHT | 233A5202 81205 | 1 | 27-31-11 P006-02/ /B008 | YC051-YC055 |
| C01464 | | BACC18AD2 CB-FLIGHT CONTROL ELEV TAB VLV RIGHT | 233A5222 81205 | 1 | 27-31-11 P006-02/ /B008 | YC056-YR328 |
| C01466 | | BACC18AD2 CB-DC BUS INDICATION SW HOT BAT | 233A5202 81205 | 1 | 24-33-11 P006-04/ /E016 | YC051-YC055 |
| C01466 | | BACC18AD2 CB-DC BUS INDICATION SW HOT BAT | 233A5224 81205 | 1 | 24-33-11 P006-04/ /E016 | YC056-YR328 |
| C01467 | | BACC18AD2 CB-AC BUS XFR BUS 2 115V AC IND | 233A5202 81205 | 1 | 24-28-10 P006-04/ /D013 | YC051-YC055 |
| C01467 | | BACC18AD2 CB-AC BUS XFR BUS 2 115V AC IND | 233A5224 81205 | 1 | 24-28-10 P006-04/ /D013 | YC056-YR328 |
| C01468 | | BACC18AD2 CB-FLIGHT CONTROL FSEU DC 2 | 233A5202 81205 | 1 | 27-81-11 P006-02/ /A009 | YC051-YC055 |
| C01468 | | BACC18AD2 CB-FLIGHT CONTROL FSEU DC 2 | 233A5222 81205 | 1 | 27-81-11 P006-02/ /A009 | YC056-YR328 |
| C01469 | | BACC18AD2 CB-AIR CONDITIONING BLEED AIR XDCR RIGHT | 233A5202 81205 | 1 | 36-21-11 P006-04/ /B006 | YC051-YC055 |
| C01469 | | BACC18AD2 CB-AIR CONDITIONING BLEED AIR XDCR RIGHT | 233A5224 81205 | 1 | 36-21-11 P006-04/ /B006 | YC056-YR328 |
| C01470 | | BACC18AD2 CB-AIR CONDITIONING BLEED AIR XDCR LEFT | 233A5202 81205 | 1 | 36-21-11 P006-04/ /A006 | YC051-YC055 |
| C01470 | | BACC18AD2 CB-AIR CONDITIONING BLEED AIR XDCR LEFT | 233A5224 81205 | 1 | 36-21-11 P006-04/ /A006 | YC056-YR328 |
| C01471 | | BACC18AD2 CB-FUEL SHUTOFF VALVES PWR PACK | 233A5202 81205 | 0 | 28-21-21 P006-03/ /C004 | YC051-YC055 |
| C01471 | | BACC18AD2 CB-FUEL SHUTOFF VALVES PWR PACK | 233A5223 81205 | 0 | 28-21-21 P006-03/ /C004 | YC056-YR328 |
| C01472 | | BACC18AD7 CB-FUEL SHUTOFF VALVES BUS | 233A5202 81205 | 0 | 28-21-21 P006-03/ /C006 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section C01400

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C01472 | | BACC18AD7 CB-FUEL SHUTOFF VALVES BUS | 233A5223 81205 | 0 | 28-21-21 P006-03/ /C006 | YC056-YR328 |
| C01473 | | BACC18AD5 CB-HOSE HEATERS | 233A5502 81205 | 1 | 30-71-11 P018-03/ /F016 | YC051-YC055 |
| C01473 | | BACC18AD5 CB-HOSE HEATERS | 233A5523 81205 | 1 | 30-71-11 P018-03/ /F016 | YC056-YD170 |
| C01473 | | BACC18AD5 CB-HOSE HEATERS | 233A5523 81205 | 1 | 30-71-11 P018-03/ /E018 | YL951-YR328 |
| C01479 | | BACC18AD2 CB-RADIO NAVIGATION MMR 1 | 233A5502 81205 | 1 | 34-31-11 P018-01/ /A002 | YC051-YC055 |
| C01479 | | BACC18AD2 CB-RADIO NAVIGATION MMR 1 | 233A5521 81205 | 1 | 34-31-11 P018-01/ /A002 | YC056-YR328 |
| C01480 | | BACC18AD2 CB-RADIO NAVIGATION MMR 2 | 233A5202 81205 | 1 | 34-31-21 P006-01/ /A013 | YC051-YC055 |
| C01480 | | BACC18AD2 CB-RADIO NAVIGATION MMR 2 | 233A5221 81205 | 1 | 34-31-21 P006-01/ /A013 | YC056-YR328 |
| C01483 | | BACC18AD2 CB-CMU-1 AC | 233A5221 81205 | 1 | 23-27-31 P006-01/ /E008 | YD158-YR328 |
| C01495 | | BACC18AD2 CB-ELT INTERFACE UNIT (INOP) | 233A5502 81205 | 1 | 23-24-11 P006-03/ /C001 | YC051-YC055 |
| C01495 | | BACC18AD2 CB-ELT INTERFACE UNIT (INOP) | 233A5223 81205 | 1 | 23-24-11 P006-03/ /C001 | YC056-YD170 |

EQUIPMENT LIST

D280A108

Section C01400

Page 7 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C01500 | 9 | BACC18AD2 CB-CMU/ACARS DC (INOP) (SB 23-1396) | 233A5202 81205 | 1 | 23-27-31 P006-01/ /E009 | YN501 |
| C01500 | | BACC18AD2 CB-CMU/ACARS DC | 233A5221 81205 | 1 | 23-27-11 P006-01/ /E009 | YD158-YD170 |
| C01500 | | BACC18AD2 CB-CMU/ACARS DC | 233A5221 81205 | 1 | 23-27-31 P006-01/ /E009 | YL951-YN501 |
| C01500 | | BACC18AD2 CB-CMU/ACARS DC (INOP) | 233A5221 81205 | 1 | 23-27-31 P006-01/ /E009 | YR301-YR328 |
| C01514 | | BACC18AD2 CB-OVERWING FLIGHT LOCK-LEFT | 233A5202 81205 | 1 | 52-71-13 P006-02/ /D002 | YC051-YC055 |
| C01514 | | BACC18AD2 CB-OVERWING FLIGHT LOCK-LEFT | 233A5222 81205 | 1 | 52-71-13 P006-02/ /D002 | YC056-YR328 |
| C01515 | | BACC18AD2 CB-OVERWING FLIGHT LOCK-RIGHT | 233A5202 81205 | 1 | 52-71-14 P006-02/ /D001 | YC051-YC055 |
| C01515 | | BACC18AD2 CB-OVERWING FLIGHT LOCK-RIGHT | 233A5222 81205 | 1 | 52-71-14 P006-02/ /D001 | YC056-YR328 |
| C01518 | | BACC18AD3 CB-EXTERIOR LIGHTING GENERAL LIGHT CONT | 233A5523 81205 | 1 | 33-45-11 P018-03/ /D012 | YL951-YR328 |
| C01519 | | BACC18AD2 CB-TERRAIN DISPLAY | 233A5502 81205 | 1 | 34-49-11 P018-01/ /A007 | YC053-YC055 |
| C01519 | | BACC18AD2 CB-TERRAIN DISPLAY | 233A5521 81205 | 1 | 34-49-11 P018-01/ /A007 | YC056-YR328 |
| C01522 | 9 | BACC18AD2 CB-CARGO FIRE FWD DET A | 233A5502 81205 | 1 | 26-16-21 P018-03/ /C017 | YC051-YC052 |
| C01522 | | BACC18AD2 CB-CARGO FIRE FWD DET A | 233A5502 81205 | 1 | 26-16-21 P018-03/ /C017 | YC053-YC055 |
| C01522 | | BACC18AD2 CB-CARGO FIRE FWD DET A | 233A5523 81205 | 1 | 26-16-21 P018-03/ /C017 | YC056-YR328 |
| C01523 | 9 | BACC18AD2 CB-CARGO FIRE FWD DET B | 233A5502 81205 | 1 | 26-16-21 P018-03/ /C016 | YC051-YC052 |
| C01523 | | BACC18AD2 CB-CARGO FIRE FWD DET B | 233A5502 81205 | 1 | 26-16-21 P018-03/ /C016 | YC053-YC055 |
| C01523 | | BACC18AD2 CB-CARGO FIRE FWD DET B | 233A5523 81205 | 1 | 26-16-21 P018-03/ /C016 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C01500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|---------------------------------------|
| C01524 | 9 | BACC18AD2 CB-CARGO FIRE AFT DET A | 233A5502 81205 | 1 | 26-16-22 P018-03/ /C019 | YC051-YC052 |
| C01524 | | BACC18AD2 CB-CARGO FIRE AFT DET A | 233A5502 81205 | 1 | 26-16-22 P018-03/ /C019 | YC053-YC055 |
| C01524 | | BACC18AD2 CB-CARGO FIRE AFT DET A | 233A5523 81205 | 1 | 26-16-22 P018-03/ /C019 | YC056-YR328 |
| C01525 | 9 | BACC18AD2 CB-CARGO FIRE AFT DET B | 233A5502 81205 | 1 | 26-16-22 P018-03/ /C018 | YC051-YC052 |
| C01525 | | BACC18AD2 CB-CARGO FIRE AFT DET B | 233A5502 81205 | 1 | 26-16-22 P018-03/ /C018 | YC053-YC055 |
| C01525 | | BACC18AD2 CB-CARGO FIRE AFT DET B | 233A5523 81205 | 1 | 26-16-22 P018-03/ /C018 | YC056-YR328 |
| C01526 | 9 | BACC18AD5 CB-CARGO FIRE EXT 1 | 233A5502 81205 | 1 | 26-23-11 P018-03/ /B017 | YC051-YC052 |
| C01526 | | BACC18AD5 CB-CARGO FIRE EXT 1 | 233A5502 81205 | 1 | 26-23-11 P018-03/ /B017 | YC053-YC055 |
| C01526 | | BACC18AD5 CB-CARGO FIRE EXT 1 | 233A5523 81205 | 1 | 26-23-11 P018-03/ /B017 | YC056-YR328 |
| C01528 | | BACC18AD5 CB-CARGO FIRE EXT 2 | 233A5523 81205 | 1 | 26-23-11 P018-03/ /B016 | YD158-YD170, YR315-YR316, YR319 |
| C01537 | | BACC18AD2 CB-VOICE RCDR RELAY | 233A5522 81205 | 1 | 23-71-11 P018-02/ /C007 | YC051-YN260, YR301-YR328 |
| C01537 | | BACC18AD2 CB-VOICE RCDR RELAY | 233A5522 81205 | 1 | 23-71-01 P018-02/ /C007 | YN501 |
| C01551 | | BACC18AD5 CB-ISFD | 233A5522 81205 | 1 | 34-24-15 P018-02/ /D008 | YD158-YR328 |
| C01583 | 9 | BACC18AD2 CB-ENTERTAINMENT PA SYS BAT (SB 23-1139) | 233A5221 81205 | 1 | 23-31-11 P006-01/ /C006 | YC051-YC059 |
| C01583 | | BACC18AD2 CB-ENTERTAINMENT PA SYS BAT | 233A5221 81205 | 1 | 23-31-11 P006-01/ /C006 | YC060-YR328 |
| C01584 | 9 | BACC18AD3 CB-ENTERTAINMENT AUDIO DC | 233A5221 81205 | 1 | 23-34-01 P006-01/ /B010 | YC051-YC059 |

EQUIPMENT LIST

D280A108

Section C01500

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C01584 | | BACC18AD3 CB-ENTERTAINMENT AUDIO DC | 233A5221 8 05 | 1 | 23-34-01 P006-01/ /B010 | YC060-YD170 |
| C01584 | | BACC18AD3 CB-ENTERTAINMENT AUDIO DC | 233A5221 81205 | 1 | 23-34-01 P006-01/ /B010 | YL951-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section C01500
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| C01611 | 9 | BACC18AD5 CB-SPDBRK AUTOSTOW (APB 0802664) | 233A5222 | 1 | 27-62-41 P006-02/ /A010 | YC051-YC065 |
| C01611 | | BACC18AD5 CB-SPDBRK AUTOSTOW | 233A5222 | 0 | 27-62-41 P006-02/ /A010 | YN231-YN501 |
| C01613 | 9 | BACC18AD2 CB-AIR COND PACK CONT VALVES L ALT | 233A5224 81205 | 1 | 21-51-12 P006-04/ /D003 | YC051-YC064 |
| C01613 | | BACC18AD2 CB-AIR COND PACK CONT VALVES L ALT | 233A5224 81205 | 1 | 21-51-12 P006-04/ /D003 | YC065-YL999, YR301-YR328 |
| C01614 | 9 | BACC18AD2 CB-AIR COND PACK CONT VALVES R ALT | 233A5224 81205 | 1 | 21-51-22 P006-04/ /D004 | YC051-YC064 |
| C01614 | | BACC18AD2 CB-AIR COND PACK CONT VALVES R ALT | 233A5224 81205 | 1 | 21-51-22 P006-04/ /D004 | YC065-YL999, YR301-YR328 |
| C01627 | 9 | BACC18AD2 CB-CABIN UTILITY RLY PWR (SB 24-1147) | 233A5225 81205 | 1 | 24-28-41 P006-11/ /A008 | YC051-YD157 |
| C01627 | | BACC18AD2 CB-CABIN UTIL RLY PWR | 233A5225 81205 | 1 | 24-28-41 P006-11/ /A008 | YD154-YR328 |
| C01628 | 9 | BACC18AD2 CB-FORCE FIGHT MONITOR (SB 27-1253) | 233A5222 | 1 | 27-23-11 P006-02/ /D015 | YC051-YD153 |
| C01628 | | BACC18AD2 CB-FORCE FIGHT MONITOR | 233A5222 | 1 | 27-23-11 P006-02/ /D015 | YD154-YR328 |
| C01629 | | BACC18AD10 CB-AFCS SYS A RUDDER DC (INOP) | 233A5521 81205 | 1 | 22-11-11 P018-01/ /E004 | YD157-YD170, YN231, YN501 |
| C01629 | | BACC18AD10 CB-AFCS SYS A RUDDER DC | 233A5521 81205 | 1 | 22-11-11 P018-01/ /E004 | YL951-YL999, YN232-YN260, YR301-YR328 |
| C01630 | | BACC18AD10 CB-AFCS SYS B RUDDER DC (INOP) | 233A5222 81205 | 1 | 22-11-11 P006-02/ /D003 | YD157-YD170, YN231, YN501 |
| C01630 | | BACC18AD10 CB-AFCS SYS B RUDDER DC | 233A5222 81205 | 1 | 22-11-11 P006-02/ /D003 | YL951-YL999, YN232-YN260, YR301-YR328 |
| C01631 | | BACC18AD5 CB-AFCS INTLK 2 | 233A5222 81205 | 1 | 22-11-12 P006-02/ /A003 | YD157-YR328 |
| C01633 | | BACC18AE15 CB-ZONAL DRYER | 233A5224 81205 | 1 | 21-74-11 P006-04/ /C010 | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section C01600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| C01634 | | BACC18AD2 CB-ZONAL DRYER CONT | 233A5224 81205 | 1 | 21-74-11 P006-04/ /C001 | YD158-YD170 |
| C01637 | 9 | BACC18AD2 CB-BOOST PMP CTR TNK L AUTO SHUT OFF-DC | 233A5223 81205 | 1 | 28-23-11 P006-03/ /C003 | YC051-YD157 |
| C01637 | | BACC18AD2 CB-BOOST PMP CTR TNK L AUTO SHUT OFF-DC | 233A5223 81205 | 1 | 28-23-11 P006-03/ /C003 | YD158-YR328 |
| C01638 | 9 | BACC18AD2 CB-BOOST PMP CTR TNK R AUTO SHUT OFF-DC | 233A5223 81205 | 1 | 28-23-11 P006-03/ /C007 | YC051-YD157 |
| C01638 | | BACC18AD2 CB-BOOST PMP CTR TNK R AUTO SHUT OFF-DC | 233A5223 81205 | 1 | 28-23-11 P006-03/ /C007 | YD158-YR328 |
| C01639 | 9 | BACC18AD2 CB-BOOST PUMP CTR TNK L AUTO SHUT OFF-AC | 233A5223 81205 | 1 | 28-23-11 P006-03/ /D007 | YC051-YD157 |
| C01639 | | BACC18AD2 CB-BOOST PUMP CTR TNK L AUTO SHUT OFF-AC | 233A5223 81205 | 1 | 28-23-11 P006-03/ /D007 | YD158 |
| C01640 | 9 | BACC18AD2 CB-BOOST PUMP CTR TNK R AUTO SHUT OFF-AC | 233A5223 81205 | 1 | 28-23-11 P006-03/ /E007 | YC051-YD157 |
| C01640 | | BACC18AD2 CB-BOOST PUMP CTR TNK R AUTO SHUT OFF-AC | 233A5223 81205 | 1 | 28-23-11 P006-03/ /E007 | YD158 |
| C01641 | | BACC18AD5 CB-SURVEILLANCE CAMERA | 233A5226 81205 | 1 | 23-70-11 P006-12/ /B001 | YL951-YR328 |
| C01643 | | BACC18AD5 CB- FD - PC POWER | 233A5226 81205 | 1 | 25-29-11 P006-12/ /A003 | YL951-YL999, YN232-YR328 |
| C01648 | | BACC18AD5 CB-LAVATORY FLUORESCENT LIGHT | 233A5523 81205 | 1 | 33-26-31 P018-03/ /E014 | YN501-YR328 |
| C01649 | | BACC18AD3 CB-WINDOW HEAT POWER RIGHT SIDE | 233A5226 81205 | 1 | 30-41-12 P006-12/ /B007 | YD160-YR328 |
| C01650 | | BACC18AD3 CB-WINDOW HEAT POWER LEFT SIDE | 233A5225 81205 | 1 | 30-41-11 P006-11/ /B007 | YD160-YR328 |
| C01657 | | BACC18AD7 CB - NITROGEN GENERATION CONTROL | 233A5523 81205 | 1 | 47-30-11 P018-03/ /D017 | YD160-YL999, YN232-YR328 |
| C01657 | | BACC18AD7 CB - NITROGEN GENERATION CONTROL (INOP) | 233A5523 81205 | 1 | 47-30-11 P018-03/ /D017 | YN231 |
| C01658 | | BACC18AD2 CB-FUEL AT S-O/UCPO BST PMP CTR TNK R AC | 233A5223 | 0 | 28-23-11 P006-03/ /E007 | YD160-YR328 |

EQUIPMENT LIST

D280A108

Section C01600

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| C01659 | | BACC18AD2 CB-AT S-O/UCPO BST PMP CTR TNK L AC | 233A5223 | 0 | 28-23-11 P006-03/ /D007 | YD160-YR328 |
| C01662 | | BACC18AD5 CB-SPOILER PCU SOV SYS A | 233A5222 81205 | 0 | 27-62-11 P006-02/ /A004 | YL953-YL999, YR301-YR328 |
| C01663 | | BACC18AD5 CB-SPOILER PCU SOV SYS B | 233A5222 81205 | 0 | 27-62-11 P006-02/ /A005 | YL953-YL999, YR301-YR328 |
| C01670 | | BACC18AD2 CB-AIRSHOW AC (INOP) | 233A5221 81205 | 1 | 23-32-21 P006-01/ /B011 | YL951-YL967, YN231-YN235 |
| C01680 | | BACC18AD7 CB-NGS ALT PWR | 233A5523 | 0 | 47-30-11 P018-03/ /E015 | YD160-YL999, YN232-YR328 |
| C01680 | | BACC18AD7 CB-NGS ALT PWR (INOP) | 233A5523 | 0 | 47-30-11 P018-03/ /E015 | YN231 |
| C01694 | | BACC18AD5 CB-TWLU POWER (INOP) | 233A5221 81205 | 1 | 46-11-51 P006-01/ /D017 | YL951-YL954, YN231-YN235 |
| C01698 | 9 | BACC18AD2 CB-TAKEOFF WARNING LIGHT (SB 31A1332) | 233A5222 81205 | 1 | 31-53-11 P006-02/ /D020 | YC060-YC064 |
| C01698 | | BACC18AD2 CB-TAKEOFF WARNING LIGHT | 233A5222 81205 | 1 | 31-53-11 P006-02/ /D020 | YL953-YL999, YN233-YR328 |

EQUIPMENT LIST

D280A108

Section C01600

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| C01936 | | BACC18AD5 CB-ATTENDANT PANELS | 233A5221 81205 | 1 | 23-42-14 P006-01/ /D012 | YN501-YR328 |
| C01937 | | BACC18AD7 CB-CEILING LIGHT AFT-L (INOP) | S281A601 07217 | 1 | 33-22-11 P091-00/ /E007 | YL966-YL999, YN236-YN260 |
| C01937 | | BACC18AD7 CB-CEILING LIGHT AFT-L | S281A601 07217 | 1 | 33-22-11 P091-00/ /E007 | YN501-YR328 |
| C01938 | | BACC18AD7 CB-CEILING LIGHT AFT-R (INOP) | S281A601 07217 | 1 | 33-22-11 P091-00/ /E008 | YL966-YL999, YN236-YN260 |
| C01938 | | BACC18AD7 CB-CEILING LIGHT AFT-R | S281A601 07217 | 1 | 33-22-11 P091-00/ /E008 | YN501-YR328 |
| C01939 | | BACC18AD5 CB-COVE LIGHT (INOP) | S281A601 07217 | 1 | 33-24-11 P092-00/ /E005 | YL966-YL999, YN236-YN260 |
| C01939 | | BACC18AD5 CB-COVE LIGHT | S281A601 07217 | 1 | 33-24-11 P092-00/ /E005 | YN501-YR328 |
| C01945 | | BACC18AD7 CB-IFE AC | 233A5221 81205 | 1 | 44-21-10 P006-01/ /B009 | YN501-YR328 |
| C01946 | | BACC18AD2 CB-PROBE AUTO HEAT CAPT | 233A5523 81205 | 1 | 30-31-11 P018-03/ /D008 | YL968-YL999, YN236-YR328 |
| C01947 | | BACC18AD2 CB-PROBE AUTO HEAT F/O | 233A5523 81205 | 1 | 30-31-12 P018-03/ /D009 | YL968-YL999, YN236-YR328 |
| C01948 | | BACC18AD5 CB-VOICE RCDR/RIPS (INOP) | 233A5522 81205 | 1 | 23-71-01 P018-02/ /D006 | YL963-YL999, YN236-YR328 |
| C01949 | | BACC18Z1R CB-CABIN EMER LIGHTS | 233A5225 81205 | 1 | 33-51-11 P006-11/ /A009 | YN501-YR328 |
| C01952 | | BACC18AD5 CB-IFE DC | 233A5221 81205 | 1 | 44-21-10 P006-01/ /B010 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section C01900

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| C02022 | | BACC18X25 CB-HOT BAT BUS | S281A601 07217 | 0 | 24-61-11 M01720/ /B003 | ALL |
| C02029 | | BACC18AD10 CB-AC BUS AC STBY BUS PWR | 233A5202 81205 | 1 | 24-34-11 P006-04/ /D018 | YC051-YC055 |
| C02029 | | BACC18AD10 CB-AC BUS AC STBY BUS PWR | 233A5224 81205 | 1 | 24-34-11 P006-04/ /D018 | YC056-YR328 |
| C02043 | | BACC18AD7 CB-AC BUS 28V AC XFR BUS 2 SECT 2 | 233A5202 81205 | 1 | 24-53-11 P006-04/ /D014 | YC051-YC055 |
| C02043 | | BACC18AD7 CB-AC BUS 28V AC XFR BUS 2 SECT 2 | 233A5224 81205 | 1 | 24-53-11 P006-04/ /D014 | YC056-YR328 |
| C02044 | | BACC18AD10 CB-28V AC XFR BUS 1 | S281A601 07217 | 1 | 24-53-11 P091-00/ /B010 | ALL |
| C02045 | | BACC18AD10 CB-28V AC XFR BUS 2 | S281A601 07217 | 1 | 24-53-11 P092-00/ /B010 | ALL |
| C02046 | | BACC18AD10 CB-28V AC XFR BUS 1 SECT 2 | 233A5502 81205 | 1 | 24-53-11 P018-03/ /C005 | YC051-YC055 |
| C02046 | | BACC18AD10 CB-28V AC XFR BUS 1 SECT 2 | 233A5523 81205 | 1 | 24-53-11 P018-03/ /C005 | YC056-YR328 |
| C02047 | | BACC18AD5 CB-AC BUS STBY BUS 28V AC DISTR | 233A5202 81205 | 1 | 24-53-11 P006-04/ /D015 | YC051-YC055 |
| C02047 | | BACC18AD5 CB-AC BUS STBY BUS 28V AC DISTR | 233A5224 81205 | 1 | 24-53-11 P006-04/ /D015 | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section C02000

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| C02812 | | BACC18AE25 CB-EXT PWR 2 | S281A601 07217 | 1 | 24-52-11 P092-00/ /A015 | ALL |
| C02813 | | BACC18AE25 CB-GND SERV 2 | S281A601 07217 | 1 | 24-52-11 P092-00/ /F001 | YC051-YD158 |
| C02813 | | BACC18AE25 CB-GND SERV 2 | S281A601 07217 | 1 | 24-52-11 P092-00/ /A009 | YD160-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section C02800

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| C03001 | | BACC18AE35 CB-XFR BUS 1 SECT 1 | S281A601 07217 | 1 | 24-51-11 P091-00/ /F004 | ALL |
| C03002 | | 10-60806-1050 CB-XFR BUS 1 SECT 2 | S281A601 07217 | 1 | 24-51-11 P091-00/ /F005 | ALL |
| C03003 | | 10-60806-1050 CB-XFR BUS 1 IFE | S281A601 07217 | 1 | 24-51-11 P091-00/ /F001 | YL951-YR328 |
| C03011 | | BACC18AE35 CB-XFR BUS 2 SECT 1 | S281A601 07217 | 1 | 24-51-21 P092-00/ /F004 | ALL |
| C03012 | | 10-60806-1050 CB-XFR BUS 2 SECT 2 | S281A601 07217 | 1 | 24-51-21 P092-00/ /F005 | ALL |
| C03013 | | 10-60806-1050 CB-XFR BUS 2 IFE | S281A601 07217 | 1 | 24-51-21 P092-00/ /F001 | YL951-YR328 |
| C03041 | | BACC18AC10 CB-GND SERV 1 SECT 1 | S281A601 07217 | 1 | 24-52-11 P091-00/ /E005 | ALL |
| C03051 | | BACC18X50 CB-DC BUS 1 SECT 1 | S281A601 07217 | 1 | 24-61-11 P091-00/ /A002 | ALL |
| C03052 | | BACC18X35 CB-DC BUS 1 SECT 2 | S281A601 07217 | 1 | 24-61-11 P091-00/ /C012 | ALL |
| C03061 | | BACC18X25 CB-BAT BUS SECT 1 | S281A601 07217 | 1 | 24-61-11 M01720/ /C004 | ALL |
| C03062 | | BACC18X25 CB-BAT BUS SECT 2 | S281A601 07217 | 1 | 24-61-11 M01720/ /C005 | ALL |
| C03063 | | BACC18X25 CB-BAT BUS SECT 3 | S281A601 07217 | 1 | 24-61-11 M01720/ /A001 | ALL |
| C03064 | | BACC18AD10 CB-ELECTRICAL GND SERV DC 1 | 233A5202 81205 | 1 | 24-61-11 P006-04/ /D011 | YC051-YC055 |
| C03064 | | BACC18AD10 CB-ELECTRICAL GND SERV DC 1 | 233A5224 81205 | 1 | 24-61-11 P006-04/ /D011 | YC056-YR328 |
| C03065 | | BACC18AD10 CB-ELECTRICAL GND SERV DC HOT BAT | 233A5202 81205 | 1 | 24-61-11 P006-04/ /E012 | YC051-YC055 |
| C03065 | | BACC18AD10 CB-ELECTRICAL GND SERV DC HOT BAT | 233A5224 81205 | 1 | 24-61-11 P006-04/ /E012 | YC056-YR328 |
| C03066 | | BACC18X35 CB-STBY BUS SECT 1 | S281A601 07217 | 1 | 24-61-11 M01720/ /C001 | ALL |

EQUIPMENT LIST

D280A108

Section C03000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| C03067 | | BACC18X35 CB-STBY BUS SECT 2 | S281A601 07217 | 1 | 24-61-11 M01720/ /C002 | ALL |
| C03071 | | BACC18X35 CB-DC BUS 2 SECT 1 | S281A601 07217 | 1 | 24-61-11 P092-00/ /C012 | ALL |
| C03072 | | BACC18X50 CB-DC BUS 2 SECT 2 | S281A601 07217 | 1 | 24-61-11 P092-00/ /A002 | ALL |

EQUIPMENT LIST

D280A108

Section C03000
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D00042 | 1 | BACC45FT14-12S PLUG-BATT CHARGER | 81205 | 1 | 24-31-11 E002-01/ / | ALL |
| D00042 T | 1 | BACC10JC14 CLAMP, 90 DEG | 81205 | 1 | 24-31-11 E002-01/ / | YD160-YR328 |
| D00044 | 1 | MS25182-2 PLUG-BATTERY | 96906 | 1 | 24-31-11 390/165/L008 | ALL |
| D00046 | 1 | BACC45FT14-4P PLUG-STATIC INVERT | 81205 | 1 | 24-34-11 E002-02/ / | YC051-YD158, YL951-YN236, YN501-YR328 |
| D00046 T | 1 | BACC10JC14 CLAMP, 90 DEG | 81205 | 1 | 24-34-11 E002-02/ / | YC051-YD158 |
| D00046 T | 1 | BACC10JC14 CLAMP, 90 DEG | 81205 | 1 | 24-34-11 */ */ | YL951-YN236, YN501-YR328 |
| D00048 | | MS90362-3 RECP-EXT PWR AC | 284A0807 88044 | 1 | 24-41-11 235/180/R028 | YC051-YL954, YN231-YN235, YN237-YN260, YR313-YR328 |
| D00048 | | BACC65BL-1 RECP-EXT PWR AC | 284A0807 88044 | 1 | 24-41-11 235/180/R028 | YL955-YL999, YN236, YN501- YR312 |
| D00057 | 1 | 795-15-9 PLUG - (C) STRAIGHT | 91836 | 1 | 34-32-11 610/143/0 | ALL |
| D00062 | 1 | BACC45FT12-3S PLUG-LEFT WINDSHIELD WIPER MOTOR | 81205 | 1 | 30-42-11 192/239/L012 | ALL |
| D00064 | 1 | BACC45FT12-3S PLUG-RIGHT WINDSHIELD WIPER MOTOR | 81205 | 1 | 30-42-11 189/239/R012 | YC051-YD158, YL951-YR328 |
| D00070 | 1 | BACC63BP14D4SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 28-23-11 ORSS160/185/L083 | YC051-YD153 |
| D00070 | 1 | BACC63BP14D4SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 28-23-11 IRSS 160/ / | YD154-YR328 |
| D00070 T | 1 | BACC10KB14 CLAMP, 90 DEG | 81205 | 1 | 28-23-11 */ */ | ALL |
| D00072 | 1 | BACC63BP14D4SN PLUG | 81205 | 1 | 28-23-11 IFSS-121/ / | ALL |

EQUIPMENT LIST

D280A108

Section D00000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D00072 T | 1 | BACC10KB14 CLAMP, 90 DEG | 81205 | 1 | 28-23-11 IFSS-121/ / | YC051-YC064 |
| D00072 T | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 28-23-11 IFSS-121/ / | YC065-YD153 |
| D00072 T | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 28-23-11 */*/ | YD154-YR328 |
| D00074 | 1 | BACC63BP14D4SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 28-23-11 IRSS 145/ / | YC051-YD158, YL951-YN236, YN501-YR328 |
| D00074 T | 1 | BACC10KB14 CLAMP, 90 DEG | 81205 | 1 | 28-23-11 TBD/ / | YC051-YD152 |
| D00074 T | 1 | BACC10KB14 CLAMP, 90 DEG | 81205 | 1 | 28-23-11 */*/ | YD153-YD158, YL951-YN236, YN501-YR328 |
| D00076 | 1 | BACC63BP14D4SN PLUG | 81205 | 1 | 28-23-11 IFSS 121/ / | YC051-YN236, YN501-YR328 |
| D00076 T | 1 | BACC10KB14 CLAMP, 90 DEG | 81205 | 1 | 28-23-11 */*/ | YC051-YC064 |
| D00076 T | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 28-23-11 */*/ | YC065-YN236, YN501-YR328 |
| D00085 | 1 | 796-15-9 PLUG - (C) ANGLED 90 (OUT-1) | 91836 | 1 | 34-31-11 178/237/R002 | ALL |
| D00087 | 1 | 796-15-9 PLUG - (C) ANGLED 90 (OUT-2) | 91836 | 1 | 34-31-21 178/237/L002 | ALL |
| D00089 | 1 | 795-16-9 PLUG - (C) | 91836 | 1 | 34-51-11 1200/578/L001 | YC051-YL954, YN231-YN235 |
| D00089 | 1 | 795-33-9 PLUG - (C) | 91836 | 1 | 34-51-11 1200/578/L001 | YL955-YL999, YN236-YR328 |
| D00090 | 1 | BACC45FT14-7S PLUG- | 81205 | 1 | 21-61-51 P005-17/ / | ALL |
| D00091 | 1 | 795-16-9 PLUG - (C) | 91836 | 1 | 34-51-21 1200/578/R001 | YC051-YL954, YN231-YN235 |
| D00091 | 1 | 795-33-9 PLUG - (C) | 91836 | 1 | 34-51-21 1200/578/R001 | YL955-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section D00000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D00093 | 1 | 795-16-9 PLUG-DME ANT NO.1 | 91836 | 1 | 34-55-11 0465/ / | YC051-YC064 |
| D00093 | 1 | 795-16-9 PLUG-DME ANT NO.1 | 91836 | 1 | 34-55-11 580.5/144/0 | YC065-YR328 |
| D00094 | 1 | BACC63CE12S-3S PLUG- | 81205 | 1 | 21-61-51 538/299/R012 | YN231-YN501 |
| D00094 T | 1 | BACC10HW12 CLAMP, 90 DEG | 81205 | 1 | 21-61-31 */** | YN231-YN501 |
| D00095 | 1 | 795-16-9 PLUG-DME ANT NO.2 | 91836 | 1 | 34-55-21 641/143/0 | ALL |
| D00096 | 1 | BACC45FT12-12S8 PLUG- | 81205 | 1 | 36-21-11 P005-10/ / | ALL |
| D00098 | 1 | BACC63BP10D5S8L PLUG- | 81205 | 1 | 36-21-11 538/165/R030 | ALL |
| D00098 T | 1 | BACC10KB10 CLAMP, 90 DEG | 81205 | 1 | 36-21-11 */** | ALL |
| D00099 | 1 | 795-21-9 PLUG | 91836 | 1 | 34-53-31 355/149/0 | ALL |

EQUIPMENT LIST

D280A108

Section D00000

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D00100 | 1 | BACC63BP10D5S8 PLUG- | 81205 | 1 | 36-21-11 538/164/L030 | YC051-YN236, YN501-YR328 |
| D00100 T | 1 | BACC10KB10 CLAMP, 90 DEG | 81205 | 1 | 36-21-11 */*/ | YC051-YN236, YN501-YR328 |
| D00102 | 1 | DPXAMA-A10-33S PLUG-T/R UNIT | 71468 | 1 | 24-32-11 E002-01/ / | ALL |
| D00102 T | 1 | 63-9273-2 SPACER- | 81205 | 1 | 24-32-11 E002-01/ / | ALL |
| D00104 | 1 | DPXAMA-A10-33S PLUG | 71468 | 1 | 24-32-11 E004-02/ / | ALL |
| D00104 T | 1 | 63-9273-2 SPACER | 81205 | 1 | 24-32-11 E004-02/ / | YC051-YC057 |
| D00104 T | 1 | 63-9273-2 SPACER | 81205 | 1 | 24-32-11 */*/ | YC058-YR328 |
| D00106 | 1 | DPXAMA-A10-33S PLUG | 71468 | 1 | 24-32-11 E004-02/ / | ALL |
| D00106 T | 1 | 63-9273-2 SPACER | 81205 | 1 | 24-32-11 E004-02/ / | YC051-YC057 |
| D00106 T | 1 | 63-9273-2 SPACER | 81205 | 1 | 24-32-11 */*/ | YC058-YR328 |
| D00115 | 1 | 796-17-9 PLUG-VHF COMM NO. 1 ANT | 91836 | 1 | 23-12-11 630/305/R005 | YC051-YC058, YC061-YC063 |
| D00115 | 1 | 796-17-9 PLUG-VHF COMM NO. 2 ANT | 91836 | 1 | 23-12-11 630/305/R005 | YC059-YC060 |
| D00115 | 1 | 796-17-9 PLUG | 91836 | 1 | 23-12-11 630/305/R005 | YC064-YR328 |
| D00117 | 1 | 795-21-9 PLUG- VHF COMM NO.2 ANT | 91836 | 1 | 23-12-21 727D+10/149/0 | ALL |
| D00119 | 1 | MS3475W22-55S PLUG | 96906 | 1 | 34-41-11 175/200/L003 | ALL |
| D00119 T | 1 | G9263AA2206KNF BACKSHELL - 90 DEGREE | MIL | 1 | 34-41-11 */*/ | ALL |
| D00127 | 1 | BACC45FT10-5S PLUG-CAPT SPKR | 81205 | 1 | 23-51-11 200/262/L035 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D00100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|--|
| D00127 | 1 | BACC45FT10-5S PLUG-CAPT SPKR | 81205 | 1 | 23-51-11 249/263/L031 | YD158-YR328 |
| D00129 | 1 | BACC45FT10-5S PLUG-FO SPKR | 81205 | 1 | 23-51-21 237/268/R013 | YC051-YD158, YL951-YR328 |
| D00131 | 1 | BACC45FT16A24S PLUG AUDIO SEL CAPT | 81205 | 1 | 23-43-11 P008-06/ / | YC051-YD157 |
| D00133 | 1 | MS3126F14-19S PLUG-AUD SEL CAPT- | 96906 | 1 | 23-51-11 P008-06/ / | ALL |
| D00135 | 1 | BACC45FT16A24S PLUG-AUDIO SEL F/O | 81205 | 1 | 23-43-11 P008-07/ / | YC051-YD157 |
| D00137 | 1 | MS3126F14-19S PUG-AUDIO SEL F/O | 96906 | 1 | 23-51-21 P008-7/ / | YC051-YD158, YL951-YR328 |
| D00139 | 1 | PT08SE-14-19S-SR- PLUG-AUDIO SEL OBS | 77820 | 1 | 23-51-31 P005-15/ / | YC051-YD158, YL951-YR328 |
| D00141 | 1 | BACC45FT16D24S PLUG-AUDIO SEL OBS | 81205 | 1 | 23-43-11 P005-15/ / | YC051-YD157 |
| D00148 | 1 | MS3126F16-8S PLUG- | 96906 | 1 | 33-44-12 1212/284/L002 | YC051-YL968, YN231-YN235 |
| D00148 | 1 | MS3475W16-8S PLUG- | 96906 | 1 | 33-44-12 1212/284/L002 | YL969-YL999, YN236, YN501- YR328 |
| D00148 T | 1 | BACC10MP16 BACKSHELL, SWINGARM | 96906 | 1 | 33-44-12 */ */ | YL969-YL999, YN236, YN501- YR328 |
| D00149 | 1 | BACC66H123C05AK01 PLUG PLATE ASSY | 81205 | 1 | 34-53-11 E001-02/ / | ALL |
| D00149A | 1 | PARTAD00149 PLUG | | 0 | 34-53-11 E001-02/ / | YC051-YD170 |
| D00149A | 1 | PARTAD00149 PLUG | | 0 | 34-53-11 */ */ | YL951-YR328 |
| D00149AT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1-PLUG-ATC-1 | 81205 | 1 | 34-53-11 E001-02/ / | YC051-YD170 |
| D00149AT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1-PLUG-ATC-1 | 81205 | 1 | 34-53-11 */ */ | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D00100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D00149AU | 1 | 125-92-9 PLUG-ATC-1 | 91836 | 1 | 34-53-11 E001-02/ / | YC051-YD170 |
| D00149AU | 1 | 125-92-9 PLUG-ATC-1 | 91836 | 1 | 34-53-11 */*/ | YL951-YR328 |
| D00149B | 1 | PARTBD00149 PLUG | | 0 | 34-53-11 E001-02/ / | YC051-YD170 |
| D00149B | 1 | PARTBD00149 PLUG | | 0 | 34-53-11 */*/ | YL951-YR328 |
| D00149BT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1-PLUG-ATC-1 | 81205 | 1 | 34-53-11 E001-02/ / | YC051-YD170 |
| D00149BT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1-PLUG-ATC-1 | 81205 | 1 | 34-53-11 */*/ | YL951-YR328 |
| D00149BU | 1 | 125-95-9 PLUG-ATC-1 | 91836 | 1 | 34-53-11 E001-02/ / | YC051-YD170 |
| D00149BU | 1 | 125-95-9 PLUG-ATC-1 | 91836 | 1 | 34-53-11 */*/ | YL951-YR328 |
| D00149C | 1 | PARTCD00149 PLUG | | 0 | 34-53-11 E001-02/ / | YC051-YD170 |
| D00149C | 1 | PARTCD00149 PLUG | | 0 | 34-53-11 */*/ | YL951-YR328 |
| D00150 | | 5258 RCPT-CONT CAB SERVICE OUTLET | 65C25704 74545 | 1 | 25-29-11 P006-00/ / | ALL |
| D00152 | | 5258 RCPT-EQUIP RACK SERVICE OUTLET | 284A0211 74545 | 1 | 25-29-11 359/164/R004 | ALL |
| D00154 | | 5656 RCPT-CONT CAB SERVICE OUTLET | 65C25704 74545 | 1 | 25-29-11 P006-00/ / | ALL |
| D00155 | 1 | BACC66H123C05AK01 PLUG PLATE ASSY | 81205 | 1 | 34-53-21 E001-05/ / | ALL |
| D00155A | 1 | PARTAOFD00155 PLUG | | 0 | 34-53-21 E001-05/ / | YC051-YD170 |
| D00155A | 1 | PARTAOFD00155 PLUG | | 0 | 34-53-21 */*/ | YL951-YR328 |
| D00155AT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1-PLUG-ATC-2 | 81205 | 1 | 34-53-21 E001-05/ / | YC051-YD170 |

EQUIPMENT LIST

D280A108

Section D00100

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D00155AT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1-PLUG-ATC-2 | 81205 | 1 | 34-53-21 */*/ | YL951-YR328 |
| D00155AU | 1 | 125-95-9 PLUG-ATC-2 | 91836 | 1 | 34-53-21 E001-05/ / | YC051-YD170 |
| D00155AU | 1 | 125-95-9 PLUG-ATC-2 | 91836 | 1 | 34-53-21 */*/ | YL951-YR328 |
| D00155B | 1 | PARTBOFD00155 PLUG | | 0 | 34-53-21 E001-05/ / | YC051-YD170 |
| D00155B | 1 | PARTBOFD00155 PLUG | | 0 | 34-53-21 */*/ | YL951-YR328 |
| D00155BT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1-PLUG-ATC-2 | 81205 | 1 | 34-53-21 E001-05/ / | YC051-YD170 |
| D00155BT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1-PLUG-ATC-2 | 81205 | 1 | 34-53-21 */*/ | YL951-YR328 |
| D00155BU | 1 | 125-88-9 PLUG-ATC-2 | 91836 | 1 | 34-53-21 E001-05/ / | ALL |
| D00155C | 1 | PARTCOFD00155 PLUG | | 0 | 34-53-21 E001-05/ / | YC051-YD170 |
| D00155C | 1 | PARTCOFD00155 PLUG | | 0 | 34-53-21 */*/ | YL951-YR328 |
| D00156 | 1 | CR20I RCPT-FWD VACUUM CLEANER | 411A2600 74545 | 1 | 25-29-11 293/221/R054 | ALL |
| D00156 | 2 | CR15I RCPT-FWD VACUUM CLEANER | 411A2600 74545 | 1 | 25-29-11 293/221/R054 | ALL |
| D00156 | 3 | CRO20I RCPT-FWD VACUUM CLEANER | 411A2600 74545 | 1 | 25-29-11 293/221/R054 | ALL |
| D00156 | 4 | CRO15I RCPT-FWD VACUUM CLEANER | 411A2600 74545 | 1 | 25-29-11 293/221/R054 | ALL |
| D00158 | 1 | CR20I RCPT-AFT VACUUM CLEANER | 411A2600 74545 | 1 | 25-29-11 954/221/R059 | ALL |
| D00158 | 2 | CR15I RCPT-AFT VACUUM CLEANER | 411A2600 74545 | 1 | 25-29-11 954/221/R059 | ALL |
| D00158 | 3 | CRO20I RCPT-AFT VACUUM CLEANER | 411A2600 74545 | 1 | 25-29-11 954/221/R059 | ALL |

EQUIPMENT LIST

D280A108

Section D00100

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D00158 | 4 | CRO15I RCPT-AFT VACUUM CLEANER | 411A2600 74545 | 1 | 25-29-11 954/221/R059 | ALL |
| D00160 | 1 | BACC45FT14-7S PLUG- | 81205 | 1 | 21-27-21 370/164/R027 | ALL |
| D00160 T | 1 | 450EB001C14-347 BACKSHELL- | 81205 | 1 | 21-27-21 */*/ | ALL |
| D00161 | 1 | BACC66H125F03AK01 PLUG PLATE ASSY | 81205 | 1 | 34-55-11 E001-02/ / | ALL |
| D00161A | 1 | PARTAOFD00161 PLUG | | 0 | 34-55-11 E001-02/ / | YC051-YD170 |
| D00161A | 1 | PARTAOFD00161 PLUG | | 0 | 34-55-11 */*/ | YL951-YR328 |
| D00161B | 1 | PARTBOFD00161 PLUG | | 0 | 34-55-11 E001-02/ / | YC051-YD170 |
| D00161B | 1 | PARTBOFD00161 PLUG | | 0 | 34-55-11 */*/ | YL951-YR328 |
| D00161BT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1-PLUG-DME-1 | 81205 | 1 | 34-55-11 E001-02/ / | YC051-YD170 |
| D00161BT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1-PLUG-DME-1 | 81205 | 1 | 34-55-11 */*/ | YL951-YR328 |
| D00161BU | 1 | 125-91-9 PLUG-DME-1 | 91836 | 1 | 34-55-11 E001-02/ / | YC051-YD170 |
| D00161BU | 1 | 125-91-9 PLUG-DME-1 | 91836 | 1 | 34-55-11 */*/ | YL951-YR328 |
| D00161C | 1 | PARTCOFD00161 PLUG | | 0 | 34-55-11 E001-02/ / | YC051-YD170 |
| D00161C | 1 | PARTCOFD00161 PLUG | | 0 | 34-55-11 */*/ | YL951-YR328 |
| D00162 | 1 | BACC45FT14-7S PLUG- | 81205 | 1 | 21-27-21 370/164/R027 | YC051-YD157 |
| D00162 | 1 | BACC45FT14-7S PLUG- | 81205 | 1 | 21-27-21 378/163/R027 | YD158-YR328 |
| D00162 T | 1 | BACC10JC14 CLAMP, 90 DEG | 81205 | 1 | 21-27-21 */*/ | ALL |

EQUIPMENT LIST

D280A108

Section D00100

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D00164 | 1 | BACC45FT12-12S PLUG-LOW FLOW SENSOR | 81205 | 1 | 21-27-21 200/189/R020 | YC051-YD158, YL951-YR328 |
| D00164 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 21-27-21 */*/ | YC051-YD158, YL951-YR328 |
| D00169 | 1 | BACC66H125F03AK01 PLUG PLATE ASSY | 81205 | 1 | 34-55-21 E001-05/ / | ALL |
| D00169A | 1 | PARTAOFD00169 PLUG | | 0 | 34-55-21 E001-05/ / | YC051-YD170 |
| D00169A | 1 | PARTAOFD00169 PLUG | | 0 | 34-55-21 */*/ | YL951-YR328 |
| D00169B | 1 | PARTBOFD00169 PLUG | | 0 | 34-55-21 E001-05/ / | YC051-YD170 |
| D00169B | 1 | PARTBOFD00169 PLUG | | 0 | 34-55-21 */*/ | YL951-YR328 |
| D00169BT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1-PLUG-DME-2 | 81205 | 1 | 34-55-21 E001-05/ / | YC051-YD170 |
| D00169BT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1-PLUG-DME-2 | 81205 | 1 | 34-55-21 */*/ | YL951-YR328 |
| D00169BU | 1 | 125-91-9 PLUG-DME-2 | 91836 | 1 | 34-55-21 E001-05/ / | YC051-YD170 |
| D00169BU | 1 | 125-91-9 PLUG-DME-2 | 91836 | 1 | 34-55-21 */*/ | YL951-YR328 |
| D00169C | 1 | PARTCOFD00169 PLUG | | 0 | 34-55-21 E001-05/ / | YC051-YD170 |
| D00169C | 1 | PARTCOFD00169 PLUG | | 0 | 34-55-21 */*/ | YL951-YR328 |
| D00170 | 1 | BACC63CB12-3SN PLUG- | 81205 | 1 | 21-61-22 644/158/R012 | YN231-YN501 |
| D00170 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 21-61-22 */*/ | YN231-YN501 |
| D00172 | 1 | BACC63CB12-3SN PLUG- | 81205 | 1 | 21-61-21 644/158/L012 | YN231-YN236, YN501 |
| D00172 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 21-62-21 */*/ | YN231-YN236, YN501 |

EQUIPMENT LIST

D280A108

Section D00100

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D00177 | 1 | DPXBMB-57-33S-0001 PLUG- VOICE RECORDER | 71468 | 1 | 23-71-01 E006-01/ / | ALL |
| D00179 | 1 | MS3126F20-41S PLUG-VOICE REC CONT PNL | 96906 | 1 | 23-71-01 P005-07/ / | ALL |
| D00183 | 1 | DPX2MB-57S57S-33-0301 PLUG PLATE ASSY | 71468 | 1 | 31-31-11 0923/294/000 | ALL |
| D00183A | 1 | PARTAOFD00183 PLUG-FLT RECORDER | | 0 | 31-31-11 0923/294/000 | ALL |
| D00183B | 1 | PARTBOFD00183 PLUG-FLT RECORDER | | 0 | 31-31-11 0923/295/000 | ALL |
| D00189 | 1 | BACC66H24F12AA01 PLUG | 81205 | 1 | 34-41-11 197/180/R005 | YC051-YD158, YL951-YR328 |
| D00189 T | 1 | 3602982-0501 WAVE GUIDE INSERT | 27914 | 1 | 34-41-11 */*/ | YC051-YD158, YL951-YR328 |
| D00189 T | 2 | 317-1641-000 WAVE GUIDE INSERT | 71468 | 1 | 34-41-11 */*/ | YC051-YD158, YL951-YR328 |
| D00189A | 1 | PARTAOFD00189 PLUG | | 0 | 34-41-11 197/180/R005 | YC051-YD158, YL951-YR328 |
| D00189B | 1 | PARTBOFD00189 PLUG | | 0 | 34-41-11 197/180/R005 | YC051-YD158, YL951-YR328 |
| D00189C | 1 | PARTCOFD00189 PLUG | | 0 | 34-41-11 197/180/R005 | YC051-YD158, YL951-YR328 |
| D00192 | 1 | BACC45FT12-12S PLUG- | 81205 | 1 | 38-41-11 952/186/R035 | ALL |
| D00192 T | 1 | MS27559-3 BACKSHELL- | 96906 | 1 | 38-41-11 */*/ | ALL |
| D00193 | 1 | MS3126F18-32S PLUG | 96906 | 1 | 34-41-11 P8-52/ / | YC051-YC055 |
| D00193 | 1 | MS3126F18-32S PLUG | 96906 | 1 | 34-41-11 P008-52/ / | YC056-YD158, YL951-YR328 |
| D00199 | 1 | BACC66F11C04AE01 PLUG PLATE ASSY - VHF 1 | 81205 | 1 | 23-12-11 E001-03/ / | ALL |
| D00199A | 1 | PARTAOFD00199 PLUG - VHF 1 | | 0 | 23-12-11 E001-03/ / | YC051-YD170 |

EQUIPMENT LIST

D280A108

Section D00100

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D00199A | 1 | PARTAOFD00199 PLUG - VHF 1 | | 0 | 23-12-11 */*/ | YL951-YR328 |
| D00199B | 1 | PARTBOFD00199 PLUG - VHF 1 | | 0 | 23-12-11 E001-03/ / | YC051-YD170 |
| D00199B | 1 | PARTBOFD00199 PLUG - VHF 1 | | 0 | 23-12-11 */*/ | YL951-YR328 |
| D00199C | 1 | PARTCOFD00199 PLUG - VHF 1 | | 0 | 23-12-11 E001-03/ / | YC051-YD170 |
| D00199C | 1 | PARTCOFD00199 PLUG - VHF 1 | | 0 | 23-12-11 */*/ | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D00100

Page 8 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D00201 | 1 | BACC66F11F04AE01 PLUG-VHF-2 TRANSCEIVER | 81205 | 1 | 23-12-21 E001-05/ / | ALL |
| D00201 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-12-21 E001-05/ / | YC051-YD170 |
| D00201 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-12-21 */*/ | YL951-YR328 |
| D00201A | 1 | PARTAOFD00201 PLUG-VHF-2 TRANSCEIVER | | 0 | 23-12-21 E001-05/ / | YC051-YD170 |
| D00201A | 1 | PARTAOFD00201 PLUG-VHF-2 TRANSCEIVER | | 0 | 23-12-21 */*/ | YL951-YR328 |
| D00201B | 1 | PARTBOFD00201 PLUG-VHF-2 TRANSCEIVER | | 0 | 23-12-21 E001-05/ / | YC051-YD170 |
| D00201B | 1 | PARTBOFD00201 PLUG-VHF-2 TRANSCEIVER | | 0 | 23-12-21 */*/ | YL951-YR328 |
| D00201C | 1 | PARTCOFD00201 PLUG-VHF-2 TRANSCEIVER | | 0 | 23-12-21 E001-05/ / | YC051-YD170 |
| D00201C | 1 | PARTCOFD00201 PLUG-VHF-2 TRANSCEIVER | | 0 | 23-12-21 */*/ | YL951-YR328 |
| D00203 | 1 | BACC63CB16-24SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 23-12-11 P8-2/ / | YC051-YD157 |
| D00203 | 1 | BACC63CB20-41SN PLUG- | 81205 | 1 | 23-12-11 P008-71/ / | YD158-YR328 |
| D00203 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 23-12-11 P8-2/ / | YC051-YC068 |
| D00203 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 23-12-11 */*/ | YC070-YD157 |
| D00203 T | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 23-12-11 */*/ | YD158-YR328 |
| D00209 | 1 | BACC63CB16-24SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 23-12-21 P8-3/ / | YC051-YD157 |
| D00209 | 1 | BACC63CB20-41SN PLUG- | 81205 | 1 | 23-12-21 P008-72/ / | YD158-YR328 |
| D00209 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 23-12-21 P8-3/ / | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D00200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D00209 T | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 23-12-21 P008-72/*/* | YD158-YD170 |
| D00209 T | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 23-12-21 */** | YL951-YR328 |
| D00211 | 1 | BACC45FT16-24S7 PLUG-ATC DUAL CONT | 81205 | 1 | 34-53-11 P8-29/ / | YC051-YC052 |
| D00211 | 1 | BACC45FT16-24S7 PLUG-ATC DUAL CONT | 81205 | 1 | 34-53-11 P008-29/ / | YC053-YN236, YN501-YR328 |
| D00211 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 34-53-11 P8-29/ / | YC051-YC052 |
| D00211 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 34-53-11 */** | YC053-YC057, YD158-YN236, YN501-YR328 |
| D00211 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 34-53-11 P008-29/ / | YC058-YD157 |
| D00229 | 1 | BACC63BP20C16SN PLUG-CONDUCTIVE | 81205 | 1 | 27-52-11 ORSS/446/ | YC051-YD158 |
| D00229 | 1 | BACC63BP20D16SN PLUG-CONDUCTIVE | 81205 | 1 | 27-52-11 ORSS/446/ | YD160-YN236, YN501-YR328 |
| D00229 T | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 27-52-11 */** | YC051-YD158 |
| D00229 T | 1 | BACC10KA20 CLAMP, STRAIGHT | 81205 | 1 | 27-52-11 */** | YD160-YN236, YN501-YR328 |
| D00235 | 1 | BD2P124S124S-8805 PLUG PLATE ASSEMBLY | 00779 | 1 | 34-21-15 E001-01/ / | ALL |
| D00235A | 1 | PARTAOFD00235 PLUG | | 0 | 34-21-15 E001-01/ / | YC051-YD170 |
| D00235A | 1 | PARTAOFD00235 PLUG | | 0 | 34-21-15 */** | YL951-YR328 |
| D00235B | 1 | PARTBOFD00235 PLUG | | 0 | 34-21-15 E001-01/ / | YC051-YD170 |
| D00235B | 1 | PARTBOFD00235 PLUG | | 0 | 34-21-15 */** | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D00200

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D00263 | 1 | BACC63CB22-55S8 PLUG - CONDUCTIVE | 81205 | 1 | 34-51-11 P008-25/ / | YC051-YD158, YL951-YR328 |
| D00263 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-51-11 P008-25/ / | YC051-YD158, YL951-YR328 |
| D00265 | 1 | BACC63CB22-55S8 PLUG - CONDUCTIVE | 81205 | 1 | 34-51-21 P008-26/ / | YC051-YD158, YL951-YR328 |
| D00265 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-51-21 P008-26/ / | YC051-YD158, YL951-YR328 |
| D00275 | 1 | BACC63BP20C16SN PLUG-CONDUCTIVE | 81205 | 1 | 27-52-11 ORSS/446/ | YC051-YD158 |
| D00275 | 1 | BACC63BP20D16SN PLUG-CONDUCTIVE | 81205 | 1 | 27-52-11 ORSS/446/ | YD160-YN236, YN501-YR328 |
| D00275 T | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 27-52-11 */*/ | YC051-YD158 |
| D00275 T | 1 | BACC10KA20 CLAMP, STRAIGHT | 81205 | 1 | 27-52-11 */*/ | YD160-YN236, YN501-YR328 |
| D00277 | 1 | BACC45FT14-7S PLUG - TAT PROBE | 81205 | 1 | 34-21-22 268/192/L049 | ALL |
| D00277 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 34-21-22 */*/ | ALL |
| D00281 | 1 | PT06E-8-2S PLUG-CONTROL COLUMN SHAKER-CAPT | 77820 | 1 | 27-32-12 210/218/L20 | ALL |
| D00287 | 1 | BACC63CB12-12SN RCPT-AOA SENSOR-RIGHT | 81205 | 1 | 27-32-21 193/205/R029 | ALL |
| D00287 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 27-32-21 / / | ALL |
| D00291 | 1 | BACC63BP12C12SN PLUG | 81205 | 1 | 22-23-12 1140/365/R6 | YC051-YC058 |
| D00291 | 1 | BACC63BP12C12SN PLUG | 81205 | 1 | 22-23-12 1140/365/R006 | YC059-YC063 |
| D00291 | 1 | BACC63BP12C12SN PLUG | 81205 | 1 | 22-23-12 RUD57/ / | YC064-YD158, YL951-YR328 |
| D00291 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 22-23-12 / / | YC051-YC070 |

EQUIPMENT LIST

D280A108

Section D00200

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D00291 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 22-23-12 */ */ | YD151-YD158, YL951-YR328 |
| D00299 | 1 | BACC63CB22-55SN PLUG - CONDUCTIVE | 81205 | 1 | 22-11-11 P007 / / | ALL |
| D00299 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 22-11-11 */ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D00200

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|---|
| D00301 | 1 | BACC63CB14-15SN PLUG - CONDUCTIVE | 81205 | 1 | 22-11-51 P007/ / | ALL |
| D00301 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 22-11-11 */ / | ALL |
| D00303 | 1 | BACC63CB22-55SN PLUG - CONDUCTIVE | 81205 | 1 | 34-51-11 P008-25/ / | YC051-YD158, YL951-YR328 |
| D00303 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-51-11 P008-25/ / | YC051-YD158, YL951-YR328 |
| D00305 | 1 | BACC63CB22-55SN PLUG - CONDUCTIVE | 81205 | 1 | 34-51-21 P008-26/ / | YC051-YD158, YL951-YR328 |
| D00305 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-51-21 P008-26/ / | YC051-YD158, YL951-YR328 |
| D00319 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 22-23-11 P001-03/ / | YC051-YD158, YL951-YL959, YN231-YN235 |
| D00319 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 22-23-11 */ */ | YC051-YC052, YD158 |
| D00319 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 22-23-11 P001-03/ / | YC053-YD157, YL951-YL959, YN231-YN235 |
| D00331 | 1 | BACC63CB20-41SN PLUG - CONDUCTIVE | 81205 | 1 | 31-62-13 P002-02/ / | YC051-YD158, YL951-YR328 |
| D00331 T | 1 | BACC10KF20 CLAMP, 45 DEG | 81205 | 1 | 32-42-11 */ */ | YC051-YC052, YD158 |
| D00331 T | 1 | BACC10KF20 CLAMP, 45 DEG | 81205 | 1 | 32-42-11 P002-02/ / | YC053-YD157, YL951-YR328 |
| D00333 | 1 | BACC63CB22-55SN PLUG - CONDUCTIVE | 81205 | 1 | 32-42-11 P002-02/ / | YC051-YD158, YL951-YR328 |
| D00333 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 32-42-11 */ / | YC051-YD158 |
| D00333 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 32-42-11 */ */ | YL951-YR328 |
| D00335 | 1 | 795-21-9 PLUG-VHF COMM NO. 3 ANT | 91836 | 1 | 23-12-31 471/149/L0 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section D00300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D00335 | 1 | 795-21-9 PLUG- | 91836 | 1 | 23-12-31 471/149/L000 | YC056-YR328 |
| D00337 | 1 | 1205-62-9 PLUG-HF-1 COUPLER INPUT (RF-COAX) | 91836 | 1 | 23-11-11 F057/330/L04 | YC051-YD157 |
| D00337 | 1 | 1205-62-9 PLUG | 91836 | 1 | 23-11-11 F057/330/L04 | YD158-YD170, YL956-YR328 |
| D00337 | 1 | 1205-62-9 PLUG- RF COAX | 91836 | 1 | 23-11-11 F057/330/L04 | YL951-YL955 |
| D00339 | 1 | BACC45FT14-15S PLUG | 81205 | 1 | 31-62-23 P002-02/ / | YC051-YD158, YL951-YR328 |
| D00339 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 31-62-23 */*/ | YC051-YC052, YD158 |
| D00339 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 31-62-23 P002-02/ / | YC053-YD157, YL951-YR328 |
| D00341 | 1 | MS3126E16-26S PLUG | 96906 | 1 | 23-11-11 F057/330/L004 | ALL |
| D00345 | 1 | BACC66H125C1001 PLUG-HF-1 TRANSCEIVER | 81205 | 1 | 23-11-11 E008-01/ / | YC051-YD170 |
| D00345 | 1 | BACC66H125C1001 PLUG | 81205 | 1 | 23-11-11 E006-02/ / | YL951-YR328 |
| D00345 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-11-11 E008-01/ / | YC051-YD157 |
| D00345 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-11-11 */*/ | YD158-YD170 |
| D00345A | 1 | PARTAOFD00345 PLUG- HF-1 TRANSCEIVER | | 0 | 23-11-11 E008-01/ / | YC051-YD157 |
| D00345A | 1 | PARTAOFD00345 PLUG- HF-1 TRANSCEIVER | | 0 | 23-11-11 */*/ | YD158-YD170 |
| D00345A | 1 | PARTAOFD00345 PLUG | | 0 | 23-11-11 */*/ | YL951-YR328 |
| D00345B | 1 | PARTBOFD00345 PLUG-HF-1 TRANSCEIVER | | 0 | 23-11-11 E008-01/ / | YC051-YD157 |
| D00345B | 1 | PARTBOFD00345 PLUG-HF-1 TRANSCEIVER | | 0 | 23-11-11 */*/ | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D00300

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D00345B | 1 | PARTBOFD00345 PLUG | | 0 | 23-11-11 */*/ | YL951-YR328 |
| D00345BT | 1 | BACC47EN4A CONTACT-(COAX) SIZE 1-PLUG- XCVR-1 | 81205 | 1 | 23-11-11 E008-01/ / | YC051-YD157 |
| D00345BT | 1 | BACC47EN4A CONTACT-(COAX) SIZE 1-PLUG- XCVR-1 | 81205 | 1 | 23-11-11 */*/ | YD158-YD170 |
| D00345BT | 1 | BACC47EN4A CONTACT-(COAX) | 81205 | 1 | 23-11-11 */*/ | YL951-YR328 |
| D00345BU | 1 | 125-95-9 PLUG-HF-1 TRANSCEIVER | 91836 | 1 | 23-11-11 E008-01/ / | YC051-YD157 |
| D00345BU | 1 | 125-95-9 PLUG-HF-1 TRANSCEIVER | 91836 | 1 | 23-11-11 */*/ | YD158-YD170 |
| D00345BU | 1 | 125-95-9 PLUG | 91836 | 1 | 23-11-11 */*/ | YL951-YR328 |
| D00345C | 1 | PARTCOFD00345 PLUG-HF-1 TRANSCEIVER | | 0 | 23-11-11 E008-01/ / | YC051-YD157 |
| D00345C | 1 | PARTCOFD00345 PLUG-HF-1 TRANSCEIVER | | 0 | 23-11-11 */*/ | YD158-YD170 |
| D00345C | 1 | PARTCOFD00345 PLUG | | 0 | 23-11-11 */*/ | YL951-YR328 |
| D00365 | 1 | BACC63CB12-12SN RCPT-AOA SENSOR-LEFT | 81205 | 1 | 27-32-11 193/204/L029 | ALL |
| D00365 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 27-32-11 / / | ALL |
| D00367 | 1 | PT06E-8-2S PLUG-CONTROL COLUMN SHAKER-F/O | 77820 | 1 | 27-32-22 210/218/R20 | ALL |
| D00381 | 1 | BACC63CB18-14S8 PLUG | 81205 | 1 | 22-13-11 1072/ / | YC051-YC052 |
| D00381 | 1 | BACC63CB18-14S8 PLUG | 81205 | 1 | 22-13-11 1075/234/R003 | YC053-YD155 |
| D00381 | 1 | BACC63CB18-14S8 PLUG | 81205 | 1 | 22-13-11 1074/235/R004 | YD157-YR328 |
| D00381 T | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 22-13-11 / / | YC051-YC052 |

EQUIPMENT LIST

D280A108

Section D00300

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-------------|
| D00381 T | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 22-13-11 */*/ | YC053-YR328 |
| D00383 | 1 | BACC45FN10-5S RCPT | 81205 | 1 | 22-11-11 238/203/L014 | ALL |
| D00385 | 1 | BACC45FN10-5S RCPT | 81205 | 1 | 22-11-11 227/202/R27 | YC051-YC064 |
| D00385 | 1 | BACC45FN10-5S RCPT | 81205 | 1 | 22-11-11 227/202/R027 | YC065-YR328 |
| D00392 | 1 | BACC63BN10-20SN PLUG- | 81205 | 1 | 21-51-11 577/157/L011 | ALL |
| D00392 T | 1 | MS27559-2 BACKSHELL-90 DEGREE | 96906 | 1 | 21-51-11 */*/ | ALL |
| D00394 | 1 | BACC63BN10-20SN PLUG- | 81205 | 1 | 21-51-21 577/157/R013 | ALL |
| D00394 T | 1 | MS27559-2 BACKSHELL-90 DEGREE | 96906 | 1 | 21-51-21 */*/ | ALL |
| D00397 | 1 | BACC45FN10-5S RCPT | 81205 | 1 | 22-11-11 206/195/L25 | YC051-YC064 |
| D00397 | 1 | BACC45FN10-5S RCPT | 81205 | 1 | 22-11-11 206/195/L025 | YC065-YR328 |
| D00398 | 1 | BACC63CB14-7SN PLUG- | 81205 | 1 | 36-111 546/166/L001 | ALL |
| D00398 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 36-11-11 */*/ | ALL |

EQUIPMENT LIST

D280A108

Section D00300

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D00417 | 1 | BACC45FT14-15S6 PLUG | 81205 | 1 | 22-13-11 AF0222A/ / | ALL |
| D00417 T | 1 | BACC10JC14 CLAMP, 90 DEG | 81205 | 1 | 22-13-11 / / | YC051-YC064 |
| D00417 T | 1 | BACC10JC14 CLAMP, 90 DEG | 81205 | 1 | 22-13-11 */*/ | YC065-YR328 |
| D00419 | 1 | BACC63CB14-15S9 PLUG-CONDUCTIVE | 81205 | 1 | 23-11-11 P8-11/ / | YC051-YD157 |
| D00419 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 23-11-11 P8-11/ / | YC051-YD157 |
| D00423 | 1 | BACC63CB20-41SN PLUG - CONDUCTIVE | 81205 | 1 | 31-62-13 P001-03/ / | YC051-YD158, YL951-YR328 |
| D00423 T | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-62-13 */*/ | YC051-YC052, YD158 |
| D00423 T | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-62-13 P001-03/ / | YC053-YD157, YL951-YR328 |
| D00432 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 35-11-11 P005-14/ / | YC051-YD158, YL951-YR328 |
| D00438 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 35-11-11 391/167/R007 | ALL |
| D00438 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 1 | 35-11-11 */*/ | ALL |
| D00440 | 1 | BACC45FT12-12S PLUG- | 81205 | 1 | 35-31-11 P005-00/ / | YC051-YD158, YL951-YR328 |
| D00446 | 1 | BACC45FT14-4S PLUG- | 81205 | 1 | 49-71-21 P005-04/ / | ALL |
| D00454 | 1 | DPAMA-32-33S PLUG-PLATE ASSY | 71468 | 1 | 21-61-21 E004-01/ / | YN231-YN501 |
| D00456 | 1 | DPAMA-32-33S PLUG-PLATE ASSY | 71468 | 1 | 21-61-22 E004-01/ / | YN231-YN501 |
| D00458 | 1 | DPX2MB-67S67S-33B-0005 PLUG-PLATE ASSY | 71468 | 1 | 21-51-11 E004-01/ / | YC051-YL999, YR301-YR328 |
| D00458 | 1 | DPX2MB-57S57S-33B-0005 PLUG-PLATE ASSY | 71468 | 1 | 21-25-11 E004-01/ / | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D00400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D00458A | 1 | PARTAD00458 PLUG-AIR COND RELAY NO 1 | | 0 | 21-51-11 E004-01/ / | YC051-YC065 |
| D00458A | 1 | PARTAD00458 PLUG-AIR COND RELAY NO 1 | | 0 | 21-51-11 */*/ | YC067-YL999, YR301-YR328 |
| D00458A | 1 | PARTAD00458 PLUG-AIR COND RELAY MDL | | 0 | 21-25-11 */*/ | YN231-YN501 |
| D00458B | 1 | PARTBOF0458 PLUG-AIR COND RELAY NO 1 | | 0 | 21-51-11 E004-01/ / | YC051-YC065 |
| D00458B | 1 | PARTBOF0458 PLUG-AIR COND RELAY NO 1 | | 0 | 21-51-11 */*/ | YC067-YL999, YR301-YR328 |
| D00458B | 1 | PARTBOF0458 PLUG-AIR COND RELAY MDL | | 0 | 21-25-11 */*/ | YN231-YN501 |
| D00462 | 1 | BACC45FT18-31S7 PLUG- | 81205 | 1 | 30-21-11 P005-00/ / | YC053-YR328 |
| D00476 | 1 | BACC63BP12C12SN PLUG-RETRACTABLE LANDING LT,R | 81205 | 1 | 33-42-11 500A+10/150/R032 | YC051-YD152 |
| D00476 | 1 | BACC63BP12C12SN PLUG-RETRACTABLE LANDING LT,R | 81205 | 1 | 33-42-11 533/154/R034 | YD153-YL968, YR301-YR305 |
| D00476 | 1 | BACC63BP12C12SN PLUG-RETRACTABLE LANDING LT,R | 81205 | 1 | 33-42-11 533/154/R033 | YN231-YN236, YN501 |
| D00476 | 1 | BACC63BP12H12SN PLUG-RETRACTABLE LANDING LT,R | 81205 | 1 | 33-42-11 533/154/R034 | YR306-YR323, YR325-YR328 |
| D00476 T | 1 | BACC10KF12 CLAMP, 45 DEG | 81205 | 1 | 33-42-11 */*/ | YC051-YL968, YN231-YN236, YN501-YR305 |
| D00476 T | 1 | BACC10NC12 CLAMP, 45 DEG | 81205 | 1 | 33-42-11 */*/ | YR306-YR323, YR325-YR328 |
| D00482 | 1 | BACC45FT12-12S6 PLUG- | 81205 | 1 | 52-71-12 P005-20/ / | YC051-YD158, YL951-YR328 |
| D00483 | 1 | BACC45FT20-41S PLUG- | 81205 | 1 | 21-27-21 P005-19/ / | YC051-YD158, YL951-YR328 |
| D00486 | 1 | BACC63BN12-3SN PLUG- | 81205 | 1 | 21-51-11 582/163/L014 | ALL |

EQUIPMENT LIST

D280A108

Section D00400

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D00486 T | 1 | MS27559-3 BACKSHELL-90 DEGREE | 96906 | 1 | 21-51-11 */*/ | ALL |
| D00488 | 1 | BACC63BN10-5S8 PLUG- | 81205 | 1 | 21-51-11 581/159/L009 | YC051-YL999, YR301-YR328 |
| D00488 | 1 | BACC63BN10-5S6 PLUG- | 81205 | 1 | 21-51-11 581/159/L009 | YN231-YN501 |
| D00488 T | 1 | MS27291-1 BACKSHELL-STRAIGHT | 96906 | 1 | 21-51-11 */*/ | ALL |
| D00490 | 1 | BACC63BN12-3SN PLUG- | 81205 | 1 | 21-51-21 582/163/R010 | ALL |
| D00490 T | 1 | MS27559-3 BACKSHELL-90 DEGREE | 96906 | 1 | 21-51-21 */*/ | ALL |
| D00492 | 1 | BACC63BN10-5S8 PLUG- | 81205 | 1 | 21-51-21 581/159/R015 | YC051-YL999, YR301-YR328 |
| D00492 | 1 | BACC63BN10-5S6 PLUG- | 81205 | 1 | 21-51-21 581/159/R015 | YN231-YN501 |
| D00492 T | 1 | MS27291-1 BACKSHELL-STRAIGHT | 96906 | 1 | 21-51-21 */*/ | ALL |

EQUIPMENT LIST

D280A108

Section D00400
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D00512 | 1 | BACC45FT10-5S PLUG | 81205 | 1 | 21-61-21 372/195/L055 | YN231-YN501 |
| D00512 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 1 | 21-61-21 */*/ | YN231-YN501 |
| D00514 | 1 | BACC45FT12-3S PLUG | 81205 | 1 | 21-61-21 371/192/L058 | YN231-YN501 |
| D00514 T | 1 | BACC10JC12 CLAMP, 90 DEG | 81205 | 1 | 21-61-21 */*/ | YN231-YN501 |
| D00518 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 21-61-22 534/299/R010 | YN231-YN501 |
| D00518 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 1 | 21-61-22 */*/ | YN231-YN501 |
| D00519 | 1 | BACC45FT16-24S8 PLUG-ATC 2 DUAL CONTROL | 81205 | 1 | 34-53-21 P008-29/ / | YC051-YN236, YN501-YR328 |
| D00519 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 34-53-21 P8-29/ / | YC051-YD170 |
| D00519 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 34-53-21 */*/ | YL951-YN236, YN501-YR328 |
| D00520 | 1 | BACC45FT12-3S PLUG- | 81205 | 1 | 21-61-22 535/299/R010 | YN231-YN501 |
| D00520 T | 1 | BACC10JC12 CLAMP, 90 DEG | 81205 | 1 | 21-61-22 */*/ | YN231-YN501 |
| D00522 | 1 | BACC63CB14-7SN PLUG- | 81205 | 1 | 21-61-22 653/148/R013 | YN231-YN501 |
| D00522 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 21-61-22 */*/ | YN231-YN501 |
| D00524 | 1 | BACC63CB14-7SN PLUG- | 81205 | 1 | 21-61-21 653/148/L013 | YN231-YN236, YN501 |
| D00524 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 21-61-21 */*/ | YN231-YN236, YN501 |
| D00526 | 1 | BACC63BP10D20SN PLUG | 81205 | 1 | 36-11-11 NSTA 231/143/R1 | YC056-YL959, YN231-YN235 |
| D00526 | 1 | BACC63BP10D5S8 PLUG | 81205 | 1 | 36-11-11 NSTA 231/143/R1 | YL963-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section D00500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D00526 T | 1 | 440AS069ZM1003-5-16B BACKSHELL | 06324 | 1 | 36-11-11 / / | YC056-YR328 |
| D00526 T | 2 | 440AS069ZM1004-4 BACKSHELL | 06324 | 1 | 36-11-11 / / | YC056-YR328 |
| D00526 U | 1 | 202K121-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 36-11-11 / / | YC056-YR328 |
| D00526 U | 2 | 202K121-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 36-11-11 / / | YC056-YR328 |
| D00526 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 36-11-11 / / | YC056-YR328 |
| D00528 | 1 | BACC63BP10D20SN PLUG | 81205 | 1 | 36-11-11 NSTA 231/143/R1 | YC056-YL959, YN231-YN235 |
| D00528 | 1 | BACC63BP10D5S8 PLUG | 81205 | 1 | 36-11-11 NSTA 231/143/R1 | YL963-YL999, YN236-YR328 |
| D00528 T | 1 | 440AS069ZM1003-5-16B BACKSHELL | 06324 | 1 | 36-11-11 / / | YC056-YR328 |
| D00528 T | 2 | 440AS069ZM1004-4 BACKSHELL | 06324 | 1 | 36-11-11 / / | YC056-YR328 |
| D00528 U | 1 | 202K121-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 36-11-11 / / | YC056-YR328 |
| D00528 U | 2 | 202K121-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 36-11-11 / / | YC056-YR328 |
| D00528 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 36-11-11 / / | YC056-YR328 |
| D00530 | 1 | BACC63CB10-5S6 PLUG- | 81205 | 1 | 21-51-15 586/161/L034 | YN231-YN236, YN501 |
| D00530 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 21-51-15 */*/ | YN231-YN236, YN501 |
| D00532 | 1 | BACC63CB10-5S6 PLUG- | 81205 | 1 | 21-51-15 581/152/L029 | YC051-YL999, YR301-YR328 |
| D00532 | 1 | BACC63CB10-5S6 PLUG- | 81205 | 1 | 21-51-15 580/152/L028 | YN231-YN236, YN501 |
| D00532 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 21-51-15 */*/ | YC051-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D00500

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D00534 | 1 | BACC45FT10-5S8 PLUG- | 81205 | 1 | 21-51-15 370/196/L056 | YN231-YN501 |
| D00534 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 1 | 21-51-15 */*/ | YN231-YN501 |
| D00536 | 1 | BACC63CB10-5S6 PLUG- | 81205 | 1 | 21-51-25 586/161/R034 | YN231-YN501 |
| D00536 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 21-51-25 */*/ | YN231-YN501 |
| D00538 | 1 | BACC63CB10-5S6 PLUG- | 81205 | 1 | 21-51-25 577/154/R034 | YC051-YL999, YR301-YR328 |
| D00538 | 1 | BACC63CB10-5S6 PLUG- | 81205 | 1 | 21-51-25 578/154/R033 | YN231-YN501 |
| D00538 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 21-51-25 */*/ | ALL |
| D00539 | 1 | BACC66F11F04AE01 PLUG PLATE ASSY | 81205 | 1 | 23-12-31 E003-03/ / | ALL |
| D00539 T | | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-12-31 E003-03/ / | YC051-YD157 |
| D00539 T | | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-12-31 */*/ | YD158-YR328 |
| D00539A | 1 | PARTAOFD00539 PLUG - VHF 3 | | 0 | 23-12-31 E003-03/ / | YC051-YD157 |
| D00539A | 1 | PARTAOFD00539 PLUG - VHF 3 | | 0 | 23-12-31 */*/ | YD158-YR328 |
| D00539B | 1 | PARTBOFD00539 PLUG - VHF 3 | | 0 | 23-12-31 E003-03/ / | YC051-YD157 |
| D00539B | 1 | PARTBOFD00539 PLUG - VHF 3 | | 0 | 23-12-31 */*/ | YD158-YR328 |
| D00539C | 1 | PARTCOFD00539 PLUG - VHF 3 | | 0 | 23-12-31 E003-03/ / | YC051-YD157 |
| D00539C | 1 | PARTCOFD00539 PLUG - VHF 3 | | 0 | 23-12-31 */*/ | YD158-YR328 |
| D00540 | 1 | BACC63CB10-5S8 PLUG- | 81205 | 1 | 21-51-25 531/299/R012 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D00500

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D00540 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 21-51-25 */*/ | YN231-YN501 |
| D00545 | 1 | BACC63BP18C31SN PLUG | 81205 | 1 | 22-18-11 1164/277/R002 | YC051-YC052 |
| D00545 | 1 | BACC63BP18C31SN PLUG | 81205 | 1 | 22-18-11 1156/277/R002 | YC053-YC064 |
| D00545 | 1 | BACC63BP18C31SN PLUG | 81205 | 1 | 22-18-11 1165/277/R002 | YC065-YR328 |
| D00545 T | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 22-18-11 / / | YC051-YC052 |
| D00545 T | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 22-18-11 */*/ | YC053-YR328 |
| D00549 | 1 | BACC63CB20-41SN PLUG- | 81205 | 1 | 23-12-31 P008-73/ / | YD158-YR328 |
| D00549 T | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 23-12-31 */*/ | YD158-YR328 |
| D00551 | 1 | MS3475W14-19S PLUG-SELCAL CONTROL PANEL | 96906 | 1 | 23-22-11 P008-66/ / | YD158-YR328 |
| D00551 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 23-22-11 P008-66/ / | YD158-YR328 |
| D00553 | 1 | BACC45FT22-55S6 PLUG - INSTRUMENT SWITCHING MODULE | 81205 | 1 | 34-51-41 P005-28/ / | ALL |
| D00553 T | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 34-51-41 */*/ | ALL |
| D00570 | 1 | BACC63CD24-22S RCPT- | 81205 | 1 | 25-31-11 AB0288/ / | ALL |
| D00576 | 1 | BACC45FT18-31S8 PLUG | 81205 | 1 | 26-21-11 P008-01/ / | YC051-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D00576 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 */*/ | YC051-YC055, YL951-YL968, YN231-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D00500

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D00576 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 TBD / / | YC056-YD158 |
| D00578 | 1 | BACC45FT18-31S9 PLUG | 81205 | 1 | 26-21-11 P008-01/*/* | YC051-YC052 |
| D00578 | 1 | BACC45FT18-31S9 PLUG | 81205 | 1 | 26-21-11 P008-01/ / | YC053-YR328 |
| D00578 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 */*/* | ALL |
| D00580 | 1 | BACC45FT18-31S7 PLUG | 81205 | 1 | 26-21-11 P008-01/ / | ALL |
| D00580 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 */*/* | ALL |
| D00582 | 1 | BACC63BP14D7SN CONNECTOR-L.BOTTLE M00194 | 81205 | 1 | 26-21-11 708/192/L057 | YC051-YD158, YL951-YR328 |
| D00582 T | 1 | BACC10KB14 CLAMP, 90 DEG | 81205 | 1 | 26-21-11 */*/* | YC051-YD158, YL951-YR328 |
| D00584 | 1 | BACC63BP14D7SN CONNECTOR-R.BOTTLE M00195 | 81205 | 1 | 26-21-11 718/191/L055 | YC051-YD158, YL951-YR328 |
| D00584 T | 1 | BACC10KB14 CLAMP, 90 DEG | 81205 | 1 | 21-62-11 */*/* | YC051-YD158, YL951-YR328 |
| D00586 | 1 | BACC63BP12D3S6 CONNECTOR-L.BOTTLE M00194 | 81205 | 1 | 26-21-11 709/194/L054 | YC051-YD158, YL951-YR328 |
| D00586 T | 1 | BACC10KB12 CLAMP, 90 DEG | 81205 | 1 | 26-21-11 */*/* | YC051-YD158, YL951-YR328 |
| D00588 | 1 | BACC63BP12D3S6 CONNECTOR-R.BOTTLE M00195 | 81205 | 1 | 26-21-11 718/194/L054 | YC051-YD158, YL951-YR328 |
| D00588 T | 1 | BACC10KB12 CLAMP, 90 DEG | 81205 | 1 | 26-21-11 */*/* | YC051-YD158, YL951-YR328 |
| D00594 | 1 | BACC63BP14D7S7 PLUG-SQUIB APU BTL | 81205 | 1 | 26-21-11 1081/227/L024 | ALL |
| D00594 T | 1 | BACC10KA14 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 / / | YC051-YC052 |
| D00594 T | 1 | BACC10KA14 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 1081/227/L024 | YC053-YD157 |

EQUIPMENT LIST

D280A108

Section D00500

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D00594 T | 1 | BACC10KA14 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 */*/ | YD158-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D00500
Page 6 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D00616 | 1 | BACC45FT14-7S PLUG- | 81205 | 1 | 28-42-11 P005-02/ / | ALL |
| D00618 | 1 | BACC45FT12-12S6 PLUG- | 81205 | 1 | 21-61-11 P005-17/ / | YN231-YN501 |
| D00620 | 1 | BACC45FT12-12S6 PLUG- | 81205 | 1 | 21-51-11 P005-17/ / | YN231-YN501 |
| D00623 | 1 | BACC66H125C1001 PLUG- HF-2 TRANSCEIVER | 81205 | 1 | 23-11-21 E008-01/ / | YD158-YD170 |
| D00623 | 1 | BACC66H125C1001 PLUG | 81205 | 1 | 23-11-21 E006-02/ / | YL951-YR328 |
| D00623 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-11-21 */ */ * | YD158-YR328 |
| D00623A | 1 | PARTAOFD00623 PLUG- HF-2 TRANSCEIVER | | 1 | 23-11-21 */ */ * | YD158-YD170 |
| D00623A | 1 | PARTAOFD00623 PLUG | | 1 | 23-11-21 */ */ * | YL951-YR328 |
| D00623B | 1 | PARTBOFD00623 PLUG- HF-2 TRANSCEIVER | | 1 | 23-11-21 */ */ * | YD158-YD170 |
| D00623B | 1 | PARTBOFD00623 PLUG | | 1 | 23-11-21 */ */ * | YL951-YR328 |
| D00623BT | 1 | BACC47EN4A CONTACT-(COAX) SIZE 1-PLUG-XCVR-1 | 81205 | 1 | 23-11-21 */ */ * | YD158-YD170 |
| D00623BT | 1 | BACC47EN4A CONTACT - (COAX) | 81205 | 1 | 23-11-21 */ */ * | YL951-YR328 |
| D00623BU | 1 | 125-95-9 PLUG HF-2 TRANSCEIVER | 91836 | 1 | 23-11-21 */ */ * | YD158-YD170 |
| D00623BU | 1 | 125-95-9 PLUG | 91836 | 1 | 23-11-21 */ */ * | YL951-YR328 |
| D00623C | 1 | PARTCOFD00623 PLUG- HF-2 TRANSCEIVER | | 1 | 23-11-21 */ */ * | YD158-YD170 |
| D00623C | 1 | PARTCOFD00623 PLUG | | 1 | 23-11-21 */ */ * | YL951-YR328 |
| D00624 | 1 | BACC45FT22-55S6 PLUG- | 81205 | 1 | 27-23-14 P005-00/ / | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D00600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D00625 | 1 | 1205-62-9 PLUG-HF-2 COUPLER INPUT (RF-COAX) | 91836 | 1 | 23-11-21 F057/330/L04 | YD158-YD170, YL956-YR328 |
| D00625 | 1 | 1205-62-9 PLUG | 91836 | 1 | 23-11-21 F057/330/L04 | YL951-YL955 |
| D00626 | 1 | BACC45FT20-41S PLUG- | 81205 | 1 | 28-43-11 P005-02/ / | YC051-YD158, YL951-YR328 |
| D00628 | 1 | BACC45FT20-41S6 PLUG- | 81205 | 1 | 28-21-11 P005-02/ / | ALL |
| D00629 | 1 | MS3126E16-26S PLUG | 09922 | 1 | 23-11-21 F057/350/R002 | YD158-YD170, YL956-YR328 |
| D00629 | 1 | MS3126E16-26S PLUG- | 09922 | 1 | 23-11-21 F057/350/R002 | YL951-YL955 |
| D00630 | 1 | BACC45FT22-55S PLUG- | 81205 | 1 | 27-23-14 P005-00/ / | ALL |
| D00634 | 1 | BACC45FT18-31S8 PLUG- | 81205 | 1 | 24-22-21 P005-04/ / | ALL |
| D00636 | 1 | BACC45FT18-31S9 PLUG- | 81205 | 1 | 24-11-21 P005-05/ / | ALL |
| D00638 | 1 | BACC45FT24-61S PLUG- | 81205 | 1 | 30-31-12 P005-09/ / | YC053-YR328 |
| D00642 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 29-11-11 P005-00/ / | ALL |
| D00644 | 1 | BACC45FT24-61S6 PLUG- | 81205 | 1 | 30-41-12 P005-09/ / | ALL |
| D00646 | 1 | BACC45FT22-55S7 PLUG- | 81205 | 1 | 21-31-11 P005-10/ / | YC051-YR323, YR325-YR328 |
| D00648 | 1 | BACC45FT18-31S8 PLUG- | 81205 | 1 | 30-21-11 P005-11/ / | ALL |
| D00650 | 1 | BACC45FT22-55S9 PLUG- | 81205 | 1 | 27-81-11 P005-12/ / | ALL |
| D00652 | 1 | BACC45FT22-55S8 PLUG- | 81205 | 1 | 24-28-11 P005-13/ / | YC051-YD158, YL951-YR328 |
| D00654 | 1 | BACC45FT12-12S PLUG- | 81205 | 1 | 21-33-11 P005-16/ / | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D00600

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------------|-----------------------|-----|------------------------------|---|
| D00656 | 1 | BACC45FT16-24S6 PLUG- | 81205 | 1 | 21-51-21 P005-17/ / | YN231-YN501 |
| D00660 | 1 | BACC63BP12D3S8L PLUG-CONDUCTIVE | 81205 | 1 | 29-32-11 669/181/R021 | YC051-YD158, YL951-YL968, YN231-YR328 |
| D00660 T | 1 | BACC10KA12 CLAMP, STRAIGHT | 81205 | 1 | 29-32-11 */ */ | YC051-YD152 |
| D00660 T | 1 | BACC10KB12 CLAMP, 90 DEG | 81205 | 1 | 29-32-11 */ */ | YD153-YD158, YL951-YL968, YN231-YR328 |
| D00662 | 1 | BACC63BP12D3S8L PLUG-CONDUCTIVE | 81205 | 1 | 29-32-11 668/171/L048 | YC051-YR323, YR325-YR328 |
| D00662 T | 1 | BACC10KB12 CLAMP, 90 DEG | 81205 | 1 | 29-32-11 */ */ | YC051-YR323, YR325-YR328 |
| D00674 | 1 | BACC63BN10-5S6 PLUG- CONDUCTIVE | 81205 | 1 | 29-31-11 678/195/R008 | YC051-YN236, YN501-YR328 |
| D00674 T | 1 | MS27291-1 BACKSHELL- | 96906 | 1 | 29-31-11 TBD/ / | YC051-YD152 |
| D00674 T | 1 | MS27559-2 BACKSHELL-90 DEGREE | 96906 | 1 | 29-31-11 */ */ | YD153-YN236, YN501-YR328 |
| D00678 | 1 | BACC63CB10-20SN PLUG-CONDUCTIVE | 81205 | 1 | 29-31-11 718/171/L000 | YC051-YD158 |
| D00678 | 1 | BACC63CB10A20SN PLUG-CONDUCTIVE | 81205 | 1 | 29-31-11 718/171/L000 | YD160-YN236, YN501-YR328 |
| D00678 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 29-31-11 */ */ | YC051-YD158 |
| D00678 T | 1 | M85049-51S10A BACKSHELL-CONDUCTIVE | 81205 | 1 | 29-31-11 */ */ | YD160-YN236, YN501-YR328 |
| D00680 | 1 | BACC45FT22-55S6 PLUG- | 81205 | 1 | 21-31-11 P005-10/ / | ALL |
| D00686 | 1 | BACC45FT18-14S7 PLUG | 81205 | 1 | 27-52-11 P002-02/ / | YC051-YD158, YL951-YR328 |
| D00686 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 27-52-11 */ */ | YC051-YC052, YD158 |

EQUIPMENT LIST

D280A108

Section D00600

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D00686 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 27-52-11 P002-02/ / | YC053-YD157, YL951-YR328 |
| D00698 | 1 | BACC45FT12-12S PLUG-STAB TRIM C/0SW | 81205 | 1 | 27-41-11 AF0222A/ / | YC051-YD158, YL951-YR328 |
| D00698 T | 1 | BACC10JC12 CLAMP, 90 DEG | 81205 | 1 | 27-41-11 */*/ | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D00600
Page 4 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D00700 | 1 | BACC63BP16C10SN PLUG-STAB TRIM ACT | 81205 | 1 | 27-41-12 J011-00/ / | YC051-YC052 |
| D00700 | 1 | BACC63BP16C10SN PLUG-STAB TRIM ACT | 81205 | 1 | 27-41-12 1072/235/R003 | YC053-YN236, YN501-YR328 |
| D00700 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-41-11 / / | YC051-YN236, YN501-YR328 |
| D00702 | 1 | BACC63CB14-7SN PLUG- | 81205 | 1 | 21-51-16 571/163/L024 | YN231-YN236, YN501 |
| D00702 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 21-51-16 */*/ | YN231-YN236, YN501 |
| D00704 | 1 | BACC63CB14-7SN PLUG- | 81205 | 1 | 21-51-26 570/163/R024 | YN231-YN501 |
| D00704 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 21-51-26 */*/ | YN231-YN501 |
| D00706 | 1 | BACC63CB14-7SN PLUG- | 81205 | 1 | 21-51-16 562/154/L039 | YN231-YN236, YN501 |
| D00706 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 21-51-16 */*/ | YN231-YN236, YN501 |
| D00708 | 1 | BACC63CB14-7SN PLUG- | 81205 | 1 | 21-51-26 562/154/R039 | YN231-YN501 |
| D00708 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 21-51-26 */*/ | YN231-YN501 |
| D00710 | 1 | BACC63CB10-20SN PLUG- | 81205 | 1 | 21-51-16 553/152/L016 | YN231-YN236, YN501 |
| D00710 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 21-51-16 */*/ | YN231-YN236, YN501 |
| D00712 | 1 | BACC63CB10-20SN PLUG- | 81205 | 1 | 21-51-26 553/151/R025 | YN231-YN501 |
| D00712 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 21-51-26 */*/ | YN231-YN501 |
| D00714 | 1 | BACC45FT16-24S PLUG | 81205 | 1 | 31-22-11 P001-01/ / | YC051-YC052 |
| D00714 | 1 | BACC63CB16-24SN PLUG - CONDUCTIVE | 81205 | 1 | 31-22-11 P001-01/ / | YC053-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D00700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D00714 T | 1 | BACC10JC16 CLAMP, 90 DEG | 81205 | 1 | 31-22-11 */ */ | YC051-YC052 |
| D00714 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 31-22-11 */ / | YC053-YD157, YL951-YR328 |
| D00714 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 31-22-11 */ */ | YD158 |
| D00716 | 1 | BACC45FT16-24S PLUG | 81205 | 1 | 31-22-11 P003-03/ / | YC051-YC052 |
| D00716 | 1 | BACC63CB16-24SN PLUG - CONDUCTIVE | 81205 | 1 | 31-22-11 P003-03/ / | YC053-YD158, YL951-YR328 |
| D00716 T | 1 | BACC10JC16 CLAMP, 90 DEG | 81205 | 1 | 31-22-11 */ / | YC051-YC052 |
| D00716 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 31-22-11 */ / | YC053-YD158 |
| D00716 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 31-22-11 */ */ | YL951-YR328 |
| D00722 | 1 | BACC45FT16-24S9 PLUG- | 81205 | 1 | 24-11-11 P005-04/ / | YC053-YR328 |
| D00728 | 1 | BACC66H21C94AA01 PLUG PLATE ASSEMBLY | 81205 | 1 | 27-81-41 E001-01/ / | ALL |
| D00728 T | 1 | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 22-11-11 E001-01/ / | YC051-YD170 |
| D00728 T | 1 | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 22-11-11 */ */ | YL951-YR328 |
| D00728A | 1 | PARTAOFD00728 PLUG | | 0 | 27-81-11 E001-01/ / | YC051-YD170 |
| D00728A | 1 | PARTAOFD00728 PLUG | | 0 | 27-81-11 */ */ | YL951-YR328 |
| D00728B | 1 | PARTBOFD00728 PLUG | | 0 | 27-81-11 E001-01/ / | YC051-YD170 |
| D00728B | 1 | PARTBOFD00728 PLUG | | 0 | 27-81-11 */ */ | YL951-YR328 |
| D00728C | 1 | PARTCOFD00728 PLUG | | 0 | 27-81-41 E001-01/ / | YC051-YD170 |

EQUIPMENT LIST

D280A108

Section D00700

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D00728C | 1 | PARTCOFD00728 PLUG | | 0 | 27-81-41 */*/ | YL951-YR328 |
| D00730 | 1 | BACC45FT16-24S7 PLUG- | 81205 | 1 | 24-11-11 P005-04/ / | ALL |
| D00732 | 1 | BACC63CB14-7SN PLUG | 81205 | 1 | 30-11-11 OFSS-258/ / | YC051-YD158, YL951-YR328 |
| D00732 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 30-11-11 OFSS-259/ / | YC051-YD158, YL951-YR328 |
| D00734 | 1 | BACC63CB14-7SN PLUG | 81205 | 1 | 30-11-11 OFSS 258/ / | YC051-YD158, YN231-YN501 |
| D00734 | 1 | BACC63CB14-7SN PLUG | 81205 | 1 | 30-11-11 OFSS 258/ / | YL951-YL999, YR301-YR328 |
| D00734 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 30-11-11 */*/ | YC051-YD158, YL951-YR328 |
| D00736 | 1 | BACC63CB10-20S6 PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 30-11-11 OFSS 266/ / | ALL |
| D00736 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 30-11-11 OFSS 266/ / | YC051-YD158 |
| D00736 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 30-11-11 OFSS 266/ / | YD160-YR328 |
| D00738 | 1 | BACC63CB10-20S6 PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 30-11-11 OFSS-266/ / | ALL |
| D00738 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 30-11-11 */*/ | YC051-YD158 |
| D00738 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 30-11-11 */*/ | YD160-YR328 |
| D00742 | 1 | DPXBMB-57-33S-0031 PLUG | 71468 | 1 | 26-12-11 E001-04/ / | ALL |
| D00756 | 1 | BACC63BP10C5SN PLUG-DP SENSE SW | 81205 | 1 | 27-31-37 1083/268/R13 | YC051-YC052 |
| D00756 | 1 | BACC63BP10C5SN PLUG-DP SENSE SW | 81205 | 1 | 27-31-37 1083/268/R013 | YC053-YR328 |
| D00756 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 27-31-37 / / | YC051-YC052 |

EQUIPMENT LIST

D280A108

Section D00700

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D00756 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 27-31-37 */*/ | YC053-YR328 |
| D00758 | 1 | BACC63CB14-7SN PLUG-CONDUCTIVE | 81205 | 1 | 27-61-11 666/179/R051 | YC051-YD158 |
| D00758 | 1 | BACC63CB14A7SN PLUG-CONDUCTIVE | 81205 | 1 | 27-61-11 666/179/R051 | YL951-YR323, YR325-YR328 |
| D00758 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-61-11 TBD/ / | YC051-YD152 |
| D00758 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-61-11 */*/ | YD153-YD158 |
| D00758 T | 1 | M85049-51S14A BACKSHELL-CONDUCTIVE | 81205 | 1 | 27-61-11 */*/ | YL951-YR323, YR325-YR328 |
| D00760 | 1 | BACC63CB14-7SN PLUG-CONDUCTIVE | 81205 | 1 | 27-61-11 666/178/L056 | YC051-YD158 |
| D00760 | 1 | BACC63CB14A7SN PLUG-CONDUCTIVE | 81205 | 1 | 27-61-11 666/178/L056 | YD160-YR323, YR325-YR328 |
| D00760 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-61-11 TBD/ / | YC051-YC055 |
| D00760 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-61-11 666/ / | YC056-YD152 |
| D00760 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-61-11 */*/ | YD153-YD158 |
| D00760 T | 1 | M85049-51S14A BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-61-11 */*/ | YD160-YR323, YR325-YR328 |
| D00762 | | MS3459LS14S-5S PLUG-CONDUCTIVE | 96906 | 1 | 29-11-11 673/190/L065 | YC056-YD152 |
| D00762 | 1 | MS3459LS14S-5S PLUG-CONDUCTIVE | 96906 | 1 | 29-11-11 673/190/L065 | YC051-YC055, YD153-YD158, YL951-YR323, YR325-YR328 |
| D00762 T | | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 29-11-11 */*/ | YC056-YD152 |
| D00762 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 29-11-11 */*/ | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section D00700

Page 4

Nov 12/2012

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D00762 T | 1 | BACC10KF14 CLAMP, 45 DEG | 81205 | 1 | 29-11-11 */ */ * | YD153 |
| D00762 T | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 29-11-11 */ */ * | YD154-YD158, YL951-YR323, YR325-YR328 |
| D00764 | | MS3459LS14S-5S PLUG- | 96906 | 1 | 29-11-11 682/189/R073 | YC051-YD152 |
| D00764 | 1 | MS3459LS14S-5S PLUG- | 96906 | 1 | 29-11-11 682/189/R073 | YD153-YD158, YL951-YL968, YN231-YR328 |
| D00764 T | | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 29-11-11 */ */ * | YC051-YD152 |
| D00764 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 29-11-11 */ */ * | YD153 |
| D00764 T | 1 | BACC10KB14 CLAMP, 90 DEG | 81205 | 1 | 29-11-11 */ */ * | YD154-YD158, YL951-YL968, YN231-YR328 |
| D00776 | 1 | BACC63CE14S-7S PLUG-CAB PRESS SW | 81205 | 1 | 21-33-11 196/206/R001 | YC051-YD158, YL951-YR328 |
| D00786 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 33-12-11 P005-16/ / | YC051-YR323, YR325-YR328 |
| D00788 | 1 | BACC63BP14C7SN PLUG-CONDUCTIVE | 81205 | 1 | 28-21-11 OFSS-271/ / | ALL |
| D00788 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 28-21-11 OFSS-271/ / | ALL |
| D00790 | 1 | BACC63BP14C7SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 28-21-11 OFSS 271/ / | ALL |
| D00790 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 28-21-11 OFSS 271/ / | ALL |
| D00792 | 1 | BACC63BP14D7SN PLUG | 81205 | 1 | 28-22-11 666/183/R043 | YC051-YD158, YL951-YR328 |
| D00792 T | 1 | BACC10KA14 CLAMP, STRAIGHT | 81205 | 1 | 28-22-11 */ */ * | YC051-YD158, YL951-YR328 |
| D00794 | 1 | BACC45FT8-2S PLUG- | 81205 | 1 | 33-12-11 P005-16/ / | YC051-YR323, YR325-YR328 |

EQUIPMENT LIST

D280A108

Section D00700

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------------|-----------------------|-----|------------------------------|-------------|
| D00796 | 1 | BACC45FT12-12S PLUG-MODULE P021-01 | 81205 | 1 | 33-17-11 210/217/L31 | YC051-YD151 |
| D00796 | 1 | BACC45FT12-12S PLUG-MODULE P021-01 | 81205 | 1 | 33-17-11 210/217/L031 | YD152-YR328 |
| D00796 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 33-17-11 */*/* | ALL |
| D00798 | 1 | BACC45FT12-12S PLUG-MODULE P023-01 | 81205 | 1 | 33-17-11 210/217/R031 | ALL |
| D00798 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 33-17-11 */*/* | ALL |

EQUIPMENT LIST

D280A108

Section D00700
Page 6 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D00802 | 1 | BACC63BP14D4SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 28-23-11 664/182/L020 | YC051-YD158, YL951-YN236, YN501-YR328 |
| D00802 T | 1 | BACC10KB14 CLAMP, 90 DEG | 81205 | 1 | 28-23-11 */*/ | YC051-YD158, YL951-YN236, YN501-YR328 |
| D00804 | 1 | BACC63BP14D4SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 28-23-11 663/183/R011 | YC051-YD158, YL951-YR328 |
| D00804 T | 1 | BACC10KA14 CLAMP, STRAIGHT | 81205 | 1 | 28-23-11 */*/ | YC051-YD158, YL951-YR328 |
| D00812 | 1 | BACC63CE20-4S PLUG- | 81205 | 1 | 29-22-11 727+18/150/R027 | ALL |
| D00812 T | 1 | BACC10HW20 CLAMP, 90 DEG | 81205 | 1 | 29-22-11 */*/ | ALL |
| D00814 | 1 | BACC63CB10-5SN PLUG-FLT CNTRL SYS A PRESSURE SW | 81205 | 1 | 27-23-14 666/178/L053 | YC051-YD158 |
| D00814 | 1 | BACC63CB10A5SN PLUG-FLT CNTRL SYS A PRESSURE SW | 81205 | 1 | 27-23-14 666/178/L053 | YD160-YR323, YR325-YR328 |
| D00814 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-23-14 TBD/ / | YC051-YC055 |
| D00814 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-23-14 666/ / | YC056-YD152 |
| D00814 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-23-14 */*/ | YD153-YD158 |
| D00814 T | 1 | M85049-51S10A BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-23-14 */*/ | YD160-YR323, YR325-YR328 |
| D00815 | 1 | BACC45FN10-5S RCPT-CONT WHEEL POS SENSOR | 81205 | 1 | 31-31-14 215/180/L020 | YC051-YC055 |
| D00815 | 1 | BACC45FN10-5S RCPT-CONT WHEEL POS SENSOR | 81205 | 1 | 31-31-14 222/194/L020 | YC056-YR328 |
| D00816 | 1 | BACC63CB10-5SN PLUG-CONDUCTIVE | 81205 | 1 | 27-23-14 666/179/R054 | YC051-YD158 |
| D00816 | 1 | BACC63CB10A5SN PLUG-CONDUCTIVE | 81205 | 1 | 27-23-14 666/179/R054 | YL951-YR323, YR325-YR328 |

EQUIPMENT LIST

D280A108

Section D00800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D00816 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 27-23-14 TBD/ / | YC051-YD152 |
| D00816 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 27-23-14 */*/ | YD153-YD158 |
| D00816 T | 1 | M85049-52S10A BACKSHELL-CONDUCTIVE | 81205 | 1 | 27-23-14 */*/ | YL951-YR323, YR325-YR328 |
| D00817 | 1 | BACC45FN10-5S RCPT-CONT COLUMN POS SENSOR | 81205 | 1 | 31-31-14 230/203/L012 | ALL |
| D00818 | 1 | BACC63CB14-7SN PLUG-FLT CONT SYS A SHUTOFF VALVE | 81205 | 1 | 27-23-11 666/178/L050 | YC051-YD158 |
| D00818 | 1 | BACC63CB14A7SN PLUG-FLT CONT SYS A SHUTOFF VALVE | 81205 | 1 | 27-23-11 666/178/L050 | YD160-YR323, YR325-YR328 |
| D00818 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-23-11 TBD/ / | YC051-YC055 |
| D00818 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-23-11 666/ / | YC056-YD152 |
| D00818 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-23-11 */*/ | YD153-YD158 |
| D00818 T | 1 | M85049-51S14A BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-23-11 */*/ | YD160-YR323, YR325-YR328 |
| D00819 | 1 | BACC45FT10-5S PLUG-RUDDER PEDAL POS SENSOR | 81205 | 1 | 31-31-14 234/202/R27 | ALL |
| D00820 | 1 | BACC63CB14-7SN PLUG | 81205 | 1 | 27-23-11 666/179/R056 | YC051-YD158 |
| D00820 | 1 | BACC63CB14A7SN PLUG | 81205 | 1 | 27-23-11 666/179/R056 | YL951-YR323, YR325-YR328 |
| D00820 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-23-11 TBD/ / | YC051-YD152 |
| D00820 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-23-11 */*/ | YD153-YD158 |
| D00820 T | 1 | M85049-51S14A BACKSHELL-CONDUCTIVE | 81205 | 1 | 27-23-11 */*/ | YL951-YR323, YR325-YR328 |
| D00821 | 1 | PT08SE-12-10S-SR- PLUG-ACCELEROMETER | 77820 | 1 | 31-31-14 0667/193/R048 | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section D00800

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D00821 | 1 | SP08SE-12-10S-SR- PLUG-ACCELEROMETER | 77820 | 1 | 31-31-14 0667/193/R048 | YD160-YR328 |
| D00822 | 1 | BACC63CB14-7SN PLUG-CONDUCTIVE | 81205 | 1 | 27-23-11 724/168/L012 | YC051-YD158 |
| D00822 | 1 | BACC63CB14A7SN PLUG-CONDUCTIVE | 81205 | 1 | 27-23-11 724/168/L012 | YD160-YN236, YN501-YR328 |
| D00822 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-23-11 / / | YC051-YD152 |
| D00822 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-23-11 */*/ | YD153-YD158 |
| D00822 T | 1 | M85049-51S14A BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-23-11 */*/ | YD160-YN236, YN501-YR328 |
| D00824 | 1 | BACC63CB10-5SN PLUG-CONDUCTIVE | 81205 | 1 | 29-35-11 723/163/L001 | YC051-YD158 |
| D00824 | 1 | BACC63CB10A5SN PLUG-CONDUCTIVE | 81205 | 1 | 29-35-11 723/163/L001 | YD160-YN236, YN501-YR328 |
| D00824 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 29-35-11 TBD/ / | YC051-YD152 |
| D00824 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 29-35-11 */*/ | YD153-YD158 |
| D00824 T | 1 | M85049-51S10A BACKSHELL- CONDUCTIVE | 81205 | 1 | 29-35-11 */*/ | YD160-YN236, YN501-YR328 |
| D00832 | 1 | 35303-75 PLUG- | 73168 | 1 | 26-12-11 544/166/L039 | YC051-YN236, YN501-YR328 |
| D00834 | 1 | 35303-75 PLUG | 73168 | 1 | 26-12-12 IFSS-220/ / | ALL |
| D00836 | 1 | 35303-75 PLUG- | 73168 | 1 | 26-12-11 544/166/R039 | YC051-YL999, YR301-YR328 |
| D00836 | 1 | 35303-75 PLUG- | 73168 | 1 | 26-12-11 544/167/R039 | YN231-YN501 |
| D00838 | 1 | 35303-75 PLUG | 73168 | 1 | 26-12-12 IFSS 221/ / | ALL |
| D00840 | 1 | 35303-75 DETECTOR | 73168 | 1 | 26-12-11 685/199/L036 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D00800

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D00840 | 1 | 35303-75 DETECTOR | 73168 | 1 | 26-12-11 686/200/L036 | YD158 |
| D00842 | 1 | 35303-75 PLUG | 81205 | 1 | 26-12-11 685/199/R036 | YC051-YD158 |
| D00844 | 1 | 35303-75 PLUG- | 73168 | 1 | 26-12-12 563/159/R039 | ALL |
| D00846 | 1 | 35303-75 PLUG- | 73168 | 1 | 26-12-11 570/164/R008 | ALL |
| D00848 | 1 | 35303-75 PLUG- | 73168 | 1 | 26-12-11 540/155/R005 | ALL |
| D00849 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 34-21-11 193/235/L006 | YC051-YD157 |
| D00849 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 34-21-11 / / | YC051-YD155 |
| D00849 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 34-21-11 */ */ | YD157 |
| D00850 | 1 | 35303-75 PLUG | 73168 | 1 | 26-12-11 656/147/R005 | ALL |
| D00852 | 1 | 35303-75 PLUG- | 73168 | 1 | 26-12-11 667/151/R004 | ALL |
| D00854 | 1 | 35303-75 PLUG | 81205 | 1 | 26-12-11 722/150/R004 | YC051-YN236, YN501-YR328 |
| D00856 | 1 | 35303-75 PLUG- | 73168 | 1 | 26-12-11 570/164/L008 | ALL |
| D00858 | 1 | 35303-75 PLUG- | 73168 | 1 | 26-12-11 563/159/L039 | YC051-YN236, YN501-YR328 |
| D00862 | 1 | 35303-75 PLUG | 73168 | 1 | 26-12-11 1016/202/L011 | ALL |
| D00864 | 1 | 35303-75 PLUG | 73168 | 1 | 26-12-11 1047/203/L011 | ALL |
| D00866 | 1 | 35303-75 PLUG- | 73168 | 1 | 26-12-11 1084/222/R012 | YC051-YN236, YN501-YR328 |
| D00868 | 1 | BACC63BN10-5SN PLUG | 81205 | 1 | 28-43-11 IRSS160/189/L085 | ALL |

EQUIPMENT LIST

D280A108

Section D00800

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D00868 T | 1 | MS27559-2 BACKSHELL | 96906 | 1 | 28-43-11 */*/ | ALL |
| D00870 | 1 | BACC63BN10-5SN PLUG | 81205 | 1 | 28-43-11 OFSS-118/ / | YC051-YD158, YL951-YR328 |
| D00870 T | 1 | MS27559-2 BACKSHELL | 96906 | 1 | 28-43-11 OFSS-118/ / | YC051-YD158 |
| D00870 T | 1 | MS27559-2 BACKSHELL | 96906 | 1 | 28-43-11 OFSS-118/ / | YL951-YR328 |
| D00872 | 1 | BACC63BN10-5SN PLUG | 81205 | 1 | 28-43-11 IRSS148/ / | YC051-YD158, YL951-YN236, YN501-YR328 |
| D00872 T | 1 | MS27559-2 BACKSHELL | 96906 | 1 | 28-43-11 TBD/ / | YC051-YD152 |
| D00872 T | 1 | MS27559-2 BACKSHELL | 96906 | 1 | 28-43-11 */*/ | YD153-YD158, YL951-YN236, YN501-YR328 |
| D00874 | 1 | BACC63BN10-5SN PLUG | 81205 | 1 | 28-43-11 IFSS 117/ / | YC051-YD158, YL951-YR328 |
| D00874 T | 1 | MS27559-2 BACKSHELL | 96906 | 1 | 28-43-11 */*/ | YC051-YD158, YL951-YR328 |
| D00876 | 1 | BACC63BN10-5S7 PLUG | 81205 | 1 | 28-43-11 667/188/L029 | YC051-YD158, YL951-YN236, YN501-YR328 |
| D00876 T | 1 | MS27291-1 BACKSHELL | 96906 | 1 | 28-43-11 TBD/ / | YC051-YD152 |
| D00876 T | 1 | MS27291-1 BACKSHELL | 96906 | 1 | 28-43-11 */*/ | YD153-YD158, YL951-YN236, YN501-YR313 |
| D00876 T | 1 | MS27559-2 BACKSHELL | 96906 | 1 | 28-43-11 */*/ | YR314-YR328 |
| D00878 | 1 | BACC63BN10-5S7 PLUG | 81205 | 1 | 28-43-11 666/186/R029 | YC051-YD158, YL951-YR328 |
| D00878 T | 1 | MS27291-1 BACKSHELL | 96906 | 1 | 28-43-11 */*/ | YC051-YD152 |

EQUIPMENT LIST

D280A108

Section D00800

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D00878 T | 1 | MS27559-2 BACKSHELL | 96906 | 1 | 28-43-11 */*/ | YD153-YD158, YL951-YR328 |
| D00890 | 1 | BACC63CB12-3SN PLUG | 81205 | 1 | 28-44-11 OFSS 373/ / | YC051-YD158, YL951-YR328 |
| D00890 T | 1 | BACC10KF12 CLAMP, 45 DEG | 81205 | 1 | 28-44-11 */*/ | YC051-YD158, YN231 |
| D00890 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 28-44-11 */*/ | YL951-YL999, YN232-YR328 |
| D00892 | 1 | BACC63CB12-3SN PLUG | 81205 | 1 | 28-44-11 OFSS 377/ / | YC051-YD158, YL951-YR328 |
| D00892 T | 1 | BACC10KF12 CLAMP, 45 DEG | 81205 | 1 | 28-44-11 */*/ | YC051-YD158, YL951-YR328 |
| D00894 | 1 | BACC63CB12-3SN PLUG | 81205 | 1 | 28-44-11 OFSS 382/ / | YC051-YD158, YL951-YR328 |
| D00894 T | 1 | BACC10KF12 CLAMP, 45 DEG | 81205 | 1 | 28-44-11 */*/ | YC051-YD158, YL951-YR328 |
| D00895 | 1 | BACC63CB16-24S6 PLUG - CONDUCTIVE | 81205 | 1 | 31-62-23 P001-03/ / | YC051-YD158, YL951-YR328 |
| D00895 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 31-62-23 */ / | YC051-YD158 |
| D00895 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 31-62-23 */*/ | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D00800

Page 6 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D00903 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 29-23-11 P001-01/ / | YC051-YD158, YL951-YR328 |
| D00903 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 29-23-11 */ */ | YC051-YC052, YD158 |
| D00903 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 29-23-11 */ / | YC053-YD157, YL951-YR328 |
| D00918 | 1 | K-4932 PLUG-COMPASS STANDBY INDICATOR | 96906 | 1 | 33-14-12 209/256/000 | YC051-YD157 |
| D00918 | 1 | K-4942 PLUG-COMPASS STANDBY INDICATOR | 96906 | 1 | 33-14-12 209/256/000 | YD158, YL951- YR328 |
| D00920 | 1 | BACC63CB14-7SN PLUG-CONDUCTIVE | 81205 | 1 | 49-62-11 666/182/L041 | YC051-YD158 |
| D00920 | 1 | BACC63CB14A7SN PLUG-CONDUCTIVE | 81205 | 1 | 49-62-11 666/182/L041 | YD160-YR323, YR325-YR328 |
| D00920 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 49-62-11 */ / | YC051-YD158 |
| D00920 T | 1 | M85049-51S14A BACKSHELL-CONDUCTIVE | 81205 | 1 | 49-62-11 */ */ | YD160-YR323, YR325-YR328 |
| D00922 | 1 | BACC63CB10-5S6 PLUG-APU INLET ACT | 81205 | 1 | 49-62-11 1056/241/R035 | ALL |
| D00922 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 49-62-11 / / | YC051-YC052 |
| D00922 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 49-62-11 1056/241/L035 | YC053-YD157 |
| D00922 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 49-62-11 */ */ | YD158-YR328 |
| D00924 | 1 | BACC63CB10-20SN PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 723/197/L040 | YC051-YD158 |
| D00924 | 1 | BACC63CB10B20SN PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 723/197/L040 | YD160-YL968, YN231-YN236, YN501-YR328 |
| D00924 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 */ */ | YC051-YD152 |

EQUIPMENT LIST

D280A108

Section D00900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D00924 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 */*/ | YD153-YD158 |
| D00924 T | 1 | BACC10KC10 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 */*/ | YD160-YL968, YN231-YN236, YN501-YR328 |
| D00926 | 1 | BACC63CB10-20SN PLUG- CONDUCTIVE | 81205 | 1 | 32-41-11 723/192/L040 | YC051-YD158 |
| D00926 | 1 | BACC63CB10B20SN PLUG- CONDUCTIVE | 81205 | 1 | 32-41-11 723/192/L040 | YD160-YN236, YN501-YR328 |
| D00926 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 */*/ | YC051-YD152 |
| D00926 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 */*/ | YD153-YD158 |
| D00926 T | 1 | BACC10KC10 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 */*/ | YD160-YN236, YN501-YR328 |
| D00928 | 1 | BACC63BP16C10SN PLUG- CONDUCTIVE | 81205 | 1 | 32-44-11 725/191/R003 | YC051-YD158 |
| D00928 | 1 | BACC63BP16H10SN PLUG- CONDUCTIVE | 81205 | 1 | 32-44-11 725/191/R003 | YD160-YN236, YN501-YR328 |
| D00928 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 32-44-11 TBD/ / | YC051-YD152 |
| D00928 T | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 32-44-11 */*/ | YD153-YD158 |
| D00928 T | 1 | 620AB049C16 BACKSHELL- CONDUCTIVE 45 DEG | 81205 | 1 | 32-44-11 */*/ | YD160-YN236, YN501-YR328 |
| D00930 | 1 | BACC63CB10-20SN PLUG- CONDUCTIVE | 81205 | 1 | 32-41-11 723/182/R040 | YC051-YD158 |
| D00930 | 1 | BACC63CB10B20SN PLUG- CONDUCTIVE | 81205 | 1 | 32-41-11 723/182/R040 | YD160-YR328 |
| D00930 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 723/182/R040 | YC051-YD152 |
| D00930 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 */*/ | YD153-YD158 |

EQUIPMENT LIST

D280A108

Section D00900

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D00930 T | 1 | BACC10KC10 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 */*/ | YD160-YR328 |
| D00932 | 1 | BACC63CB10-20SN PLUG- CONDUCTIVE | 81205 | 1 | 32-41-11 723/169/R040 | YC051-YD152 |
| D00932 | 1 | BACC63CB10-20SN PLUG- CONDUCTIVE | 81205 | 1 | 32-41-11 724/170/R040 | YD153-YD158 |
| D00932 | 1 | BACC63CB10B20SN PLUG- CONDUCTIVE | 81205 | 1 | 32-41-11 724/170/R040 | YD160-YR328 |
| D00932 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 TBD/ / | YC051-YD152 |
| D00932 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 */*/ | YD153-YD158 |
| D00932 T | 1 | BACC10KC10 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 */*/ | YD160-YR328 |
| D00940 | 1 | BACC45FT14-15S PLUG-AURAL WARNING BOX | 81205 | 1 | 31-51-11 202/210/R006 | YC051-YD158, YL951-YR328 |
| D00940 T | 1 | BACC10JS14 BACKSHELL- | 81205 | 1 | 31-51-11 202/210/R006 | YC051-YC052 |
| D00940 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 31-51-11 202/210/R006 | YC053-YD158, YN231-YN501 |
| D00940 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 31-51-11 */*/ | YL951-YL999, YR301-YR328 |
| D00944 | 1 | BACS16W1A PLUG | 81205 | 1 | 28-44-11 P006-00/ / | ALL |
| D00962 | 1 | BACC63BN10-20S7 PLUG-L PACK VALVE | 81205 | 1 | 21-51-11 581/157/L012 | ALL |
| D00962 T | 1 | MS27559-2 BACKSHELL-90 DEGREE | 96906 | 1 | 21-51-11 */*/ | ALL |
| D00964 | 1 | BACC63BN10-20S7 PLUG- | 81205 | 1 | 21-51-21 581/157/R012 | ALL |
| D00964 T | 1 | MS27559-2 BACKSHELL-90 DEGREE | 96906 | 1 | 21-51-21 */*/ | ALL |

EQUIPMENT LIST

D280A108

Section D00900

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D00966 | 1 | BACC63CB12-12SN PLUG- | 81205 | 1 | 21-51-14 520/169/L056 | YC051-YN236, YN501-YR323, YR325-YR328 |
| D00966 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 21-51-14 */*/ | YC051-YN236, YN501-YR323, YR325-YR328 |
| D00968 | 1 | BACC63CB12-12SN PLUG- | 81205 | 1 | 21-51-24 519/166/R058 | YC051-YR323, YR325-YR328 |
| D00968 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 21-51-24 */*/ | YC051-YR323, YR325-YR328 |
| D00970 | 1 | BACC63CB14-7SN PLUG- | 81205 | 1 | 21-51-14 567/165/L032 | YN231-YN236, YN501 |
| D00970 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 21-51-14 */*/ | YN231-YN236, YN501 |
| D00972 | 1 | BACC63CB14-7SN PLUG- | 81205 | 1 | 21-51-24 567/165/R032 | YN231-YN501 |
| D00972 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 21-51-24 */*/ | YN231-YN501 |
| D00998 | 1 | DPXAMB-26-33S RECP-FIRE DET MOD TOP | 71468 | 1 | 26-11-21 E002-02/ / | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D00900

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D01000 | 1 | DPXAMB-26-33S RECP-FIRE DET MOD MIDDLE | 71468 | 1 | 26-11-31 E002-02/ / | YC051-YD158, YL951-YR328 |
| D01002 | 1 | DPXAMB-26-33S RECP-FIRE DET MOD BOTTOM | 71468 | 1 | 26-11-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D01008 | 1 | BACC63CM1203SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 2 | 78-32-51 NSTA 202/120/L32 | YC056-YR328 |
| D01008 T | 1 | 440AJ069ZM1204 BACKSHELL | 06324 | 2 | 78-32-51 / / | YC056-YR328 |
| D01008 U | 1 | 202K121-25-0-225 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-32-51 / / | YC056-YR328 |
| D01008 U | 2 | 202K121-25-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-32-51 / / | YC056-YR328 |
| D01008 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 2 | 78-32-51 / / | YC056-YR328 |
| D01010 | 1 | BACC63CB14-7SN PLUG- CONDUCTIVE | 81205 | 1 | 27-53-11 723/167/L007 | YC051-YD153 |
| D01010 | 1 | BACC45FT14-7S PLUG- CONDUCTIVE | 81205 | 1 | 27-53-11 723/167/L007 | YD154-YD158 |
| D01010 | 1 | BACC63CB14A7SN PLUG- CONDUCTIVE | 81205 | 1 | 27-53-11 723/167/L007 | YD160-YN236, YN501-YR328 |
| D01010 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-53-11 */ / | YC051-YD152 |
| D01010 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-53-11 */ */ | YD153 |
| D01010 T | 1 | MS27559-4 BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-53-11 */ */ | YD154-YD158 |
| D01010 T | 1 | M85049-51S14A BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-53-11 */ */ | YD160-YN236, YN501-YR328 |
| D01012 | 1 | BACC63CB14-7SN PLUG- CONDUCTIVE | 81205 | 1 | 27-53-12 719/173/L006 | YC051-YD158 |
| D01012 | 1 | BACC63CB14A7SN PLUG- CONDUCTIVE | 81205 | 1 | 27-53-12 719/173/L006 | YD160-YN236, YN501-YR328 |
| D01012 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-53-12 */ / | YC051-YD153 |

EQUIPMENT LIST

D280A108

Section D01000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D01012 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-53-12 */ */ | YD154-YD158 |
| D01012 T | 1 | M85049-51S14A BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-53-12 */ */ | YD160-YN236, YN501-YR328 |
| D01014 | | BACC63CB14-7SN PLUG- CONDUCTIVE | 81205 | 1 | 27-53-11 723/200/R020 | YC059-YD152 |
| D01014 | 1 | BACC63CB14-7SN PLUG- CONDUCTIVE | 81205 | 1 | 27-53-11 723/200/R020 | YC051-YC058, YD153 |
| D01014 | 1 | BACC45FT14-7S PLUG- CONDUCTIVE | 81205 | 1 | 27-53-11 723/200/R020 | YD154-YD158 |
| D01014 | 1 | BACC63CB14A7SN PLUG- CONDUCTIVE | 81205 | 1 | 27-53-11 723/200/R020 | YL951-YR328 |
| D01014 T | | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-53-11 */ / | YC059-YD152 |
| D01014 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-53-11 */ / | YC051-YC058 |
| D01014 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-53-11 */ / | YD153 |
| D01014 T | 1 | MS27559-4 BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-53-11 */ / | YD154-YD158 |
| D01014 T | 1 | M85049-51S14A BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-53-11 */ / | YL951-YR328 |
| D01016 | 1 | BACC63CM1203SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 2 | 78-32-51 NSTA 203/68/R15 | YC056-YR328 |
| D01016 T | 1 | 440AJ069ZM1204 BACKSHELL | 06324 | 2 | 78-32-51 / / | YC056-YR328 |
| D01016 U | 1 | 202K121-25-0-225 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-32-51 / / | YC056-YR328 |
| D01016 U | 2 | 202K121-25-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-32-51 / / | YC056-YR328 |
| D01016 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 2 | 78-32-51 / / | YC056-YR328 |
| D01036 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 33-14-11 P001-05/ / | YC051-YC052 |

EQUIPMENT LIST

D280A108

Section D01000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D01036 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 33-11-11 P001-05/ / | YC053-YD158, YL951-YR328 |
| D01036 T | 1 | BACC10JC12 CLAMP, 90 DEG | 81205 | 1 | 33-14-11 */ */ | YC051-YC052 |
| D01036 T | 1 | BACC10JC12 CLAMP, 90 DEG | 81205 | 1 | 33-11-11 */ / | YC053-YD157, YL951-YR328 |
| D01036 T | 1 | BACC10JC12 CLAMP, 90 DEG | 81205 | 1 | 33-11-11 */ */ | YD158 |
| D01038 | 1 | BACC63CB20-28SN PLUG - CONDUCTIVE | 81205 | 1 | 33-11-11 P003-04/ / | YC051-YD158, YL951-YR328 |
| D01038 T | 1 | BACC10KE20 CLAMP, 90 DEG | 81205 | 1 | 33-11-11 */ / | YC051-YD158 |
| D01038 T | 1 | BACC10KE20 CLAMP, 90 DEG | 81205 | 1 | 33-11-11 */ */ | YL951-YR328 |
| D01040 | 1 | BACC66F11F31AA01 PLUG PLATE ASSY- ANTI-SKID | 81205 | 1 | 32-42-11 E001-03/ / | ALL |
| D01040A | 1 | PARTAOFD01040 PLUG - ANTI-SKID | | 0 | 32-42-11 E001-03/ / | YC051-YD170 |
| D01040A | 1 | PARTAOFD01040 PLUG - ANTI-SKID | | 0 | 32-42-11 */ */ | YL951-YR328 |
| D01040B | 1 | PARTBOFD01040 PLUG - ANTI-SKID | | 0 | 32-42-11 E001-03/ / | YC051-YD170 |
| D01040B | 1 | PARTBOFD01040 PLUG - ANTI-SKID | | 0 | 32-42-11 */ */ | YL951-YR328 |
| D01040C | 1 | PARTCOFD1040 PLUG - ANTI-SKID | | 0 | 32-42-11 E001-03/ / | YC051-YD170 |
| D01040C | 1 | PARTCOFD1040 PLUG - ANTI-SKID | | 0 | 32-42-11 */ */ | YL951-YR328 |
| D01042 | 1 | DPX2MB-26S8S-33B-0001 PLUG-PLATE ASSY | 71468 | 1 | 30-41-11 E002-01/ / | ALL |
| D01042A | 1 | PARTAOFD01042 PLUG-RIGHT SIDE WINDOW CONT | | 0 | 30-41-11 E002-01/ / | ALL |
| D01042B | 1 | PARTBOFD01042 PLUG-RIGHT SIDE WINDOW CONT | | 0 | 30-41-11 E002-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D01000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D01044 | 1 | DPX2MB-26S8S-33B-0001 PLUG-PLATE ASSY | 71468 | 1 | 30-41-11 E002-01/ / | ALL |
| D01044A | 1 | PARTAD01044 PLUG-L FRONT WINDOW CONT | | 0 | 30-41-11 E002-01/ / | ALL |
| D01044B | 1 | PARTBD01044 PLUG-L FRONT WINDOW CONT | | 0 | 30-41-11 E002-01/ / | ALL |
| D01046 | 1 | DPX2MB-26S8S-33B-0001 PLUG PLATE ASSY | 71468 | 1 | 30-41-12 E004-02/ / | ALL |
| D01046A | 1 | PARTAOFD01046 PLUG-LEFT SIDE WINDOW CONT | | 0 | 30-41-12 E004-02/ / | ALL |
| D01046B | 1 | PARTBOFD01046 PLUG-LEFT SIDE WINDOW CONTROL | | 0 | 30-41-12 E004-02/ / | ALL |
| D01048 | 1 | DPX2MB-26S8S-33B-0001 PLUG PLATE ASSY- | 71468 | 1 | 30-41-12 E004-02/ / | ALL |
| D01048A | 1 | PARTAOFD01048 PLUG-R FRONT WINDOW CONT | | 0 | 30-41-12 E004-02/ / | ALL |
| D01048B | 1 | PARTBOFD01048 PLUG-R FRONT WINDOW CONT | | 0 | 30-41-12 E004-02/ / | ALL |
| D01070 | 1 | 35303-75 PLUG- | 73168 | 1 | 26-12-11 727/201/L009 | YC051-YN236, YN501-YR328 |
| D01078 | 1 | BACC45FT18-31S PLUG | 81205 | 1 | 26-21-11 P08-01/ / | YC051-YD158 |
| D01078 | 1 | BACC45FT18-31S PLUG | 81205 | 1 | 26-21-11 P008-01/ / | YL951-YL968, YN231-YN236, YN501-YR328 |
| D01078 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 26-11-11 TBD/ / | YC051-YD158 |
| D01078 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 26-11-11 */ */ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D01080 | 1 | BACC45FT18-31S6 PLUG | 81205 | 1 | 26-21-11 P008-01/ */ | YC051-YC065 |
| D01080 | 1 | BACC45FT18-31S6 PLUG | 81205 | 1 | 26-21-11 P008-01/ / | YC067-YR328 |

EQUIPMENT LIST

D280A108

Section D01000

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D01080 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 */*/ | ALL |
| D01084 | 1 | BACC45FT14-7S PLUG-SPEED BRAKE HANDLE ACTR | 81205 | 1 | 27-62-12 199/205/L6 | YC051-YC055 |
| D01084 | 1 | BACC45FT14-7S PLUG-SPEED BRAKE HANDLE ACTR | 81205 | 1 | 27-62-12 199/205/L006 | YC056-YD158, YL951-YR328 |
| D01084 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 27-62-12 */*/ | YC051-YD158, YL951-YR328 |
| D01086 | 1 | BACC45FT20-41S6 PLUG- | 81205 | 1 | 24-11-11 P005-05/ / | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D01000

Page 5 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D01128 | 1 | BACC45FN14-7S RCPT- | 81205 | 1 | 33-26-21 AB0288/ / | ALL |
| D01153 | 1 | BACC66F11C08AA01 PLUG PLATE ASSEMBLY | 81205 | 1 | 34-49-11 E001-01/ / | ALL |
| D01153 T | 1 | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 22-11-11 E001-01/ / | YC051-YD170 |
| D01153 T | 1 | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 22-11-11 */ */ | YL951-YR328 |
| D01153A | 1 | PARTAOFD01153 PLUG | | 0 | 34-49-11 E001-01/ / | YC051-YD170 |
| D01153A | 1 | PARTAOFD01153 PLUG | | 0 | 34-49-11 */ */ | YL951-YR328 |
| D01153B | 1 | PARTBOFD01153 PLUG | | 0 | 34-49-11 E001-01/ / | YC051-YD170 |
| D01153B | 1 | PARTBOFD01153 PLUG | | 0 | 34-49-11 */ */ | YL951-YR328 |
| D01153C | 1 | PARTCOFD01153 PLUG | | 0 | 34-49-11 E001-01/ / | YC051-YD170 |
| D01153C | 1 | PARTCOFD01153 PLUG | | 0 | 34-49-11 */ */ | YL951-YR328 |
| D01172 | 1 | BACC45FT10-5S PLUG-AURAL WARNING M/W M315 | 81205 | 1 | 34-16-11 202/210/R005 | YC051-YD158, YL951-YR328 |
| D01172 T | 1 | BACC10JS10 BACKSHELL- | 81205 | 1 | 34-16-11 202/210/R005 | YC051-YC052 |
| D01172 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 34-16-11 202/210/R005 | YC053-YD158, YN231-YN501 |
| D01172 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 34-16-11 */ */ | YL951-YL999, YR301-YR328 |
| D01176 | 1 | BACC63BP12D3S6 PLUG-DISCH SW APU | 81205 | 1 | 26-21-11 1081/227/L024 | YC051-YC052 |
| D01176 | 1 | BACC63BP12D3S6 PLUG-DISCH SW APU | 81205 | 1 | 26-21-11 1077/229/L022 | YC053-YR328 |
| D01176 T | 1 | BACC10KA12 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 / / | YC051-YC052 |

EQUIPMENT LIST

D280A108

Section D01100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D01176 T | 1 | BACC10KA12 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 1081/224/L227 | YC053-YD157 |
| D01176 T | 1 | BACC10KA12 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 */*/ | YD158-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D01100

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D01205 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 34-49-11 P003-07/ / | YC051-YC052 |
| D01205 | 1 | BACC45FT14-15S PLUG | 81205 | 1 | 34-49-11 P003-07/ / | YC053-YD158, YL951-YR328 |
| D01205 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 34-49-11 */ / | YC051-YC052 |
| D01205 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 34-49-11 */ / | YC053-YD158 |
| D01205 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 34-49-11 */ */ | YL951-YR328 |
| D01218 | 1 | BACC63CD24-22S RCPT- | 81205 | 1 | 25-31-11 350/292/R025 | YC051-YL999, YR301-YR328 |
| D01246 | 1 | BACC63BP12C12SN PLUG-APU DOOR OPEN SW | 81205 | 1 | 49-41-11 1047/240/R041 | YC051-YC052 |
| D01246 | 1 | BACC63BP12C12SN PLUG-APU DOOR OPEN SW | 81205 | 1 | 49-62-11 1047/240/R041 | YC053-YR328 |
| D01246 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 49-41-11 / / | YC051-YC052 |
| D01246 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 49-62-11 1047/240/RR41 | YC053-YD157 |
| D01246 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 49-62-11 */ */ | YD158-YR328 |
| D01249 | 1 | BACC63BV10F5SN RECP-CONDUCTIVE | 81205 | 1 | 27-48-11 1167/265/L006 | YC051-YC055, YD154-YD157, YN231-YN501 |
| D01249 | 1 | BACC63BV10F5SN RECP-CONDUCTIVE | 81205 | 1 | 27-48-11 1167/265/L06 | YC056-YD153, YD158-YL999, YR301-YR328 |
| D01249 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 27-48-11 */ */ | ALL |
| D01288 | 1 | BACC63CB10-5SN PLUG- | 81205 | 1 | 21-51-14 584/162/L032 | YN231-YN236, YN501 |
| D01288 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 21-51-14 */ */ | YN231-YN236, YN501 |

EQUIPMENT LIST

D280A108

Section D01200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D01290 | 1 | BACC63CB10-5SN PLUG- | 81205 | 1 | 21-51-24 584/162/R032 | YN231-YN501 |
| D01290 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 21-25-11 */*/ | YN231-YN501 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D01200

Page 2 End

Aug 14/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D01322 | 1 | BACC63BP14D7S7 CONNECTOR-L.BOTTLE M00194 | 81205 | 1 | 21-61-11 713/190/L057 | YC051-YD158, YL951-YR328 |
| D01322 T | 1 | BACC10KB14 CLAMP, 90 DEG | 81205 | 1 | 26-21-11 */*/ | YC051-YD158, YL951-YR328 |
| D01324 | 1 | BACC63BP14D7S7 CONNECTOR-R.BOTTLE M00195 | 81205 | 1 | 26-21-11 722/190/L056 | YC051-YD158, YL951-YR328 |
| D01324 T | 1 | BACC10KB14 CLAMP, 90 DEG | 81205 | 1 | 26-21-11 */*/ | YC051-YD158, YL951-YR328 |
| D01344 | 1 | BACC45FT22-55S PLUG-DIM MODULE | 81205 | 1 | 31-52-11 J019-00/ / | YC051-YD158, YL951-YR328 |
| D01344 T | 1 | BACC10JS22 BACKSHELL- | 81205 | 1 | 31-52-11 */*/ | YC051-YC052 |
| D01344 T | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 31-52-11 */*/ | YC053-YD158, YL951-YR328 |
| D01346 | 1 | BACC45FT22-55S6 PLUG-DIM MODULE | 81205 | 1 | 31-52-11 J019-00/ / | YC051-YD158, YL951-YR328 |
| D01346 T | 1 | BACC10JS22 BACKSHELL- | 81205 | 1 | 31-52-11 */*/ | YC051-YC052 |
| D01346 T | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 31-52-11 */*/ | YC053-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D01300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D01406 | 1 | BACC45FT12-12S7 PLUG- | 81205 | 1 | 52-71-11 P005-20/ / | YC051-YR323, YR325-YR328 |
| D01407 | | CN1068A22A55N RECP-FEED THROUGH | 287A4110 | 1 | 34-41-11 178/195/R003 | ALL |
| D01409 | 1 | BACC63BP22C55PN PLUG | 81205 | 1 | 34-41-11 178/195/L003 | ALL |
| D01409 T | 1 | G9263AA2206KNF BACKSHELL - 90 DEGREE | MIL | 1 | 34-41-11 */ */ | ALL |
| D01411 | 1 | BACC63BP22C55SN PLUG (STA 178) | 81205 | 1 | 34-41-11 178/195/L005 | YC051-YD158, YL951-YR328 |
| D01444 | | 1990-0101-0000-PROVISIONS- RECP-DC EXTERNAL POWER | 65C27368 82389 | 1 | 24-31-01 350/157/L011 | ALL |
| D01458 | 1 | DPX2MB-67S67S-33B-0072 PLUG | 71468 | 1 | 78-36-11 E003-02/ / | ALL |
| D01458A | 1 | PARTAOFD01458 PLUG- | | 1 | 78-36-11 E003-02/ / | YC051-YD170, YN231-YN260 |
| D01458A | 1 | PARTAOFD01458 PLUG- | | 1 | 78-36-11 */ */ | YL951-YL999, YN501-YR328 |
| D01458B | 1 | PARTBOFD01458 PLUG | | 1 | 78-36-11 E003-02/ / | YC051-YD170, YN231-YN260 |
| D01458B | 1 | PARTBOFD01458 PLUG | | 1 | 78-36-11 */ */ | YL951-YL999, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D01400

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D01507 | 1 | BACC45FT16-24S PLUG - FWD LAV ANNOUCE SELECTOR PNL | 81205 | 1 | 23-31-06 LAV A/ / | YC051-YC052, YD158-YL999 |
| D01507 | 1 | BACC45FT16-24S PLUG - FWD LAV ANNOUCE SELECTOR PNL | 81205 | 1 | 23-31-06 LAV A/277/L014 | YN231-YN260 |
| D01507 T | 1 | BACC10GH16 BACKSHELL | 81205 | 1 | 23-31-06 /*/* | YC051-YC052 |
| D01507 T | 1 | BACC10GH16 BACKSHELL | 81205 | 1 | 23-31-06 /*/* | YD158-YN260 |
| D01582 | | BACC63CB10-20SN PLUG- CONDUCTIVE | 81205 | 1 | 27-54-11 723/199/R047 | YC059-YD152 |
| D01582 | 1 | BACC63CB10-20SN PLUG- CONDUCTIVE | 81205 | 1 | 27-54-11 723/199/R047 | YC051-YC058, YD153 |
| D01582 | 1 | BACC45FT10-20S PLUG- CONDUCTIVE | 81205 | 1 | 27-54-11 723/199/R047 | YD154-YD158 |
| D01582 | 1 | BACC63CB10A20SN PLUG- CONDUCTIVE | 81205 | 1 | 27-54-11 723/199/R047 | YD160-YR328 |
| D01582 T | | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-54-11 */ / | YC059-YD152 |
| D01582 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-54-11 */ / | YC051-YC058, YD153 |
| D01582 T | 1 | MS27559-2 BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-54-11 */ / | YD154-YD158 |
| D01582 T | 1 | M85049-51S10A BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-54-11 */ / | YD160-YL999, YR301-YR328 |
| D01582 T | 1 | M85049-51S10A BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-54-11 /*/* | YN231-YN501 |
| D01598 | 1 | 582587-1 RCPT-MASTER DIM | 00779 | 1 | 33-18-11 P006-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section D01500

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D01614 | 1 | 10-60450-5 SOCKET-MASTER TEST RELAY | 81205 | 1 | 33-18-11 P006-00/ / | ALL |
| D01616 | 1 | 10-60450-5 SOCKET-MASTER DIM RELAY | 81205 | 1 | 33-18-11 P006-00/ / | ALL |
| D01618 | 1 | 10-60450-5 SOCKET-AUX MASTER DIM RELAY | 81205 | 1 | 33-18-11 P006-00/ / | ALL |
| D01620 | 1 | BACS16W1A SOCKET | 81205 | 1 | 33-25-11 P006-00/ / | ALL |
| D01622 | 1 | BACS16W1A SOCKET | 81205 | 1 | 33-25-11 P006-00/ / | ALL |
| D01637 | 1 | BACC45FN14-15S PLUG-SYSTEM TEST PLUG | 81205 | 1 | 31-31-11 P018-02/ / | ALL |
| D01640 | 1 | BACS16W1A SOCKET-EXT PWR SENSING RLY | 81205 | 1 | 33-29-11 P006-00/ / | ALL |
| D01673 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 22-11-21 238/202/L014 | ALL |
| D01675 | 1 | BACC45FN10-5S RCPT | 81205 | 1 | 22-11-11 220/201/R27 | YC051-YC064 |
| D01675 | 1 | BACC45FN10-5S RCPT | 81205 | 1 | 22-11-11 230/199/R017 | YC065-YR328 |
| D01677 | 1 | BACC63BV10F5SN RCPT-CONDUCTIVE | 81205 | 1 | 22-12-41 1156/271/R005 | YC051-YN236, YN501-YR328 |
| D01677 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-12-41 */ */ | YC051-YN236, YN501-YR328 |
| D01679 | 1 | BACC63BV10F5SN RCPT | 81205 | 1 | 22-12-41 1156/271/R8 | YC051-YC052 |
| D01679 | 1 | BACC63BV10F5SN RCPT | 81205 | 1 | 22-12-41 1156/271/R008 | YC053-YN236, YN501-YR328 |
| D01679 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-12-41 / / | YC051-YC052 |
| D01679 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-12-41 1160/264/R5 | YC053-YD153 |
| D01679 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-12-41 1156/271/R008 | YD154-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D01600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D01681 | 1 | BACC63BP16C24SN PLUG | 81205 | 1 | 22-12-31 1176/270/L010 | YC051-YC052 |
| D01681 | 1 | BACC63BP16C24SN PLUG | 81205 | 1 | 22-12-31 1166/271/L010 | YC053-YD158 |
| D01681 | 1 | BACC63BP16C24SN PLUG | 81205 | 1 | 22-12-31 1167/271/L010 | YD160-YN236, YN501-YR328 |
| D01681 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 22-12-31 */*/ | YC051-YN236, YN501-YR328 |
| D01687 | 1 | BACC63BP16C24SN PLUG- | 81205 | 1 | 22-12-41 1164/287/L009 | YC051-YN236, YN501-YR328 |
| D01687 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 22-12-41 */*/ | YC051-YN236, YN501-YR328 |
| D01691 | 1 | BACC63BP16C24SN PLUG | 81205 | 1 | 22-11-31 671/190/L053 | YC051-YD158 |
| D01691 | 1 | BACC63BP16H24SN PLUG | 81205 | 1 | 22-11-31 671/190/L053 | YD160-YN236, YN501-YR328 |
| D01691 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 / / | YC051-YC055 |
| D01691 T | 1 | BACC10KD16 BACKSHELL-CONDUCTIVE | 81205 | 1 | 22-11-31 / / | YC056-YD152 |
| D01691 T | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 22-11-31 */*/ | YD153-YD158 |
| D01691 T | 1 | 620AB049C16 BACKSHELL-CONDUCTIVE-45 DEG. | 81205 | 1 | 22-11-31 */*/ | YD160-YN236, YN501-YR328 |
| D01695 | 1 | BACC63BV10F5SN RCPT-SPOILER 4 SENSOR | 81205 | 1 | 22-11-31 ORSS/370/ | YC051-YN236, YN501-YR328 |
| D01695 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 22-11-31 */*/ | YC051-YN236, YN501-YR328 |
| D01697 | 1 | BACC63BV10F5SN RCPT-SPOILER 9 SENSOR | 81205 | 1 | 22-11-31 ORSS/370/ | YC051-YN236, YN501-YR328 |
| D01697 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 22-11-31 */*/ | YC051-YN236, YN501-YR328 |
| D01699 | 1 | BACC63BV10F5SN RCPT-SPOILER 4 SENSOR | 81205 | 1 | 22-11-31 ORSS/370/ | YC051-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D01600

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D01699 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 22-11-31 */*/ | YC051-YN236, YN501-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D01600

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D01701 | 1 | BACC63BV10F5SN RCPT-SPOILER 9 SENSOR | 81205 | 1 | 22-11-31 ORSS/370/ | YC051-YN236, YN501-YR328 |
| D01701 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 22-11-31 */*/ | YC051-YN236, YN501-YR328 |
| D01707 | 1 | BACC63BV10F5SN RCPT | 81205 | 1 | 22-11-31 667/197/L024 | YC051-YD158 |
| D01707 | 1 | BACC63BV10H5SN RCPT | 81205 | 1 | 22-11-31 667/197/L024 | YD160-YN236, YN501-YR328 |
| D01707 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 / / | YC051-YC055 |
| D01707 T | 1 | BACC10KD10 BACKSHELL | 81205 | 1 | 22-11-31 / / | YC056-YD152 |
| D01707 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 22-11-31 */*/ | YD153-YD158 |
| D01707 T | 1 | 620AB049C10 BACKSHELL-45 DEG. | 81205 | 1 | 22-11-31 */*/ | YD160-YN236, YN501-YR328 |
| D01709 | 1 | BACC63BV10F5SN RCPT | 81205 | 1 | 22-11-31 667/196/L024 | YC051-YD158 |
| D01709 | 1 | BACC63BV10H5SN RCPT | 81205 | 1 | 22-11-31 667/196/L024 | YD160-YN236, YN501-YR328 |
| D01709 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 / / | YC051-YD152 |
| D01709 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 22-11-31 */*/ | YD153-YD158 |
| D01709 T | 1 | 620AB049C10 BACKSHELL- 45 DEG. | 81205 | 1 | 22-11-31 */*/ | YD160-YL999, YR301-YR328 |
| D01709 T | 1 | 620AB049C10 BACKSHELL-45 DEG. | 81205 | 1 | 22-11-31 / / | YN231-YN236, YN501 |
| D01711 | 1 | BACC63BV10F5SN RCPT | 81205 | 1 | 22-12-31 1156/265/R8 | YC051-YD157 |
| D01711 | 1 | BACC63BV10F5SN RCPT | 81205 | 1 | 22-12-31 1157/265/R006 | YD158-YN236, YN501-YR328 |
| D01711 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-12-31 / / | YC051-YC052 |

EQUIPMENT LIST

D280A108

Section D01700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D01711 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-12-31 1156/265/R8 | YC053-YN236, YN501-YR328 |
| D01713 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 22-11-11 225/198/L15 | YC051-YC064 |
| D01713 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 22-11-11 225/198/L015 | YC065-YR328 |
| D01782 | 1 | BACC63BP12C12SN PLUG- RETRACT LANDING LT.L | 81205 | 1 | 33-42-11 534/154/L034 | YC051-YL968, YN231-YN236, YN501-YR305 |
| D01782 | 1 | BACC63BP12H12SN PLUG- RETRACT LANDING LT.L | 81205 | 1 | 33-42-11 534/154/L034 | YR306-YR323, YR325-YR328 |
| D01782 T | 1 | BACC10KF12 CLAMP, 45 DEG | 81205 | 1 | 33-42-11 500A+10/150/L32 | YC051-YD158, YN231-YN236, YN501 |
| D01782 T | 1 | BACC10KF12 CLAMP, 45 DEG | 81205 | 1 | 33-42-11 */*/ | YD160-YL968, YR301-YR305 |
| D01782 T | 1 | BACC10NC12 CLAMP, 45 DEG | 81205 | 1 | 33-42-11 */*/ | YR306-YR323, YR325-YR328 |

EQUIPMENT LIST

D280A108

Section D01700

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D01805 | 1 | BACS16X1A SOCKET- | 81205 | 1 | 31-31-11 J00024/ / | ALL |
| D01815 | 1 | BACC63CB22-55S6 PLUG | 81205 | 1 | 22-11-11 P0007/ / | ALL |
| D01815 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 22-11-11 / / | ALL |
| D01817 | 1 | BACC45FT22-55S8 PLUG - INSTRUMENT SWITCHING MODULE | 81205 | 1 | 34-51-41 P005-28/ / | ALL |
| D01817 T | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 34-51-41 */ */ | ALL |
| D01827 | 1 | BACC63BP16C24SN PLUG | 81205 | 1 | 22-11-31 675/190/L039 | YC051-YD158 |
| D01827 | 1 | BACC63BP16H24SN PLUG | 81205 | 1 | 22-11-31 675/190/L039 | YD160-YN236, YN501-YR328 |
| D01827 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 22-11-31 / / | YC051-YD152 |
| D01827 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 22-11-31 */ */ | YD153-YD158 |
| D01827 T | 1 | M85049-51S16A BACKSHELL | 81205 | 1 | 22-11-31 */ */ | YD160-YL999, YR301-YR328 |
| D01827 T | 1 | M85049-51S16A BACKSHELL | 81205 | 1 | 22-11-31 / / | YN231-YN236, YN501 |
| D01829 | 1 | BACC63BV10F5SN RCPT-CONDUCTIVE | 81205 | 1 | 22-12-31 1156/271/R005 | YC051-YN236, YN501-YR328 |
| D01829 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-12-31 1156/271/R005 | YC051-YN236, YN501-YR328 |
| D01857 | 1 | BACC63BP10C5SN PLUG | 81205 | 1 | 22-11-12 1160/288/L011 | YC051-YN236, YN501-YR328 |
| D01857 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-11-12 */ */ | YC051-YD153 |
| D01857 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 22-11-12 */ */ | YD154-YN236, YN501-YR328 |
| D01859 | 1 | BACC63BP10C5SN PLUG | 81205 | 1 | 22-11-12 670/193/L46 | YC051-YD152 |

EQUIPMENT LIST

D280A108

Section D01800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D01859 | 1 | BACC63BP10C5SN PLUG | 81205 | 1 | 22-11-12 670/193/L046 | YD153-YD158 |
| D01859 | 1 | BACC63BP10H5SN PLUG | 81205 | 1 | 22-11-12 670/193/L046 | YD160-YN236, YN501-YR328 |
| D01859 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 22-11-31 / / | YC051-YC055 |
| D01859 T | 1 | BACC10KE10 BACKSHELL-CONDUCTIVE | 81205 | 1 | 22-11-31 / / | YC056-YD152 |
| D01859 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 22-11-31 */ */ | YD153-YD158 |
| D01859 T | 1 | M85049-51S10A BACKSHELL-CONDUCTIVE | 81205 | 1 | 22-11-31 */ */ | YD160-YN236, YN501-YR328 |
| D01861 | 1 | BACC63BP10C5SN PLUG | 81205 | 1 | 22-11-12 1156/278/L11 | YC051-YD157 |
| D01861 | 1 | BACC63BP10C5SN PLUG | 81205 | 1 | 22-11-12 1168/278/L011 | YD158-YN236, YN501-YR328 |
| D01861 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-11-12 / / | YC051-YC052 |
| D01861 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-11-12 1156/278/L11 | YC053-YN236, YN501-YR328 |
| D01863 | 1 | BACC63BP10C5SN PLUG | 81205 | 1 | 22-11-12 668/192/L037 | YC051-YD158 |
| D01863 | 1 | BACC63BP10H5SN PLUG | 81205 | 1 | 22-11-12 668/192/L037 | YD160-YN236, YN501-YR328 |
| D01863 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-11-12 / / | YC051-YD158 |
| D01863 T | 1 | M85049-52S10A BACKSHELL | 81205 | 1 | 22-11-12 / / | YD160-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D01800

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D01907 | 1 | MS27473T18A53S RCPT- | 96906 | 1 | 34-61-18 P061-02/ / | YC051-YC058 |
| D01907 | 1 | MS27473T18A53S RCPT- | 96906 | 1 | 31-32-15 P061-02/ / | YC059-YR328 |
| D01967 | 1 | BACC66H21C09AA01 PLUG PLATE ASSY | 81205 | 1 | 23-27-11 E003-03/ / | YC051-YD157 |
| D01967 T | | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-27-11 E003-03/ / | YC051-YD157 |
| D01967A | 1 | PARTAOFD01967 PLUG - ACARS MU | | 0 | 23-27-11 E003-03/ / | YC051-YD157 |
| D01967B | 1 | PARTBOFD01967 PLUG - ACARS MU | | 0 | 23-27-11 E003-03/ / | YC051-YD157 |
| D01967C | 1 | PARTCOFD01967 PLUG - ACARS MU | | 0 | 23-27-11 E003-03/ / | YC051-YD157 |
| D01986 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 38-41-13 855/179/L049 | ALL |
| D01986 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 1 | 38-41-13 */*/ | ALL |
| D01990 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 38-41-13 958/204/R002 | ALL |
| D01990 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 1 | 38-41-13 */*/ | ALL |

EQUIPMENT LIST

D280A108

Section D01900
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D02113 | 1 | 1203-15-9 RCPT - (N) IN-LINE (NC) | 91836 | 1 | 34-31-11 300/177/R022 | ALL |
| D02115 | 1 | 795-15-9 PLUG- (C) STRAIGHT (IN) | 91836 | 1 | 34-31-11 300/178/R022 | YC051-YD170 |
| D02115 | 1 | 795-15-9 PLUG- (C) STRAIGHT (IN) | 91836 | 1 | 34-31-11 E001-02/ / | YL951-YR328 |
| D02117 | 1 | 1205-47-9 PLUG - (N) STRAIGHT (NO) | 91836 | 1 | 34-31-11 300/178/R022 | ALL |
| D02119 | 1 | PT08SE-10-6S-SR- PLUG | 77820 | 1 | 34-51-41 300/180/R021 | YC051-YD158, YL951-YR328 |
| D02121 | 1 | 1203-14-9 RCPT - (N) STRAIGHT | 91836 | 1 | 34-31-21 305/180/R21 | ALL |
| D02123 | 1 | 795-15-9 PLUG - (C) STRAIGHT (IN) | 91836 | 1 | 34-31-21 306/180/R020 | YC051-YC058, YN231-YN501 |
| D02123 | 1 | 795-15-9 PLUG - (C) STRAIGHT (IN) | 91836 | 1 | 34-31-21 306/180/R021 | YC059-YD170 |
| D02123 | 1 | 795-15-9 PLUG - (C) STRAIGHT (IN) | 91836 | 1 | 34-31-21 E001-04/ / | YL951-YL999, YR301-YR328 |
| D02125 | 1 | 1205-47-9 PLUG - (N) STRAIGHT (NO) | 91836 | 1 | 34-31-21 305/178/R021 | ALL |
| D02127 | 1 | PT08SE-10-6S-SR- PLUG-LOC ANT SWITCH-2 (CONTROL) | 77820 | 1 | 34-51-41 305/178/R019 | ALL |
| D02129 | 1 | 796-15-9 PLUG - (C) ANGLED 90 (OUT-1) | 91836 | 1 | 34-31-11 178/187/L10 | ALL |
| D02131 | 1 | 796-15-9 PLUG - (C) ANGLED 90 (OUT-2) | 91836 | 1 | 34-31-21 178/187/L10 | ALL |
| D02169 | 1 | BACC45FT18-31S PLUG PLATE ASSY - ISDU - LEFT | 81205 | 1 | 34-21-11 P005-70/ / | ALL |
| D02169 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 34-21-11 */ */ | ALL |
| D02171 | 1 | BACC45FT16-24S7 PLUG PLATE ASSY-MODE SELECT UNIT - LEFT | 81205 | 1 | 34-21-11 P005-69/ / | ALL |
| D02171 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 34-21-11 */ */ | ALL |

EQUIPMENT LIST

D280A108

Section D02100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D02173 | 1 | BACC45FT16-24S6 PLUG PLATE ASSY-MODE SELECT UNIT - RIGHT | 81205 | 1 | 34-21-21 P005-69/ / | ALL |
| D02173 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 34-51-41 */*/ | ALL |
| D02179 | 1 | BACC66H21C04AA01 PLUG PLATE ASSY-FMC NO. 1 | 81205 | 1 | 34-61-11 E005-02/ / | YC051-YC058, YD158-YR328 |
| D02179 | 1 | BACC66H21C04AA01 PLUG PLATE ASSY-FMC NO. 1 | 06090 | 1 | 34-61-11 E005-02/ / | YC059-YD157 |
| D02179A | 1 | PARTAOFD02179 PLUG PLATE ASSY-FMC NO. 1 | | 1 | 34-61-11 E005-02/ / | YC051-YD170, YN501-YR328 |
| D02179A | 1 | PARTAOFD02179 PLUG PLATE ASSY-FMC NO. 1 | | 1 | 34-61-11 */*/ | YL951-YN260 |
| D02179B | 1 | PARTBOFD02179 PLUG PLATE ASSY-FMC NO. 1 | | 1 | 34-61-11 E005-02/ / | YC051-YD170, YN501-YR328 |
| D02179B | 1 | PARTBOFD02179 PLUG PLATE ASSY-FMC NO. 1 | | 1 | 34-61-11 */*/ | YL951-YN260 |
| D02179C | 1 | PARTCOFD02179 PLUG PLATE ASSY-FMC NO. 1 | | 1 | 34-61-11 E005-02/ / | YC051-YD170, YN501-YR328 |
| D02179C | 1 | PARTCOFD02179 PLUG PLATE ASSY-FMC NO. 1 | | 1 | 34-61-11 */*/ | YL951-YN260 |
| D02181 | 1 | BACC45FT18-31S PLUG - CDU NO.1 | 81205 | 1 | 34-61-11 P009-65/ / | ALL |
| D02181 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 34-61-11 P009-65/ / | YC051-YC058 |
| D02181 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 34-61-11 */*/ | YC059-YR328 |
| D02183 | 1 | BACC45FT18-31S6 PLUG PLATE ASSY-MODE SELECT UNIT - LEFT | 81205 | 1 | 34-21-21 P005-70/ / | ALL |
| D02183 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 34-51-41 */*/ | ALL |

EQUIPMENT LIST

D280A108

Section D02100

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D02205 | 1 | BACC63BV10F5SN RCPT-CONDUCTIVE | 81205 | 1 | 22-12-31 1156/271/L5 | YC051-YD157 |
| D02205 | 1 | BACC63BV10F5SN RCPT-CONDUCTIVE | 81205 | 1 | 22-12-31 1166/267/L006 | YD158-YN236, YN501-YR328 |
| D02205 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-12-31 / / | YC051-YC052 |
| D02205 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-12-31 1156/271/L5 | YC053-YN236, YN501-YR328 |
| D02207 | 1 | BACC45FT10-5S PLUG | 81205 | 1 | 22-12-41 1164/266/R6 | YC051-YD153 |
| D02207 | 1 | BACC45FT10-5S PLUG | 81205 | 1 | 22-12-41 1164/266/R006 | YD154-YN236, YN501-YR328 |
| D02207 T | 1 | MS27291-1 BACKSHELL | 96906 | 1 | 22-12-41 / / | YC051-YC052 |
| D02207 T | 1 | MS27291-1 BACKSHELL | 96906 | 1 | 22-12-41 1164/266/R6 | YC053-YD153 |
| D02207 T | 1 | MS27291-1 BACKSHELL | 96906 | 1 | 22-12-41 1164/266/R006 | YD154-YN236, YN501-YR328 |
| D02209 | 1 | BD2P124S124S-8004 PLUG PLATE ASSEMBLY | 00779 | 1 | 22-11-11 E001-01/ / | ALL |
| D02209A | 1 | PARTAOFD02209 PLUG | | 0 | 22-11-11 E001-01/ / | YC051-YD170 |
| D02209A | 1 | PARTAOFD02209 PLUG | | 0 | 22-11-11 */*/ | YL951-YR328 |
| D02209B | 1 | PARTBOFD02209 PLUG | | 0 | 22-11-11 E001-01/ / | YC051-YD170 |
| D02209B | 1 | PARTBOFD02209 PLUG | | 0 | 22-11-11 */*/ | YL951-YR328 |
| D02221 | 1 | BACC45FT18-31S PLUG - CDU NO.2 | 81205 | 1 | 34-61-11 P009-66/ / | ALL |
| D02221 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 34-61-11 P009-66/ / | ALL |
| D02257 | 1 | BACC45FT16-24S PLUG | 81205 | 1 | 22-13-11 200/203/R13 | YC051-YC057 |

EQUIPMENT LIST

D280A108

Section D02200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D02257 | 1 | BACC45FT16-24S6 PLUG | 81205 | 1 | 22-13-11 200/203/R13 | YC058-YC064 |
| D02257 | 1 | BACC45FT16-24S6 PLUG | 81205 | 1 | 22-13-11 200/203/R013 | YC065-YR328 |
| D02257 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 22-13-11 / / | YC051-YC064 |
| D02257 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 22-13-11 */*/ | YC065-YR328 |
| D02269 | 1 | BACC45FT16-24S PLUG-MASTER CAUTION UNIT-LEFT | 81205 | 1 | 34-21-11 P061-01/ / | ALL |
| D02269 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 34-21-11 P061/ / | ALL |
| D02271 | 1 | BACC45FT16-24S6 PLUG-MASTER CAUTION UNIT-RIGHT | 81205 | 1 | 34-21-21 P061-01/ / | ALL |
| D02271 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 34-21-21 P061/ / | ALL |
| D02273 | 1 | MS3126F10-6SW PLUG | 96906 | 1 | 34-41-11 0196/189/R10 | YC051-YC055 |
| D02273 | 1 | MS3126F10-6SW PLUG | 96906 | 1 | 34-41-11 0196/189/R010 | YC056-YC058 |
| D02273 | 1 | MS3126F10-6SW PLUG | 96906 | 1 | 34-41-11 199/182/R009 | YC059-YD158, YL951-YR328 |
| D02295 | 1 | BACC66K31C01AA01 PLUG PLATE ASSY | 81205 | 1 | 31-31-11 E003-02/ / | ALL |
| D02295 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 31-31-11 E003-02/*/* | YC051-YD170, YN231-YN260 |
| D02295 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 31-31-11 */*/ | YL951-YL999, YN501-YR328 |
| D02295 U | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 31-31-11 E003-02/*/* | YC051-YD170, YN231-YN260 |
| D02295 U | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 31-31-11 */*/ | YL951-YL999, YN501-YR328 |
| D02295A | 1 | PARTAOFD02295 PLUG | | 1 | 31-31-11 E003-02/ / | YC051-YD170, YN231-YN260 |

EQUIPMENT LIST

D280A108

Section D02200

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D02295A | 1 | PARTAOFD02295 PLUG | | 1 | 31-31-11 */*/ | YL951-YL999, YN501-YR328 |
| D02295B | 1 | PARTBOFD02295 PLUG | | 1 | 31-31-11 E003-02/ / | YC051-YD170, YN231-YN260 |
| D02295B | 1 | PARTBOFD02295 PLUG | | 1 | 31-31-11 */*/ | YL951-YL999, YN501-YR328 |
| D02295C | 1 | PARTCOFD02295 PLUG | | 1 | 31-31-11 E003-02/ / | YC051-YD170, YL953-YN501 |
| D02295C | 1 | PARTCOFD02295 PLUG | | 1 | 31-31-11 */*/ | YL951-YL952, YR301-YR328 |
| D02295D | 1 | PARTDOFD02295 PLUG | | 1 | 31-31-11 E003-02/ / | YC051-YD170, YL953-YN501 |
| D02295D | 1 | PARTDOFD02295 PLUG | | 1 | 31-31-11 */*/ | YL951-YL952, YR301-YR328 |
| D02295E | 1 | PARTEOFD02295 PLUG | | 1 | 31-31-11 E003-02/ / | YC051-YD170, YN231-YN260 |
| D02295E | 1 | PARTEOFD02295 PLUG | | 1 | 31-31-11 */*/ | YL951-YL999, YN501-YR328 |
| D02295F | 1 | PARTFOFD02295 PLUG | | 1 | 31-31-11 E003-02/ / | YC051-YD170, YN231-YN260 |
| D02295F | 1 | PARTFOFD02295 PLUG | | 1 | 31-31-11 */*/ | YL951-YL999, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D02200

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D02349 | 1 | BACC45FT12-12S PLUG- | 81205 | 1 | 27-32-11 P005-18/ / | YC053-YR328 |
| D02351 | 1 | BACC45FT12-12S6 PLUG- | 81205 | 1 | 27-32-21 P005-18/ / | ALL |
| D02375 | 1 | BACS16AG1 RELAY SOCKET | 81205 | 1 | 23-31-06 J020-0B/ / | YC051-YD170, YN231-YN260 |
| D02375 | 1 | BACS16AG1 RELAY SOCKET | 81205 | 1 | 44-21-22 J020-0B/ / | YL951-YL999, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D02300
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D02435 | 1 | BACC45FT14-15S PLUG | 81205 | 1 | 22-14-11 P001-03/ / | YC051-YD158, YL951-YR328 |
| D02435 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 */ */ | YC051-YC052, YD158 |
| D02435 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 */ / | YC053-YD157, YL951-YR328 |
| D02437 | 1 | BACC45FT14-15S6 PLUG | 81205 | 1 | 22-14-11 P001-03/ / | YC051-YD158, YL951-YR328 |
| D02437 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 */ */ | YC051-YC052, YD158 |
| D02437 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 */ / | YC053-YD157, YL951-YR328 |
| D02439 | 1 | BACC45FT14-15S PLUG | 81205 | 1 | 22-14-11 P003-01/ / | YC051-YD158, YL951-YR328 |
| D02439 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 */ / | YC051-YD158 |
| D02439 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 */ */ | YL951-YR328 |
| D02441 | 1 | BACC45FT14-15S6 PLUG | 81205 | 1 | 22-14-11 P003-01/ / | YC051-YD158, YL951-YR328 |
| D02441 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 */ / | YC051-YD158 |
| D02441 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 */ */ | YL951-YR328 |
| D02473 | 1 | 125-88-9 PLUG-COAX | 91836 | 1 | 34-53-31 E001-02/ / | ALL |
| D02475 | 1 | 125-88-9 PLUG-COAX | 91836 | 1 | 34-55-11 E001-02/ / | ALL |
| D02477 | 1 | 125-88-9 PLUG-COAX | 91836 | 1 | 34-53-31 E001-02/ / | ALL |
| D02485 | 1 | BACS16W1A SOCKET-A/P STAB TRIM C/O SW. ASSY. RELAY | 81205 | 1 | 22-13-11 P8/ / | ALL |
| D02486 | 1 | BACC45FT16-24S6 PLUG- | 81205 | 1 | 29-11-11 P005-08/ / | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D02400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D02487 | 1 | BACC45FN14-15P6 RCPT- | 81205 | 1 | 22-13-11 P8/ / | ALL |
| D02487 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-13-11 / / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D02400
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D02501 | 1 | BACC66H21C57AA01 PLUG PLATE ASSY | 81205 | 1 | 23-51-51 E004-01/ / | YC051-YC064 |
| D02501 | 1 | BACC66H26C57AA01 PLUG PLATE ASSY | 81205 | 1 | 23-51-51 E004-01/ / | YC065-YR328 |
| D02501 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-51-51 E004-01/ / | YC051-YD170 |
| D02501 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-51-51 */*/ | YL951-YR328 |
| D02501 U | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-51-51 E004-01/ / | YC051-YD170 |
| D02501 U | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-51-51 */*/ | YL951-YR328 |
| D02501A | 1 | PARTAD02501 PLUG-REMOTE ELECTRONIC UNIT | | 0 | 23-51-51 E004-01/ / | YC051-YD170 |
| D02501A | 1 | PARTAD02501 PLUG-REMOTE ELECTRONIC UNIT | | 0 | 23-51-51 */*/ | YL951-YR328 |
| D02501B | 1 | PARTBD02501 PLUG-REMOTE ELECTRONIC UNIT | | 0 | 23-51-51 E004-01/ / | YC051-YD170 |
| D02501B | 1 | PARTBD02501 PLUG-REMOTE ELECTRONIC UNIT | | 0 | 23-51-51 */*/ | YL951-YR328 |
| D02501C | 1 | PARTCD02501 PLUG-REMOTE ELECTRONIC UNIT | | 0 | 23-51-51 E004-01/ / | YC051-YD170 |
| D02501C | 1 | PARTCD02501 PLUG-REMOTE ELECTRONIC UNIT | | 0 | 23-51-51 */*/ | YL951-YR328 |
| D02525 | 1 | BACC45FT18-31S8 PLUG-CALSEL ENCODER CONT PANEL | 81205 | 1 | 23-29-11 P008-11/ / | YC051-YD157 |
| D02525 T | | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 23-29-11 P008-11/ / | YC051-YD157 |
| D02529 | 1 | 795-16-9 PLUG - ATC TOP ANTENNA | 91836 | 1 | 34-53-31 430/305/R005 | YC051-YD158 |
| D02529 | 1 | 795-33-9 PLUG - ATC TOP ANTENNA | 91836 | 1 | 34-53-31 430/305/R005 | YD160-YR328 |
| D02537 | 1 | BACC45FT10-5S PLUG-SPEEDBRAKE HANDLE POS TRANSMITTER | 81205 | 1 | 27-62-37 188/200/L006 | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D02500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D02537 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 27-62-37 / / | YC051-YD158, YL951-YL952, YN231-YN260 |
| D02537 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 27-62-37 */ */ | YL953-YL999, YN501-YR328 |
| D02555 | 1 | BACC66F11F03AA01 PLUG-PLATE ASSY-SELCAL DECODER | 81205 | 1 | 23-22-11 E004-01/ / | ALL |
| D02555 T | 1 | S280W601-116 GND BLOCK - ARINC 600 -SELCAL DECODER | 81205 | 1 | 23-22-01 E004-01/ / | YC051-YD170 |
| D02555 T | 1 | S280W601-116 GND BLOCK - ARINC 600 -SELCAL DECODER | 81205 | 1 | 23-22-01 */ */ | YL951-YR328 |
| D02555A | 1 | PARTAD02555 PLUG-SELCAL | | 0 | 23-22-01 E004-01/ / | YC051-YD170 |
| D02555A | 1 | PARTAD02555 PLUG-SELCAL | | 0 | 23-22-01 */ */ | YL951-YR328 |
| D02555B | 1 | PARTB-D02555 PLUG-SELCAL | | 0 | 23-22-11 E004-01/ / | YC051-YD170 |
| D02555B | 1 | PARTB-D02555 PLUG-SELCAL | | 0 | 23-22-11 */ */ | YL951-YR328 |
| D02555C | 1 | PARTCD02555 PLUG-SELCAL | | 0 | 23-22-11 E004-01/ / | YC051-YD170 |
| D02555C | 1 | PARTCD02555 PLUG-SELCAL | | 0 | 23-22-11 */ */ | YL951-YR328 |
| D02564 | 1 | BACC63BP12C3SN PLUG-CONDUCTIVE | 81205 | 1 | 32-42-11 725/197/L021 | YC051-YD158 |
| D02564 | 1 | BACC63BP12D3SN PLUG-CONDUCTIVE | 81205 | 1 | 32-42-11 725/197/L021 | YD160-YL968, YN231-YN236, YN501-YR328 |
| D02564 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 */ */ | YC051-YD158 |
| D02564 T | 1 | BACC10KA12 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 */ */ | YD160-YL955, YN231-YN235 |
| D02564 T | 1 | BACC10KB12 CLAMP, 90 DEG | 81205 | 1 | 32-42-13 */ */ | YL956-YL968, YN236, YN501- YR328 |

EQUIPMENT LIST

D280A108

Section D02500

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|---|
| D02566 | 1 | BACC63BP12C3SN PLUG-CONDUCTIVE | 81205 | 1 | 32-42-11 725/193/L018 | YC051-YD158 |
| D02566 | 1 | BACC63BP12D3SN PLUG-CONDUCTIVE | 81205 | 1 | 32-42-11 725/193/L018 | YD160-YL968, YN231-YN236, YN501-YR328 |
| D02566 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 */*/ | YC051-YD158 |
| D02566 T | 1 | BACC10KA12 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 */*/ | YD160-YL955, YN231-YN235 |
| D02566 T | 1 | BACC10KB12 CLAMP, 90 DEG | 81205 | 1 | 32-42-11 */*/ | YL956-YL968, YN236, YN501- YR328 |
| D02570 | 1 | BACC63CB14-7SN PLUG- CONDUCTIVE | 81205 | 1 | 32-42-11 713/198/L000 | YC051-YD158 |
| D02570 | 1 | BACC63CB14A7SN PLUG- CONDUCTIVE | 81205 | 1 | 32-42-11 713/198/L000 | YD160-YR328 |
| D02570 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 715/198/L003 | YC051-YD152 |
| D02570 T | 1 | BACC10KF14 CLAMP, 45 DEG | 81205 | 1 | 32-42-11 */*/ | YD153-YD158 |
| D02570 T | 1 | 620AB049C14 BACKSHELL- CONDUCTIVE | 81205 | 1 | 32-42-11 */*/ | YD160-YR328 |
| D02572 | 1 | BACC63BP10C5SN PLUG-CONDUCTIVE | 81205 | 1 | 32-42-11 716/199/L004 | YC051-YD158 |
| D02572 | 1 | BACC63BP10H5SN PLUG- CONDUCTIVE | 81205 | 1 | 32-42-11 716/199/L004 | YD160-YR328 |
| D02572 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 */*/ | YC051-YD152 |
| D02572 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 32-42-11 */*/ | YD153-YD158 |
| D02572 T | 1 | 620AB049C10 BACKSHELL- CONDUCTIVE | 81205 | 1 | 32-42-11 */*/ | YD160-YR328 |
| D02574 | 1 | BACC63BP12C3SN PLUG- CONDUCTIVE | 81205 | 1 | 32-42-11 714/196/L003 | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section D02500

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D02574 | 1 | BACC63BP12H3SN PLUG- CONDUCTIVE | 81205 | 1 | 32-42-11 714/196/L003 | YD160-YR328 |
| D02574 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 32-42-11 714/196/L003 | YC051-YD152 |
| D02574 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 32-42-11 */*/ | YD153-YD158 |
| D02574 T | 1 | M85049-51S12A BACKSHELL- CONDUCTIVE | 81205 | 1 | 32-42-11 */*/ | YD160-YR328 |
| D02576 | 1 | BACC63BP10C5SN PLUG- CONDUCTIVE | 81205 | 1 | 32-42-11 712/197/L007 | YC051-YD158 |
| D02576 | 1 | BACC63BP10H5SN PLUG- CONDUCTIVE | 81205 | 1 | 32-42-11 712/197/L007 | YD160-YR328 |
| D02576 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 32-42-11 712/197/L007 | YC051-YD152 |
| D02576 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 32-42-11 */*/ | YD153-YD158 |
| D02576 T | 1 | M85049-51S10A BACKSHELL- CONDUCTIVE | 81205 | 1 | 32-42-11 */*/ | YD160-YR328 |
| D02586 | 1 | DPX2MB-57S57S-33B-0038 PLUG PLATE ASSY | 71468 | 1 | 27-62-11 E004-02/ / | ALL |
| D02586A | 1 | PARTAOFD02586 PLUG | | 1 | 27-62-11 E004-02/ / | YC051-YC057 |
| D02586A | 1 | PARTAOFD02586 PLUG | | 1 | 27-62-11 */*/ | YC058-YR328 |
| D02586B | 1 | PARTBOFD02586 PLUG | | 1 | 27-62-11 E004-02/ / | YC051-YC057 |
| D02586B | 1 | PARTBOFD02586 PLUG | | 1 | 27-62-11 */*/ | YC058-YR328 |

EQUIPMENT LIST

D280A108

Section D02500
Page 4 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D02621 | | 2439-5-1 RCPT - (TNC) FEED THRU (42 DEG KEY) | 287A4110 91836 | 1 | 34-31-11 178/212/R014 | ALL |
| D02623 | | 2439-5-1 RCPT - (TNC) FEED THRU (42 DEG KEY) | 287A4110 91836 | 1 | 34-31-11 178/ / | ALL |
| D02625 | | 2439-5-6 RCPT - (TNC) FEED THRU (102 DEG KEY) | 287A4110 91836 | 1 | 34-31-21 178/212/R010 | ALL |
| D02627 | | 2439-5-6 RCPT - (TNC) FEED THRU (102 DEG KEY) | 287A4110 91836 | 1 | 34-31-21 178/ / | ALL |
| D02639 | 1 | BACC66F11C07AA01 PLUG PLATE ASSY | 81205 | 1 | 23-31-01 E001-03/ / | ALL |
| D02639A | 1 | PARTOFD02639 PLUG - PA AMP | | 0 | 23-31-01 E001-03/ / | YC051-YD170 |
| D02639A | 1 | PARTAOFD02639 PLUG - PA AMP | | 1 | 23-31-01 */*/ | YL951-YR328 |
| D02639B | 1 | PARTOFD02639 PLUG - PA AMP | | 0 | 23-31-01 E001-03/ / | YC051-YD170 |
| D02639B | 1 | PARTBOFD02639 PLUG - PA AMP | | 1 | 23-31-01 */*/ | YL951-YR328 |
| D02639C | 1 | PARTOFD02639 PLUG - PA AMP | | 0 | 23-31-01 E001-03/ / | YC051-YD170 |
| D02639C | 1 | PARTCOFD02639 PLUG - PA AMP | | 1 | 23-31-01 */*/ | YL951-YR328 |
| D02643 | 1 | BACC66H21C50AA01 PLUG-QUICK ACCESS RECORDER | 81205 | 1 | 31-35-03 E003-03/ / | YN236-YR328 |
| D02643 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 31-35-03 E003-03/ / | YN236-YR328 |
| D02643A | 1 | PARTAOFD02643 PLUG - QUICK ACCESS RECORDER | | 0 | 31-35-03 E003-03/ / | YN236-YR328 |
| D02643B | 1 | PARTBOFD02643 PLUG - QUICK ACCESS RECORDER | | 0 | 31-35-03 E003-03/ / | YN236-YR328 |
| D02643C | 1 | PARTCOFD02643 PLUG - QUICK ACCESS RECORDER | | 0 | 31-35-03 E003-03/ / | YN236-YR328 |
| D02649 | 1 | MS3126F20-41S PLUG | 96906 | 1 | 31-33-01 P008-54/ / | ALL |

EQUIPMENT LIST

D280A108

Section D02600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|---|
| D02650 | 1 | BACC63CB20-28SN PLUG - CONDUCTIVE | 81205 | 1 | 31-62-11 P001-09/ / | YC051-YC052 |
| D02650 | 1 | BACC63CB20-28SN PLUG - CONDUCTIVE | 81205 | 1 | 33-11-11 P001-09/ / | YC053-YD158, YL951-YR328 |
| D02650 T | 1 | BACC10KE20 CLAMP, 90 DEG | 81205 | 1 | 31-62-11 */ */ | YC051-YC052 |
| D02650 T | 1 | BACC10KE20 CLAMP, 90 DEG | 81205 | 1 | 33-11-11 */ / | YC053-YD157, YL951-YR328 |
| D02650 T | 1 | BACC10KE20 CLAMP, 90 DEG | 81205 | 1 | 33-11-11 */ */ | YD158 |
| D02664 | 1 | BACC63CB18-8SN PLUG- | 81205 | 1 | 29-11-12 671/171/L019 | YC051-YD158 |
| D02664 | 1 | BACC63CB18A8SN PLUG- | 81205 | 1 | 29-11-12 671/171/L019 | YD160-YL968, YN231-YN236, YN501-YR323, YR325-YR328 |
| D02664 T | 1 | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 29-11-12 671/171/L19 | YC051-YD158 |
| D02664 T | 1 | M85049-51S18A BACKSHELL | 81205 | 1 | 29-11-12 671/171/L19 | YD160-YL968, YR301-YR323, YR325-YR328 |
| D02664 T | 1 | M85049-51S18A BACKSHELL | 81205 | 1 | 29-11-12 671/167/L019 | YN231-YN236, YN501 |
| D02666 | 1 | BACC63CB18-8SN PLUG- | 81205 | 1 | 29-11-12 674/171/R004 | YC051-YD158 |
| D02666 | 1 | BACC63CB18A8SN PLUG- | 81205 | 1 | 29-11-12 674/171/R004 | YD160-YL968, YN231-YN236, YN501-YR323, YR325-YR328 |
| D02666 T | | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 29-11-12 678/171/R4 | YC051-YD152 |
| D02666 T | | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 29-11-12 674/171/R004 | YD153-YD158 |

EQUIPMENT LIST

D280A108

Section D02600

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D02666 T | | M85049-51S18A BACKSHELL- | 81205 | 1 | 29-11-12 */ */ | YD160-YL968, YR301-YR323, YR325-YR328 |
| D02666 T | | M85049-51S18A BACKSHELL- | 81205 | 1 | 29-11-12 674/171/R004 | YN231-YN236, YN501 |
| D02668 | | BACC45FT12-12S-REFONLY- PLUG-SYS A ELEC HYD PUMP GND FAULT DET | 284A0206 81205 | 1 | 29-11-12 P092-00/ / | ALL |
| D02670 | | BACC45FT12-12S-REFONLY- PLUG-SYS B ELEC HYD PUMP GND FAULT DET | 284A0206 81205 | 1 | 29-11-12 P091-00/ / | ALL |
| D02674 | 1 | BACC63BN12-12S6 PLUG- | 81205 | 1 | 29-31-11 678/194/R43 | YC051-YD152 |
| D02674 | 1 | BACC63BN12-12S6 PLUG- | 81205 | 1 | 29-31-11 678/194/R043 | YD153-YR328 |
| D02674 T | 1 | MS27291-2 BACKSHELL-STRAIGHT | 96906 | 1 | 29-31-11 TBD/ / | YC051-YD152 |
| D02674 T | 1 | MS27559-3 BACKSHELL-90 DEGREE | 96906 | 1 | 29-31-11 */ */ | YD153-YR328 |
| D02676 | 1 | BACC63BP12D3S8L PLUG- CONDUCTIVE | 81205 | 1 | 29-32-11 724/162/R010 | ALL |
| D02676 T | 1 | BACC10KB12 CLAMP, 90 DEG | 81205 | 1 | 29-32-11 */ */ | ALL |
| D02678 | 1 | BACC63CB10-5S10 PLUG - CONDUCTIVE | 81205 | 1 | 29-32-11 P003-01/ / | YC051-YD158, YL951-YR328 |
| D02678 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 29-32-11 */ / | YC051-YD158 |
| D02678 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 29-32-11 */ */ | YL951-YR328 |
| D02680 | 1 | BACC63CB10-5SN PLUG - CONDUCTIVE | 81205 | 1 | 29-33-11 666/171/L043 | YC051-YD158 |
| D02680 | 1 | BACC63CB10A5SN PLUG - CONDUCTIVE | 81205 | 1 | 29-33-11 666/171/L043 | YL951-YR323, YR325-YR328 |
| D02680 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 29-33-11 TBD/ / | YC051-YD152 |

EQUIPMENT LIST

D280A108

Section D02600

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D02680 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 29-33-11 */*/ | YD153-YD158 |
| D02680 T | 1 | M85049-51S10A BACKSHELL- CONDUCTIVE | 81205 | 1 | 29-33-11 */*/ | YL951-YR323, YR325-YR328 |
| D02682 | 1 | BACC63CB10-5SN PLUG-CONDUCTIVE | 81205 | 1 | 29-33-11 666/181/R022 | YC051-YD158 |
| D02682 | 1 | BACC63CB10A5SN PLUG-CONDUCTIVE | 81205 | 1 | 29-33-11 666/181/R022 | YL951-YL968, YN231-YR328 |
| D02682 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 29-33-11 */*/ | YC051-YD152 |
| D02682 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 29-33-11 */*/ | YD153-YD158 |
| D02682 T | 1 | M85049-52S10A BACKSHELL-CONDUCTIVE | 81205 | 1 | 29-33-11 */*/ | YL951-YL968, YN231-YN235, YR301-YR328 |
| D02682 T | 1 | M85049-51S10A BACKSHELL-CONDUCTIVE - 90 DEGREE | 81205 | 1 | 29-33-11 */*/ | YN236-YN501 |
| D02684 | 1 | BACC63CB10-5SN PLUG - CONDUCTIVE | 81205 | 1 | 29-33-11 666/170/L047 | YC051-YD158 |
| D02684 | 1 | BACC63CB10A5SN PLUG - CONDUCTIVE | 81205 | 1 | 29-33-11 666/170/L047 | YL951-YR323, YR325-YR328 |
| D02684 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 29-33-11 TBD/ / | YC051-YD152 |
| D02684 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 29-33-11 */*/ | YD153-YD158 |
| D02684 T | 1 | M85049-51S10A BACKSHELL- CONDUCTIVE | 81205 | 1 | 29-33-11 */*/ | YL951-YR323, YR325-YR328 |
| D02686 | 1 | BACC63CB10-5SN PLUG-CONDUCTIVE | 81205 | 1 | 29-33-11 666/181/R027 | YC051-YD158 |
| D02686 | 1 | BACC63CB10A5SN PLUG-CONDUCTIVE | 81205 | 1 | 29-33-11 666/181/R027 | YL951-YL968, YN231-YR328 |
| D02686 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 29-33-11 */*/ | YC051-YD152 |

EQUIPMENT LIST

D280A108

Section D02600

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------------|-----------------------|-----|------------------------------|---|
| D02686 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 29-33-11 */*/ | YD153-YD158 |
| D02686 T | 1 | M85049-51S10A BACKSHELL-CONDUCTIVE | 81205 | 1 | 29-33-11 */*/ | YL951-YL968, YN231-YR328 |
| D02688 | 1 | BACC63CE10SL-4S PLUG- | 81205 | 1 | 29-34-11 674/165/L010 | YC051-YD158 |
| D02688 | 1 | MS3459KS10SL-4S PLUG- | 81205 | 1 | 29-34-11 674/165/L010 | YD160-YL968, YN231-YN236, YN501-YR314 |
| D02688 | 1 | 9816KS10SL-4S PLUG- | 81205 | 1 | 29-34-11 674/165/L010 | YR315-YR323, YR325-YR328 |
| D02688 T | 1 | BACC10HW12 CLAMP, 90 DEG | 81205 | 1 | 29-34-11 */*/ | YC051-YD158 |
| D02688 T | 1 | BACC10KB10 CLAMP, 90 DEG | 81205 | 1 | 29-34-11 */*/ | YD160-YL968, YN231-YN236, YN501-YR323, YR325-YR328 |
| D02690 | 1 | BACC63CE10SL-4S PLUG- | 81205 | 1 | 29-34-11 672/159/R007 | YC051-YD158 |
| D02690 | 1 | MS3459KS10SL-4S PLUG- | 81205 | 1 | 29-34-11 672/159/R007 | YD160-YL968, YN231-YN236, YN501-YR314 |
| D02690 | 1 | 9816KS10SL-4S PLUG- | 81205 | 1 | 29-34-11 672/159/R007 | YR315-YR323, YR325-YR328 |
| D02690 T | | BACC10HW12 CLAMP, 90 DEG | 81205 | 1 | 29-34-11 672/159/R007 | YC051-YD152 |
| D02690 T | | BACC10HV12 CLAMP, STRAIGHT | 81205 | 1 | 29-34-11 672/159/R007 | YD153-YD158 |
| D02690 T | | BACC10KA10 CLAMP, STRAIGHT | 81205 | 1 | 29-34-11 */*/ | YD160-YL968, YR301-YR323, YR325-YR328 |
| D02690 T | | BACC10KA10 CLAMP, STRAIGHT | 81205 | 1 | 29-34-11 672/159/R007 | YN231-YN236, YN501 |

EQUIPMENT LIST

D280A108

Section D02600

Page 5 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D02701 | 1 | 125-92-9 PLUG-COAX | 91836 | 1 | 34-53-31 316/161/L-23 | ALL |
| D02703 | 1 | 1205-48-9 PLUG-COAX | 91836 | 1 | 34-53-31 316/162/L023 | ALL |
| D02705 | 1 | 795-21-9 PLUG-COAX | 91836 | 1 | 34-53-31 316/163/L-23 | YC051-YC052 |
| D02705 | 1 | 795-21-9 PLUG-COAX | 91836 | 1 | 34-53-31 316/163/L023 | YC053-YD170 |
| D02705 | 1 | 795-21-9 PLUG-COAX | 91836 | 1 | 34-53-31 E001-05/ / | YL951-YR328 |
| D02707 | 1 | 1205-62-9 PLUG-COAX | 91836 | 1 | 34-53-31 314/161/L-23 | ALL |
| D02709 | 1 | 125-95-9 PLUG-COAX | 91836 | 1 | 34-53-31 314/161/L23 | ALL |
| D02711 | 1 | 795-15-9 PLUG-COAX | 91836 | 1 | 34-53-31 314/163/L-23 | YC051-YC052 |
| D02711 | 1 | 795-15-9 PLUG-COAX | 91836 | 1 | 34-53-31 314/162/L023 | YC053-YD170 |
| D02711 | 1 | 795-15-9 PLUG-COAX | 91836 | 1 | 34-53-31 E001-05/ / | YL951-YR328 |
| D02743 | 1 | BACC66K35F40AK01 PLUG PLATE ASSEMBLY | 81205 | 1 | 34-45-11 E001-01/ / | ALL |
| D02743A | 1 | PARTAOFD02743 PLUG | | 0 | 34-45-11 E001-01/ / | YC051-YD170 |
| D02743A | 1 | PARTAOFD02743 PLUG | | 0 | 34-45-11 */*/ | YL951-YR328 |
| D02743AU | 1 | 125-96-9 PLUG | 91836 | 4 | 34-45-11 E001-01/ / | YC051-YD170 |
| D02743AU | 1 | 125-96-9 PLUG | 91836 | 4 | 34-45-11 */*/ | YL951-YR328 |
| D02743B | 1 | PARTBOFD02743 PLUG | | 0 | 34-45-11 E001-01/ / | YC051-YD170 |
| D02743B | 1 | PARTBOFD02743 PLUG | | 0 | 34-45-11 */*/ | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D02700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D02743BU | 1 | 125-94-9 PLUG | 91836 | 4 | 34-45-11 E001-01/ / | YC051-YD170 |
| D02743BU | 1 | 125-94-9 PLUG | 91836 | 4 | 34-45-11 */*/ | YL951-YR328 |
| D02743C | 1 | PARTCOFD02743 PLUG | | 0 | 34-45-11 E001-01/ / | YC051-YD170 |
| D02743C | 1 | PARTCOFD02743 PLUG | | 0 | 34-45-11 */*/ | YL951-YR328 |
| D02743D | 1 | PARTDOFD02743 PLUG | | 0 | 34-45-11 E001-01/ / | YC051-YD170 |
| D02743D | 1 | PARTDOFD02743 PLUG | | 0 | 34-45-11 */*/ | YL951-YR328 |
| D02743E | 1 | PARTEOFD02743 PLUG | | 0 | 34-45-11 E001-01/ / | YC051-YD170 |
| D02743E | 1 | PARTEOFD02743 PLUG | | 0 | 34-45-11 */*/ | YL951-YR328 |
| D02743F | 1 | PARTFOF2743 PLUG | | 0 | 34-45-11 E001-01/ / | YC051-YD170 |
| D02743F | 1 | PARTFOF2743 PLUG | | 0 | 34-45-11 */*/ | YL951-YR328 |
| D02745 | 1 | 125-91-9 PLUG-COAX | 91836 | 1 | 34-45-21 387/302/R005 | ALL |
| D02747 | 1 | 125-91-9 PLUG-COAX | 91836 | 1 | 34-45-21 385/302/R005 | ALL |
| D02749 | 1 | 125-91-9 PLUG-COAX | 91836 | 1 | 34-45-21 386/302/R005 | ALL |
| D02751 | 1 | 125-91-9 PLUG-COAX | 91836 | 1 | 34-45-21 385/302/R006 | ALL |
| D02753 | 1 | 125-88-9 PLUG-COAX | 91836 | 1 | 34-45-21 305/150/R001 | ALL |
| D02755 | 1 | 125-88-9 PLUG-COAX | 91836 | 1 | 34-45-21 305/150/R002 | ALL |
| D02757 | 1 | 125-88-9 PLUG-COAX | 91836 | 1 | 34-45-21 305/150/R001 | ALL |

EQUIPMENT LIST

D280A108

Section D02700

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D02759 | 1 | 125-88-9 PLUG-COAX | 91836 | 1 | 34-45-21 305/150/L001 | ALL |
| D02775 | 1 | BACS16X1A RELAY SOCKET | 81205 | 1 | 23-22-11 J022-00/ / | YC051-YN236, YN501-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D02700
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|-------------|
| D02813 | 1 | CPX3MA32C2S67S32C2S-33-0001 PLUG | 71771 | 1 | 23-32-21 E003-02/ / | YC051-YC052 |
| D02813 | 1 | RM3P32C2S67S32C2S-0001 PLUG | 71771 | 1 | 23-32-21 E003-02/ / | YC053-YD170 |
| D02813 | 1 | RM3P32C2S67S32C2S-0001 PLUG | 71771 | 1 | 23-32-21 D004-01/ / | YL951-YN260 |
| D02813A | 1 | PARTAOFD02813 PLUG | | 1 | 23-32-21 E003-02/ / | YC051-YD170 |
| D02813A | 1 | PARTAOFD02813 PLUG | | 1 | 23-32-21 */*/ | YL951-YN260 |
| D02813B | 1 | PARTBOFD02813 PLUG | | 1 | 23-32-21 E003-02/ / | YC051-YD170 |
| D02813B | 1 | PARTBOFD02813 PLUG | | 1 | 23-32-21 */*/ | YL951-YN260 |
| D02813C | 1 | PARTCOFD02813 PLUG | | 1 | 23-32-21 E003-02/ / | YC051-YD170 |
| D02813C | 1 | PARTCOFD02813 PLUG | | 1 | 23-32-21 */*/ | YL951-YN260 |
| D02819 | 1 | 756-16-9 PLUG | 91836 | 1 | 23-32-21 E003-02/ / | YD158-YD170 |
| D02819 | 1 | 756-16-9 PLUG | 91836 | 1 | 23-32-21 E004-01/ / | YL951-YN260 |
| D02821 | 1 | 756-16-9 PLUG | 91836 | 1 | 23-32-21 E003-02/ / | YD158-YD170 |
| D02821 | 1 | 756-16-9 PLUG | 91836 | 1 | 23-32-21 E004-01/ / | YL951-YN260 |
| D02849 | 1 | 125-88-9 PLUG-COAX | 91836 | 1 | 34-55-21 E001-05/ / | ALL |
| D02851 | 1 | 125-88-9 PLUG-COAX | 91836 | 1 | 34-53-31 E001-05/ / | ALL |
| D02853 | 1 | 125-88-9 PLUG-COAX | 91836 | 1 | 34-53-31 E001-05/ / | ALL |

EQUIPMENT LIST

D280A108

Section D02800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D02860 | 1 | BACC63BP12D12SN PLUG-CONDUCTIVE | 81205 | 1 | 29-23-11 674/158/L002 | YC051-YD158, YL951-YR323, YR325-YR328 |
| D02860 T | 1 | BACC10KB12 CLAMP, 90 DEG | 81205 | 1 | 29-23-11 */*/ | YC051-YD158, YL951-YR323, YR325-YR328 |
| D02864 | 1 | BACC45FT10-5S PLUG-NOSE STEERING ACT | 81205 | 1 | 32-51-11 251/203/L035 | YC051-YD158, YL951-YR328 |
| D02864 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 1 | 32-51-11 / / | YC051-YD158, YL951-YR328 |
| D02866 | 1 | BACC45FT22-55S8 PLUG-DIM MODULE | 81205 | 1 | 33-18-61 J019-00/ / | YC051-YD158, YL951-YR328 |
| D02866 T | 1 | BACC10JS22 BACKSHELL- | 81205 | 1 | 33-18-61 */*/ | YC051-YC052 |
| D02866 T | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 33-18-61 */*/ | YC053-YD158, YL951-YR328 |
| D02870 | 1 | BACC63BP14C7SN PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 703/201/L027 | YC051-YD158 |
| D02870 | 1 | BACC63BP14H7SN PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 703/201/L027 | YD160-YL968, YN231-YN236, YN501-YR328 |
| D02870 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 32-41-11 / / | YC051-YD152 |
| D02870 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 32-41-11 */*/ | YD153-YD158 |
| D02870 T | 1 | M85049-51S14A BACKSHELL-CONDUCTIVE | 81205 | 1 | 32-41-11 */*/ | YD160-YL968, YN231-YN236, YN501-YR328 |
| D02872 | 1 | BACC63CB10-20SN PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 688/191/R065 | YC051-YD158 |
| D02872 | 1 | BACC63CB10B20SN PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 688/191/R065 | YD160-YR328 |
| D02872 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 */*/ | YC051-YD152 |

EQUIPMENT LIST

D280A108

Section D02800

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D02872 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 32-41-11 */*/ | YD153-YD158 |
| D02872 T | 1 | BACC10KB10 CLAMP, 90 DEG | 81205 | 1 | 32-41-11 */*/ | YD160-YR328 |
| D02874 | 1 | BACC63CB10-20SN PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 668/191/L066 | YC051-YD157 |
| D02874 | 1 | BACC63CB10-20SN PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 688/191/L066 | YD158 |
| D02874 | 1 | BACC63CB10B20SN PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 688/191/L066 | YD160-YR323, YR325-YR328 |
| D02874 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 TBD/ / | YC051-YD152 |
| D02874 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 TBD/ / | YD153-YD158 |
| D02874 T | 1 | BACC10KC10 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 TBD/ / | YD160-YR323, YR325-YR328 |
| D02875 | 1 | MS27473T18A53P PLUG | 96906 | 1 | 34-61-18 P061-01/ / | YC051-YC058 |
| D02875 | 1 | MS27473T18A53P PLUG | 96906 | 1 | 31-32-15 P061-01/ / | YC059-YR328 |
| D02875 T | 1 | M85049-49-2-18W BACKSHELL | 96906 | 1 | 34-61-18 P061-01/ / | YC051-YC058 |
| D02875 T | 1 | M85049-49-2-18W BACKSHELL | 96906 | 1 | 31-32-15 P061-01/ / | YC059-YR328 |
| D02877 | 1 | BACC45FT16-24S PLUG | 81205 | 1 | 34-61-18 P061-01/ / | YC051-YC058 |
| D02877 | 1 | BACC45FT24-61S PLUG | 81205 | 1 | 31-32-15 P061-01/ / | YC059-YR328 |
| D02877 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 34-61-18 P061/ / | YC051-YC058 |
| D02877 T | 1 | BACC10JS24 CLAMP, STRAIGHT | 81205 | 1 | 31-32-15 P061/ / | YC059-YR328 |
| D02879 | 1 | BACC45FT16-24S6 PLUG | 81205 | 1 | 34-61-18 P061-01/ / | YC051-YC058 |

EQUIPMENT LIST

D280A108

Section D02800

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D02879 | 1 | BACC45FT22-55S PLUG | 81205 | 1 | 31-32-15 P061-01/ / | YC059-YR328 |
| D02879 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 34-61-18 P061/*/* | YC051-YC058 |
| D02879 T | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 31-32-15 P061/*/* | YC059-YR328 |
| D02880 | 1 | BACS16W5A SOCKET-OXYGEN RELAY R322 | 81205 | 1 | 35-21-11 J023-00/ / | ALL |
| D02882 | 1 | BACS16W5A SOCKET-OXYGEN RELAY R323 | 81205 | 1 | 35-21-11 J023-00/ / | ALL |
| D02884 | 1 | BACS16W1A SOCKET-OXYGEN RELAY R324 | 81205 | 1 | 35-21-11 J023-00/ / | ALL |
| D02886 | 1 | BACC63BP10C5S6 PLUG-ALTITUDE PRESSURE SWITCH S813 | 81205 | 1 | 35-21-11 J023-00/ / | ALL |
| D02889 | 1 | BACC45FT16A24S7 PLUG-ELT CONT PNL | 81205 | 1 | 23-24-11 P005-80/ / | ALL |

EQUIPMENT LIST

D280A108

Section D02800

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D02905 | 1 | POACONNECTOR PLUG-121.5/243 MHZ XMTR | 60253 | 1 | 23-24-11 797/289/L015 | YC051-YD170 |
| D02905 | 1 | 755-78-9 PLUG-ELT | 81205 | 1 | 23-24-11 794/301/L010 | YL951-YR328 |
| D02907 | 1 | POACONNECTOR PLUG-121.5/243 MHZ ELT ANTENNA | 60253 | 1 | 23-24-11 797/289/L005 | YC051-YD170 |
| D02907 | 1 | 755-78-9 PLUG- | 81205 | 1 | 23-24-11 797/306/L005 | YL951-YR328 |
| D02909 | 1 | BACC63BP12A3SN PLUG | 81205 | 1 | 31-31-14 725.9/187/L23 | YC051-YC055 |
| D02909 | 1 | BACC63BP12A3SN PLUG | 81205 | 1 | 31-31-14 725.9/187/L023 | YC056-YD158 |
| D02909 | 1 | BACC63BP12H3SN PLUG | 81205 | 1 | 31-31-14 725.9/187/L023 | YD160-YL999, YR301-YR328 |
| D02909 | 1 | BACC63BP12H3SN PLUG | 81205 | 1 | 31-31-14 726/187/L022 | YN231-YN501 |
| D02909 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 31-31-14 / / | YC051-YD152 |
| D02909 T | 1 | BACC10KF12 CLAMP, 45 DEG | 81205 | 1 | 31-31-14 */*/ | YD153-YD158 |
| D02909 T | 1 | 620AB049C12 BACKSHELL- | 81205 | 1 | 31-31-14 */*/ | YD160-YR328 |
| D02911 | 1 | BACC63BP12A3SN PLUG | 81205 | 1 | 31-31-14 725/189/L004 | YC051-YD158 |
| D02911 | 1 | BACC63BP12H3SN PLUG | 81205 | 1 | 31-31-14 725/189/L004 | YD160-YR328 |
| D02911 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 31-31-14 */*/ | YC051-YD152 |
| D02911 T | 1 | BACC10KF12 CLAMP, 45 DEG | 81205 | 1 | 31-31-14 */*/ | YD153-YD158 |
| D02911 T | 1 | 620AB049C12 BACKSHELL | 81205 | 1 | 31-31-14 */*/ | YD160-YR328 |
| D02913 | 1 | BACC63BP12A3SN PLUG | 81205 | 1 | 31-31-14 681/193/L069 | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section D02900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D02913 | 1 | BACC63BP12H3SN PLUG | 81205 | 1 | 31-31-14 681/193/L069 | YD160-YR328 |
| D02913 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 31-31-14 / / | YC051-YD152 |
| D02913 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 31-31-14 */*/ | YD153-YD158 |
| D02913 T | 1 | M85049-51S12A BACKSHELL- | 81205 | 1 | 31-31-14 */*/ | YD160-YR328 |
| D02915 | 1 | BACC63BP12A3SN PLUG | 81205 | 1 | 31-31-14 692/192/R068 | YC051-YD158 |
| D02915 | 1 | BACC63BP12H3SN PLUG | 81205 | 1 | 31-31-14 692/192/R068 | YD160-YR328 |
| D02915 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 31-31-14 / / | YC051-YD152 |
| D02915 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 31-31-14 */*/ | YD153-YD158 |
| D02915 T | 1 | M85049-51S12A BACKSHELL | 81205 | 1 | 31-31-14 */*/ | YD160-YR328 |
| D02921 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 23-32-12 P005-81/ / | YC051-YD157 |
| D02921 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 23-32-14 P005-81/ / | YD158, YL951- YL999 |
| D02921 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 44-21-22 P005-81/ / | YN231-YR328 |
| D02928 | 1 | BACC63CB14-12SN PLUG-CONDUCTIVE | 81205 | 1 | 27-11-11 666/169/L035 | YC051-YD158 |
| D02928 | 1 | BACC63CB14A12SN PLUG-CONDUCTIVE | 81205 | 1 | 27-11-11 666/169/L035 | YD160-YR323, YR325-YR328 |
| D02928 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-11-11 / / | YC051-YC055 |
| D02928 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-11-11 666/ / | YC056-YD152 |
| D02928 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-11-11 */*/ | YD153-YD158 |

EQUIPMENT LIST

D280A108

Section D02900

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D02928 T | 1 | M85049-51S14A BACKSHELL, CONDUCTIVE | 81205 | 1 | 27-11-11 */ */ | YD160-YR323, YR325-YR328 |
| D02930 | 1 | BACC45FT12-12S7 PLUG-AILERON TRIM CONT MODULE | 81205 | 1 | 27-11-11 P008-43/ / | YC051-YD158, YL951-YR328 |
| D02930 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-11-11 / / | YC051-YC055 |
| D02930 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-11-11 */ */ | YC056-YD158, YL951-YR328 |
| D02932 | 1 | BACC63CB14-15SN PLUG-RUDDER TRIM ACTUATOR M1125 | 81205 | 1 | 27-28-11 RUD51/ /4 | YC051-YC063 |
| D02932 | 1 | BACC63CB14-15SN PLUG-RUDDER TRIM ACTUATOR M1125 | 81205 | 1 | 27-28-11 RUD51/ / | YC064-YD158, YL951-YR328 |
| D02932 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-28-11 / / | YC051-YD155 |
| D02932 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-28-11 */ */ | YD157-YD158, YL951-YR328 |
| D02934 | 1 | BACC63CB12-12SN PLUG-RUDDER TRIM INDICATOR N159 | 81205 | 1 | 27-28-11 P008-43/ / | YC051-YD158, YL951-YR328 |
| D02934 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 27-28-11 / / | YC051-YC055 |
| D02934 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 27-28-11 */ */ | YC056-YD158, YL951-YR328 |
| D02936 | 1 | BACC45FT12-12P PLUG-BATTERY SENSOR | 81205 | 1 | 24-31-11 392/162/L004 | ALL |
| D02936 T | 1 | BACC10JC12 CLAMP, 90 DEG | 81205 | 1 | 24-31-11 / / | YC051-YD158 |
| D02936 T | 1 | BACC10GH12 BACKSHELL | 81205 | 1 | 24-31-11 / / | YD160-YR328 |
| D02941 | 1 | 126-58-9 PLUG - ANGLE 90 | 91836 | 1 | 34-58-11 500A+15/306/L005 | ALL |
| D02947 | 1 | 126-58-9 PLUG - ANGLE 90 | 91836 | 1 | 34-58-21 500A+5/306/R005 | ALL |
| D02952 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 73-21-12 P005-68/ / | YC053-YR328 |

EQUIPMENT LIST

D280A108

Section D02900

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D02968 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-51-12 317/279/R037 | ALL |
| D02970 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-12 269/274/L014 | ALL |
| D02972 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-51-12 327/285/L031 | YC051-YD151 |
| D02972 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-51-12 329/285/L030 | YD152-YR328 |
| D02982 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-51-12 971/288/L038 | YC051-YD151 |
| D02982 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-51-12 972/279/L037 | YD152-YR328 |
| D02986 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-51-14 972/283/R043 | YC051-YD151 |
| D02986 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-51-14 972/286/R044 | YD152-YR328 |
| D02992 | 1 | 48-7190 PART OF ASSY 69-74399 | 02660 | 1 | 33-51-12 0270/284/L010 | YC051-YL999, YR301-YR328 |
| D02992 | 1 | 48-7190 PART OF ASSY 69-74399 | 02660 | 1 | 33-51-12 270/284/L010 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D02900
Page 4 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D03003 | 1 | 03-06-2122 PLUG- | 27264 | 1 | 23-24-11 795/289/L010 | YC051-YD170 |
| D03003 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 23-24-11 795/289/L010 | YL951-YR328 |
| D03020 | 1 | BACC45FT18-8S PLUG- | 81205 | 1 | 21-25-11 500D+9/164/R016 | YN231-YN501 |
| D03020 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 21-25-11 */*/ | YN231-YN501 |
| D03052 | 1 | BACC63BP14A7S6 PLUG | 81205 | 1 | 78-34-11 675/152/L012 | YC051-YD158 |
| D03052 | 1 | BACC63BP14H7S6 PLUG | 81205 | 1 | 78-34-11 675/152/L012 | YL951-YR323, YR325-YR328 |
| D03052 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 78-34-11 672/152/L012 | YC051-YD152 |
| D03052 T | 1 | BACC10KF14 CLAMP, 45 DEG | 81205 | 1 | 78-34-11 672/152/L012 | YD153-YD158 |
| D03052 T | 1 | 620AB049C14 BACKSHELL | 81205 | 1 | 78-34-11 */*/ | YL951-YR323, YR325-YR328 |
| D03054 | 1 | BACC63BP14A7SN PLUG | 81205 | 1 | 78-36-11 673/152/L012 | YC051-YD158 |
| D03054 | 1 | BACC63BP14H7SN PLUG | 81205 | 1 | 78-36-11 673/152/L012 | YL951-YR323, YR325-YR328 |
| D03054 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 78-36-11 670/152/L012 | YC051-YD152 |
| D03054 T | 1 | BACC10KF14 CLAMP, 45 DEG | 81205 | 1 | 78-36-11 670/152/L012 | YD153-YD158 |
| D03054 T | 1 | 620AB049C14 BACKSHELL | 81205 | 1 | 78-36-11 */*/ | YL951-YR323, YR325-YR328 |
| D03056 | 1 | BACC63BP14A7S6 PLUG- | 81205 | 1 | 78-34-21 675/152/R012 | YC051-YD158 |
| D03056 | 1 | BACC63BP14H7S6 PLUG- | 81205 | 1 | 78-34-21 675/152/R012 | YD160-YR328 |
| D03056 T | | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 78-34-21 / / | YC051-YD152 |

EQUIPMENT LIST

D280A108

Section D03000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D03056 T | | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 78-34-21 */*/ | YD153-YD158 |
| D03056 T | | M85049-51S14A BACKSHELL- | 81205 | 1 | 78-34-21 */*/ | YD160-YR328 |
| D03058 | 1 | BACC63BP14A7SN PLUG | 81205 | 1 | 78-36-21 677/152/R012 | YC051-YD158 |
| D03058 | 1 | BACC63BP14H7SN PLUG | 81205 | 1 | 78-36-21 677/152/R012 | YD160-YR328 |
| D03058 T | | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 78-36-21 / / | YC051-YD152 |
| D03058 T | | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 78-36-21 */*/ | YD153-YD158 |
| D03058 T | | M85049-51S14A BACKSHELL- | 81205 | 1 | 78-36-21 */*/ | YD160-YR328 |
| D03072 | 1 | BACS16X1A PLUG- | 81205 | 1 | 33-25-11 P005-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section D03000

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D03116 | 1 | BACC45FT12-12S6 PLUG-AILERON/RUDDER TRIM CONT MOD | 81205 | 1 | 27-21-11 P008-43/ / | YC051-YD158, YL951-YR328 |
| D03116 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-21-11 / / | YC051-YC055 |
| D03116 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-21-11 */*/ | YC056-YD158, YL951-YR328 |
| D03124 | 1 | BACC45FT12-12S PLUG-F/O COLUMN SWITCHING MODULE | 81205 | 1 | 27-41-11 200/198/R13 | YC051-YC055 |
| D03124 | 1 | BACC45FT12-12S PLUG-F/O COLUMN SWITCHING MODULE | 81205 | 1 | 27-41-11 200/198/R013 | YC056-YD158, YL951-YR328 |
| D03124 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-41-11 / / | YC051-YC055 |
| D03124 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-41-11 */*/ | YC056-YD158, YL951-YR328 |
| D03160 | 1 | S280W557-121 PLUG- | 81205 | 1 | 33-27-11 305/290/R003 | YC051-YD151 |
| D03160 | 1 | BACC65AJ121S PLUG- | 81205 | 1 | 33-27-11 305/290/R003 | YD152-YR328 |
| D03172 | 1 | BACC45FT16-24S6 PLUG- | 81205 | 1 | 73-21-12 P005-68/ / | ALL |
| D03188 | 1 | BACC63BP10C5SN PLUG- | 81205 | 1 | 27-83-11 642/162/R047 | ALL |
| D03188 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-83-11 */*/ | ALL |
| D03190 | 1 | BACC63BP10C5SN PLUG- | 81205 | 1 | 27-83-21 642/161/R053 | ALL |
| D03190 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-83-21 */*/ | ALL |

EQUIPMENT LIST

D280A108

Section D03100

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D03228 | 1 | BACC66F11C40AA01 PLUG | 81205 | 1 | 77-31-21 E003-02/ / | ALL |
| D03228 T | 1 | S280W601-116 BACKSHELL- | 81205 | 1 | 77-31-21 E003-02/*/* | YC051-YD170, YN231-YN260 |
| D03228 T | 1 | S280W601-116 BACKSHELL- | 81205 | 1 | 77-31-21 */** | YL951-YL999, YN501-YR328 |
| D03228A | 1 | PARTAOFD03228 PLUG | | 1 | 77-31-21 E003-02/ / | YC051-YD170, YN231-YN260 |
| D03228A | 1 | PARTAOFD03228 PLUG | | 1 | 77-31-21 */** | YL951-YL999, YN501-YR328 |
| D03228B | 1 | PARTBOFD03328 PLUG | | 1 | 77-31-21 E003-02/ / | YC051-YD170, YN231-YN260 |
| D03228B | 1 | PARTBOFD03328 PLUG | | 1 | 77-31-21 */** | YL951-YL999, YN501-YR328 |
| D03228C | 1 | PARTCOFD03228 PLUG-ENG VIB SIGNAL COND | | 1 | 77-31-21 E003-02/ / | YC051-YD170, YN231-YN260 |
| D03228C | 1 | PARTCOFD03228 PLUG-ENG VIB SIGNAL COND | | 1 | 77-31-21 */** | YL951-YL999, YN501-YR328 |
| D03242 | 1 | BACC63BP12C3S8 PLUG | 81205 | 1 | 29-25-11 667/179/R031 | YC051-YD158 |
| D03242 | 1 | BACC63BP12H3S8 PLUG | 81205 | 1 | 29-25-11 667/179/R031 | YL951-YR323, YR325-YR328 |
| D03242 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 29-25-11 / / | YC051-YD152 |
| D03242 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 29-25-11 */** | YD153-YD158 |
| D03242 T | 1 | M85049-51S12A BACKSHELL-CONDUCTIVE | 81205 | 1 | 29-25-11 */** | YL951-YR323, YR325-YR328 |
| D03244 | 1 | BACC63BP16C10SN PLUG-CONDUCTIVE | 81205 | 1 | 29-25-11 664/150/L009 | YC051-YD158 |
| D03244 | 1 | BACC63BP16H10SN PLUG-CONDUCTIVE | 81205 | 1 | 29-25-11 664/150/L009 | YD160-YR323, YR325-YR328 |
| D03244 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 29-25-11 TBD/ / | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section D03200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D03244 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 29-25-11 664/ / | YC056-YD152 |
| D03244 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 29-25-11 */*/ | YD153-YD158 |
| D03244 T | 1 | M85049-51S16A BACKSHELL- CONDUCTIVE | 81205 | 1 | 29-25-11 */*/ | YD160-YR323, YR325-YR328 |
| D03254 | 1 | BACS16W5A SOCKET-HYD SYS B EDP RLY R353 | 81205 | 1 | 29-25-11 J011-00/ / | ALL |
| D03261 | 1 | BACC66H21C04AA01 PLUG PLATE ASSY-FMC NO.2 | 81205 | 1 | 34-61-11 E005-02/ / | ALL |
| D03261A | 1 | PARTAOFD03261 PLUG FMC NO.2 | | 1 | 34-61-11 E005-02/ / | ALL |
| D03261B | 1 | PARTBOFD03261 PLUG FMC NO.2 | | 1 | 34-61-11 E005-02/ / | ALL |
| D03261C | 1 | PARTCOFD03261 PLUG FMC NO.2 | | 1 | 34-61-11 E005-02/ / | ALL |
| D03263 | 1 | MS3126F20-41S PLUG-FMCS XFER RELAY NO. 1 | 96906 | 1 | 34-61-12 E005-02/ / | ALL |
| D03265 | 1 | MS3126F20-41SW PLUG-FMC XFER RELAY NO.1 | 96906 | 1 | 34-61-11 E005-02/ / | ALL |
| D03267 | 1 | MS3126F20-41SX PLUG-FMCS XFER RELAY NO. 1 | 96906 | 1 | 34-61-11 E005-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D03200

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| D03309 | 1 | 2436-81-1 PLUG - (TNC) ANGLED 90 (42 DEG KEY) | 91836 | 1 | 34-31-11 178/210/R014 | ALL |
| D03311 | 1 | 2436-81-6 PLUG - (TNC) ANGLED 90 (102 DEG KEY) | 91836 | 1 | 34-31-21 178/210/R010 | ALL |
| D03313 | 1 | 2436-81-1 PLUG - (TNC) ANGLED 90 (42 DEG KEY) | 91836 | 1 | 34-31-11 178/188/L015 | ALL |
| D03315 | 1 | 2436-81-6 PLUG - (TNC) ANGLED 90 (102 DEG KEY) | 91836 | 1 | 34-31-21 178/190/L014 | ALL |
| D03317 | 1 | 2436-81-1 PLUG - (TNC) ANGLED 90 (42 DEG KEY) | 91836 | 1 | 34-31-11 178/212/R014 | ALL |
| D03319 | 1 | 2436-81-6 PLUG - (TNC) ANGLED 90 (102 DEG KEY) | 91836 | 1 | 34-31-21 178/212/R010 | ALL |
| D03321 | 1 | 2435-81-1 PLUG - (TNC) STRAIGHT (42 DEG KEY) | 91836 | 1 | 34-31-11 179/188/L015 | ALL |
| D03323 | 1 | 2435-81-6 PLUG - (TNC) STRAIGHT (102 DEG KEY) | 91836 | 1 | 34-31-21 178/191/L014 | ALL |

EQUIPMENT LIST

D280A108

Section D03300
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D03423 | 1 | MS3126F20-41S PLUG-FMC XFER NO.2 | 96906 | 1 | 34-61-12 E005-02/ / | ALL |
| D03425 | 1 | MS3126F20-41SW PLUG-FMC XFER RELAY NO.2 | 96906 | 1 | 34-61-12 E005-02/ / | ALL |
| D03427 | 1 | MS3126F20-41SX PLUG-FMC XFER RELAY NO.2 | 96906 | 1 | 34-61-12 E005-02/ / | ALL |
| D03428 | 1 | BACC45FT16-24S PLUG-STAB TRIM & CAB DOOR MODULE | 81205 | 1 | 52-51-11 P008-47/ / | YC051-YD154 |
| D03428 | 1 | BACC45FT16-24S7 PLUG-STAB TRIM & CAB DOOR MODULE | 81205 | 1 | 52-51-11 P008-47/ / | YD155-YR328 |
| D03428 T | 1 | BACC10GH16 BACKSHELL | 81205 | 1 | 52-51-11 */*/ | YC053-YR328 |
| D03432 | 1 | BACC45FT16-10S PLUG-FLOOD AND PANEL LIGHTING MODULE | 81205 | 1 | 33-11-41 P008-50/ / | ALL |
| D03432 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 33-11-41 */*/ | ALL |
| D03464 | 1 | BACC45FT12-12S PLUG-LOW FLOW SNSR | 81205 | 1 | 21-27-31 213/191/R025 | ALL |
| D03464 T | 1 | BACC10JC12 CLAMP, 90 DEG | 81205 | 1 | 21-27-31 / / | YC051-YD158 |
| D03464 T | 1 | BACC10JC12 CLAMP, 90 DEG | 81205 | 1 | 21-27-31 */*/ | YD160-YR328 |
| D03470 | 1 | BACC45FT14-7S PLUG- | 81205 | 1 | 21-27-31 370/191/R50 | ALL |
| D03470 T | 1 | 450EB001C14-347 BACKSHELL-45 DEGREE | 81205 | 1 | 21-27-31 */*/ | ALL |
| D03472 | 1 | BACC45FT14-7S PLUG- | 81205 | 1 | 21-27-31 368/184/R050 | ALL |
| D03472 T | 1 | 450EB001C14-347 BACKSHELL | 81205 | 1 | 21-27-31 368/184/R050 | ALL |

EQUIPMENT LIST

D280A108

Section D03400

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---------------------------------------|
| D03524 | 1 | BACC45FN12-12P RCPT | 81205 | 1 | 27-41-11 P8/ / | ALL |
| D03524 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-41-11 / / | ALL |
| D03527 | 1 | BACS16X1A RELAY SOCKET | 81205 | 1 | 78-32-51 J022-00/ / | YC051-YN236, YN501-YR328 |
| D03529 | 1 | BACS16X1A SOCKET- | 81205 | 1 | 78-32-61 J00024/ / | ALL |
| D03572 | 1 | BACC63CB10-5SN PLUG-AILERON POS XMTR LEFT | 81205 | 1 | 27-18-11 ORSS/540/ | YC051-YN236, YN501-YR328 |
| D03572 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 27-18-11 / / | YC051-YL952, YN231-YN236, YN501 |
| D03572 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 27-18-11 */ / | YL953-YL999, YR301-YR328 |
| D03574 | 1 | BACC63CB10-5SN PLUG-AILERON POS XMTR RIGHT | 81205 | 1 | 27-18-11 ORSS/540/ | YC051-YN236, YN501-YR328 |
| D03574 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 27-18-11 */ */ | YC051-YN236, YN501-YR328 |
| D03576 | 1 | BACC63CB10-5SN PLUG-RUDDER POSITION XMTR | 81205 | 1 | 27-28-11 RUD80/ / | YC051-YD158, YL951-YR328 |
| D03576 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-28-11 / / | YC051-YD155 |
| D03576 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-28-11 */ */ | YD157-YD158, YL951-YR328 |
| D03578 | 1 | BACC63CB10-5SN PLUG-L ELEV POS XMTR | 81205 | 1 | 27-38-11 1168/278/L032 | ALL |
| D03578 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-38-11 */ */ | ALL |
| D03580 | 1 | BACC63CB10-5SN PLUG-R ELEV POS XMTR | 81205 | 1 | 27-38-11 1167/278/R32 | YC051-YC060 |
| D03580 | 1 | BACC63CB10-5SN PLUG-R ELEV POS XMTR | 81205 | 1 | 27-38-11 1167/278/R032 | YC061-YR328 |

EQUIPMENT LIST

D280A108

Section D03500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|---|
| D03580 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-38-11 */*/ | YC051-YC060 |
| D03580 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-38-11 * */*/ | YC061-YR328 |
| D03599 | 1 | BACC66F11F22AA01 PLUG PLATE ASSY | 81205 | 1 | 49-62-51 E006/ / | YC051-YC052, YD158-YN260, YR301-YR328 |
| D03599 | 1 | BACC66F11F22AA01 PLUG PLATE ASSY | 81205 | 1 | 49-62-51 902/197/R046 | YC053-YD157 |
| D03599 | 1 | BACC66F11F22AA01 PLUG PLATE ASSY | 81205 | 1 | 49-62-51 E006-00/ / | YN501 |
| D03599 T | 1 | S280W601-116 GROUND-48 | 81205 | 1 | 49-62-51 */*/ | YC051-YC052, YN231-YN501 |
| D03599 T | 1 | S280W601-116 GROUND-48 | 81205 | 1 | 49-62-51 1082/197/R047 | YC053-YC055 |
| D03599 T | 1 | S280W601-116 GROUND-48 | 81205 | 1 | 49-62-51 1082/197/R046 | YC056-YL999, YR301-YR328 |
| D03599A | 1 | PARTAOFD03599 PLUG- | | 1 | 49-62-51 */*/ | ALL |
| D03599B | 1 | PARTBOFD03599 PLUG- | | 1 | 49-62-51 */*/ | YC051-YD157, YN231-YN260 |
| D03599B | 1 | PARTBOFD03599 PLUG- | | 1 | 49-62-51 880/177/R033 | YD158-YL999, YN501-YR328 |
| D03599C | 1 | PARTCOFD03599 PLUG- | | 1 | 49-62-51 */*/ | YC051-YD157, YN231-YN260 |
| D03599C | 1 | PARTCOFD03599 PLUG- | | 1 | 49-62-51 880/175/R033 | YD158-YL999, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D03500

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D03623 | 1 | BACC66F11F02AE01 PLUG PLATE ASSEMBLY - VOR/MB -1 | 81205 | 1 | 34-51-11 E001-02/ / | ALL |
| D03623 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 34-51-11 E001-02/ / | YC051-YD170 |
| D03623 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 34-51-11 */*/ | YL951-YR328 |
| D03623A | 1 | PARTAOFD03623 PLUG PLATE ASSEMBLY - VOR/MB -1 | | 0 | 34-51-11 E001-02/ / | YC051-YD170 |
| D03623A | 1 | PARTAOFD03623 PLUG PLATE ASSEMBLY - VOR/MB -1 | | 0 | 34-51-11 */*/ | YL951-YR328 |
| D03623B | 1 | PARTBOFD03623 PLUG PLATE ASSEMBLY - VOR/MB -1 | | 0 | 34-51-11 E001-02/ / | YC051-YD170 |
| D03623B | 1 | PARTBOFD03623 PLUG PLATE ASSEMBLY - VOR/MB -1 | | 0 | 34-51-11 */*/ | YL951-YR328 |
| D03623C | 1 | PARTCOFD03623 PLUG PLATE ASSEMBLY - VOR/MB -1 | | 0 | 34-51-11 E001-02/ / | YC051-YD170 |
| D03623C | 1 | PARTCOFD03623 PLUG PLATE ASSEMBLY - VOR/MB -1 | | 0 | 34-51-11 */*/ | YL951-YR328 |
| D03625 | 1 | BACC66F11F02AE01 PLUG PLATE ASSEMBLY | 81205 | 1 | 34-51-21 E001-04/ / | ALL |
| D03625A | 1 | PARTAOFD03625 PLUG - VOR - 2 | | 0 | 34-51-21 E001-04/ / | YC051-YL999, YR301-YR328 |
| D03625A | 1 | PARTAOFD03625 PLUG - VOR - 2 | | 0 | 34-51-21 */*/ | YN231-YN501 |
| D03625B | 1 | PARTBOFD03625 PLUG - VOR - 2 | | 0 | 34-51-21 E001-04/ / | YC051-YL999, YR301-YR328 |
| D03625B | 1 | PARTBOFD03625 PLUG - VOR - 2 | | 0 | 34-51-21 */*/ | YN231-YN501 |
| D03625C | 1 | PARTCOFD03625 PLUG - VOR - 2 | | 0 | 34-51-21 E001-04/ / | YC051-YL999, YR301-YR328 |
| D03625C | 1 | PARTCOFD03625 PLUG - VOR - 2 | | 0 | 34-51-21 */*/ | YN231-YN501 |
| D03651 | 1 | BACC66F11F05AA01 PLUG PLATE ASSY | 81205 | 1 | 34-57-11 E003-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D03600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D03651 T | 1 | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 34-57-11 E003-01/ / | ALL |
| D03651A | 1 | PARTAOFD03651 PLUG - RCVR-ADF 1 | | 0 | 34-57-11 E003-01/ / | ALL |
| D03651B | 1 | PARTBOFD03651 PLUG - RCVR-ADF 1 | | 0 | 34-57-11 E003-01/ / | ALL |
| D03651C | 1 | PARTCOFD03651 PLUG - RCVR-ADF 1 | | 0 | 34-57-11 E003-01/ / | ALL |
| D03653 | 1 | BACC66F11F05AA01 PLUG PLATE ASSY | 81205 | 1 | 34-57-21 E003-01/ / | ALL |
| D03653 T | 1 | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 34-57-21 E003-01/ / | ALL |
| D03653A | 1 | PARTAOFD03653 PLUG - RCVR-ADF 2 | | 0 | 34-57-21 E003-01/ / | ALL |
| D03653B | 1 | PARTBOFD03653 PLUG - RCVR-ADF 2 | | 0 | 34-57-21 E003-01/ / | ALL |
| D03653C | 1 | PARTCOFD03653 PLUG - RCVR-ADF 2 | | 0 | 34-57-21 E003-01/ / | ALL |
| D03655 | 1 | BACC63CB16-24S6 PLUG | 81205 | 1 | 34-57-11 P008-00/ / | YC051-YL956, YL958-YR328 |
| D03655 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 34-57-11 P008-00/ / | YC051-YL956, YL958-YR328 |
| D03657 | 1 | BACC63CB16-24S6 PLUG | 81205 | 1 | 34-57-21 P008-00/ / | YC051-YL956, YL958-YR328 |
| D03657 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 34-57-21 P008-00/ / | YC051-YL956, YL958-YR328 |
| D03658 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-21 290/225/R053 | ALL |
| D03659 | 9 | BACC63CB16-24S6 PLUG | 81205 | 1 | 34-57-11 P008-00/ / | YL957 |
| D03659 T | 9 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 34-57-11 P008-00/ / | YL957 |
| D03660 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-21 290/225/R052 | ALL |

EQUIPMENT LIST

D280A108

Section D03600

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D03661 | 9 | BACC63CB16-24S9 PLUG (SB 737-34-2302) | 81205 | 1 | 34-57-21 P008-00/ / | YL957 |
| D03661 T | 9 | BACC10KD16 CLAMP, STRAIGHT (SB 737-34-2302) | 81205 | 1 | 34-57-21 P008-00/ / | YL957 |
| D03662 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-21 301/226/L048 | ALL |
| D03663 | 1 | BACC63CB20-16SN PLUG | 81205 | 1 | 34-57-11 685+9/306/R5 | YC051-YC055 |
| D03663 | 1 | BACC63CB20-16SN PLUG | 81205 | 1 | 34-57-11 694/306/R005 | YC056-YR328 |
| D03663 T | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 34-57-11 694/ /R4.8 | ALL |
| D03664 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-21 302/226/L047 | ALL |
| D03665 | 1 | BACC63CB20-16SN PLUG | 81205 | 1 | 34-57-21 727A+9/305/R005 | ALL |
| D03665 T | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 34-57-21 */ */ | ALL |
| D03666 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-21 613/224/R072 | YC051-YL999, YR301-YR328 |
| D03666 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-21 609/231/R072 | YN231-YN501 |
| D03667 | 1 | BACC66H123F01AK01 PLUG PLATE ASSY | 81205 | 1 | 34-33-11 E003-01/ / | ALL |
| D03667 T | 1 | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 34-33-11 E003-01/ / | ALL |
| D03667 U | 1 | BACC47EN4A COAX ADAPTER | 81205 | 1 | 34-33-11 E003-01/ / | ALL |
| D03667 V | 1 | BACC47EN4A COAX ADAPTER | 81205 | 1 | 34-33-11 E003-01/ / | ALL |
| D03667A | 1 | PARTAOFD03667 PLUG - XCVR-RADIO ALTM-1 | | 0 | 34-33-11 E003-01/ / | ALL |
| D03667AU | 1 | 125-91-9 PLUG - (TNC) STRAIGHT - XCVR -1 | 91836 | 1 | 34-33-11 E003-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D03600

Page 3

Nov 12/2012

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D03667B | 1 | PARTBOFD03667 PLUG - XCVR-RADIO ALTM-1 | | 0 | 34-33-11 E003-01/ / | ALL |
| D03667BU | 1 | 125-91-9 PLUG - (TNC) STRAIGHT - XCVR -1 | 91836 | 1 | 34-33-11 E003-01/ / | ALL |
| D03667C | 1 | PARTCOFD03667 PLUG - XCVR-RADIO ALTM-1 | | 0 | 34-33-11 E003-01/ / | ALL |
| D03668 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-21 614/224/R067 | YC051-YL999, YR301-YR328 |
| D03668 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-21 609/231/R072 | YN231-YN501 |
| D03669 | 1 | BACC66H123F01AK01 PLUG PLATE ASSY - RADIO ALTM XCVR-2 | 81205 | 1 | 34-33-21 E003-02/ / | ALL |
| D03669 T | 1 | S280W601-116 BACKSHELL- | 81205 | 1 | 34-33-21 E003-02/*/* | YC051-YD170, YN231-YN260 |
| D03669 T | 1 | S280W601-116 BACKSHELL- | 81205 | 1 | 34-33-21 */*/* | YL951-YL999, YN501-YR328 |
| D03669A | 1 | PARTAOFD03669 PLUG-RADIO ALTM XCVR-2 | | 1 | 34-33-21 E003-02/ / | YC051-YD170, YN231-YN260 |
| D03669A | 1 | PARTAOFD03669 PLUG-RADIO ALTM XCVR-2 | | 1 | 34-33-21 */*/* | YL951-YL999, YN501-YR328 |
| D03669AT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1 - PLUG - XCVR - 2 | 81205 | 1 | 34-33-21 E003-02/*/* | YC051-YD170, YN231-YN260 |
| D03669AT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1 - PLUG - XCVR - 2 | 81205 | 1 | 34-33-21 */*/* | YL951-YL999, YN501-YR328 |
| D03669AU | 1 | 125-91-9 PLUG - (TNC) STRAIGHT - XCVR -2 | 91836 | 1 | 34-33-21 E003-02/ / | ALL |
| D03669B | 1 | PARTBOFD03669 PLUG-RADIO ALTM XCVR-2 | | 1 | 34-33-21 E003-02/ / | YC051-YD170, YN231-YN260 |
| D03669B | 1 | PARTBOFD03669 PLUG-RADIO ALTM XCVR-2 | | 1 | 34-33-21 */*/* | YL951-YL999, YN501-YR328 |
| D03669BT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1 - PLUG - XCVR - 2 | 81205 | 1 | 34-33-21 E003-02/*/* | YC051-YD170, YN231-YN260, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D03600

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D03669BT | 1 | BACC47EN4A CONTACT-(COAX)SIZE 1 - PLUG - XCVR - 2 | 81205 | 1 | 34-33-21 */*/ | YL951-YL999, YN501 |
| D03669BU | 1 | 125-91-9 PLUG-(TNC) STRAIGHT - XCVR -1 | 91836 | 1 | 34-33-21 E003-02/ / | YC051-YN236, YN501-YR328 |
| D03669C | 1 | PARTCOFD03669 PLUG-RADIO ALTM XCVR-2 | | 1 | 34-33-21 E003-02/ / | YC051-YD170, YN231-YN260 |
| D03669C | 1 | PARTCOFD03669 PLUG-RADIO ALTM XCVR-2 | | 1 | 34-33-21 */*/ | YL951-YL999, YN501-YR328 |
| D03670 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-21 614/225/L070 | ALL |
| D03671 | 1 | 126-59-9 PLUG-RADIO ALTM XMTR ANTENNA -1 | 91836 | 1 | 34-33-11 450/150/000 | YC051-YR322 |
| D03671 | 1 | BACC64BT4 PLUG-RADIO ALTM XMTR ANTENNA -1 | 91836 | 1 | 34-33-11 450/150/000 | YR323-YR328 |
| D03672 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-21 614/225/L070 | ALL |
| D03673 | 1 | 126-59-9 PLUG-RADIO ALTM XMTR ANTENNA -2 | 91836 | 1 | 34-33-21 390/150/000 | YC051-YN236, YN501-YR322 |
| D03673 | 1 | BACC64BT4 PLUG-RADIO ALTM XMTR ANTENNA -2 | 91836 | 1 | 34-33-21 390/150/000 | YR323-YR328 |
| D03675 | 1 | 126-59-9 PLUG-RADIO ALTM RCVER ANTENNA -1 | 91836 | 1 | 34-33-11 430/150/000 | YC051-YR322 |
| D03675 | 1 | BACC64BT4 PLUG-RADIO ALTM RCVER ANTENNA -1 | 91836 | 1 | 34-33-11 430/150/000 | YR323-YR328 |
| D03677 | 1 | 126-59-9 PLUG-RADIO ALTM RCVR ANTENNA -2 | 91836 | 1 | 34-33-21 410/150/000 | YC051-YR322 |
| D03677 | 1 | BACC64BT4 PLUG-RADIO ALTM RCVR ANTENNA -2 | 91836 | 1 | 34-33-21 410/150/000 | YR323-YR328 |
| D03679 | 1 | BACC45FT22-55S6 PLUG | 81205 | 1 | 34-22-11 190/230/L005 | YC051-YD158, YL951-YR328 |
| D03679 T | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 34-22-11 P002-01/ / | YC051-YD155 |
| D03679 T | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 34-22-11 */*/ | YD157-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D03600

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D03681 | 1 | BACC63CB16-24S6 PLUG - CONDUCTIVE | 81205 | 1 | 34-24-11 190/236/L5.5 | YC051-YD157 |
| D03681 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 34-24-11 P002-01/ / | YC051-YD155 |
| D03681 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 34-24-11 */*/ | YD157 |
| D03683 | 1 | DPX2MA-D106PD106P-33B-0001 PLUG PLATE ASSY | 71468 | 1 | 22-23-11 E003-02/ / | ALL |
| D03683A | 1 | PARTAOFD03683 PLUG | | 1 | 22-23-11 E003-02/ / | YC051-YD170, YN231-YN260 |
| D03683A | 1 | PARTAOFD03683 PLUG | | 1 | 22-23-11 */*/ | YL951-YL999, YN501-YR328 |
| D03683B | 1 | PARTBOFD03683 PLUG | | 1 | 22-23-11 E003-02/ / | YC051-YD170, YN231-YN260 |
| D03683B | 1 | PARTBOFD03683 PLUG | | 1 | 22-23-11 */*/ | YL951-YL999, YN501-YR328 |
| D03685 | 1 | DPX2MA-D106PD106P-33B-0001 PLUG PLATE ASSY | 71468 | 1 | 22-11-14 E003-02/ / | ALL |
| D03685A | 1 | PARTAOFD03685 PLUG | | 1 | 22-11-14 E003-02/ / | YC051-YD170, YN231-YN260 |
| D03685A | 1 | PARTAOFD03685 PLUG | | 1 | 22-11-14 */*/ | YL951-YL999, YN501-YR328 |
| D03685B | 1 | PARTBOFD03685 PLUG | | 1 | 22-11-14 E003-02/ / | YC051-YD170, YN231-YN260 |
| D03685B | 1 | PARTBOFD03685 PLUG | | 1 | 22-11-14 */*/ | YL951-YL999, YN501-YR328 |
| D03687 | 1 | BACC66H21C06AA01 PLUG PLATE ASSY - ADIRU LEFT | 81205 | 1 | 34-21-11 E005-02/ / | ALL |
| D03687 T | | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 34-21-11 E005-02/ / | YC051-YC058 |
| D03687 T | | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 34-21-11 */*/ | YC059-YR328 |
| D03687A | 1 | PARTAD03687 PLUG - ADIRU LEFT | | 1 | 34-21-11 E005-02/ / | YC051-YD170, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D03600

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D03687A | 1 | PARTAD03687 PLUG - ADIRU LEFT | | 1 | 34-21-11 */*/ | YL951-YN260 |
| D03687B | 1 | PARTBD03687 PLUG - ADIRU LEFT | | 1 | 34-21-11 E005-02/ / | YC051-YD170, YN501-YR328 |
| D03687B | 1 | PARTBD03687 PLUG - ADIRU LEFT | | 1 | 34-21-11 */*/ | YL951-YN260 |
| D03687C | 1 | PARTCD03687 PLUG - ADIRU LEFT | | 1 | 34-21-11 E005-02/ / | YC051-YD170, YN501-YR328 |
| D03687C | 1 | PARTCD03687 PLUG - ADIRU LEFT | | 1 | 34-21-11 */*/ | YL951-YN260 |
| D03689 | 1 | BACC63CB16-24SN PLUG - AIR DATA MODULE - L - PITOT | 81205 | 1 | 34-21-12 199/177/L14 | YC051-YC052 |
| D03689 | 1 | BACC63CB16-24SN PLUG - AIR DATA MODULE - L - PITOT | 81205 | 1 | 34-21-12 200/177/L14 | YC053-YR328 |
| D03689 T | 1 | S280W603-307 BACKSHELL-CONDUCTIVE | 81205 | 1 | 34-21-12 */*/ | ALL |
| D03691 | 1 | BACC63CB16-24SN PLUG - AIR DATA MODULE-L - STATIC | 81205 | 1 | 34-21-12 408/205/R002 | ALL |
| D03691 T | 1 | S280W603-107 BACKSHELL-CONDUCTIVE | 81205 | 1 | 34-21-12 / / | YC051-YC058, YD158-YD170 |
| D03691 T | 1 | S280W603-107 BACKSHELL-CONDUCTIVE | 81205 | 1 | 34-21-12 */*/ | YC059-YD157, YL951-YR328 |
| D03693 | 1 | BACC66H21C06AA01 PLUG PLATE ASSY - ADIRU RIGHT | 81205 | 1 | 34-21-21 E005-02/ / | ALL |
| D03693 T | | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 34-21-21 E005-02/ / | YC051-YD157 |
| D03693 T | | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 34-21-21 */*/ | YD158-YR328 |
| D03693A | 1 | PARTAD03693 PLUG - ADIRU RIGHT | | 1 | 34-21-21 E005-02/ / | ALL |
| D03693B | 1 | PARTBD03693 PLUG - ADIRU RIGHT | | 1 | 34-21-21 E005-02/ / | ALL |
| D03693C | 1 | PARTCD03693 PLUG - ADIRU RIGHT | | 1 | 34-21-21 E005-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D03600

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D03695 | 1 | BACC63CB16-24SN PLUG - AIR DATA MODULE - R - PITOT | 81205 | 1 | 34-21-22 200.618/177/17.6 | YC051-YC052 |
| D03695 | 1 | BACC63CB16-24SN PLUG - AIR DATA MODULE - R - PITOT | 81205 | 1 | 34-21-22 201/177/R18 | YC053-YR328 |
| D03695 T | 1 | S280W603-107 BACKSHELL-CONDUCTIVE | 81205 | 1 | 34-21-22 */*/* | ALL |
| D03697 | 1 | BACC63CB16-24SN PLUG - AIR DATA MODULE-R - STATIC | 81205 | 1 | 34-21-22 430/205/L002 | ALL |
| D03697 T | 1 | S280W603-107 BACKSHELL-CONDUCTIVE | 81205 | 1 | 34-21-22 */*/* | ALL |
| D03699 | 1 | 1206-22-9 PLUG - | 91836 | 1 | 34-51-11 302/180/R020 | ALL |

EQUIPMENT LIST

D280A108

Section D03600

Page 8 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D03732 | 1 | BACC45FT24-43S PLUG-LAV A | 81205 | 1 | 33-26-31 298/288/L010 | ALL |
| D03732 T | 1 | BACC10JS24 CLAMP, STRAIGHT | 81205 | 1 | 33-26-31 */*/ | ALL |
| D03738 | 1 | BACC45FT24-43S PLUG-LAV D | 81205 | 1 | 33-26-31 937/289/L018 | ALL |
| D03738 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 33-26-31 */*/ | ALL |
| D03740 | 1 | BACC45FT24-43S PLUG-LAV E | 81205 | 1 | 33-26-31 937/289/R018 | YC051-YL999, YR301-YR328 |
| D03740 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 33-26-31 */*/ | YC051-YL999, YR301-YR328 |
| D03768 | 1 | BACS16W2A RELAY SOCKET | 81205 | 1 | 33-11-33 245/205/R02 | YC051-YD154, YD160-YR328 |
| D03768 | 1 | BACS16W2A RELAY SOCKET | 81205 | 1 | 33-11-33 J019-00/ / | YD155-YD158 |
| D03779 | 1 | 125-88-9 PLUG - | 91836 | 1 | 34-31-11 303/178/R020 | ALL |
| D03781 | 1 | 126-58-9 PLUG - | 91836 | 1 | 34-51-11 302/178/R020 | YC051-YD170 |
| D03781 | 1 | 126-58-9 PLUG - | 91836 | 1 | 34-51-11 E001-02/ / | YL951-YR328 |
| D03783 | 1 | 1206-22-9 PLUG - | 91836 | 1 | 34-51-21 308/180/R20 | ALL |
| D03784 | 1 | 172168-1 PLUG- | 00779 | 1 | 33-21-12 417/271/R054 | YC051-YN260 |
| D03785 | 1 | 125-88-9 PLUG - | 91836 | 1 | 34-31-21 309/178/R020 | ALL |
| D03786 | 1 | 172160-1 RCPT- | 00779 | 1 | 33-21-12 422/271/R054 | YC051-YL999 |
| D03786 | 1 | 172160-1 RCPT- | 00779 | 1 | 33-21-12 420/271/R054 | YN231-YN260 |
| D03787 | 1 | 126-58-9 PLUG - | 91836 | 1 | 34-51-21 308/178/R020 | YC051-YD170, YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D03700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D03787 | 1 | 126-58-9 PLUG - | 91836 | 1 | 34-51-21 E001-04/ / | YL951-YL999, YR301-YR328 |
| D03788 | 1 | 172168-1 PLUG- | 00779 | 1 | 33-21-12 639/269/R058 | YN231-YN260 |
| D03790 | 1 | 172160-1 RCPT- | 00779 | 1 | 33-21-12 643/271/R56 | YN231-YN260 |
| D03792 | 1 | 172168-1 PLUG- | 00779 | 1 | 33-21-12 863/271/R055 | YC051-YN260 |
| D03794 | 1 | 172160-1 RCPT- | 00779 | 1 | 33-21-12 867/271/R055 | YC051-YN260 |
| D03796 | 1 | 172160-1 RCPT- | 00779 | 1 | 33-21-12 418/271/L054 | YC051-YN260 |
| D03798 | 1 | 172168-1 PLUG- | 00779 | 1 | 33-21-12 422/271/L054 | YC051-YN260 |

EQUIPMENT LIST

D280A108

Section D03700

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D03800 | 1 | BACC63CD24-22S RCPT- | 81205 | 1 | 25-31-11 998/295/R025 | ALL |
| D03802 | 1 | BACC45FN14-7S RCPT- | 81205 | 1 | 33-25-22 1000/295/R024 | ALL |
| D03846 | 1 | 172160-1 RCPT- | 00779 | 1 | 33-21-12 639/269/L058 | YN231-YN260 |
| D03848 | 1 | 172168-1 PLUG- | 00779 | 1 | 33-21-12 645/271/L056 | YN231-YN260 |
| D03850 | 1 | 172160-1 RCPT- | 00779 | 1 | 33-21-12 865/271/L55 | YC051-YN260 |
| D03852 | 1 | 172168-1 PLUG- | 00779 | 1 | 33-21-12 870/271/L55 | YC051-YN260 |
| D03854 | 1 | BACC45FT18-8S PLUG- | 81205 | 1 | 21-25-11 525/165/R018 | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03854 T | 1 | BACC10JC18 CLAMP, 90 DEG | 81205 | 1 | 21-25-11 */*/* | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03856 | 1 | BACC45FT18-8S PLUG- | 81205 | 1 | 21-25-11 500I+7/165/L018 | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03856 T | 1 | BACC10JC18 CLAMP, 90 DEG | 81205 | 1 | 21-25-11 */*/* | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03858 | 1 | BACC66F11C20AA PLUG PLATE ASSY- | 81205 | 1 | 21-51-12 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03858A | 1 | PARTAOFD03858 PLUG- | | 0 | 21-51-12 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03858B | 1 | PARTBOFD03858 PLUG- | | 0 | 21-51-12 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |

EQUIPMENT LIST

D280A108

Section D03800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D03858C | 1 | PARTCOFD03858 PLUG- | | 0 | 21-51-12 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03860 | 1 | BACC66F11C20AA PLUG PLATE ASSY- | 81205 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03860A | 1 | PARTAOFD03860 PLUG- | | 0 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03860B | 1 | PARTBOFD03860 PLUG- | | 0 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03860C | 1 | PARTCOFD03860 PLUG- | | 0 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03862 | 1 | BACC63CB14-15S PLUG- | 81205 | 1 | 21-51-12 645/146/L013 | YC051-YL999, YR301-YR328 |
| D03862 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 21-51-12 */ */ * | YC051-YL999, YR301-YR328 |
| D03864 | 1 | BACC63BN10-5SN PLUG- | 81205 | 1 | 21-51-13 646/154/L035 | YC051-YL999, YR301-YR328 |
| D03864 T | 1 | MS27559-2 BAKCHELL-90 DEGREE | 96906 | 1 | 21-51-13 */ */ * | YC051-YL999, YR301-YR328 |
| D03866 | 1 | BACC63BN10-5SN PLUG- | 81205 | 1 | 21-51-12 573/154/L030 | YC051-YL999, YR301-YR328 |
| D03866 T | 1 | MS27559-2 BACKSHELL-90 DEGREE | 96906 | 1 | 21-51-12 */ */ * | YC051-YL999, YR301-YR328 |
| D03868 | 1 | BACC45FT10-20S PLUG | 81205 | 1 | 21-51-12 500I+7/192/L003 | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03872 | 1 | BACC63CB14-15SN PLUG- | 81205 | 1 | 21-51-22 644/148/R013 | YC051-YL999, YR301-YR328 |
| D03872 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 21-51-22 */ */ * | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D03800

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|---|
| D03874 | 1 | BACC63BN10-5SN PLUG- | 81205 | 1 | 21-51-23 646/151/R035 | YC051-YL999, YR301-YR328 |
| D03874 T | 1 | MS27559-2 BACKSHELL-90 DEGREE | 96906 | 1 | 21-51-23 */*/ | YC051-YL999, YR301-YR328 |
| D03876 | 1 | BACC63BN10-5SN PLUG- | 81205 | 1 | 21-51-22 573/154/R030 | YC051-YL999, YR301-YR328 |
| D03876 T | 1 | MS27559-2 BACKSHELL-90 DEGREE | 96906 | 1 | 21-51-22 */*/ | YC051-YL999, YR301-YR328 |
| D03878 | 1 | BACC45FT10-20S PLUG- | 81205 | 1 | 21-51-22 500I+7/194/R004 | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03882 | 1 | BACC45FT10-20S PLUG- | 81205 | 1 | 21-61-12 372/195/L055 | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03882 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 1 | 21-61-12 */*/ | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03884 | 1 | BACC45FT10-20S PLUG- | 81205 | 1 | 21-61-11 372/196/L057 | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03884 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 1 | 21-61-11 */*/ | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03886 | 1 | BACC63CB14-15SN PLUG- | 81205 | 1 | 21-61-11 542/157/L13 | YC051-YL999, YR301-YR328 |
| D03886 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 21-61-11 */*/ | YC051-YL999, YR301-YR328 |
| D03888 | 1 | BACC63CB14-15S PLUG- | 81205 | 1 | 21-61-13 539/152/R012 | YC051-YL999, YR301-YR328 |
| D03888 T | 1 | BACC10KF14 CLAMP, 45 DEG | 81205 | 1 | 21-61-13 */*/ | YC051-YL999, YR301-YR328 |
| D03890 | 1 | BACC63CB14-15SN PLUG- | 81205 | 1 | 21-61-14 548/153/R017 | YC051-YL999, YR301-YR328 |
| D03890 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 21-61-15 */*/ | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D03800

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D03890 T | 1 | BACC10KF14 CLAMP, 45 DEG | 81205 | 1 | 21-61-15 */*/ | YD158-YL999, YR301-YR328 |
| D03892 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 21-61-11 373/194/L058 | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03892 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 1 | 21-61-11 */*/ | YC051-YL999, YR301-YR323, YR325-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D03800

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|---|
| D03906 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 21-61-13 408/273/R28 | YC051-YL999 |
| D03908 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 21-61-13 416/274/R031 | YC051-YL999 |
| D03910 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 21-61-14 MULTI/ / | YC051-YL999 |
| D03912 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 21-61-14 MULTI/ / | YC051-YL999 |
| D03914 | 1 | BACC63BN10-5S6 PLUG- | 81205 | 1 | 21-61-15 557/147/R014 | YC051-YL999, YR301-YR328 |
| D03914 T | 1 | MS27559-2 BACKSHELL-90 DEGREE | 96906 | 1 | 21-61-15 */*/ | YC051-YL999, YR301-YR328 |
| D03916 | 1 | BACC63CB10-20SN PLUG- | 81205 | 1 | 21-51-14 584/162/L032 | YC051-YL999, YR301-YR328 |
| D03916 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 21-51-14 */*/ | YC051-YL999, YR301-YR328 |
| D03918 | 1 | BACC63CB10-20SN PLUG- | 81205 | 1 | 21-51-24 584/162/R032 | YC051-YL999, YR301-YR328 |
| D03918 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 21-51-24 */*/ | YC051-YD157 |
| D03918 T | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 21-51-24 */*/ | YD158-YL999, YR301-YR328 |
| D03920 | 1 | 017832-3000 PLUG- | 58795 | 1 | 21-61-51 410/273/R27 | YC051-YL999 |
| D03922 | 1 | 017832-3000 PLUG- | 58795 | 1 | 21-61-14 MULTI/ / | YC051-YL999 |
| D03924 | 1 | BACC63CE12S-3S PLUG- | 81205 | 1 | 21-61-51 371/194/L058 | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03924 T | 1 | BACC10HW12 CLAMP, 90 DEG | 81205 | 1 | 21-61-51 */*/ | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03930 | 1 | BACC63CE12S-3S PLUG- | 81205 | 1 | 21-61-51 573/152/L033 | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D03900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D03930 T | 1 | BACC10HV12 CLAMP, STRAIGHT | 81205 | 1 | 21-61-51 */*/ | YC051-YL999, YR301-YR328 |
| D03940 | 1 | BACC63CB10-20SN PLUG- | 81205 | 1 | 21-51-15 520/160/L017 | YC051-YC055 |
| D03940 | 1 | BACC63CB10-2ASN PLUG- | 81205 | 1 | 21-51-15 520/160/L017 | YC056-YL999, YR301-YR328 |
| D03940 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 21-51-15 */*/ | YC051-YD158 |
| D03940 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 21-51-15 */*/ | YD160-YL999, YR301-YR328 |
| D03942 | 1 | BACC63CB10-2ASN PLUG- | 81205 | 1 | 21-51-25 521/160/R015 | YC051-YL999, YR301-YR328 |
| D03942 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 21-51-25 */*/ | YC051-YL999, YR301-YR328 |
| D03963 | 1 | BACC45FT22A55S PLUG- | 81205 | 1 | 23-15-15 E006-01/ / | YC051-YD157 |
| D03973 | 1 | BACC66K33F17AH01 PLUG PLATE ASSY | 81205 | 1 | 31-62-11 E003-01/ / | ALL |
| D03973 T | 1 | S280W601-103 GND - BLOCK 90 | 81205 | 1 | 31-62-11 E003-01/ / | ALL |
| D03973 U | 1 | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 31-62-11 E003-01/ / | ALL |
| D03973A | 1 | PARTAOFD03973 PLUG - CDS DEU 1 | | 1 | 31-62-11 E003-01/ / | ALL |
| D03973B | 1 | PARTBOFD03973 PLUG - CDS DEU 1 | | 1 | 31-62-11 E003-01/ / | ALL |
| D03973C | 1 | PARTCOFD03973 PLUG - CDS DEU 1 | | 1 | 31-62-11 E003-01/ / | ALL |
| D03973D | 1 | PARTDOFD03973 PLUG - CDS DEU 1 | | 1 | 31-62-11 E003-01/ / | ALL |
| D03973E | 1 | PARTEOFD03973 PLUG - CDS DEU 1 | | 1 | 31-62-11 E003-01/ / | ALL |
| D03973F | 1 | PARTFOFD03973 PLUG - CDS DEU 1 | | 1 | 31-62-11 E003-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D03900

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D03975 | 1 | BACC66K33F17AH01 PLUG PLATE ASSY | 81205 | 1 | 31-62-21 E003-01/ / | ALL |
| D03975 T | 1 | S280W601-103 GND - BLOCK 90 | 81205 | 1 | 31-62-21 E003-01/ / | ALL |
| D03975 U | 1 | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 31-62-21 E003-01/ / | ALL |
| D03975A | 1 | PARTAOFD03975 PLUG - CDS DEU 2 | | 1 | 31-62-21 E003-01/ / | ALL |
| D03975B | 1 | PARTBOFD03975 PLUG - CDS DEU 2 | | 1 | 31-62-21 E003-01/ / | ALL |
| D03975C | 1 | PARTCOFD03975 PLUG - CDS DEU 2 | | 1 | 31-62-21 E003-01/ / | ALL |
| D03975D | 1 | PARTDOFD03975 PLUG - CDS DEU 2 | | 1 | 31-62-21 E003-01/ / | ALL |
| D03975E | 1 | PARTEOFD03975 PLUG - CDS DEU 2 | | 1 | 31-62-21 E003-01/ / | ALL |
| D03975F | 1 | PARTFOFD03975 PLUG - CDS DEU 2 | | 1 | 31-62-21 E003-01/ / | ALL |
| D03977 | 1 | S280W551-211A-05 PLUG PLATE ASSY | 81205 | 1 | 31-62-11 P001-00/ / | YC051-YD158, YL951-YR328 |
| D03977 T | 1 | S280W601-213 GND - BLOCK 16 | 81205 | 1 | 31-62-11 */ */ | YC051-YC052, YD157-YD158 |
| D03977 T | 1 | S280W601-213 GND - BLOCK 16 | 81205 | 1 | 31-62-11 */ / | YC053-YD155, YL951-YR328 |
| D03977A | 1 | PARTAOFD03977 INSERT A | | 0 | 31-62-11 P001-00/ / | YC051-YD155, YL951-YR328 |
| D03977A | 1 | PARTAOFD03977 INSERT A | | 0 | 31-62-11 */ */ | YD157 |
| D03977A | 1 | PARTAOFD03977 INSERT A | | 0 | 31-62-11 192/230/L021 | YD158 |
| D03977B | 1 | PARTBOFD03977 INSERT B | | 0 | 31-62-11 P001-00/ / | YC051-YD155, YL951-YR328 |
| D03977B | 1 | PARTBOFD03977 INSERT B | | 0 | 31-62-11 */ */ | YD157 |

EQUIPMENT LIST

D280A108

Section D03900

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D03977B | 1 | PARTBOFD03977 INSERT B | | 0 | 31-62-11 192/230/L019 | YD158 |
| D03979 | 1 | S280W551-211A-05 PLUG PLATE ASSY | 81205 | 1 | 31-62-11 P001-00/ / | YC051-YD158, YL951-YR328 |
| D03979 T | 1 | S280W601-213 GND - BLOCK 16 | 81205 | 1 | 31-62-11 */ */ | YC051-YC052, YD157-YD158 |
| D03979 T | 1 | S280W601-213 GND - BLOCK 16 | 81205 | 1 | 31-62-11 */ / | YC053-YD155, YL951-YR328 |
| D03979A | 1 | PARTAOFD03979 INSERT A | | 0 | 31-62-11 P001-00/ / | YC051-YD155, YL951-YR328 |
| D03979A | 1 | PARTAOFD03979 INSERT A | | 0 | 31-62-11 */ */ | YD157 |
| D03979A | 1 | PARTAOFD03979 INSERT A | | 0 | 31-62-11 192/230/L013 | YD158 |
| D03979B | 1 | PARTBOFD03979 INSERT B | | 0 | 31-62-11 P001-00/ / | YC051-YD155, YL951-YR328 |
| D03979B | 1 | PARTBOFD03979 INSERT B | | 0 | 31-62-11 */ */ | YD157 |
| D03979B | 1 | PARTBOFD03979 INSERT B | | 0 | 31-62-11 192/230/L010 | YD158 |
| D03981 | 1 | S280W551-211A-05 PLUG PLATE ASSY | 81205 | 1 | 31-62-11 P002-00/ / | YC051-YD158, YL951-YR328 |
| D03981 T | 1 | S280W601-213 GND - BLOCK 16 | 81205 | 1 | 31-62-11 */ */ | YC051-YC052, YD157-YD158 |
| D03981 T | 1 | S280W601-213 GND - BLOCK 16 | 81205 | 1 | 31-62-11 */ / | YC053-YD155, YL951-YR328 |
| D03981A | 1 | PARTAOFD03981 INSERT A | | 0 | 31-62-11 P002-00/ / | YC051-YD155, YL951-YR328 |
| D03981A | 1 | PARTAOFD03981 INSERT A | | 0 | 31-62-11 */ */ | YD157 |
| D03981A | 1 | PARTAOFD03981 INSERT A | | 0 | 31-62-11 192/230/000 | YD158 |
| D03981B | 1 | PARTBOFD03981 INSERT B | | 0 | 31-62-11 P002-00/ / | YC051-YD155, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D03900

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D03981B | 1 | PARTBOFD03981 INSERT B | | 0 | 31-62-11 */ */ | YD157 |
| D03981B | 1 | PARTBOFD03981 INSERT B | | 0 | 31-62-11 192/230/R002 | YD158 |
| D03982 | 1 | BACC63CE12S-3S PLUG- | 81205 | 1 | 21-61-51 573/152/R033 | YC051-YL999, YR301-YR328 |
| D03982 T | 1 | BACC10HW12 CLAMP, 90 DEG | 81205 | 1 | 21-61-51 */ */ | YC051-YL999, YR301-YR328 |
| D03983 | 1 | S280W551-211A-05 PLUG PLATE ASSY | 81205 | 1 | 31-62-21 P009-00/ / | YC051-YD158, YL951-YR328 |
| D03983 T | 1 | S280W601-213 GND - BLOCK 16 | 81205 | 1 | 31-62-21 */ / | YC051-YD158 |
| D03983 T | 1 | S280W601-213 GND - BLOCK 16 | 81205 | 1 | 31-62-21 */ */ | YL951-YR328 |
| D03983A | 1 | PARTAOFD03983 INSERT A | | 0 | 31-62-21 P009-00/ / | YC051-YD158 |
| D03983A | 1 | PARTAOFD03983 INSERT A | | 0 | 31-62-21 199/221/R001 | YL951-YR328 |
| D03983B | 1 | PARTBOFD03983 INSERT B | | 0 | 31-62-21 */ / | YC051-YD155 |
| D03983B | 1 | PARTBOFD03983 INSERT B | | 0 | 31-62-21 199/221/L001 | YD157-YD158, YL951-YR328 |
| D03985 | 1 | S280W551-211A-05 PLUG PLATE ASSY | 81205 | 1 | 31-62-21 P003-00/ / | YC051-YD158, YL951-YR328 |
| D03985 T | 1 | S280W601-213 GND - BLOCK 16 | 81205 | 1 | 31-62-21 */ / | YC051-YD158 |
| D03985 T | 1 | S280W601-213 GND - BLOCK 16 | 81205 | 1 | 31-62-21 */ */ | YL951-YR328 |
| D03985A | 1 | PARTAOFD03985 INSERT A | | 0 | 31-62-21 P003-00/ / | YC051-YD158 |
| D03985A | 1 | PARTAOFD03985 INSERT A | | 0 | 31-62-21 192/230/R019 | YL951-YR328 |
| D03985B | 1 | PARTBOFD03985 INSERT B | | 0 | 31-62-21 */ / | YC051-YD155 |

EQUIPMENT LIST

D280A108

Section D03900

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D03985B | 1 | PARTBOFD03985 INSERT B | | 0 | 31-62-21 192/230/R022 | YD157-YD158, YL951-YR328 |
| D03987 | 1 | S280W551-211A-05 PLUG PLATE ASSY | 81205 | 1 | 31-62-21 P003-00/ / | YC051-YD158, YL951-YR328 |
| D03987 T | 1 | S280W601-213 GND - BLOCK 16 | 81205 | 1 | 31-62-21 */ / | YC051-YD158 |
| D03987 T | 1 | S280W601-213 GND - BLOCK 16 | 81205 | 1 | 31-62-21 */ /* | YL951-YR328 |
| D03987A | 1 | PARTAOFD03987 INSERT A | | 0 | 31-62-21 P003-00/ / | YC051-YD158 |
| D03987A | 1 | PARTAOFD03987 INSERT A | | 0 | 31-62-21 192/230/R011 | YL951-YR328 |
| D03987B | 1 | PARTBOFD03987 INSERT B | | 0 | 31-62-21 */ / | YC051-YD155 |
| D03987B | 1 | PARTBOFD03987 INSERT B | | 0 | 31-62-21 192/230/R013 | YD157-YD158, YL951-YR328 |
| D03991 | 1 | BACC63CB16-24SN PLUG - CONDUCTIVE | 81205 | 1 | 31-62-23 P003-01/ / | YC051-YD158, YL951-YR328 |
| D03991 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 31-62-23 */ / | YC051-YD158 |
| D03991 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 31-62-23 */ /* | YL951-YR328 |
| D03993 | 1 | BACC63CB22-55S9 PLUG - CONDUCTIVE | 81205 | 1 | 31-62-11 P007-01/ / | YC051-YD158, YL951-YR328 |
| D03993 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 31-62-11 */ /* | YC051-YC052, YD158 |
| D03993 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 31-62-11 */ / | YC053-YD157, YL951-YR328 |
| D03995 | 1 | BACC63CB22-55S9 PLUG - CONDUCTIVE | 81205 | 1 | 31-62-21 P007-02/ / | YC051-YD158, YL951-YR328 |
| D03995 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 31-62-21 */ / | YC051-YD158 |
| D03995 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 31-62-21 */ /* | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D03900

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|---|
| D03996 | 1 | BACC45FT16-24S6 PLUG- | 81205 | 1 | 21-61-11 P005-17/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03998 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 21-61-13 P005-17/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D03999 | 1 | BACC63CB14-15S7 PLUG - CONDUCTIVE | 81205 | 1 | 31-62-13 P003-01/ / | YC051-YC059, YC065-YD158 |
| D03999 | 1 | BACC63CB16-24S7 PLUG - CONDUCTIVE | 81205 | 1 | 31-62-13 P003-01/ / | YC060-YC064, YL951-YR328 |
| D03999 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 31-62-13 */ */ | YC051-YC052, YD158 |
| D03999 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 31-62-13 */ / | YC053-YC059, YC065-YD157 |
| D03999 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 31-62-13 */ / | YC060-YC064, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D03900
Page 7 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D04003J | 1 | 48-7191 REMOVEABLE SPLICE-SOCKET | 02660 | 1 | 23-51-31 P061-00/ / | ALL |
| D04003P | 1 | 48-7190 REMOVEABLE SPLICE-PIN | 02660 | 1 | 23-51-31 P061-00/ / | ALL |
| D04005J | 1 | 48-7191-1 REMOVEABLE SPLICE-SOCKET | 02660 | 1 | 23-51-31 P061-00/ / | ALL |
| D04005P | 1 | 48-7190-1 REMOVEABLE SPLICE-PIN | 02660 | 1 | 23-51-31 P061-00/ / | ALL |
| D04007J | 1 | MTCPQKT1R2PGDB RCPT- CONDUCTIVE | 06090 | 1 | 23-27-37 E004-01/ / | YD158-YD170 |
| D04007J | 1 | MTCPQKT1R2PGDB RCPT- CONDUCTIVE | 06090 | 1 | 31-33-01 E004-01/ / | YL951-YR328 |
| D04007P | 1 | MTCPQKT1P2SGDB PLUG - CONDUCTIVE | 06090 | 1 | 23-27-31 E004-01/ / | YD158-YR328 |
| D04009J | 1 | MTCPQKT1R2PGDC RCPT- CONDUCTIVE | 06090 | 1 | 23-27-33 E004-01/ / | YD158-YD170 |
| D04009J | 1 | MTCPQKT1R2PGDC RCPT- CONDUCTIVE | 06090 | 1 | 34-61-21 E004-01/ / | YL951-YR328 |
| D04009P | 1 | MTCPQKT1P2SGDC PLUG - CONDUCTIVE | 06090 | 1 | 23-27-31 E004-01/ / | YD158-YR328 |
| D04025J | 1 | 2431-84-2 RCPT - (C) STRAIGHT | 91836 | 1 | 34-31-11 E001-02/ / | ALL |
| D04025P | 1 | 2435-81-2 PLUG-COAX | 91836 | 1 | 34-31-11 E001-02/ / | ALL |
| D04027J | 1 | 2431-84-11 RCPT - (C) STRAIGHT | 91836 | 1 | 34-31-21 E001-02/ / | ALL |
| D04027P | 1 | 2435-81-11 PLUG - (C) STRAIGHT | 91836 | 1 | 34-31-21 E001-02/ / | ALL |
| D04029J | 1 | BACC63CC22-55P7 RCPT - CONDUCTIVE | 81205 | 1 | 34-51-11 E001-02/ / | YC051-YD158, YL951-YR328 |
| D04029JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-51-11 E001-02/ / | YC051-YD158, YL951-YR328 |
| D04029P | 1 | BACC63CB22-55S7 PLUG-CONDUCTIVE | 81205 | 1 | 34-45-02 E001-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D04000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D04029PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 34-45-02 E001-02/ / | YC051-YD170 |
| D04029PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 34-45-02 */*/ | YL951-YR328 |
| D04031J | 1 | BACC63CC22-55P6 RCPT - CONDUCTIVE | 81205 | 1 | 34-51-21 E001-05/ / | YC051-YD158, YL951-YR328 |
| D04031JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-51-21 E001-05/ / | YC051-YD158, YL951-YR328 |
| D04031P | 1 | BACC63CB22-55S6 PLUG-RECEPTIVE | 81205 | 1 | 34-55-21 E001-05/ / | YC051-YC052 |
| D04031P | 1 | BACC63CB22-55S6 PLUG-RECEPTIVE | 81205 | 1 | 34-55-21 AE0105A/ / | YC053-YR328 |
| D04031PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-55-21 / / | YC051-YD170 |
| D04031PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-55-21 */*/ | YL951-YR328 |
| D04069J | 1 | MTCPQKT2R22SGCA RECPT-CONDUCTIVE | 06090 | 1 | 22-11-11 E001-01/ / | ALL |
| D04069P | 1 | MTCPQKT2P22PGCA PLUG-CONDUCTIVE | 06090 | 1 | 22-11-11 E001-01/ / | ALL |
| D04073J | 1 | MTCPQKT2R22SGBC RECPT-CONDUCTIVE | 06090 | 1 | 22-11-31 E001-01/ / | ALL |
| D04073P | 1 | MTCPQKT2P22PGBC PLUG- CONDUCTIVE | 06090 | 1 | 22-11-31 E001-01/ / | YC051-YN236, YN501-YR328 |
| D04075J | 1 | MTCPQKT2R22SGAC RECPT-CONDUCTIVE | 06090 | 1 | 22-13-11 E001-01/ / | ALL |
| D04075P | 1 | MTCPQKT2P22PGAC PLUG- CONDUCTIVE | 06090 | 1 | 22-13-11 E001-01/ / | ALL |
| D04077J | 1 | BACC63CC22-55P6 RCPT-CONDUCTIVE | 81205 | 1 | 22-11-31 E001-04/ / | YC051-YN236, YN501-YR328 |
| D04077JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 / / | YC051-YC055 |
| D04077JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 */*/ | YC056-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D04000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D04077P | 1 | BACC63CB22-55S6 PLUG - CONDUCTIVE | 81205 | 1 | 22-11-31 E001-04/ / | ALL |
| D04077PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 E001-04/ / | YC051-YD170 |
| D04077PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 */*/ | YL951-YR328 |
| D04079J | 1 | MTCPQKT2R22SGCD RECPT-CONDUCTIVE | 06090 | 1 | 22-11-12 E001-01/ / | ALL |
| D04079P | 1 | MTCPQKT2P22PFCD PLUG- | 06090 | 1 | 22-11-12 E001-01/ / | YC051-YN236, YN501-YR328 |
| D04081J | 1 | BACC45FN18-31P7 PLUG- | 81205 | 1 | 22-11-21 E001-04/ / | YC051-YN236, YN501-YR328 |
| D04081JK | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 22-11-12 / / | YC051-YN236, YN501-YR328 |
| D04081P | 1 | BACC45FT18-31S7 PLUG | 81205 | 1 | 22-11-21 E001-04/ / | ALL |
| D04081PQ | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 22-11-21 E001-04/ / | YC051-YD170 |
| D04081PQ | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 22-11-21 */*/ | YL951-YR328 |
| D04083J | 1 | MTCPQKT2R26SFBB RCPT- | 06090 | 1 | 22-13-11 E001-01/ / | ALL |
| D04083P | 1 | MTCPQKT2P26PFBB PLUG- | 06090 | 1 | 22-13-11 E001-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D04000

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D04102J | | 55-9002-1 RECP-SHORT1NG-LTG P5 PNL | 65-73739 77820 | 1 | 33-12-01 P005-00/ / | ALL |
| D04104J | | 55-9002-1 RECP-SHORTING-LTG P5 PNL | 65-73739 77820 | 1 | 33-12-01 P005-00/ / | ALL |
| D04110J | | 55-9002-1 RECP-SHORTING-LTG P5 OVHD | 65-73708 77820 | 1 | 33-12-01 260/290/L008 | ALL |
| D04115J | 1 | MTCPQKT2R22PGDA RCPT- CONDUCTIVE | 06090 | 1 | 23-27-32 E004-01/ / | YD158-YD170 |
| D04115J | 1 | MTCPQKT2R22PGDA RCPT- CONDUCTIVE | 06090 | 1 | 31-33-01 E004-01/ / | YL951-YR328 |
| D04115P | 1 | MTCPQKT2P22SGDA PLUG - CONDUCTIVE | 06090 | 1 | 31-33-01 E004-01/ / | YD158-YR328 |
| D04117J | 1 | MTCPQKT2R22PGDD RCPT- CONDUCTIVE | 06090 | 1 | 23-27-38 E004-01/ / | YD158-YD170 |
| D04117J | 1 | MTCPQKT2R22PGDD RCPT - CONDUCTIVE | 06090 | 1 | 31-32-15 E004-01/ / | YL951-YR328 |
| D04117P | 1 | MTCPQKT2P22SGDD PLUG - CONDUCTIVE | 06090 | 1 | 31-33-01 E004-01/ / | YD158-YR328 |
| D04119J | 1 | 121-44-9 RCPT - (TNC) | 91836 | 1 | 34-32-11 604/148/L002 | ALL |
| D04119P | 1 | 125-88-9 PLUG - (TNC) | 91836 | 1 | 34-32-11 604/148/2 | ALL |
| D04121J | 1 | 2431-84-5 RCPT - (TNC) | 91836 | 1 | 34-32-11 E001-02/ / | ALL |
| D04121P | 1 | 2435-81-5 PLUG-COAX | 91836 | 1 | 34-32-11 E001-02/ / | YC051-YL999, YR301-YR328 |
| D04121P | 1 | 2435-81-5 PLUG-COAX | 91836 | 1 | 34-32-11 */*/ | YN231-YN501 |
| D04123J | 1 | BACC63CC14-12SN RCPT-CONDUCTIVE | 81205 | 1 | 23-12-11 E001-03/ / | YC051-YC052 |
| D04123J | 1 | BACC63CC14-12SN RCPT | 81205 | 1 | 23-12-11 E001-03/ / | YC053-YD157 |
| D04123J | 1 | BACC45FN22-55S RCPT | 81205 | 1 | 23-12-11 E001-03/ / | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section D04100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D04123P | 1 | BACC63CB14-12PN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 23-12-11 E001-03/ / | YC051-YD157 |
| D04123P | 1 | BACC45FT22-55P PLUG | 81205 | 1 | 23-12-11 E001-03/ / | YD158 |
| D04123P | 1 | BACC45FT22-55P PLUG - | 81205 | 1 | 23-12-11 E001-03/ / | YL951-YR328 |
| D04123PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 23-12-11 E1-3/ / | YC051-YD157 |
| D04125J | 1 | BACC63CC14-12PN RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 23-12-21 E001-05/ / | YC051-YD157 |
| D04125J | 1 | BACC63CC14-12PN RECP - CONDUCTIVE | 81205 | 1 | 23-12-21 E001-05/ / | YD158, YL951- YR328 |
| D04125JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 23-12-21 E1-5/ / | YC051-YD157 |
| D04125JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 23-12-21 E001-05/ / | YD158, YL951- YR328 |
| D04125P | 1 | BACC63CB14-12SN PLUG-CONDUCTIVE | 81205 | 1 | 23-12-21 E001-05/ / | YC051-YC052 |
| D04125P | 1 | BACC63CB14-12SN PLUG-CONDUCTIVE | 81205 | 1 | 23-12-21 AE0105A/ / | YC053-YR328 |
| D04125PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 23-12-21 / / | YC051-YD170 |
| D04125PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 23-12-21 */ */ | YL951-YR328 |
| D04131J | 1 | 2430-2-16 JACK - E1-5 SHELF | 91836 | 1 | 23-12-21 305/171/L20 | YC051-YC060 |
| D04131J | 1 | 2430-2-16 JACK | 91836 | 1 | 23-12-21 E001-05/ / | YC061-YR328 |
| D04131P | 1 | 2435-81-16 PLUG-COAX | 91836 | 1 | 23-12-21 E001-05/ / | ALL |
| D04133J | 1 | 121-44-9 RCPT | 91836 | 1 | 23-12-11 E001-03/ / | ALL |
| D04133P | 1 | 125-95-9 PLUG - E1-3 SHELF | 91836 | 1 | 23-12-11 E001-03/ / | YC051-YC063, YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D04100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D04133P | 1 | 125-95-9 PLUG | 91836 | 1 | 23-12-11 E001-03/ / | YC064-YL999, YR301-YR328 |
| D04137J | 1 | 121-46-9 JACK-STA 506 | 91836 | 1 | 23-12-11 472/154/L004 | YC051-YC060 |
| D04137J | 1 | 121-46-9 JACK | 91836 | 1 | 23-12-21 472/154/L004 | YC061-YR328 |
| D04137P | 1 | 125-95-9 PLUG | 91836 | 1 | 23-12-21 472/154/L004 | YC051-YD158, YN231-YN501 |
| D04137P | 1 | 125-95-9 PLUG | 91836 | 1 | 23-12-11 472/154/L004 | YD160-YL999, YR301-YR328 |
| D04141J | 1 | 121-46-9 JACK | 91836 | 1 | 23-12-11 E001-05/ / | YC061-YC063 |
| D04141P | 1 | 125-95-9 PLUG | 91836 | 1 | 23-12-11 E001-05/ / | YC061-YC063 |
| D04149J | 1 | BACC45FN12-12S6 RCPT | 81205 | 1 | 23-41-01 E001-03/ / | ALL |
| D04149P | 1 | BACC45FT12-12P6 PLUG - HANDSET JACK(CONTROL STAND) | 81205 | 1 | 23-41-11 E001-03/ / | ALL |
| D04149PQ | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 23-41-11 E001-03/ / | ALL |
| D04151J | 1 | BACC45FN12-12P6 RCPT- | 81205 | 1 | 23-51-31 P061-00/ / | ALL |
| D04151P | 1 | BACC45FT12-12S6 PLUG- | 81205 | 1 | 23-51-31 P006-00/ / | YC051-YD158, YL951-YR328 |
| D04153J | 1 | MTCPQKT2R22SGBB RCPT-CONDUCTIVE | 06090 | 1 | 23-51-31 E004-01/ / | ALL |
| D04153P | 1 | MTCPQKT2P22PGBB PLUG- CONDUCTIVE | 06090 | 1 | 23-51-31 E004-01/ / | YC051-YD158, YL951-YR328 |
| D04155J | 1 | MTCPQKT2R22SGAB RCPT-CONDUCTIVE | 06090 | 1 | 23-51-11 E004-01/ / | ALL |
| D04155P | 1 | MTCPQKT2P22PGAB PLUG E4-1 SHELF | 06090 | 1 | 23-51-11 E004-01/ / | ALL |
| D04157J | 1 | MTCPQKT1R2SFCD RCPT-CONDUCTIVE | 06090 | 1 | 23-71-01 E004-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D04100

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D04157P | 1 | MTCPQKT1P2PGCD PLUG-CONDUCTIVE CONNECTOR | 06090 | 1 | 23-71-01 E004-01/ / | YC051-YC064 |
| D04157P | 1 | MTCPQKT1P2PGCD PLUG-CONDUCTIVE | 06090 | 1 | 23-71-01 E004-01/ / | YC065-YR328 |
| D04161J | 1 | MTCPQKT1R2SFCA RCPT- | 06090 | 1 | 23-41-01 E004-01/ / | ALL |
| D04161P | 1 | MTCPQKT1P2PFCA PLUG - CONDUCTIVE | 06090 | 1 | 23-41-11 E004-01/ / | YC051-YN236, YN501-YR328 |
| D04181J | 1 | BACC45FN14-15S RCPT | 81205 | 1 | 23-41-01 E001-03/ / | ALL |
| D04181P | 1 | BACC45FT14-15P PLUG - ATT HANDSET (AFT) | 81205 | 1 | 23-42-12 E001-03/ / | ALL |
| D04181PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 23-41-11 E001-03/ / | YC051-YD170, YN501-YR328 |
| D04181PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 23-41-11 */*/ | YL951-YN260 |
| D04195J | 1 | BACC63CC22-55P7 RCPT-CONDUCTIVE | 81205 | 1 | 23-12-11 E001-03/ / | ALL |
| D04195P | 1 | BACC63CB22-55S7 PLUG - CONDUCTIVE | 81205 | 1 | 23-31-02 E001-03/ / | ALL |
| D04195PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 23-31-02 E001-03/ / | YC051-YD170 |
| D04195PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 23-31-02 */*/ | YL951-YR328 |
| D04197J | 1 | BACC63CC20-41P8 RECP - CONDUCTIVE | 81205 | 1 | 23-22-01 E001-05/ / | YC051-YD157 |
| D04197J | 1 | BACC63CC22-55P8 RCPT - CONDUCTIVE | 81205 | 1 | 23-22-01 E001-05/ / | YD158-YD170 |
| D04197J | 1 | BACC63CC22-55P8 RECP - CONDUCTIVE | 81205 | 1 | 23-22-01 E001-05/ / | YL951-YR328 |
| D04197JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 23-22-01 */*/ | YC051-YD157 |
| D04197JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 23-22-01 */*/ | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section D04100

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| D04197P | 1 | BACC63CB20-41S8 PLUG-CONDUCTIVE | 81250 | 1 | 23-22-01 E001-05/ / | YC051-YC052 |
| D04197P | 1 | BACC63CB20-41S8 PLUG-CONDUCTIVE | 81250 | 1 | 23-22-01 AE0105A/ / | YC053-YD157 |
| D04197P | 1 | BACC63CB22-55S8 PLUG-CONDUCTIVE | 81250 | 1 | 23-22-01 E001-05/ / | YD158-YR328 |
| D04197PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 23-22-01 / / | YC051-YD157 |
| D04197PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 23-22-01 / / | YD158-YD170 |
| D04197PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 23-22-01 */ */ | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D04100
Page 5 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D04205J | 1 | BACC63CC14-15P9 RCPT - CONDUCTIVE | 81205 | 1 | 34-22-11 E001-02/ / | YC051-YD158, YL951-YR328 |
| D04205JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 34-22-11 E001-02/ / | YC051-YD155 |
| D04205JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 34-22-11 */ */ | YD157-YD158, YL951-YR328 |
| D04205P | 1 | BACC63CB14-15S9 PLUG-CONDUCTIVE | 81205 | 1 | 34-22-11 E001-02/ / | ALL |
| D04205PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 34-45-02 E001-02/ / | YC051-YD170 |
| D04205PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 34-45-02 */ */ | YL951-YR328 |
| D04207J | 1 | BACC63CC20-41P7 RCPT - CONDUCTIVE | 81205 | 1 | 31-62-12 P009-00/ / | YC051-YD158, YL951-YR328 |
| D04207JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-62-12 */ */ | YC051-YC052, YD158 |
| D04207JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-62-12 */ / | YC053-YD157, YL951-YR328 |
| D04207P | 1 | BACC63CB20-41S7 PLUG - CONDUCTIVE | 81205 | 1 | 31-62-12 P009-00/ / | ALL |
| D04207PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-62-12 */ / | ALL |
| D04217J | 1 | 121-39-9 JACK-HF-1 COAX | 91836 | 1 | 23-11-11 1038/305/R010 | YC051-YC070 |
| D04217J | 1 | 2431-87-1 JACK-HF-1 COAX | 91836 | 1 | 23-11-11 1038/305/R010 | YD151-YD170 |
| D04217J | 1 | 2431-87-1 JACK- COAX | 91836 | 1 | 23-11-11 1038/305/R010 | YL951-YR328 |
| D04217P | 1 | 125-95-9 PLUG-HF-1 COAX | 91836 | 1 | 23-11-11 1038/305/R010 | YC051-YC070 |
| D04217P | 1 | 2435-84-1 PLUG-HF-1 COAX | 91836 | 1 | 23-11-11 1038/305/R010 | YD151-YD157 |
| D04217P | 1 | 2435-84-1 PLUG- | 91836 | 1 | 23-11-11 1038/305/R010 | YD158-YD170, YL956-YR328 |

EQUIPMENT LIST

D280A108

Section D04200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D04217P | 1 | 2435-84-1 PLUG- COAX | 91836 | 1 | 23-11-11 1038/305/R010 | YL951-YL955 |
| D04221J | 1 | BACC63CC22-55P8 RCPT - CONDUCTIVE | 81205 | 1 | 22-13-11 P009-00/ / | YC051-YD158, YL951-YR328 |
| D04221JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 22-13-11 */ */ | YC051-YC052, YD158 |
| D04221JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 22-13-11 */ / | YC053-YD157, YL951-YR328 |
| D04221P | 1 | BACC63CB22-55S8 PLUG-CONDUCTIVE | 81205 | 1 | 22-13-11 P009-00/ / | ALL |
| D04221PQ | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 22-13-11 / / | YC051-YC052 |
| D04221PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 22-13-11 */ */ | YC053-YR328 |
| D04227J | 1 | BACC45FN20C25S RCPT-HF-1 COUPLER | 81205 | 1 | 23-11-11 1037/305/R010 | YC051-YC058 |
| D04227J | 1 | BACC63CC20-25SN RCPT-HF-1 COUPLER | 81205 | 1 | 23-11-11 1037/305/R010 | YC059-YC070 |
| D04227J | 1 | BACC63CC20-25S7 RCPT-HF-1 COUPLER | 81205 | 1 | 23-11-11 1037/305/R010 | YD151-YD170 |
| D04227J | 1 | BACC63CC20-25S7 RCPT | 81205 | 1 | 23-11-11 1037/305/R010 | YL951-YR328 |
| D04227JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 23-11-11 1037/305/R010 | YC059-YR328 |
| D04227P | 1 | BACC45FT20-25P PLUG-HF-1 COUPLER | 81205 | 1 | 23-11-11 1037/305/R010 | YC051-YC058 |
| D04227P | 1 | BACC63CB20-25PN PLUG-HF-1 COUPLER | 81205 | 1 | 23-11-11 1037/305/R010 | YC059-YC070 |
| D04227P | 1 | BACC63CB20-25P7 PLUG-HF-1 COUPLER | 81205 | 1 | 23-11-11 1037/305/R010 | YD151-YD157 |
| D04227P | 1 | BACC63CB20-25P7 PLUG- | 81205 | 1 | 23-11-11 1037/305/R010 | YD158-YR328 |
| D04227PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 23-11-11 / / | YC059 |

EQUIPMENT LIST

D280A108

Section D04200

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|---|
| D04227PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 23-11-11 */ */ | YC060-YD157 |
| D04227PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 23-11-11 1037/305/R010 | YD158-YR328 |
| D04237J | 1 | BACC63CC20-41PN RCPT - CONDUCTIVE | 81205 | 1 | 31-62-22 P009-00/ / | YC051-YD158, YL951-YR328 |
| D04237JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-62-22 */ / | YC051-YD158 |
| D04237JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-62-22 */ */ | YL951-YR328 |
| D04237P | 1 | BACC63CB20-41SN PLUG - CONDUCTIVE | 81205 | 1 | 31-62-22 P009-00/ / | ALL |
| D04237PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-62-22 */ / | YC051-YC055 |
| D04237PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-62-22 */ */ | YC056-YR328 |
| D04245J | 1 | BACC63CC20-25SN RCPT-HF-2 COUPLER | 81205 | 1 | 23-11-21 1035/305/R010 | YD158-YD170 |
| D04245J | 1 | BACC63CC20-25SN RCPT- | 81205 | 1 | 23-11-21 1035/305/R010 | YL951-YR328 |
| D04245JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 23-11-21 1035/305/R010 | YD158-YR328 |
| D04245P | 1 | BACC63CB20-25PN PLUG-HF-1 COUPLER | 81205 | 1 | 23-11-21 1035/305/R010 | YD158-YD170, YL956-YL999, YN236-YR328 |
| D04245P | 1 | BACC63CB20-25PN PLUG- | 81205 | 1 | 23-11-21 1035/305/R010 | YL951-YL955, YN231-YN235 |
| D04245PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 23-11-21 */ */ | YD158-YR328 |
| D04251J | 1 | BACC63CC16-24S7 RCPT - CONDUCTIVE | 81205 | 1 | 22-14-11 P009-00/ / | YC051-YD158, YL951-YR328 |
| D04251JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 */ / | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section D04200

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| D04251JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 */*/ | YL951-YR328 |
| D04251P | 1 | BACC63CB16-24P7 PLUG - CONDUCTIVE | 81205 | 1 | 22-14-11 P009-00/ / | ALL |
| D04251PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 / / | ALL |
| D04267J | 1 | MTCPQKT2R22SGAD RCPT - CONDUCTIVE | 06090 | 1 | 31-62-12 E003-01/ / | ALL |
| D04267P | 1 | MTCPQKT2P22PGAD PLUG - CONDUCTIVE | 06090 | 1 | 31-62-12 E003-01/ / | ALL |
| D04269J | 1 | BACC63CC16-24P9 RECP - CONDUCTIVE | 81205 | 1 | 34-31-11 E001-02/ / | YC051-YD157 |
| D04269J | 1 | BACC63CC22-55P9 RCPT - CONDUCTIVE | 81205 | 1 | 34-31-11 E001-02/ / | YD158-YD170 |
| D04269J | 1 | BACC63CC22-55P9 RECP - CONDUCTIVE | 81205 | 1 | 34-31-11 E001-02/ / | YL951-YR328 |
| D04269JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 34-31-11 E001-02/ / | YC051-YD157 |
| D04269JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-31-11 E001-02/ / | YD158-YD170 |
| D04269JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-31-11 */*/ | YL951-YR328 |
| D04269P | 1 | BACC63CB16-24S9 PLUG-CONDUCTIVE | 81205 | 1 | 34-32-11 E001-02/ / | YC051-YD157 |
| D04269P | 1 | BACC63CB22-55S9 PLUG-CONDUCTIVE | 81205 | 1 | 34-32-11 E001-02/ / | YD158-YR328 |
| D04269PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 34-45-02 / / | YC051-YD157 |
| D04269PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-45-02 / / | YD158-YD170 |
| D04269PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-45-02 */*/ | YL951-YR328 |
| D04271J | 1 | MTCPQKT1R2PGAA RCPT - CONDUCTIVE | 06090 | 1 | 34-57-11 E003-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D04200

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D04271P | 1 | MTCPQKT1P2SGAA PLUG- E3-1 SHELF | 06090 | 1 | 34-57-11 E003-01/ / | YC051-YD170 |
| D04271P | 1 | MTCPQKT1P2SGAA PLUG- CONDUCTIVE | 06090 | 1 | 34-57-11 E003-01/ / | YL951-YR328 |
| D04273J | 1 | BACC63CC12-12P9 RECP - CONDUCTIVE | 81205 | 1 | 23-22-01 E001-04/ / | YC051-YD157, YL951-YR328 |
| D04273J | 1 | BACC63CC12-12P9 RCPT - CONDUCTIVE | 81205 | 1 | 23-22-01 E001-04/ / | YD158-YD170 |
| D04273JK | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-22-01 */ */ | ALL |
| D04273P | 1 | BACC63CB12-12S9 PLUG - CONDUCTIVE | 81205 | 1 | 23-22-01 E001-04/ / | ALL |
| D04273PQ | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-22-01 E001-04/ / | YC051-YD170 |
| D04273PQ | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-22-01 */ */ | YL951-YR328 |
| D04277J | 1 | MTCPQKT1R2PGDC RCPT - CONDUCTIVE | 06090 | 1 | 34-57-21 E003-01/ / | ALL |
| D04277P | 1 | MTCPQKT1P2SGDC PLUG-E3-1 SHELF | 06090 | 1 | 34-57-21 E003-01/ / | YC051-YD157, YL951-YR328 |
| D04277P | 1 | MTCPQKT1P2SGDC PLUG- CONDUCTIVE | 06090 | 1 | 34-57-21 E003-01/ / | YD158-YD170 |
| D04285J | 1 | MTCPQKT2R22PGAC RCPT-CONDUCTIVE | 06090 | 1 | 23-12-21 E004-01/ / | ALL |
| D04285P | 1 | MTCPQKT2P22SGAC PLUG-E4-1 SHELF | 06090 | 1 | 34-55-21 E004-01/ / | YC051-YD157, YL951-YR328 |
| D04285P | 1 | MTCPQKT2P22SGAC PLUG- CONDUCTIVE | 06090 | 1 | 34-55-21 E004-01/ / | YD158-YD170 |
| D04287J | 1 | MTCPQKT2R22PGAA RCPT-CONDUCTIVE | 06090 | 1 | 23-12-11 E004-01/ / | ALL |
| D04287P | 1 | MTCPQKT2P22SGAA PLUG- E4-1 SHELF | 06090 | 1 | 34-55-11 E004-01/ / | YC051-YD157 |
| D04287P | 1 | MTCPQKT2P22SGAA PLUG- CONDUCTIVE | 06090 | 1 | 34-55-11 E004-01/ / | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section D04200

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| D04289J | 1 | MTCPQKT2R22PGDD RCPT - CONDUCTIVE | 06090 | 1 | 23-12-31 E004-01/ / | YD158-YD170 |
| D04289J | 1 | MTCPQKT2R22PGDD RCPT-CONDUCTIVE | 06090 | 1 | 23-22-11 E004-01/ / | YL951-YR328 |
| D04289P | 1 | MTCPQKT2P22SGDD PLUG- CONDUCTIVE | 06090 | 1 | 23-12-31 E004-01/ / | YD158-YD170 |
| D04289P | 1 | MTCPQKT2P22SGDD PLUG - CONDUCTIVE | 06090 | 1 | 23-12-31 E004-01/ / | YL951-YR328 |
| D04297J | 1 | MTCPQKT2R22SGCA RCPT - CONDUCTIVE | 06090 | 1 | 31-62-22 E003-01/ / | ALL |
| D04297P | 1 | MTCPQKT2P22PGCA PLUG - CONDUCTIVE | 06090 | 1 | 31-62-22 E003-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D04200
Page 6 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D04311J | 1 | BACC63CC18-31PN RCPT-CONDUCTIVE | 81205 | 1 | 22-14-11 E001-04/ / | ALL |
| D04311JK | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 / / | ALL |
| D04311P | 1 | BACC63CB18-31SN PLUG - CONDUCTIVE | 81205 | 1 | 22-14-11 E001-04/ / | ALL |
| D04311PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 E001-04/ / | YC051-YD170 |
| D04311PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 */ */ | YL951-YR328 |
| D04331J | 1 | MTCPQKT2R22SGAD RCPT-CONDUCTIVE | 06090 | 1 | 23-51-02 E004-01/ / | ALL |
| D04331P | 1 | MTCPQKT2P22PGAD PLUG E4-1 SHELF | 06090 | 1 | 23-51-21 E004-01/ / | YC051-YD158, YL951-YR328 |
| D04371J | 1 | MTCPQKT2R22SGBC RCPT-CONDUCTIVE | 06090 | 1 | 23-71-01 E004-01/ / | ALL |
| D04371P | 1 | MTCPQKT2P22PGBC PLUG-CONDUCTIVE CONNECTOR | 06090 | 1 | 23-71-01 E004-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D04300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D04425J | 1 | MTCPQKT1R2PGBD RECPT-CONDUCTIVE | 06090 | 1 | 22-18-11 E001-01/ / | ALL |
| D04425P | 1 | MTCPQKT1P2SFBD PLUG- | 06090 | 1 | 22-18-11 E001-01/ / | ALL |
| D04435J | 1 | 791-10-9 RECP - (C) | 91836 | 1 | 34-51-11 1031/300/L001 | ALL |
| D04435P | 1 | 795-16-9 PLUG - (C) | 91836 | 1 | 34-51-11 MULTI/ / | YC051-YL954, YN231-YN235 |
| D04435P | 1 | 795-33-9 PLUG - (C) | 91836 | 1 | 34-51-11 MULTI/ / | YL955-YL999, YN236-YR328 |
| D04437J | 1 | 791-10-9 RCPT - (C) | 91836 | 1 | 34-51-21 1035/300/L001 | ALL |
| D04437P | 1 | 795-16-9 PLUG - (C) | 91836 | 1 | 34-51-21 MULTI/ / | YC051-YL954, YN231-YN235 |
| D04437P | 1 | 795-33-9 PLUG - (C) | 91836 | 1 | 34-51-21 MULTI/ / | YL955-YL999, YN236-YR328 |
| D04499J | 1 | BACC63BV12B12P6 RECP-P19 PNL | 81205 | 1 | 23-41-11 P019-00/ / | YC051-YL954, YN231-YN235 |
| D04499P | 1 | BACC63BP12D12S6 PLUG - CONDUCTIVE | 81205 | 1 | 23-41-11 231/187/R033 | YC051-YL954, YN231-YN235 |
| D04499PQ | 1 | BACC10KA12 BACKSHELL - CONDUCTIVE | 81205 | 1 | 23-41-11 P019-00/ / | YC051-YC055 |
| D04499PQ | 1 | BACC10KA12 CLAMP, STRAIGHT | 81205 | 1 | 23-41-11 P019-00/ / | YC056-YL954, YN231-YN235 |

EQUIPMENT LIST

D280A108

Section D04400
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D04578J | 1 | BACC63BV16F24SN RECP | 81205 | 1 | 28-44-11 OFSS 388/ / | YC051-YD158, YL951-YR328 |
| D04578JK | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 28-44-11 */** | YC051-YD158, YL951-YR328 |
| D04578P | 1 | BACC63BP16C24PN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 28-44-12 P015-00/ / | YC051-YL954, YN231-YN235 |
| D04578PQ | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 28-44-12 P015-00/ / | YC051-YL954, YN231-YN235 |
| D04580J | 1 | BACC63CC14-15S6 RCPT-CONDUCTIVE | 81205 | 1 | 21-51-11 542/158/L028 | YC051-YN236, YN501-YR328 |
| D04580JK | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 21-51-11 */** | YC051-YN236, YN501-YR328 |
| D04580P | 1 | BACC63CB14-15P6 PLUG-CONDUCTIVE | 81205 | 1 | 21-51-15 542/158/L027 | ALL |
| D04580PQ | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 21-51-11 */** | ALL |
| D04582J | 1 | BACC63CC14-15S6 RCPT-CONDUCTIVE | 81205 | 1 | 21-51-21 542/158/R028 | YC051-YL968, YN231-YN501 |
| D04582J | 1 | BACC63CC14-15S6 RCPT-CONDUCTIVE | 81205 | 1 | 21-51-21 536/158/R028 | YL969-YL999, YR301-YR328 |
| D04582JK | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 21-51-21 */** | ALL |
| D04582P | 1 | BACC63CB14-15P6 PLUG-CONDUCTIVE | 81205 | 1 | 21-51-21 542/158/R027 | ALL |
| D04582PQ | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 21-51-21 */** | ALL |

EQUIPMENT LIST

D280A108

Section D04500

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D04603J | 1 | 2431-89-6 RCPT-COAX | 91836 | 1 | 34-53-31 E001-02/ / | ALL |
| D04603P | 1 | 2435-87-6 PLUG-COAX | 91836 | 1 | 34-53-31 E001-02/ / | ALL |
| D04607J | 1 | 2431-87-1 JACK-COAX | 91836 | 1 | 34-53-31 E001-02/ / | ALL |
| D04607P | 1 | 2435-84-1 PLUG-COAX | 91836 | 1 | 34-53-31 E001-02/ / | ALL |
| D04609J | 1 | 2431-87-1 RECPT-COAX | 91836 | 1 | 34-45-21 E001-01/ / | ALL |
| D04609P | 1 | 2435-84-1 PLUG-COAX | 91836 | 1 | 34-45-21 E001-01/ / | ALL |
| D04611J | 1 | 2431-87-6 RECPT-COAX | 91836 | 1 | 34-45-21 E001-01/ / | ALL |
| D04611P | 1 | 2435-84-6 PLUG-COAX | 91836 | 1 | 34-45-21 E001-01/ / | ALL |
| D04613J | 1 | 2431-87-11 RECPT-COAX | 91836 | 1 | 34-45-21 E001-01/ / | ALL |
| D04613P | 1 | 2435-84-11 PLUG-COAX | 91836 | 1 | 34-45-21 E001-01/ / | ALL |
| D04615J | 1 | 2431-87-16 RECPT-COAX | 91836 | 1 | 34-45-21 E001-01/ / | ALL |
| D04615P | 1 | 2435-84-16 PLUG-COAX | 91836 | 1 | 34-45-21 E001-01/ / | ALL |
| D04617J | 1 | 2431-84-11 RECPT-COAX | 91836 | 1 | 34-45-21 E001-01/ / | ALL |
| D04617P | 1 | 2435-81-11 PLUG-COAX | 91836 | 1 | 34-45-21 312/177/R017 | ALL |
| D04619J | 1 | 2431-84-16 RECPT-COAX | 91836 | 1 | 34-45-21 E001-01/ / | ALL |
| D04619P | 1 | 2435-81-16 PLUG-COAX | 91836 | 1 | 34-45-21 314/177/R016 | ALL |
| D04621J | 1 | 2431-84-1 RECPT-COAX | 91836 | 1 | 34-45-21 E001-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D04600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D04621P | 1 | 2435-81-1 PLUG-COAX | 91836 | 1 | 34-45-21 312/175/R017 | ALL |
| D04623J | 1 | 2431-84-6 RECPT-COAX | 91836 | 1 | 34-45-21 E001-01/ / | ALL |
| D04623P | 1 | 2435-81-6 PLUG-COAX | 91836 | 1 | 34-45-21 314/176/R016 | ALL |
| D04625J | 1 | 2431-88-1 RCPT | 91836 | 1 | 34-45-21 AB0387/ / | ALL |
| D04625P | 1 | 2435-84-1 PLUG | 91836 | 1 | 34-45-02 AB0387/ / | ALL |
| D04627J | 1 | 2431-88-6 RCPT | 91836 | 1 | 34-45-21 AB0387/ / | ALL |
| D04627P | 1 | 2435-84-6 PLUG | 91836 | 1 | 34-45-02 AB0387/ / | ALL |
| D04629J | 1 | 2431-88-11 RCPT | 91836 | 1 | 34-45-21 AB0387/ / | ALL |
| D04629P | 1 | 2435-84-11 PLUG | 91836 | 1 | 34-45-02 AB0387/ / | ALL |
| D04633J | 1 | 2431-88-16 RCPT | 91836 | 1 | 34-45-21 AB0387/ / | ALL |
| D04633P | 1 | 2435-84-16 PLUG | 91836 | 1 | 34-45-02 AB0387/ / | ALL |

EQUIPMENT LIST

D280A108

Section D04600

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D04713J | 1 | 121-39-9 JACK-HF-2 COAX | 91836 | 1 | 23-11-21 1036/305/R010 | YD158-YD170 |
| D04713J | 1 | 121-39-9 JACK- COAX | 91836 | 1 | 23-11-21 1036/305/R010 | YL951-YR328 |
| D04713P | 1 | 125-95-9 PLUG-HF-2 COAX | 91836 | 1 | 23-11-21 1036/305/R010 | YD158-YD170, YL956-YR328 |
| D04713P | 1 | 125-95-9 PLUG- | 91836 | 1 | 23-11-21 1036/305/R010 | YL951-YL955 |
| D04721J | 1 | MTCPQKT1R2SFDD RCPT- | 06090 | 1 | 23-22-11 E004-01/ / | YD158-YD170 |
| D04721J | 1 | MTCPQKT1R2SFDD RCPT- | 06090 | 1 | 23-22-01 E004-01/ / | YL951-YR328 |
| D04721P | 1 | MTCPQKT1P2PFDD PLUG - SELCAL CONTROL | 06090 | 1 | 23-22-11 E004-01/ / | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section D04700

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D04826J | 1 | BACC63BV14F7S8 RECP-CONDUCTIVE | 81205 | 1 | 30-31-11 1038/296/L012 | YC051-YN236, YN501-YR328 |
| D04826JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 30-31-11 / / | YC051-YN236, YN501-YR328 |
| D04826P | 1 | BACC63BP14C7P8 PLUG-PITOT HTR LEFT | 81205 | 1 | 30-31-11 MULTI/ / | ALL |
| D04826PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 30-31-11 */ */ | ALL |
| D04850J | | BACC63BV22F55PN RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 28-41-11 675/198/L036 | YC056-YD152 |
| D04850J | 1 | BACC63BV22F55PN RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 28-41-11 673/198/L036 | YC051-YC055 |
| D04850J | 1 | BACC63BV22F55PN RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 28-41-11 675/198/L036 | YD153 |
| D04850J | 1 | BACC63BV22B55PN RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 28-41-11 AL0675B/202/L032 | YD154-YR328 |
| D04850JK | | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 28-41-13 */ */ | YC056-YD152 |
| D04850JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 28-41-13 */ */ | YC051-YC055, YD153 |
| D04850JK | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 28-41-13 */ */ | YD154-YR328 |
| D04850P | | BACC63BP22C55SN PLUG- | 81205 | 1 | 28-41-11 673/198/L038 | YC056-YD152 |
| D04850P | 1 | BACC63BP22C55SN PLUG- | 81205 | 1 | 28-41-11 673/198/L038 | YC051-YC055, YD153 |
| D04850P | 1 | BACC63BP22D55SN PLUG- | 81205 | 1 | 28-41-11 673/198/L038 | YD154-YD157 |
| D04850P | 1 | BACC63BP22D55SN PLUG- | 81205 | 1 | 28-41-11 AL0675B/202/L030 | YD158, YL951- YR328 |
| D04850PQ | | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 28-41-13 */ */ | YC056-YD152 |
| D04850PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 28-41-13 / / | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section D04800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D04850PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 28-41-13 */*/ | YD153 |
| D04850PQ | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 28-41-13 */*/ | YD154-YD158, YL951-YR328 |
| D04889J | 1 | BACC45FN18-31P7 PLUG- | 81205 | 1 | 23-24-11 AB0288/ / | YC051-YD170, YN231-YN501 |
| D04889J | 1 | BACC45FN14-15P7 PLUG- | 81205 | 1 | 23-24-11 AB0288/ / | YL951-YL999, YR301-YR328 |
| D04889P | 1 | BACC45FT18-31S7 PLUG- | 81205 | 1 | 23-24-11 AB0288/ / | YC051-YD170, YN231-YN501 |
| D04889P | 1 | BACC45FT14-15S7 PLUG- | 81205 | 1 | 23-24-11 AB0288/ / | YL951-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D04800
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D05148J | 1 | BACC45FN14-12P7 RCPT-P8 AND P10 CONTROL STAND PNLS | 81205 | 1 | 33-11-41 212 P8/209/R2 | ALL |
| D05148JK | 1 | MS27291-3 BACKSHELL- | 96906 | 1 | 33-11-41 / / | ALL |
| D05148P | 1 | BACC45FT14-12S7 PLUG-P8 AND P9 CONTROL STAND PANEL | 81205 | 1 | 31-53-11 212/209/R2 | YC051-YC055 |
| D05148P | 1 | BACC45FT14-12S7 PLUG-P8 AND P9 CONTROL STAND PANEL | 81205 | 1 | 31-53-11 212/209/R002 | YC056-YD158, YL951-YR328 |
| D05148PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 31-53-11 */*/ | YC051-YD158, YL951-YR328 |
| D05150J | 1 | BACC45FN12-12P RCPT-P8 CONTROL STAND PANEL | 81205 | 1 | 27-54-11 214 P8/208/R2 | ALL |
| D05150JK | 1 | MS27291-2 BACKSHELL- | 96906 | 1 | 27-54-11 / / | ALL |
| D05150P | 1 | BACC45FT12-12S PLUG-P8 AND P9 CONTROL STAND PANEL | 81205 | 1 | 27-54-11 214/208/R2 | YC051-YD153 |
| D05150P | 1 | BACC45FT12-12S PLUG-P8 AND P9 CONTROL STAND PANEL | 81205 | 1 | 27-54-11 214/208/R002 | YD154-YD158, YL951-YR328 |
| D05150PQ | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-54-11 */*/ | YC051-YD158, YN501 |
| D05150PQ | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-54-11 * */*/ | YL951-YN260, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D05100

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D05342J | 1 | BACC45FN14-7S7 RECP | 81205 | 1 | 28-23-11 AB0500DR/ / | ALL |
| D05342P | 1 | BACC45FT14-7P7 PLUG | 81205 | 1 | 28-23-11 AB0500DR/ / | ALL |
| D05346J | 1 | BACC45FN14-7S9 RECP | 81205 | 1 | 28-23-11 AB0500DL/ / | YC051-YN236, YN501-YR328 |
| D05346P | 1 | BACC45FT14-7P9 PLUG | 81205 | 1 | 28-23-11 AB0500DL/ / | YC051-YD158, YL951-YN236, YN501-YR328 |
| D05348J | 1 | BACC45FN14-7S7 RECP | 81205 | 1 | 28-23-11 AB0500DL/ / | YC051-YN236, YN501-YR328 |
| D05348P | 1 | BACC45FT14-7P7 PLUG | 81205 | 1 | 28-23-11 AB0500DL/ / | YC051-YD158, YL951-YN236, YN501-YR328 |
| D05350J | 1 | BACC45FN18-14S9 RECP | 81205 | 1 | 28-23-11 AB0500DR/ / | ALL |
| D05350P | 1 | BACC45FT18-14P9 PLUG | 81205 | 1 | 28-23-11 AB0500DR/ / | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D05300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| D05925J | 1 | MTCPQKT1R2PGBA RCPT-CONDUCTIVE | 06090 | 1 | 34-61-11 E005-02/ / | YC051-YC058 |
| D05925J | 1 | MTCPQKT2R22PGAD RCPT-CONDUCTIVE | 06090 | 1 | 34-61-11 E005-02/ / | YC059-YR328 |
| D05925P | 1 | MTCPQKT1P2SGBA PLUG- | 06090 | 1 | 34-61-11 E005-02/ / | YC051-YC058 |
| D05925P | 1 | MTCPQKT2P22SGAD PLUG- | 06090 | 1 | 34-61-18 E005-02/ / | YC059-YD157 |
| D05925P | 1 | MTCPQKT2P22SGAD PLUG- | 06090 | 1 | 34-61-18 AE0502A/ / | YD158-YR328 |
| D05971J | 1 | BACC45FN16-24S6 RCPT | 81205 | 1 | 22-11-12 E001-04/ / | ALL |
| D05971P | 1 | BACC45FT16-24P6 PLUG | 81205 | 1 | 22-11-12 E001-04/ / | ALL |
| D05971PQ | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 22-11-12 E001-04/ / | YC051-YD170 |
| D05971PQ | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 22-11-12 */*/ | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D05900

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D06001 | | 66-16842-15 JACK-CONT STAND MIC | 65-45760 81205 | 1 | 23-31-01 243/213/L003 | ALL |
| D06007 | 1 | 2J-1865A JACK-HANDSET-EP SERVICE | 82389 | 1 | 23-41-11 P019-00/ / | YD158-YR328 |
| D06009 | 1 | 2J-1865A JACK-HANDSET-EP FLIGHT | 82389 | 1 | 23-41-11 P019-00/ / | ALL |
| D06011 | 1 | 2J-1865A INTPH JACK - L WHEEL WELL | 82389 | 1 | 23-41-11 664/161/L071 | ALL |
| D06013 | 1 | 2J-1865A JACK | 82389 | 1 | 23-41-11 OFSS 380/ / | YC051-YD158, YL951-YR328 |
| D06015 | 1 | 2J-1865A JACK-AFT CABIN | 82389 | 1 | 23-41-11 988/289/L000 | ALL |
| D06017 | 1 | 2J-1865A APU SERVICE JACK | 82389 | 1 | 23-41-11 1042/175/L042 | ALL |
| D06019 | 1 | 2J-1865A SERVICE JACK - CONTROL STAND | 82389 | 1 | 23-42-12 P008-00/ / | ALL |
| D06025 | 1 | 2J-1865A SERVICE INTPH JACK - E/R | 82389 | 1 | 23-41-11 358/165/R006 | YC051-YN236, YN501-YR328 |
| D06027 | 1 | 2J-1869 JACK-BOOM MIC-CAPT | 82389 | 1 | 23-51-11 256/263/L045 | ALL |
| D06029 | 1 | 2J-1869 JACK-BOOM MIC-FO | 82389 | 1 | 23-51-21 243/263/R045 | YC051-YD158, YL951-YR328 |
| D06031 | 1 | 2J-1866A JACK-HEAD PHONE-CAPT | 82389 | 1 | 23-51-11 240/263/L028 | ALL |
| D06033 | 1 | 2J-1866A JACK-HEAD PHONE-FO | 82389 | 1 | 23-51-21 243/263/R045 | YC051-YD158, YL951-YR328 |
| D06035 | 1 | 2J-1866A JACK-HEAD PHONE-10BS | 8239 | 1 | 23-51-31 P061-00/ / | YC051-YC058 |
| D06035 | 1 | 2J-1866A JACK | 8239 | 1 | 23-51-31 P061-00/ / | YC059-YR328 |
| D06037 | 1 | 2J-1866A JACK-HEAD PHONE-20BS | 82389 | 1 | 23-51-31 264/258/L035 | YC051-YD158 |
| D06041 | 1 | 2J-1869 JACK-HAND MIC-CAPT | 82389 | 1 | 23-51-11 224/223/L041 | ALL |

EQUIPMENT LIST

D280A108

Section D06000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|---|
| D06043 | 1 | 2J-1869 JACK-HAND MIC-FO | 82389 | 1 | 23-51-21 220/238/R045 | YC051-YD158, YL951-YR328 |
| D06045 | 1 | 2J-1869 JACK-HAND MIC 10-BS | 82389 | 1 | 23-51-31 P061-00/ / | YC051-YC058 |
| D06045 | 1 | 2J-1869 JACK | 82389 | 1 | 23-51-31 P061-00/ / | YC059-YR328 |
| D06049 | 1 | MS3126E10-6S JACK-OXY MIC CAPT | 96906 | 1 | 23-51-11 230/215/L040 | YC051-YD170 |
| D06049 | 1 | MS3126E10-6S JACK | 96906 | 1 | 23-51-11 230/215/L040 | YL951-YL999 |
| D06049 | 1 | MS3126E10-6S JACK | 81205 | 1 | 23-51-11 230/215/L040 | YN231-YN501 |
| D06049 | 1 | MS3126E10-6S JACK-OXY MIC CAPT | 81205 | 1 | 23-51-11 230/215/L040 | YR301-YR328 |
| D06051 | 1 | MS3126E10-6S JACK-OXY MIC-FO | 96906 | 1 | 23-51-21 215/213/R034 | YC051-YD158 |
| D06051 | 1 | MS3126E10-6S JACK | 96906 | 1 | 23-51-21 215/213/R034 | YL951-YR328 |
| D06053 | 1 | ERA-0S-303-CLL JACK-OXY MIC-10BS | 7K861 | 1 | 23-51-31 P006-00/ / | YC051-YD158, YL951-YL952, YN231-YN234 |
| D06053 | 1 | PSA-OS-303-CLLC32 JACK-OXY MIC-10BS | 2P953 | 1 | 23-51-31 P006-00/ / | YD160-YD170, YL953-YL999, YN235-YR328 |
| D06057 | 1 | 2J-1865A INTPH JACK - R WHEEL WELL | 82389 | 1 | 23-41-11 664/161/R072 | YC051-YD158, YL951-YR323, YR325-YR328 |
| D06063J | 1 | BACC45FN16-24S RCPT-FMCS BITE ACCESS | 81205 | 1 | 34-61-22 E005-02/ / | ALL |
| D06067J | | BACC45FN16-24S7 RECP,BITE PRINTER | 81205 | 1 | 34-61-22 264/255/L042 | YD158-YR328 |
| D06067J | 1 | BACC45FN16-24S7 RECP,BITE PRINTER | 81205 | 1 | 34-61-22 264/255/L042 | YC051-YD157 |
| D06069 | | 66-16842-19 BOOM - MIC HEADSET 1ST OBSV. | 232A4400 81205 | 1 | 23-51-31 P061-00/ / | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D06000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D06069 | 1 | 2J-1869 JACK | 082398 | 1 | 23-51-31 P061-00/ / | YD158-YD170 |
| D06069 | 1 | 2J-1869 JACK | 082398 | 1 | 23-51-31 P0061-0/ / | YL951-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D06000
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| D06103J | 1 | BACC63CC16-24P7 RCPT | 81205 | 1 | 23-15-12 E006-01/ / | YC051-YD157 |
| D06103JQ | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 23-15-12 E006-01/ / | YC051-YD157 |
| D06103P | 1 | BACC63CB16-24S7 PLUG - CONDUCTIVE | 81205 | 1 | 23-15-12 E006-01/ / | YC051-YD157 |
| D06103PQ | 1 | BACC10KC16 CLAMP, 45 DEG | 81205 | 1 | 23-15-12 E006-02/ / | YC051-YC055 |
| D06103PQ | 1 | BACC10KC16 CLAMP, 45 DEG | 81205 | 1 | 23-15-12 "/"/" | YC056-YD157 |
| D06105J | 1 | BACC63CC16-24PN PLUG - CONDUCTIVE | 81205 | 1 | 23-15-12 E006-01/ / | YC051-YD157 |
| D06105JQ | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 23-15-15 E006-01/ / | YC051-YD157 |
| D06105P | 1 | BACC63CB16-24SN PLUG - CONDUCTIVE | 81205 | 1 | 23-15-15 E006-01/ / | YC051-YD157 |
| D06105PQ | 1 | BACC10KC16 CLAMP, 45 DEG | 81205 | 1 | 23-15-15 E006-02/ / | YC051-YC055 |
| D06105PQ | 1 | BACC10KC16 CLAMP, 45 DEG | 81205 | 1 | 23-15-15 "/"/" | YC056-YD157 |

EQUIPMENT LIST

D280A108

Section D06100

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| D07015 | 1 | 48-7190-1 PLUG - HANDSET JACK(CONTROL STAND) | 02660 | 1 | 23-31-01 P008-00/ / | ALL |
| D07017 | 1 | 48-7191-1 RCPT - HANDSET JACK(CONTROL STAND) | 02660 | 1 | 23-31-01 P008-00/ / | ALL |
| D07019 | 1 | 48-7190 PLUG - HANDSET JACK(CONTROL STAND) | 02660 | 1 | 23-31-01 P008-00/ / | ALL |
| D07021 | 1 | 48-7191 RCPT - HANDSET JACK(CONTROL STAND) | 02660 | 1 | 23-31-01 P008-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section D07000
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D07106J | 1 | 48-7191 RCPT- | 02660 | 1 | 33-26-31 860/295/L023 | YR315-YR328 |
| D07106P | 1 | 48-7190 PLUG- | 02660 | 1 | 33-26-31 860/295/L023 | YR315-YR328 |
| D07108J | 1 | 48-7191-1 RCPT- | 02660 | 1 | 33-26-31 880/295/L023 | YR315-YR328 |
| D07108P | 1 | 48-7190-1 PLUG- | 02660 | 1 | 33-26-31 880/295/L023 | YR315-YR328 |
| D07162J | 1 | 48-7191 RCPT- | 02660 | 1 | 33-26-31 375/293/L023 | YN501-YR328 |
| D07162P | 1 | 48-7190 PLUG- | 02660 | 1 | 33-26-31 375/293/L023 | YN501-YR328 |
| D07164J | 1 | 48-7191 RCPT- | 02660 | 1 | 33-26-31 880/295/L023 | YN501-YR328 |
| D07164P | 1 | 48-7190 PLUG- | 02660 | 1 | 33-26-31 880/295/L023 | YN501-YR328 |
| D07166J | 1 | 48-7191 RCPT- | 02660 | 1 | 33-24-21 351/294/R011 | YN501-YR314 |
| D07166J | 1 | 48-7191-1 RCPT- | 02660 | 1 | 33-24-21 351/294/R011 | YR315-YR328 |
| D07166P | 1 | 48-7190 PLUG- | 02660 | 1 | 33-24-11 351/294/R011 | YN501-YR314 |
| D07166P | 1 | 48-7190-1 PLUG- | 02660 | 1 | 33-24-11 351/294/R011 | YR315-YR328 |
| D07168J | 1 | 48-7191 RCPT- | 02660 | 1 | 33-24-22 950/302/R009 | YN501-YR328 |
| D07168P | 1 | 48-7190 PLUG- | 02660 | 1 | 33-24-11 950/302/R009 | YN501-YR328 |
| D07170J | 1 | 48-7191 RCPT- | 02660 | 1 | 35-21-21 323/291/L019 | YC051-YL999, YR301-YR328 |
| D07170J | 1 | 48-7191 RCPT- | 02660 | 1 | 35-21-21 322/290/L018 | YN231-YN501 |
| D07170P | 1 | 48-7190 PLUG- | 02660 | 1 | 35-21-21 323/291/L019 | ALL |

EQUIPMENT LIST

D280A108

Section D07100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D07172J | 1 | 48-7191 RCPT- | 02660 | 1 | 35-21-21 950/295/L021 | ALL |
| D07172P | 1 | 48-7190 PLUG - | 02660 | 1 | 35-21-21 950/295/L021 | ALL |
| D07174J | 1 | 48-7191 RCPT- | 02660 | 1 | 33-21-11 415/295/L022 | YC051-YD158, YL951-YN260 |
| D07174P | 1 | 48-7190 PLUG- | 02660 | 1 | 33-21-12 415/295/L022 | YC051-YN260 |
| D07176J | 1 | 48-7191-1 RCPT- | 02660 | 1 | 35-21-21 316/290/L013 | ALL |
| D07176P | 1 | 48-7190-1 PLUG- | 02660 | 1 | 35-21-21 314/290/L013 | ALL |
| D07177J | 1 | 48-7191 RCPT- | 02660 | 1 | 33-21-12 412/295/R019 | YN501-YR328 |
| D07177P | 1 | 48-7190 PLUG- | 02660 | 1 | 33-21-12 412/295/R019 | YN501-YR328 |
| D07178J | 1 | 48-7191 RCPT- | 02660 | 1 | 33-21-12 435/297/R023 | YN501-YR328 |
| D07178P | 1 | 48-7190 PLUG- | 02660 | 1 | 33-21-12 435/297/R023 | YN501-YR328 |
| D07180J | 1 | 48-7191 RCPT- | 02660 | 1 | 35-21-31 352/294/R012 | ALL |
| D07180P | 1 | 48-7190 PLUG- | 02660 | 1 | 35-21-31 352/294/R012 | ALL |
| D07184J | 1 | 48-7191-1 RCPT- | 02660 | 1 | 33-51-12 338/292/R012 | YD158-YN260 |
| D07184P | 1 | 48-7190-1 PLUG- | 02660 | 1 | 33-51-12 338/292/R012 | YD158-YN260 |
| D07186J | 1 | 48-7191-1 RCPT- | 02660 | 1 | 33-51-14 933/298/L013 | YD158-YN260 |
| D07186P | 1 | 48-7190-1 PLUG- | 02660 | 1 | 33-51-14 933/298/L013 | YD158-YN260 |
| D07192J | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-12 500C+1/299/R013 | YN501 |

EQUIPMENT LIST

D280A108

Section D07100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D07192P | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-12 500C+1/299/R013 | YN501 |
| D07194J | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-12 608/295/R036 | YN501 |
| D07194P | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-12 608/295/R036 | YN501 |
| D07198J | 1 | 48-7191-1 RCPT- | 02660 | 1 | 33-51-12 500C/299/R012 | YN231-YN260 |
| D07198P | 1 | 48-7190-1 PLUG- | 02660 | 1 | 33-51-12 500C/299/R012 | YN231-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D07100

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|-------------------------------|-------------|
| D08002J | 1 | MTCPQKT2R22SGBD RECPT- E08-1 | 06090 | 1 | 23-11-11 E008-01/ / | YD158-YD170 |
| D08002P | 1 | MTCPQKT2P22PGBD PLUG- CONDUCTIVE | 06090 | 1 | 23-11-21 E008-01/ / | YD158-YD170 |
| D08019J | 1 | BACC63CC18-31PN RCPT - CONDUCTIVE | 81205 | 1 | 22-14-11 E001-04/ / | ALL |
| D08019JK | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 22-14-11 / / | ALL |
| D08019P | 1 | BACC63CB18-31SN PLUG - CONDUCTIVE | 81205 | 1 | 22-11-11 E001-04/ / | ALL |
| D08019PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 2211XX E001-04/ / | YC051-YD170 |
| D08019PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 2211XX */*/ | YL951-YR328 |
| D08056J | 1 | BACC63CS16G24S7 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 73-22-11 IFSS-233/ / | ALL |
| D08056JK | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 73-22-11 IFSS-233/ / | ALL |
| D08056P | 1 | BACC63BP16C24P7 PLUG-CONDUCTIVE | 81205 | 1 | 74-11-11 NSTA 262/146/R013 | ALL |
| D08056PQ | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 74-11-11 / / | ALL |
| D08094J | 1 | CA66422-9 RECP | 71468 | 1 | 24-21-11 IFSS 215/ / | ALL |
| D08094P | 1 | CA66434-6 PLUG- | 71468 | 1 | 24-21-11 NSTA 245/145/L014 | ALL |

EQUIPMENT LIST

D280A108

Section D08000

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|-------------------------------|-----------------------------|
| D08105J | 1 | MTCPQKT1R2PGBC RCPT-CONDUCTIVE | 06090 | 1 | 34-61-11 E005-02/ / | YC051-YC058 |
| D08105J | 1 | MTCPQKT2R22PGBC RCPT-CONDUCTIVE | 06090 | 1 | 34-61-11 E005-02/ / | YC059-YR328 |
| D08105P | 1 | MTCPQKT1P2SGBC PLUG- | 06090 | 1 | 34-61-11 E005-02/ / | YC051-YC058 |
| D08105P | 1 | MTCPQKT2P22SGBC PLUG- | 06090 | 1 | 34-61-11 E005-02/ / | YC059-YD157, YL951-YR328 |
| D08105P | 1 | MTCPQKT2P22SGBC PLUG- | 06090 | 1 | 34-61-11 AE0502A/ / | YD158-YD170 |
| D08123J | 1 | MTCPQKT2R22PGBA RCPT-CONDUCTIVE | 06090 | 1 | 23-31-02 E004-01/ / | YC051-YD170 |
| D08123J | 1 | MTCPQKT2R22PGBA RCPT- | 06090 | 1 | 23-31-02 E004-01/ / | YL951-YR328 |
| D08123P | 1 | MTCPQKT2P22SGBA PLUG-E4-1 SHELF | 06090 | 1 | 23-31-02 E004-01/ / | YC051-YD157 |
| D08123P | 1 | MTCPQKT2P22SGBA PLUG-CONDUCTIVE | 06090 | 1 | 23-31-02 E004-01/ / | YD158-YD170 |
| D08123P | 1 | MTCPQKT2P22SGBA PLUG - CONDUCTIVE | 06090 | 1 | 23-31-02 E004-01/ / | YL951-YR328 |
| D08156J | 1 | BACC63CS16G24S7 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 73-22-11 IFSS 233/ / | ALL |
| D08156JK | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 73-22-11 IFSS 233/ / | ALL |
| D08156P | 1 | BACC63BP16C24P7 PLUG-CONDUCTIVE | 81205 | 1 | 77-31-21 NSTA 263/146/L013 | ALL |
| D08156PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 77-31-21 */*/ | ALL |
| D08189J | 1 | MTCPQKT1R2SGAA RCPT-CONDUCTIVE | 06090 | 1 | 23-11-11 E008-01/ / | YC051-YD170 |
| D08189P | 1 | MTCPQKT1P2PGAA PLUG-E8-1 SHELF | 06090 | 1 | 23-11-11 E8-1 314/185/L20 | YC051-YD157 |
| D08189P | 1 | MTCPQKT1P2PGAA PLUG- CONDUCTIVE | 06090 | 1 | 23-11-11 E8-1 314/185/L20 | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D08100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D08194J | 1 | CA66422-9 RECP | 71468 | 1 | 24-21-21 IFSS 215/ / | ALL |
| D08194P | 1 | CA66434-6 PLUG- | 71468 | 1 | 24-21-21 NSTA 245/145/L14 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D08100
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D08313J | 1 | BACC45FN12-12P9 RCPT - THRUST LEVER-1 | 81205 | 1 | 22-31-52 214/209/R1 | ALL |
| D08313P | 1 | BACC45FT12-12S9 PLUG | 81205 | 1 | 22-11-14 214/209/R1 | YC051-YC064 |
| D08313P | 1 | BACC45FT12-12S9 PLUG | 81205 | 1 | 22-11-14 214/209/R001 | YC065-YR328 |
| D08313PQ | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 22-11-14 / / | YC051-YC064 |
| D08313PQ | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 22-11-14 */*/ | YC065-YR328 |
| D08315J | 1 | BACC45FN12-12P6 RCTP - THRUST LEVER-2 | 81205 | 1 | 22-31-51 ENG 2/ / | ALL |
| D08315P | 1 | BACC45FT12-12S6 PLUG | 81205 | 1 | 22-31-51 AF0222A/ / | ALL |
| D08315PQ | 1 | BACC10JC12 CLAMP, 90 DEG | 81205 | 1 | 22-11-14 */*/ | ALL |

EQUIPMENT LIST

D280A108

Section D08300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D08427J | 1 | BACC63CC20-41S RCPT | 81205 | 1 | 23-34-02 438/218/R069 | YC051-YD170 |
| D08427J | 1 | BACC63CC20-41SN RCPT | 81205 | 1 | 23-34-02 438/218/R069 | YL951-YN501 |
| D08427J | 1 | BACC63CC20-41SN RCPT | 81205 | 1 | 44-21-26 438/218/R069 | YR301-YR328 |
| D08427JK | | S280W604-37 BACKSHELL - 90 DEGREE - FOR D08427J | 81205 | 1 | 23-34-02 438/218/R069 | YC051-YD157 |
| D08427JK | | S280W604-37 BACKSHELL - 90 DEGREE | 81205 | 1 | 23-34-02 */*/* | YD158-YN501 |
| D08427JK | | S280W604-37 BACKSHELL - 90 DEGREE | 81205 | 1 | 44-21-26 */*/* | YR301-YR328 |
| D08429J | 1 | BACC63CC20-41S RCPT | 81205 | 1 | 23-34-02 438/218/L069 | YC051-YD170 |
| D08429J | 1 | BACC63CC20-41SN RCPT | 81205 | 1 | 23-34-02 438/218/L069 | YL951-YN501 |
| D08429J | 1 | BACC63CC20-41SN RCPT | 81205 | 1 | 44-21-26 438/218/L069 | YR301-YR328 |
| D08429JK | | S280W604-37 BACKSHELL - 90 DEGREE - FOR D08429J | 81205 | 1 | 23-34-02 438/218/L069 | YC051-YD157 |
| D08429JK | | S280W604-37 BACKSHELL - 90 DEGREE | 81205 | 1 | 23-34-02 */*/* | YD158-YN501 |
| D08429JK | | S280W604-37 BACKSHELL - 90 DEGREE | 81205 | 1 | 44-21-26 */*/* | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D08400
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| D08509J | 1 | MTCPQKT2R26SFAC RCPT- | 06090 | 1 | 23-11-11 E008-01/ / | YC051-YD170 |
| D08509P | 1 | MTCPQKT2P26PFAC PLUG- | 06090 | 1 | 23-11-11 E8-1/ / | YC051-YC070 |
| D08509P | 1 | MTCPQKT2P26PFAC PLUG- | 06090 | 1 | 23-11-11 E008-01/ / | YD151-YD170 |
| D08511J | 1 | MTCPQKT1R2SGAB RCPT-CONDUCTIVE | 06090 | 1 | 23-11-11 E008-01/ / | YC051-YD157 |
| D08511P | 1 | MTCPQKT1P2PGAB PLUG-CONDUCTIVE | 06090 | 1 | 23-11-11 E8-1/ / | YC051-YD157 |
| D08517J | 1 | 121-39-9 JACK-E8-1 SHELF | 91836 | 1 | 23-11-11 E008-01/ / | YC051-YD170 |
| D08517P | 1 | 125-95-9 PLUG-E8-1 SHELF | 91836 | 1 | 23-11-11 E8-1/ / | YC051-YC070 |
| D08517P | 1 | 125-95-9 PLUG-E8-1 SHELF | 91836 | 1 | 23-11-11 E008-01/ / | YD151-YD170 |
| D08537J | 1 | BACC63CC20-41S RCPT | 81205 | 1 | 23-34-02 683/220/R069 | YD158-YD170 |
| D08537J | 1 | BACC63CC20-41SN RCPT | 81205 | 1 | 23-34-02 683/220/R069 | YL951-YL999 |
| D08537J | 1 | BACC63CC20-41SN RCPT | 81205 | 1 | 23-34-02 680/210/R068 | YN231-YN501 |
| D08537J | 1 | BACC63CC20-41SN RCPT | 81205 | 1 | 44-21-26 683/220/R069 | YR301-YR328 |
| D08537JK | | S280W604-37 BACKSHELL - 90 DEGREE | 81205 | 1 | 23-34-02 */*/ | YD158-YN501 |
| D08537JK | | S280W604-37 BACKSHELL - 90 DEGREE | 81205 | 1 | 44-21-26 */*/ | YR301-YR328 |
| D08539J | 1 | BACC63CC20-41S RCPT | 81205 | 1 | 23-34-02 683/220/L069 | YD158-YD170 |
| D08539J | 1 | BACC63CC20-41SN RCPT | 81205 | 1 | 23-34-02 683/220/L069 | YL951-YL999 |
| D08539J | 1 | BACC63CC20-41SN RCPT | 81205 | 1 | 23-34-02 680/210/L068 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D08500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| D08539J | 1 | BACC63CC20-41SN RCPT | 81205 | 1 | 44-21-26 683/220/L069 | YR301-YR328 |
| D08539JK | | S280W604-37 BACKSHELL - 90 DEGREE | 81205 | 1 | 23-34-02 */*/ | YD158-YN501 |
| D08539JK | | S280W604-37 BACKSHELL - 90 DEGREE | 81205 | 1 | 44-21-26 */*/ | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D08500
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D08811J | 1 | MTCPQKT2R26SFBC RCPT- | 06090 | 1 | 23-11-21 E008-01/ / | YD158-YD170 |
| D08811P | 1 | MTCPQKT2P26PFBC PLUG- | 06090 | 1 | 23-11-21 E008-01/ / | YD158-YD170 |
| D08823J | 1 | 121-39-9 RECPT- E08-01 SHELF | 91836 | 1 | 23-11-21 E008-01/ / | YD158-YD170 |
| D08823P | 1 | 125-95-9 PLUG- E08-01 SHELF | 91836 | 1 | 23-11-21 E008-01/ / | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D08800

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D10001J | 1 | BACC45FN12-12S RCPT | 81205 | 1 | 23-32-33 365/280/L046 | YC051-YC062, YD157 |
| D10001J | 1 | BACC45FN12-12S RCPT | 81205 | 1 | 23-32-33 272/295/L017 | YC063-YD155 |
| D10001P | | BACC45FT12A12P PLUG | 81205 | 1 | 23-32-33 365/280/L046 | YC051-YC058 |
| D10001P | | BACC45FT12A12P PLUG | 81205 | 1 | 23-32-33 272/295/L017 | YC059-YD157 |
| D10002 | 1 | DPX2MB-67S67S-33B-0005 PLUG-PLATE ASSY | 71468 | 1 | 21-51-21 E004-01/ / | YC051-YL999, YR301-YR328 |
| D10002A | 1 | PARTAD10002 PLUG-AIR COND RELAY NO 2 | | 0 | 21-51-21 E004-01/ / | YC051-YC065 |
| D10002A | 1 | PARTAD10002 PLUG-AIR COND RELAY NO 2 | | 0 | 21-51-21 */*/ | YC067-YL999, YR301-YR328 |
| D10002B | 1 | PARTBOFD10002 PLUG-AIR COND RELAY NO 2 | | 0 | 21-51-21 E004-01/ / | YC051-YC065 |
| D10002B | 1 | PARTBOFD10002 PLUG-AIR COND RELAY NO 2 | | 0 | 21-51-21 */*/ | YC067-YL999, YR301-YR328 |
| D10003J | 1 | 121-44-9 RCPT | 91836 | 1 | 23-32-33 365/280/L046 | YC051-YC062, YD157 |
| D10003J | 1 | 121-44-9 RCPT | 91836 | 1 | 23-32-33 272/295/L017 | YC063-YD155 |
| D10003P | | 125-88-9 PLUG | 91836 | 1 | 23-32-33 365/280/L046 | YC051-YC058 |
| D10003P | | 125-88-9 PLUG | 91836 | 1 | 23-32-33 272/295/L017 | YC059-YD157 |
| D10005J | 1 | BACC45FN12-12S RCPT | 81205 | 1 | 23-32-33 375/280/R047 | YC051-YD157 |
| D10005P | 1 | BACC45FT12A12P PLUG | 81205 | 1 | 23-32-33 375/280/R047 | YC051-YD157 |
| D10007J | 1 | 121-44-9 RCPT | 91836 | 1 | 23-32-33 375/282/R047 | YC051-YD157 |
| D10007P | 1 | 125-88-9 PLUG | 91836 | 1 | 23-32-33 375/282/R047 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D10000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D10009 | 1 | BACC66F13C01AA01 PLUG PLATE ASSEMBLY | 81205 | 1 | 22-31-11 E001-01/ / | YC051-YD155 |
| D10009A | 1 | PARTAOFD10009 PLUG | | 0 | 22-31-11 E001-01/ / | YC051-YD155 |
| D10009B | 1 | PARTBOFD10009 PLUG | | 0 | 22-31-11 E001-01/ / | YC051-YD155 |
| D10009C | 1 | PARTCOFD10009 PLUG | | 0 | 22-31-11 E001-01/ / | YC051-YD155 |
| D10010 | 1 | 172168-1 PLUG- | 00779 | 1 | 33-21-12 616/270/R57 | YC051-YL999 |
| D10012 | 1 | 172160-1 RCPT- | 00779 | 1 | 33-21-12 616/269/R58 | YC051-YL999 |
| D10013 | 1 | BACC63BP12C12S6 PLUG- STANDBY RUDDER PCU | 81205 | 1 | 27-24-11 1138/375/R2 | YC051-YC063 |
| D10013 | 1 | BACC63BP12C12S6 PLUG- STANDBY RUDDER PCU | 81205 | 1 | 27-24-11 RUD76.4/ / | YC064-YD158, YL951-YR328 |
| D10013 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 27-24-11 1138/375/R2 | YC051-YC070 |
| D10013 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 27-24-11 */*/ | YD151-YD158, YL951-YR328 |
| D10014 | 1 | 172160-1 RCPT- | 00779 | 1 | 33-21-12 590/269/L058 | YC051-YL999 |
| D10015 | 1 | BACC63CB12-12S6 PLUG-AOA SENSOR-L | 81205 | 1 | 34-21-12 193/203/L029 | ALL |
| D10015 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 34-21-12 */*/ | ALL |
| D10016 | 1 | 172168-1 PLUG- | 00779 | 1 | 33-21-12 616/271/L056 | YC051-YL999 |
| D10017 | 1 | BACC63CB12-12S6 PLUG-AOA SENSOR-R | 81205 | 1 | 34-21-22 193/204/R029 | ALL |
| D10017 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 34-21-22 */*/ | ALL |
| D10019 | 1 | BACC45FT22-55S PLUG | 81205 | 1 | 23-41-11 305/290/L014 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section D10000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D10019 | 1 | BACC45FT22-55S PLUG | 81205 | 1 | 23-41-11 LAV A/277/L014 | YC056-YD157 |
| D10019 | 1 | BACC45FT22-55S PLUG | 81205 | 1 | 23-41-11 306/290/L014 | YD158-YN260 |
| D10019 T | 1 | 450EB001C22-347 BACKSHELL - 45 | 81205 | 1 | 23-41-11 */*/ | YC051-YN260 |
| D10021 | 1 | BACC45FT22-55S PLUG - LAV D ATT HANDSET | 81205 | 1 | 23-42-12 938/292/L019 | YC051-YN260 |
| D10021 T | 1 | BACC10JC22 CLAMP, 90 DEG | 81205 | 1 | 23-42-12 949/ / | YC051-YD170 |
| D10021 T | 1 | BACC10JC22 CLAMP, 90 DEG | 81205 | 1 | 23-42-12 */*/ | YL951-YN260 |
| D10025 | 1 | BACC45FT14-15S PLUG-SERVO MOTOR | 81205 | 1 | 22-31-31 233/198/L007 | ALL |
| D10025 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-31-31 / / | ALL |
| D10027 | 1 | BACC45FT14-15S PLUG-SERVO MOTOR | 81205 | 1 | 22-31-41 233/200/R008 | ALL |
| D10027 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-31-41 / / | ALL |
| D10029 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-12 197/218/L007 | ALL |
| D10030J | 1 | 123-22-5 JACK - TNC | 81205 | 1 | 31-62-42 235/208/36 | YL951, YN231 |
| D10030J | 1 | 122-37-9 BULKHEAD JACK | 81205 | 1 | 31-62-42 P009-00/ / | YL952-YL999, YN232-YR328 |
| D10030P | 1 | 125-94-9 PLUG - TNC | 91836 | 1 | 31-62-42 235/208/L036 | YL951, YN231 |
| D10030P | 1 | 125-94-9 PLUG | 81205 | 1 | 31-62-42 190/214/0 | YL952-YL999, YN232-YR328 |
| D10031 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-12 193/219/L007 | YC051-YD158, YL951-YR328 |
| D10032J | 1 | 123-22-5 JACK - TNC | 81205 | 1 | 31-62-42 235/208/36 | YL951, YN231 |

EQUIPMENT LIST

D280A108

Section D10000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D10032J | 1 | 122-37-9 BULKHEAD JACK | 81205 | 1 | 31-62-42 P009-00/ / | YL952-YL999, YN232-YR328 |
| D10032P | 1 | 125-94-9 PLUG - TNC | 91836 | 1 | 31-62-42 235/208/R036 | YL951, YN231 |
| D10032P | 1 | 125-94-9 PLUG | 81205 | 1 | 31-62-42 190/214/0 | YL952-YL999, YN232-YR328 |
| D10033 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-12 193/219/L007 | YC051-YD158, YL951-YR328 |
| D10034J | 1 | 123-22-5 JACK - TNC | 81205 | 1 | 31-62-42 235/208/36 | YL951, YN231 |
| D10034J | 1 | 122-37-9 BULKHEAD JACK | 81205 | 1 | 31-62-42 P009-00/ / | YL952-YL999, YN232-YR328 |
| D10034P | 1 | 125-94-9 PLUG - TNC | 91836 | 1 | 31-62-42 235/208/R036 | YL951, YN231 |
| D10034P | 1 | 125-94-9 PLUG | 81205 | 1 | 31-62-42 190/214/0 | YL952-YL999, YN232-YR328 |
| D10035 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-12 193/219/L007 | YC051-YD158, YL951-YR328 |
| D10037 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-12 193/219/L007 | YC051-YD158, YL951-YR328 |
| D10039 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-12 193/219/L007 | YC051-YD158, YL951-YR328 |
| D10041 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-12 193/219/L007 | YC051-YD158, YL951-YR328 |
| D10043 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-22 197/218/R007 | ALL |
| D10045 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-22 193/219/R007 | YC051-YD158, YL951-YR328 |
| D10046 | 1 | BACC45FT16-24S PLUG-AUX DIM/TEST MODULE | 81205 | 1 | 33-18-19 P006-03/ / | ALL |
| D10047 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-22 193/219/R007 | YC051-YD158, YL951-YR328 |
| D10049 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-22 193/219/R007 | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D10000

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D10051 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-22 193/219/R007 | YC051-YD158, YL951-YR328 |
| D10053 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-22 193/219/R007 | YC051-YD158, YL951-YR328 |
| D10055 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-22 193/219/R007 | YC051-YD158, YL951-YR328 |
| D10056 | 1 | BACC63CB10-5S6 PLUG- | 81205 | 1 | 21-51-15 576/157/L036 | YC051-YL999, YR301-YR328 |
| D10056 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 21-51-15 */*/ | YC051-YL999, YR301-YR328 |
| D10057 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-12 197/217/L007 | ALL |
| D10058 | 1 | BACC63CB10-5S6 PLUG | 81205 | 1 | 21-51-25 576/160/R032 | YC051-YL999, YR301-YR328 |
| D10058 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 21-51-21 */*/ | YC051-YL999, YR301-YR328 |
| D10059 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-12 193/218/L007 | YC051-YD158, YL951-YR328 |
| D10061 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-12 193/218/L007 | YC051-YD158, YL951-YR328 |
| D10063 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-12 193/218/L007 | YC051-YD158, YL951-YR328 |
| D10064 | 1 | BACC45FN22-55P6 RECPT - TEST CONNECTOR 1 | 81205 | 1 | 27-28-11 E001-01/ / | ALL |
| D10064 T | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 27-28-11 E001-01/ / | YC051-YD170 |
| D10064 T | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 27-28-11 */*/ | YL951-YR328 |
| D10065 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-12 193/218/L007 | YC051-YD158, YL951-YR328 |
| D10067 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-12 193/218/L007 | YC051-YD158, YL951-YR328 |
| D10069 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-12 193/218/L007 | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D10000

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D10071 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-22 197/217/R007 | ALL |
| D10073 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-22 193/218/R007 | YC051-YD158, YL951-YR328 |
| D10075 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-22 193/218/R007 | YC051-YD158, YL951-YR328 |
| D10076 | 1 | BACC63CD24-22SW RCPT- | 81205 | 1 | 25-31-11 1000/295/R024 | YD158-YR328 |
| D10077 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-22 193/218/R007 | YC051-YD158, YL951-YR328 |
| D10079 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-22 193/218/R007 | YC051-YD158, YL951-YR328 |
| D10081 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-22 193/218/R007 | YC051-YD158, YL951-YR328 |
| D10082 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-22 995/247/L051 | YC051-YD170, YN231-YR328 |
| D10082 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-21 995/247/L051 | YL951-YL999 |
| D10083 | 1 | 1075-13-9 PLUG - (K-LOC) | 91836 | 1 | 31-62-22 193/218/R007 | YC051-YD158, YL951-YR328 |
| D10084 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-22 995/247/L051 | YC051-YD170, YN231-YR328 |
| D10084 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-21 995/247/L051 | YL951-YL999 |
| D10085 | 1 | BACS16X4A RELAY SOCKET | 81205 | 1 | 23-15-15 J022-00/ / | YC051-YD157 |
| D10086 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-22 995/237/R052 | ALL |
| D10088 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-22 995/236/R052 | ALL |

EQUIPMENT LIST

D280A108

Section D10000

Page 6 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D10101 | 1 | BACC45FN12-12S RCPT - | | 1 | 23-71-01 955/301/L008 | YL963-YL999, YN236-YR328 |
| D10126 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 33-51-21 498/202/L014 | YC051-YD157 |
| D10130 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 33-51-22 727B/204/L010 | YC051-YD157 |
| D10132 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 33-51-22 783/204/L010 | YC051-YD157 |
| D10135 | 1 | BACC66H39F01AA01 PLUG PLATE ASSEMBLY | 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| D10135A | 1 | PARTAOFD10135 PLUG | | 0 | 22-11-11 E001-01/ / | YC051-YD170 |
| D10135A | 1 | PARTAOFD10135 PLUG | | 0 | 22-11-11 */*/ | YL951-YR328 |
| D10135B | 1 | PARTBOFD10135 PLUG | | 0 | 22-11-11 E001-01/ / | YC051-YD170 |
| D10135B | 1 | PARTBOFD10135 PLUG | | 0 | 22-11-11 */*/ | YL951-YR328 |
| D10135C | 1 | PARTCOFD10135 PLUG | | 0 | 22-11-11 E001-01/ / | YC051-YD170 |
| D10135C | 1 | PARTCOFD10135 PLUG | | 0 | 22-11-11 */*/ | YL951-YR328 |
| D10137 | 1 | BACC66H39F01AA01 PLUG PLATE ASSY | 81205 | 1 | 22-11-11 E001-04/ / | ALL |
| D10137A | 1 | PARTAOFD10137 PLUG - FLIGHT CONTROL COMPUTER - B | | 0 | 22-11-11 E001-04/ / | YC051-YD170 |
| D10137A | 1 | PARTAOFD10137 PLUG - FLIGHT CONTROL COMPUTER - B | | 0 | 22-11-11 */*/ | YL951-YR328 |
| D10137B | 1 | PARTBOFD10137 PLUG - FLIGHT CONTROL COMPUTER - B | | 0 | 22-11-11 E001-04/ / | YC051-YD170 |
| D10137B | 1 | PARTBOFD10137 PLUG - FLIGHT CONTROL COMPUTER - B | | 0 | 22-11-11 */*/ | YL951-YR328 |
| D10137C | 1 | PARTCOFD10137 PLUG - FLIGHT CONTROL COMPUTER - B | | 0 | 22-11-11 E001-04/ / | YC051-YD170 |

EQUIPMENT LIST

D280A108

Section D10100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D10137C | 1 | PARTCOFD10137 PLUG - FLIGHT CONTROL COMPUTER - B | | 0 | 22-11-11 */ */ | YL951-YR328 |
| D10138 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 33-51-21 500I/208/L010 | YC051-YD157 |
| D10159 | 1 | 126-58-9 PLUG-COAX | 91836 | 1 | 34-53-31 312/178/R17 | ALL |
| D10161 | 1 | 125-88-9 PLUG-COAX | 91836 | 1 | 34-53-31 E001-01/ / | ALL |
| D10163 | 1 | 125-88-9 PLUG-COAX | 91836 | 1 | 34-53-31 316/178/R017 | ALL |
| D10167 | 1 | BACC45FN8-3S RECP- | 81205 | 1 | 78-35-11 250/195/L2 | YC051-YD157 |
| D10167 | 1 | BACC45FN8-3S RECP- | 81205 | 1 | 78-35-11 AB0250A/195/L002 | YD158 |
| D10167 | 1 | BACC45FN8-3S RECP- | 81205 | 1 | 78-35-11 250/195/L002 | YL951-YL968, YN231-YN236, YN501-YR328 |
| D10167 T | 1 | BACC10JS08 CLAMP, STRAIGHT | 81205 | 1 | 78-35-11 TBD/ / | YC051-YD158 |
| D10167 T | 1 | BACC10JS08 CLAMP, STRAIGHT | 81205 | 1 | 78-35-11 */ */ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D10169 | 1 | BACC45FN08-3S7 RECP- | 81205 | 1 | 78-35-21 251/196/L002 | ALL |
| D10169 T | 1 | BACC10JS08 CLAMP, STRAIGHT | 81205 | 1 | 78-35-21 */ */ | ALL |
| D10171 | 1 | BACC45FT10-5S8 PLUG | 81205 | 1 | 78-34-11 AF0213A/209/L001 | YC051-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D10171 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 78-34-11 TBD/ / | YC051-YD158, YL951-YL968, YN231-YN236 |
| D10171 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 78-34-11 */ */ | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D10100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D10171J | 1 | BACC45FN10-5P8 RCPT- | 81205 | 1 | 78-34-11 214/209/L001 | ALL |
| D10173 | 1 | BACC45FT10-5S9 PLUG- | 81205 | 1 | 78-34-21 AF0222A/ / | YC051-YD158, YL951-YR328 |
| D10173 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 1 | 78-34-21 / / | YC051-YD158, YL951-YR328 |
| D10173J | 1 | BACC45FN10-5P9 RCPT- | 81205 | 1 | 78-34-21 AF0222A/ / | ALL |
| D10175 | 1 | BACC63CC10-5SN CDS TEST CONNECTOR | 81205 | 1 | 31-62-15 372/185/R058 | ALL |
| D10175 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 31-62-15 */ */* | ALL |
| D10180 | 1 | S280W557-121 PLUG- | 81205 | 1 | 33-27-22 959/290/R004 | YC051-YD151 |
| D10180 | 1 | BACC65AJ121S PLUG- | 81205 | 1 | 33-27-22 959/290/R004 | YD152-YR328 |
| D10193 | 1 | BACC45FT16-24S7 PLUG-DATA LOADER CONTROL PANEL | 81205 | 1 | 34-61-18 P006-00/ / | YC051-YC058 |
| D10193 | 1 | BACC45FT24-61S6 PLUG-DATA LOADER CONTROL PANEL | 81205 | 1 | 31-32-15 P006-00/ / | YC059-YD170 |
| D10193 | 1 | BACC45FT24-61S6 PLUG-DATA LOADER CONTROL PANEL | 81205 | 1 | 31-32-15 P061-01/ / | YL951-YR328 |
| D10193 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 34-61-18 P061-00/ / | YC051-YC058 |
| D10193 T | 1 | BACC10JS24 CLAMP, STRAIGHT | 81205 | 1 | 31-32-15 P061-00/ / | YC059-YR328 |
| D10197 | | BACC63BP14C15SN PLUG-RUDDER AUTHORITY LIMITER SOLENOID | 81205 | 1 | 27-25-11 STA1087/ / | YC051-YC058 |
| D10197 | | BACC63BP14C15SN PLUG-RUD AUTH LMTR SOL (SB 27-1253) | 81205 | 1 | 27-25-11 1087/ / | YC059-YC063 |
| D10197 | | BACC63BP14C15SN PLUG-RUDDER AUTHORITY LIMITER SOLENOID | 81205 | 1 | 27-25-11 RUD66.4/ / | YC064-YD155 |
| D10197 | 1 | BACC63BP14C15SN PLUG- | 81205 | 1 | 27-25-11 RUD66.4/ / | YD157-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D10100

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D10197 T | | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-25-11 / / | YC051-YD155 |
| D10197 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-25-11 */*/ | YD157-YD158, YL951-YR328 |
| D10199 | 1 | BACC45FT12-12S PLUG- | 81205 | 1 | 27-62-21 197/202/L7 | YC051-YC055 |
| D10199 | 1 | BACC45FT12-12S PLUG- | 81205 | 1 | 27-62-21 197/202/L007 | YC056-YD158, YL951-YR328 |
| D10199 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-62-21 / / | YC051-YC055 |
| D10199 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-62-21 */*/ | YC056-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D10100

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D10201 | 1 | DBMA-25S RECP | 71468 | 1 | 23-32-31 451/294/L035 | YC051-YD170 |
| D10201 | 1 | DBMA-25S RCPT | 71468 | 1 | 23-32-31 451/294/L035 | YL951-YN260 |
| D10201 T | | D110277 SPRING LATCH | 71468 | 2 | 23-32-31 / / | YC051-YD153 |
| D10201 T | | D110277 SPRING LATCH | 71468 | 2 | 23-32-31 */** | YD154-YN260 |
| D10201 U | | 234A032-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-31 / / | YC051-YD153 |
| D10201 U | | 234A032-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-31 */** | YD154-YD157, YL951-YN260 |
| D10201 U | | 234A032-3 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-31 */** | YD158-YD170 |
| D10204 | 1 | PT08SE-10-6S-SR- PLUG-COAX | 77820 | 1 | 34-53-31 316/162/L025 | YC051-YN236, YN501-YR328 |
| D10205 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-31 457/294/L030 | YC051-YC062 |
| D10205 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-31 457/294/L030 | YC063-YD170 |
| D10205 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-31 455/295/L030 | YL951-YN260 |
| D10205 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-31 / / | YC051-YC062 |
| D10205 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-31 / / | YC051-YC062 |
| D10205 U | | CDSA-2P BACKSHELL | 06090 | 1 | 23-32-31 */** | YC063-YN260 |
| D10206 | 1 | PT08SE-10-6S-SR- PLUG-COAX | 77820 | 1 | 34-53-31 316/163/L025 | YC051-YN236, YN501-YR328 |
| D10207 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-31 451/296/L31 | YC051-YC062 |
| D10207 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-31 451/296/L31 | YC063-YD157 |

EQUIPMENT LIST

D280A108

Section D10200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D10207 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-31 452/293/L032 | YD158-YD170 |
| D10207 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-31 451/294/L031 | YL951-YL999 |
| D10207 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-31 450/270/L035 | YN231-YN260 |
| D10207 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-31 / / | YC051-YC062 |
| D10207 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-31 / / | YC051-YC062 |
| D10207 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-31 */*/ | YC063-YD157 |
| D10207 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-31 */*/ | YD158-YN260 |
| D10211 | 1 | DBMA-25P PLUG | 71468 | 1 | 23-32-41 450/294/L31 | YC051-YD157 |
| D10211 | 1 | DBMA-25P PLUG | 71468 | 1 | 23-32-41 450/295/L035 | YD158-YD170 |
| D10211 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-41 / / | YC051-YD157 |
| D10211 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-41 */*/ | YD158-YD170 |
| D10211 U | | 234A032-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-41 / / | YC051-YD157 |
| D10211 U | | 234A032-3 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-41 */*/ | YD158-YD170 |
| D10213 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-32 449/293/L30 | YC051-YC062 |
| D10213 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-32 449/293/L30 | YC063-YD157 |
| D10213 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-32 450/295/L035 | YD158-YD170 |
| D10213 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-32 450/295/L030 | YL951-YN260 |

EQUIPMENT LIST

D280A108

Section D10200

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D10213 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-32 / / | YC051-YC062 |
| D10213 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-32 / / | YC051-YC062 |
| D10213 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-32 */*/ | YC063-YD157 |
| D10213 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-32 */*/ | YD158-YN260 |
| D10215 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-32 444/293/L31 | YC051-YC062 |
| D10215 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-32 444/293/L31 | YC063-YD157 |
| D10215 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-32 450/295/L035 | YD158-YN260 |
| D10215 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-32 / / | YC051-YC062 |
| D10215 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-32 / / | YC051-YC062 |
| D10215 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-32 */*/ | YC063-YD157 |
| D10215 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-32 */*/ | YD158-YN260 |
| D10221 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-33 450/295/L35 | YC051-YC062 |
| D10221 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-33 450/295/L35 | YC063-YD157 |
| D10221 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-33 450/295/L035 | YL951-YN260 |
| D10221 T | 1 | D110278 LATCH PLATE | 71468 | 2 | 23-32-33 / / | YC051-YC062 |
| D10221 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-33 */*/ | YL951-YN260 |
| D10221 U | 1 | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-33 / / | YC051-YC062 |

EQUIPMENT LIST

D280A108

Section D10200

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D10221 U | 1 | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-33 */*/ | YC063-YD157 |
| D10223 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-33 450/295/L35 | YC051-YC062 |
| D10223 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-33 450/295/L35 | YC063-YD157 |
| D10223 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-33 450/295/L035 | YL951-YN260 |
| D10223 T | 1 | D110278 LATCH PLATE | 71468 | 2 | 23-32-33 / / | YC051-YC062 |
| D10223 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-33 */*/ | YL951-YN260 |
| D10223 U | 1 | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-33 / / | YC051-YC062 |
| D10223 U | 1 | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-33 */*/ | YC063-YD157 |
| D10227 | 1 | DBMA-25P PLUG | 71468 | 1 | 23-32-41 458/292/L037 | YL951-YL999 |
| D10227 | 1 | DBMA-25P PLUG | 71468 | 1 | 23-32-41 450/295/L035 | YN231-YN260 |
| D10227 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-41 */*/ | YL951-YN260 |
| D10227 U | | 234A032-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-41 */*/ | YL951-YN260 |
| D10229 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-34 450/295/L035 | YL951-YL999 |
| D10229 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-34 */*/ | YL951-YL999 |
| D10231 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-34 459/291/L038 | YL951-YL999 |
| D10231 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-34 */*/ | YL951-YL999 |
| D10233 | 1 | DBMA-25S RECP | 71468 | 1 | 23-32-41 500F+10/295/L036 | YC051-YD170 |

EQUIPMENT LIST

D280A108

Section D10200

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D10233 | 1 | DBMA-25S RCPT | 71468 | 1 | 23-32-41 500F+10/295/L036 | YL951-YN260 |
| D10233 T | | D110277 SPRING LATCH | 71468 | 2 | 23-32-41 */*/ | YC051-YN260 |
| D10233 U | | 234A032-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-41 / / | YC051-YD157 |
| D10233 U | | 234A032-3 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-41 */*/ | YD158-YD170 |
| D10233 U | | 234A032-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-41 */*/ | YL951-YN260 |
| D10237 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-41 500F+18/294/L31 | YC051-YC062 |
| D10237 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-41 500F+18/294/L31 | YC063-YD157 |
| D10237 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-41 500F+20/294/L032 | YD158-YD170 |
| D10237 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-41 500F+20/295/L031 | YL951-YL999 |
| D10237 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-41 550/295/L035 | YN231-YN260 |
| D10237 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-41 / / | YC051-YC062 |
| D10237 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-41 / / | YC051-YC062 |
| D10237 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-41 */*/ | YC063-YD157 |
| D10237 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-41 */*/ | YD158-YN260 |
| D10239 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-41 551/297/L032 | YC051-YC062 |
| D10239 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-41 551/297/L032 | YC063-YD157 |
| D10239 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-41 500F+13/295/L035 | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D10200

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D10239 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-41 500F+10/295/L035 | YL951-YL999 |
| D10239 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-41 550/295/L035 | YN231-YN260 |
| D10239 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-41 / / | YC051-YC062 |
| D10239 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-41 / / | YC051-YC062 |
| D10239 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-41 */*/ | YC063-YD157 |
| D10239 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-41 */*/ | YD158-YN260 |
| D10245 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-42 500F+10/294/L31 | YC051-YC062 |
| D10245 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-42 500F+10/294/L31 | YC063-YD157 |
| D10245 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-42 500F+10/295/L035 | YD158-YL999 |
| D10245 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-42 550/295/L035 | YN231-YN260 |
| D10245 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-42 / / | YC051-YC062 |
| D10245 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-42 / / | YC051-YC062 |
| D10245 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-42 */*/ | YC063-YD157 |
| D10245 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-42 */*/ | YD158-YN260 |
| D10247 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-42 500F+6/294/L32 | YC051-YC062 |
| D10247 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-42 500F+6/294/L031 | YC063-YD157 |
| D10247 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-42 500F+10/295/L035 | YD158-YL999 |

EQUIPMENT LIST

D280A108

Section D10200

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D10247 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-42 550/295/L035 | YN231-YN260 |
| D10247 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-42 / / | YC051-YC062 |
| D10247 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-42 / / | YC051-YC062 |
| D10247 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-42 */*/ | YC063-YD157 |
| D10247 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-42 */*/ | YD158-YN260 |
| D10253 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-43 500F+6/290/L37 | YC051-YC062 |
| D10253 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-43 500F+6/290/L37 | YC063-YD157 |
| D10253 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-43 500F+10/295/L035 | YD158-YL999 |
| D10253 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-43 / / | YC051-YC062 |
| D10253 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-43 / / | YC051-YC062 |
| D10253 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-43 */*/ | YC063-YD157 |
| D10253 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-43 */*/ | YD158-YL999 |
| D10254 | 1 | BACS16X1A RELAY SOCKET | 81205 | 1 | 33-45-11 J004-00/ / | YL951-YR328 |
| D10255 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-43 500F+9/290/L37 | YC051-YC062 |
| D10255 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-43 500F+9/290/L37 | YC063-YD157 |
| D10255 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-43 500F+10/295/L035 | YD158-YL999 |
| D10255 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-43 / / | YC051-YC062 |

EQUIPMENT LIST

D280A108

Section D10200

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D10255 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-43 / / | YC051-YC062 |
| D10255 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-43 */*/ | YC063-YD157 |
| D10255 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-43 */*/ | YD158-YL999 |
| D10265 | 1 | DBMA-25S RECP | 71468 | 1 | 23-32-51 716/295/L035 | YC051-YD170 |
| D10265 | 1 | DBMA-25S RCPT | 71468 | 1 | 23-32-51 698/295/L028 | YL951-YL999 |
| D10265 | 1 | DBMA-25S RCPT | 71468 | 1 | 23-32-51 716/295/L035 | YN231-YN260 |
| D10265 T | | D110277 SPRING LATCH | 71468 | 2 | 23-32-51 / / | YC051-YD153 |
| D10265 T | | D110277 SPRING LATCH | 71468 | 2 | 23-32-51 */*/ | YD154-YN260 |
| D10265 U | | 234A032-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-51 / / | YC051-YD153 |
| D10265 U | | 234A032-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-51 */*/ | YD154-YD157, YL951-YN260 |
| D10265 U | | 234A032-3 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-51 */*/ | YD158-YD170 |
| D10269 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-51 702/294/L31 | YC051-YC062 |
| D10269 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-51 702/294/L31 | YC063-YD157 |
| D10269 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-51 704/294/L032 | YD158-YD170 |
| D10269 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-51 704/295/L031 | YL951-YL999 |
| D10269 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-51 710/295/L035 | YN231-YN260 |
| D10269 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-51 / / | YC051-YC062 |

EQUIPMENT LIST

D280A108

Section D10200

Page 8

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D10269 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-51 / / | YC051-YC062 |
| D10269 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-51 */*/ | YC063-YD170 |
| D10269 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-51 */*/ | YL951-YN260 |
| D10271 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-51 697/294/L31 | YC051-YC062 |
| D10271 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-51 697/294/L31 | YC063-YD157 |
| D10271 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-51 695/295/L35 | YD158-YD170 |
| D10271 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-51 695/295/L035 | YL951-YL999 |
| D10271 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-51 710/295/L035 | YN231-YN260 |
| D10271 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-51 / / | YC051-YC062 |
| D10271 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-51 / / | YC051-YC062 |
| D10271 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-51 */*/ | YC063-YD170 |
| D10271 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-51 */*/ | YL951-YN260 |
| D10275 | 1 | DBMA-25P PLUG | 71468 | 1 | 23-32-61 690/295/L31 | YD158-YD170 |
| D10275 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-61 */*/ | YD158-YD170 |
| D10275 U | | 234A032-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-61 */*/ | YD158-YD170 |
| D10277 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-52 694/294/L31 | YC051-YC062 |
| D10277 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-52 694/294/L31 | YC063-YD157 |

EQUIPMENT LIST

D280A108

Section D10200

Page 9

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D10277 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-52 696/294/L032 | YD158-YD170 |
| D10277 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-52 695/295/L035 | YL951-YL999 |
| D10277 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-52 710/295/L035 | YN231-YN260 |
| D10277 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-52 / / | YC051-YC062 |
| D10277 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-52 / / | YC051-YC062 |
| D10277 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-52 */ */ | YC063-YD170 |
| D10277 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-52 */ */ | YL951-YN260 |
| D10279 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-52 690/294/L31 | YC051-YC062 |
| D10279 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-52 690/294/L31 | YC063-YD157 |
| D10279 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-52 710/295/L35 | YD158-YD170 |
| D10279 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-52 695/295/L035 | YL951-YL999 |
| D10279 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-52 710/295/L035 | YN231-YN260 |
| D10279 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-52 / / | YC051-YC062 |
| D10279 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-52 / / | YC051-YC062 |
| D10279 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-52 */ */ | YC063-YD170 |
| D10279 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-52 */ */ | YL951-YN260 |
| D10283 | 1 | DBMA-25P PLUG | 71468 | 1 | 23-32-61 695/291/L37 | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section D10200

Page 10

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D10283 | 1 | DBMA-25P PLUG | 71468 | 1 | 23-32-61 695/291/L037 | YC056-YD157, YL951-YN260 |
| D10283 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-61 / / | YC051-YD157 |
| D10283 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-61 */*/ | YL951-YN260 |
| D10283 U | | 234A032-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-61 / / | YC051-YD157 |
| D10283 U | | 234A032-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-61 */*/ | YL951-YN260 |
| D10285 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-53 670/290/L37 | YC051-YC062 |
| D10285 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-53 670/290/L37 | YC063-YD157 |
| D10285 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-53 695/295/L035 | YL951-YL999 |
| D10285 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-53 / / | YC051-YC062 |
| D10285 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-53 / / | YC051-YC062 |
| D10285 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-53 */*/ | YC063-YD157 |
| D10285 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-53 */*/ | YL951-YL999 |
| D10287 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-53 694/290/L37 | YC051-YC062 |
| D10287 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-53 694/290/L37 | YC063-YD157 |
| D10287 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-53 695/295/L035 | YL951-YL999 |
| D10287 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-53 / / | YC051-YC062 |
| D10287 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-53 / / | YC051-YC062 |

EQUIPMENT LIST

D280A108

Section D10200

Page 11

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D10287 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-53 */*/ | YC063-YD157 |
| D10287 U | | CDSA-2P 90 DEGREE BACKSHELL | 06060 | 1 | 23-32-53 */*/ | YL951-YL999 |
| D10297 | 1 | DBMA-25S RECP | 71468 | 1 | 23-32-61 727J+12/297/L035 | YC051-YD170 |
| D10297 | 1 | DBMA-25S RCPT | 71468 | 1 | 23-32-61 727J+12/297/L035 | YL951-YN260 |
| D10297 T | | D110277 SPRING LATCH | 71468 | 2 | 23-32-61 */*/ | YL951-YN260 |
| D10297 T | 1 | D110277 SPRING LATCH | 71468 | 2 | 23-32-61 / / | YC051-YD157 |
| D10297 T | 1 | D110277 SPRING LATCH | 71468 | 2 | 23-32-61 */*/ | YD158-YD170 |
| D10297 U | | 234A032-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-61 / / | YC051-YD157 |
| D10297 U | | 234A032-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-61 */*/ | YD158-YN260 |

EQUIPMENT LIST

D280A108

Section D10200

Page 12 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D10301 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-61 727J+1/272/L50 | YC051-YC062 |
| D10301 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-61 727J+1/272/L50 | YC063-YD157 |
| D10301 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-61 727J+18/294/L032 | YD158-YD170 |
| D10301 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-61 727J+19/295/L031 | YL951-YL999 |
| D10301 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-61 777/295/L035 | YN231-YN260 |
| D10301 T | 1 | D110278 LATCH PLATE | 71468 | 2 | 23-32-61 / / | YC051-YC062 |
| D10301 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-61 / / | YC051-YC062 |
| D10301 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-61 */*/ | YC063-YD170 |
| D10301 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-61 */*/ | YL951-YN260 |
| D10303 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-61 727J+11/294/L32 | YC051-YC062 |
| D10303 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-61 727J+11/294/L32 | YC063-YD157 |
| D10303 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-61 727J+10/295/L032 | YD158-YD170 |
| D10303 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-61 727J+10/295/L035 | YL951-YL999 |
| D10303 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-61 777/295/L035 | YN231-YN260 |
| D10303 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-61 / / | YC051-YC062 |
| D10303 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06060 | 1 | 23-32-61 / / | YC051-YC062 |
| D10303 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06060 | 1 | 23-32-61 */*/ | YC063-YN260 |

EQUIPMENT LIST

D280A108

Section D10300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D10309 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-62 727J+8/294/L31 | YC051-YC062 |
| D10309 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-62 727J+8/294/L31 | YC063-YD157 |
| D10309 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-62 727J+10/295/L035 | YD158-YL999 |
| D10309 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-62 777/295/L035 | YN231-YN260 |
| D10309 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-62 / / | YC051-YC062 |
| D10309 U | | 234A021-3 REQUESTED BY T. THROOP OF WIRE INSTL. | 06090 | 1 | 23-32-62 / / | YC051-YC062 |
| D10309 U | | CDSA-2P REQUESTED BY T. THROOP OF WIRE INSTL. | 06090 | 1 | 23-32-62 */*/ | YC063-YD157 |
| D10309 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-62 */*/ | YD158-YD170 |
| D10309 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-62 */*/ | YL951-YN260 |
| D10311 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-62 727J+4/294/L312 | YC051-YC062 |
| D10311 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-62 727J+4/294/L312 | YC063-YD157 |
| D10311 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-62 727J+10/295/L035 | YD158-YL999 |
| D10311 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-62 777/295/L035 | YN231-YN260 |
| D10311 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-62 / / | YC051-YC062 |
| D10311 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-62 / / | YC051-YC062 |
| D10311 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-62 */*/ | YC063-YD157 |
| D10311 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06060 | 1 | 23-32-62 */*/ | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D10300

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D10311 U | | CDSA-2P 90 DEGREE BACKSHELL | 06060 | 1 | 23-32-62 */*/ | YL951-YN260 |
| D10317 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-63 727J+4/290/L37 | YC051-YC062 |
| D10317 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-63 727J+4/290/L37 | YC063-YD157 |
| D10317 | 1 | CAMA11W1PE-K87 PLUG | 71468 | 1 | 23-32-63 727J+10/295/L035 | YD158-YL999 |
| D10317 T | 1 | D110278 LATCH PLATE | 71468 | 2 | 23-32-63 / / | YC051-YC062 |
| D10317 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-63 / / | YC051-YC062 |
| D10317 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-63 */*/ | YC063-YD170 |
| D10317 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-63 */*/ | YL951-YL999 |
| D10319 | 1 | CAMA-11W1P PLUG | 71771 | 1 | 23-32-63 735/290/L37 | YC051-YC062 |
| D10319 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-63 735/290/L37 | YC063-YD157 |
| D10319 | 1 | CAMA11W1PE-K87 PLUG | 71771 | 1 | 23-32-63 727J+10/295/L035 | YD158-YL999 |
| D10319 T | | D110278 LATCH PLATE | 71468 | 2 | 23-32-63 / / | YC051-YC062 |
| D10319 U | | 234A021-3 90 DEGREE THERMOFIT BACKSHELL | 06060 | 1 | 23-32-63 / / | YC051-YC062 |
| D10319 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06060 | 1 | 23-32-63 */*/ | YC063-YD157 |
| D10319 U | | CDSA-2P 90 DEGREE THERMOFIT BACKSHELL | 06090 | 1 | 23-32-63 */*/ | YD158-YD170 |
| D10319 U | | CDSA-2P 90 DEGREE BACKSHELL | 06090 | 1 | 23-32-63 */*/ | YL951-YL999 |
| D10328 | 1 | MS25182-2 PLUG-AUX BATTERY | 96906 | 1 | 24-31-12 378/165/L008 | ALL |

EQUIPMENT LIST

D280A108

Section D10300

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D10330 | 1 | BACC45FT12-12P PLUG-AUX BATTERY SENSOR | 81205 | 1 | 24-31-12 378/162/L005 | ALL |
| D10330 T | 1 | BACC10GH12 BACKSHELL | 81205 | 1 | 24-31-12 */*/ | YC051-YC059, YC065-YR328 |
| D10330 T | 1 | BACC10GH12 BACKSHELL | 81205 | 1 | 24-31-12 0378/162/L005 | YC060-YC064 |
| D10333 | 1 | CAMA11W1S PLUG | 71771 | 1 | 23-32-33 369/263/L039 | YC051-YC058 |
| D10333 | 1 | CAMA11W1S PLUG | 71771 | 1 | 23-32-33 369/270/L039 | YC059-YD157 |
| D10333 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-31 367/270/L42 | YD158-YD170 |
| D10333 T | | DA20961 STRAIGHT BACKSHELL | 71468 | 1 | 23-32-33 */*/ | YC051-YC058 |
| D10333 T | | DA20961 STRAIGHT BACKSHELL | 71468 | 1 | 23-32-33 369/263/L039 | YC059-YD157 |
| D10333 U | | DA51220-1 SLIDE LOCK RETAINER | 71468 | 2 | 23-32-33 */*/ | YC051-YC058 |
| D10333 U | | DA51220-1 SLIDE LOCK RETAINER | 71468 | 2 | 23-32-33 369/263/L039 | YC059-YD157 |
| D10333 V | | CQMEF-200 COAX CONTACT - FOR D10333 | 71771 | 1 | 23-32-33 */*/ | YC051-YC058 |
| D10333 V | | CQMEF-200 COAX CONTACT - FOR D10333 | 71771 | 1 | 23-32-33 369/263/L039 | YC059-YD157 |
| D10335 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-31 367/270/L42 | YD158-YD170 |
| D10337 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 367/270/L042 | YD158-YD170 |
| D10337 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YD158-YD170 |
| D10339 | 1 | CAMA11W1S PLUG | 71771 | 1 | 23-32-33 360/262/R038 | YC051-YD157 |
| D10339 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-31 367/270/R042 | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D10300

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D10339 T | 1 | DA20961 STRAIGHT BACKSHELL | 71468 | 1 | 23-32-33 360 263/039/02* | YC051-YD157 |
| D10339 U | 1 | DA51220-1 SLIDE LOCK RETAINER | 71468 | 1 | 23-32-33 360 263/039/02* | YC051-YD157 |
| D10339 V | 1 | CQMEF-200 COAX CONTACT - FOR D10339 | 71771 | 1 | 23-32-33 360 263/039/02* | YC051-YD157 |
| D10341 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-31 367/270/R42 | YD158-YD170 |
| D10342 | 1 | BACC45FT14-12S PLUG-AUX BATT CHARGER | 81205 | 1 | 24-31-12 E003-03/ / | ALL |
| D10342 T | 1 | BACC10JC14 CLAMP, 90 DEG | 81205 | 1 | 24-31-12 */*/ | YD160-YR328 |
| D10343 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 367/270/R042 | YD158-YD170 |
| D10343 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YD158-YD170 |
| D10345 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-31 385/274/L013 | YC051-YD157 |
| D10347 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-31 385/274/L013 | YC051-YD157 |
| D10349 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 387/274/L013 | YC051-YD157 |
| D10349 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YC051-YD157 |
| D10351 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-31 365/273/R02 | YC051-YD157 |
| D10353 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-31 371/273/R02 | YC051-YD157 |
| D10355 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 391/272/R033 | YC051-YD157 |
| D10355 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YC051-YD157 |
| D10357 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-32 477/272/L033 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D10300

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D10357 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-32 465/270/L042 | YD158-YD170 |
| D10359 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-32 478/272/L033 | YC051-YD157 |
| D10359 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-32 465/270/L042 | YD158-YD170 |
| D10361 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 446/272/L033 | YC051-YD157 |
| D10361 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 465/272/L033 | YD158-YD170 |
| D10361 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/* | YC051-YD170 |
| D10363 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-32 480/272/R50 | YC051-YD157 |
| D10363 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-32 465/270/R042 | YD158-YD170 |
| D10365 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-32 479/272/R50 | YC051-YD157 |
| D10365 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-32 465/270/R042 | YD158-YD170 |
| D10367 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 489/272/R033 | YC051-YD157 |
| D10367 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 465/272/R033 | YD158-YD170 |
| D10367 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/* | YC051-YD170 |
| D10381 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-41 500C+11/272/L033 | YC051-YD157 |
| D10381 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-41 500C/273/L054 | YD158-YD170 |
| D10383 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-41 500C+11/272/L033 | YC051-YD157 |
| D10383 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-41 500C/273/L054 | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D10300

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D10385 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 500C+7/272/L033 | YC051-YD157 |
| D10385 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 500C/272/L033 | YD158-YD170 |
| D10385 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81025 | 1 | 33-25-51 */*/ | YC051-YD157 |
| D10385 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YD158-YD170 |
| D10387 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-41 500C+2/272/R08 | YC051-YC057 |
| D10387 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-41 567/274/R015 | YC058-YD157 |
| D10387 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-41 500C/270/R042 | YD158-YD170 |
| D10389 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-41 500C+2/273/R08 | YC051-YC057 |
| D10389 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-41 567/274/R015 | YC058-YC059 |
| D10389 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-41 565/274/R015 | YC060-YD157 |
| D10389 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-41 500C/270/R042 | YD158-YD170 |
| D10391 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 587/273/R033 | YC051-YD157 |
| D10391 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 500C/273/R054 | YD158-YD170 |
| D10391 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YC051-YD170 |
| D10393 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-42 500G+2/273/L019 | YC051-YD157 |
| D10395 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-42 500G+1/273/L018 | YC051-YD157 |
| D10397 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 500G+3/273/L018 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D10300

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D10397 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/* | YC051-YD157 |
| D10399 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-42 500G/273/R50 | YC051-YC062 |
| D10399 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-42 500G+3/273/R049 | YC063-YD157 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D10300

Page 8 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D10401 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-42 500G+2/272/R50 | YC051-YC062 |
| D10401 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-42 500G+3/273/R049 | YC063-YD157 |
| D10403 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 500G+4/273/R042 | YC051-YD157 |
| D10403 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YC051-YD157 |
| D10405 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-42 500G/273/L054 | YD158-YD170 |
| D10407 | 1 | 755-78-9 PLUG - COAX | 91836 | 1 | 23-32-42 500G/273/L054 | YD158-YD170 |
| D10409 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 500G/272/L033 | YD158-YD170 |
| D10409 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YD158-YD170 |
| D10411 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-42 500G/270/R042 | YD158-YD170 |
| D10413 | 1 | 755-78-9 PLUG - COAX | 91836 | 1 | 23-32-42 500G/270/R042 | YD158-YD170 |
| D10415 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 500G/273/R054 | YD158-YD170 |
| D10415 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YD158-YD170 |
| D10417 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-43 548/273/L019 | YC051-YD157 |
| D10419 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-43 549/273/L019 | YC051-YD157 |
| D10421 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 500G+17/272/L031 | YC051-YD157 |
| D10421 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YC051-YD157 |
| D10423 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-43 549/273/R50 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D10400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-----------------------------------|-----------------------|-----|------------------------------|---|
| D10425 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-43 547/272/R50 | YC051-YD157 |
| D10427 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 550/273/R042 | YC051-YD157 |
| D10427 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YC051-YD157 |
| D10429 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-51 641/272/L033 | YC051-YD157 |
| D10429 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-43 554/270/L042 | YD158-YD170 |
| D10431 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-51 641/272/L033 | YC051-YD157 |
| D10431 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-43 554/270/L042 | YD158-YD170 |
| D10433 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 650/272/L033 | YC051-YD157 |
| D10433 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 554/272/L033 | YD158-YD170 |
| D10433 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YC051-YD170 |
| D10434 | 1 | BACC63CN2842S8 RECP-CONDUCTIVE | 81205 | 1 | 49-41-11 1090/235/L12 | YC051-YC059 |
| D10434 | 1 | BACC63CN2842S8 RECP-CONDUCTIVE | 81205 | 1 | 49-41-11 1090/235/L012 | YC060-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D10434 T | 1 | BACC10KA28 CLAMP, STRAIGHT | 81205 | 1 | 49-41-11 1088/ / | YC051-YC052 |
| D10434 T | 1 | BACC10KA28 CLAMP, STRAIGHT | 81205 | 1 | 49-41-11 */*/ | YC053-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D10435 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-51 650/272/R50 | YC051-YC057 |

EQUIPMENT LIST

D280A108

Section D10400

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-----------------------------------|-----------------------|-----|------------------------------|---|
| D10435 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-51 679/272/R50 | YC058-YD157 |
| D10435 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-43 554/270/R042 | YD158-YD170 |
| D10436 | 1 | BACC63CN2842S6 RECP-CONDUCTIVE | 81205 | 1 | 49-52-31 1090/225/L17 | YC051-YC059 |
| D10436 | 1 | BACC63CN2842S6 RECP-CONDUCTIVE | 81205 | 1 | 49-52-31 1090/225/L017 | YC060-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D10436 T | 1 | BACC10KA28 CLAMP, STRAIGHT | 81205 | 1 | 49-52-31 1088/ / | YC051-YC052 |
| D10436 T | 1 | BACC10KA28 CLAMP, STRAIGHT | 81205 | 1 | 49-52-31 1088/226/L17 | YC053-YC059 |
| D10436 T | 1 | BACC10KA28 CLAMP, STRAIGHT | 81205 | 1 | 49-52-31 1088/226/L017 | YC060-YD158 |
| D10436 T | 1 | BACC10KA28 CLAMP, STRAIGHT | 81205 | 1 | 49-52-31 */ */ * | YL951-YL968, YN231-YN236, YN501-YR328 |
| D10437 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-51 651/272/R50 | YC051-YC057 |
| D10437 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-51 679/272/R50 | YC058-YD157 |
| D10437 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-43 554/270/R42 | YD158-YD170 |
| D10439 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 651/270/R042 | YC051-YD157 |
| D10439 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 554/273/R053 | YD158-YD170 |
| D10439 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */ */ * | YC051-YD170 |
| D10453 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-52 727+13/274/L019 | YC051-YD157 |
| D10453 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-51 656/270/L042 | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D10400

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D10455 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-52 727+14/270/L033 | YC051-YD157 |
| D10455 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-51 656/270/L033 | YD158-YD170 |
| D10457 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 727+14/274/L018 | YC051-YD157 |
| D10457 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 656/270/L042 | YD158-YD170 |
| D10457 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */ */ * | YC051-YD170 |
| D10459 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-52 727+15/272/R50 | YC051-YD157 |
| D10459 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-51 656/270/R42 | YD158-YD170 |
| D10461 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-52 727+13/272/R50 | YC051-YD157 |
| D10461 | 1 | DPXBMA-67-33S-0001 PLUG- | 71468 | 1 | 23-34-01 E003-02/ / | YL951-YN260 |
| D10463 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 727+14/270/R042 | YC051-YD157 |
| D10463 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 656/270/R042 | YD158-YD170 |
| D10463 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */ */ * | YC051-YD170 |
| D10465 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-53 727F+4/273/L024 | YC051-YC062 |
| D10465 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-53 727F+4/272/L024 | YC063-YD157 |
| D10467 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-53 727F+8/273/L024 | YC051-YD157 |
| D10469 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 727D+22/272/L017 | YC051-YD157 |
| D10469 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */ */ * | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D10400

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D10471 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-53 727F+7/273/R019 | YC051-YD157 |
| D10473 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-53 727F+4/273/R019 | YC051-YC057, YC060-YD157 |
| D10473 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-53 272F+4/273/R019 | YC058-YC059 |
| D10475 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 727+9/273/R033 | YC051-YD157 |
| D10475 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YC051-YD157 |
| D10477 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-52 727A+15/270/L042 | YD158-YD170 |
| D10479 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-52 727A+15/270/L042 | YD158-YD170 |
| D10481 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 727A+15/270/L042 | YD158-YD170 |
| D10481 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YD158-YD170 |
| D10483 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-52 727A+15/270/R42 | YD158-YD170 |
| D10485 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-52 727A+15/270/R42 | YD158-YD170 |
| D10487 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 727A+15/270/R042 | YD158-YD170 |
| D10487 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YD158-YD170 |
| D10489 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-61 727I+3/273/L024 | YC051-YD157 |
| D10489 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-61 727E+7/273/L053 | YD158-YD170 |
| D10491 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-61 727I+1/273/L024 | YC051-YD157 |
| D10491 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-61 727E+7/273/L053 | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D10400

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D10493 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 727I+2/273/L017 | YC051-YD157 |
| D10493 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 727D+5/273/L053 | YD158-YD170 |
| D10493 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YC051-YD170 |
| D10495 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-61 727I+2/272/R50 | YC051-YD157 |
| D10495 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-61 727E+3/273/R055 | YD158-YD170 |
| D10497 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-61 727I+2/273/R50 | YC051-YD157 |
| D10497 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-61 727E+3/273/R055 | YD158-YD170 |
| D10499 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 727I+2/270/R042 | YC051-YD157 |
| D10499 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 727D+5/273/R055 | YD158-YD170 |
| D10499 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YC051-YD170 |

EQUIPMENT LIST

D280A108

Section D10400

Page 6 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D10501 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-62 797/272/L50 | YC051-YD157 |
| D10502 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-51-13 727A+10/290/L006 | YC051-YD157 |
| D10502 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-51-13 727A+8/290/L006 | YD158-YD170 |
| D10503 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-62 798/272/L50 | YC051-YD157 |
| D10505 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 797/273/L017 | YC051-YD157 |
| D10505 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/* | YC051-YD157 |
| D10507 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-62 798/273/R08 | YC051-YD157 |
| D10509 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-62 798/272/R50 | YC051-YD157 |
| D10511 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 798/270/R042 | YC051-YD157 |
| D10511 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/* | YC051-YD157 |
| D10513 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-63 849/276/L54 | YC051-YC059 |
| D10513 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-63 849/276/L054 | YC060-YD157 |
| D10513 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-61 727I+14/270/L042 | YD158-YD170 |
| D10515 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-63 849/276/L056 | YC051-YD157 |
| D10515 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-61 727I+14/270/L042 | YD158-YD170 |
| D10517 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 890/275/L017 | YC051-YD157 |
| D10517 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 727I+14/270/L042 | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D10500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D10517 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */ */ | YC051-YD170 |
| D10519 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-63 849/276/R56 | YC051-YD157 |
| D10519 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-62 727I+14/270/R042 | YD158-YD170 |
| D10521 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-63 849/276/R58 | YC051-YD157 |
| D10521 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-62 727I+13/273/R055 | YD158-YD170 |
| D10523 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 886/270/R042 | YC051-YD157 |
| D10523 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 727I+14/270/R042 | YD158-YD170 |
| D10523 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */ */ | YC051-YD170 |
| D10525 | 1 | BACS16X1A SOCKET- | 81205 | 1 | 23-34-01 J00024/ / | YC051-YN260 |
| D10525 | 1 | BACS16X1A SOCKET- | 81205 | 1 | 44-21-26 J00024/ / | YN501-YR328 |
| D10527 | 1 | BACC66F11C12AA01 PLUG PLATE ASSY | 81205 | 1 | 23-34-01 E008-01/ / | YC051-YD157 |
| D10527 | 1 | BACC66F11F02AA01 PLUG PLATE ASSY | 81205 | 1 | 23-34-01 E008-01/ / | YD158-YD170 |
| D10527 | 1 | BACC66F11F02AA01 PLUG PLATE ASSY | 81205 | 1 | 23-34-01 E004-02/ / | YL951-YL968, YN231-YN236, YN501-YR328 |
| D10527 T | | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-34-01 E008-01/ / | YC051-YC053 |
| D10527 T | | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-34-01 / / | YC054-YD157 |
| D10527 U | | 527-187MA5B5C4 BACKSHELL - EMI | 06324 | 1 | 23-34-01 */ */ | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D10500

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D10527 U | | 527-187MA5B5C4 EMI BACKSHELL | 06324 | 1 | 23-34-01 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D10527A | 1 | PARTAOFD10527 PLUG - MULTIPLEXER | | 1 | 23-34-01 E008-01/ / | YC051-YD170 |
| D10527A | 1 | PARTAOFD10527 PLUG - MULTIPLEXER | | 1 | 23-34-01 E004-02/ / | YL951-YL968, YN231-YN236, YN501-YR328 |
| D10527B | 1 | PARTBOFD10527 PLUG - MULTIPLEXER | | 1 | 23-34-01 E008-01/ / | YC051-YD170 |
| D10527B | 1 | PARTBOFD10527 PLUG - MULTIPLEXER | | 1 | 23-34-01 E004-02/ / | YL951-YL968, YN231-YN236, YN501-YR328 |
| D10527C | 1 | PARTCOFD10527 PLUG - MULTIPLEXER | | 1 | 23-34-01 E008-01/ / | YC051-YD170 |
| D10527C | 1 | PARTCOFD10527 PLUG - MULTIPLEXER | | 1 | 23-34-01 E004-02/ / | YL951-YL968, YN231-YN236, YN501-YR328 |
| D10529 | 1 | BACC63BP10C20SN PLUG-RIGHT ELEVATOR TAB SOLENOID | 81205 | 1 | 27-31-11 1159/288/R008 | ALL |
| D10529 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-31-11 / / | YC051-YC064 |
| D10529 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-31-11 */*/ | YC065-YR328 |
| D10531 | 1 | BACC63BP10C20SN PLUG-LEFT ELEVATOR TAB SOLENOID | 81205 | 1 | 27-31-11 1159/292/R008 | ALL |
| D10531 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-31-11 / / | ALL |
| D10533 | 1 | BACC63BP10C20SN PLUG-CONDUCTIVE | 81205 | 1 | 27-81-51 631/162/R65 | YC051-YD158, YL951-YR323, YR325-YR328 |
| D10533 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 27-81-51 632/162/R60 | YC051-YD152 |

EQUIPMENT LIST

D280A108

Section D10500

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D10533 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 27-81-51 */*/ | YD153-YD158, YL951-YR323, YR325-YR328 |
| D10535 | 1 | BACC63BP10C20SN PLUG-CONDUCTIVE | 81205 | 1 | 27-81-51 702/199/L011 | YC051-YD158 |
| D10535 | 1 | BACC63BP10H20SN PLUG- CONDUCTIVE | 81205 | 1 | 27-81-51 702/199/L011 | YD160-YN236, YN501-YR328 |
| D10535 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 27-81-51 / / | YC051-YD152 |
| D10535 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 27-81-51 */*/ | YD153-YD158 |
| D10535 T | 1 | M85049-52S10A BACKSHELL-CONDUCTIVE | 81205 | 1 | 27-81-51 */*/ | YD160-YN236, YN501-YR328 |
| D10537 | 1 | BACC45FN10-5S7 RCPT- | 81205 | 1 | 27-53-11 AF0222A/ / | YC051-YD158, YL951-YL957, YN231-YN235 |
| D10537 | 1 | BACC45FT10-5S7 PLUG- | 81205 | 1 | 27-53-11 AF0222A/ / | YL958-YL999, YN236-YR328 |
| D10537 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 27-53-11 / / | YC051-YC055 |
| D10537 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 27-53-11 */*/ | YC056-YD158, YL951-YR328 |
| D10539 | 1 | BACC63CB10-5SN PLUG-SPOILER 3 POSITION XMTR | 81205 | 1 | 27-62-14 ORSS/373/ | YC051-YN236, YN501-YR328 |
| D10539 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 27-62-14 / / | YC051-YN236, YN501-YR328 |
| D10541 | 1 | BACC63CB10-5SN PLUG-SPOILER 10 POSITION XMTR | 81205 | 1 | 27-62-14 ORSS/373/ | YC051-YN236, YN501-YR328 |
| D10541 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 27-62-14 / / | YC051-YN236, YN501-YR328 |
| D10551 | 1 | BACC45FN10-5S PLUG | 81205 | 1 | 31-31-14 221/195/R020 | ALL |
| D10551 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 1 | 31-31-14 / / | YC051-YC064 |

EQUIPMENT LIST

D280A108

Section D10500

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D10551 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 1 | 31-31-14 */*/ | YC065-YR328 |
| D10553 | 1 | BACC45FN10-5S PLUG | 81205 | 1 | 31-31-14 200/204/R011 | ALL |
| D10560 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 30-41-11 230/239/R40 | YR312-YR328 |
| D10562 | 1 | BACC45FT10-5P PLUG- | 81205 | 2 | 30-41-12 249/232/LR48 | YC051-YD158 |
| D10562 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 2 | 30-41-12 */*/ | YC051-YD158 |
| D10564 | 1 | BACC45FN10-5S RCPT-M/W R #2 WINDOW COILED CORD | 81205 | 1 | 30-41-11 249/232/R048 | ALL |
| D10568 | 1 | BACC45FN10-5S RCPT-M/W L #2 WINDOW COILED CORD | 81205 | 1 | 30-41-12 249/232/L48 | YC051-YC063 |
| D10568 | 1 | BACC45FN10-5S RCPT-M/W L #2 WINDOW COILED CORD | 81205 | 1 | 30-41-12 249/232/L048 | YC064-YD158, YL951-YR328 |
| D10569 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 27-62-11 J020-0B/ / | ALL |
| D10570 | 1 | BACC45FT10-5P PLUG- | 81205 | 2 | 30-41-12 229/238/LR40 | YC051-YD158 |
| D10570 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 2 | 30-41-12 */*/ | YC051-YD158 |
| D10570 U | 1 | 20531-9E039LL-4-TL- WINDOW HEATER COILED CORD | 92607 | 2 | 30-41-12 */*/ | YC051-YD158 |
| D10571 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 27-62-11 J022-00/ / | YC051-YN236, YN501-YR328 |
| D10572 | 1 | BACC45FN10-5S RCPT- | 81205 | 2 | 30-41-12 230/239/LR40 | YC051-YD158, YL951-YL968, YN231-YN236, YN501-YR309 |
| D10572 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 30-41-12 230/239/L40 | YR312-YR328 |
| D10573 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 27-62-11 J020-0B/ / | ALL |

EQUIPMENT LIST

D280A108

Section D10500

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D10575 | 1 | BACS16AF1 RELAY SOCKET | 81205 | 1 | 27-62-11 J020-0B/ / | ALL |
| D10577 | 1 | SO-1055-8690 RELAY SOCKET | 35344 | 1 | 27-62-11 J020-0B/ / | ALL |
| D10579 | 1 | BACS16AF1 RELAY SOCKET | 81205 | 1 | 27-62-11 J020-0B/ / | ALL |
| D10581 | 1 | BACS16AF1 RELAY SOCKET | 81205 | 1 | 27-62-11 J020-0B/ / | ALL |
| D10583 | 1 | POACONNECTOR PLUG-TPS COAX 150-1120 | 60253 | 1 | 23-24-11 797/289/L015 | YC051-YD170 |
| D10585 | 1 | POACONNECTOR PLUG-TNC COAX 150-1122 | 60253 | 1 | 23-24-11 797/289/L005 | YC051-YD170 |
| D10587 | 1 | DAMA-15S PLUG | 71468 | 1 | 23-34-02 987/280/R044 | YD158-YN260 |
| D10587 | 1 | DAMA-15S PLUG | 71468 | 1 | 44-21-26 987/280/R044 | YN501-YR328 |
| D10587 T | 1 | D110278 LATCH PLATE | 71468 | 2 | 23-34-02 */*/ | YL951-YN260 |
| D10587 T | 1 | D110278 LATCH PLATE | 71468 | 2 | 44-21-26 */*/ | YN501-YR328 |
| D10587 U | | 557-400 BACKSHELL - EMI | 06090 | 1 | 23-34-02 */*/ | YL951-YN260 |
| D10587 U | | 557-400 BACKSHELL - EMI | 06090 | 1 | 44-21-26 */*/ | YN501-YR328 |
| D10587 U | 1 | 557-400 EMI BACKSHELL | 06090 | 1 | 23-34-02 */*/ | YD158-YD170 |
| D10589 | 1 | BACC63BP8D3SN PLUG-CODUCTIVE | 81205 | 1 | 27-81-12 OFSS 555/ / | ALL |
| D10589 T | 1 | BACC10KC8 CLAMP, 45 DEG | 81205 | 1 | 27-81-12 */*/ | ALL |
| D10591 | 1 | BACC63BP8D3SN PLUG-CONDUCTIVE | 81205 | 1 | 27-81-12 OFSS 435/ / | ALL |
| D10591 T | 1 | BACC10KC8 CLAMP, 45 DEG | 81205 | 1 | 27-81-12 */*/ | ALL |

EQUIPMENT LIST

D280A108

Section D10500

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D10593 | 1 | BACC63BP8D3SN PLUG-CONDUCTIVE | 81205 | 1 | 27-81-12 OFSS 318/ / | ALL |
| D10593 T | 1 | BACC10KC8 CLAMP, 45 DEG | 81205 | 1 | 27-81-12 */ */ | ALL |
| D10595 | 1 | BACC63BP8D3SN PLUG-CONDUCTIVE | 81205 | 1 | 27-81-22 OFSS 318/ / | ALL |
| D10595 T | 1 | BACC10KC8 CLAMP, 45 DEG | 81205 | 1 | 27-81-22 / / | ALL |
| D10596 | 1 | BACC45FT22-55S9 PLUG- | 81205 | 1 | 24-31-11 P005-13/ / | YC051-YD158, YL951-YR328 |
| D10597 | 1 | BACC63BP8D3SN PLUG-CONDUCTIVE | 81205 | 1 | 27-81-22 OFSS 435/ / | ALL |
| D10597 T | 1 | BACC10KC8 CLAMP, 45 DEG | 81205 | 1 | 27-81-22 / / | ALL |
| D10599 | 1 | BACC63BP8D3SN PLUG-CONDUCTIVE | 81205 | 1 | 27-81-22 OFSS 555/ / | ALL |
| D10599 T | 1 | BACC10KC8 CLAMP, 45 DEG | 81205 | 1 | 27-81-22 / / | ALL |

EQUIPMENT LIST

D280A108

Section D10500
Page 7 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D10601 | 1 | BACC63CB16-24SN PLUG- | 81205 | 1 | 23-12-11 P008-71/ / | YD158-YR328 |
| D10601 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 23-12-11 */ */ | YD158-YR328 |
| D10603 | 1 | BACC63CB16-24SN PLUG- | 81205 | 1 | 23-12-21 P008-72/ / | YD158-YR328 |
| D10603 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 23-12-21 P008-72/ */ | YD158-YD170 |
| D10603 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 23-12-21 */ */ | YL951-YR328 |
| D10605 | 1 | BACC63CB16-24SN PLUG- | 81205 | 1 | 23-11-11 P008-73/ / | YD158-YR328 |
| D10605 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 23-12-31 P008-73/ / | YD158-YD170 |
| D10605 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 23-12-31 */ */ | YL951-YR328 |
| D10634 | 1 | SO-1055-8690 RELAY SOCKET | 35344 | 1 | 78-32-51 J022-00/ / | YC051-YN236, YN501-YR328 |
| D10636 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 78-32-51 J022-00/ / | YC051-YN236, YN501-YR328 |
| D10638 | 1 | SO-1055-8690 SOCKET- | 35344 | 1 | 78-32-61 J00024/ / | ALL |
| D10640 | 1 | BACS16W1A SOCKET- | 81205 | 1 | 78-32-61 J00024/ / | ALL |
| D10657 | 1 | DPX3MA-32W4S-D106P-67S-33-0068 PLUG PLATE ASSY - VSCU | 71468 | 1 | 23-32-11 356/268/L036 | YD158-YD170 |
| D10657 | 1 | DPX3MA-32W4S-D106P-67S-33-0068 PLUG PLATE ASSY | 71468 | 1 | 23-32-11 */ */ | YL951-YL999 |
| D10657 | 1 | DPX3MA-32W4S-D106P-67S-33-0068 PLUG PLATE ASSY - VSCU | 71468 | 1 | 23-32-11 860/280/R040 | YN231-YN260 |
| D10657A | 1 | PARTAOFD10657 PLUG PLATE ASSY - VSCU | | 0 | 23-32-11 356/268/L036 | YD158-YL999 |
| D10657A | 1 | PARTAOFD10657 PLUG PLATE ASSY - VSCU | | 0 | 23-32-11 860/280/R040 | YN231-YN260 |

EQUIPMENT LIST

D280A108

Section D10600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D10657AT | | 249-1983-000 CONTACT - COAX - FOR D10657A-31 | 71468 | 1 | 23-32-21 */*/ | YD158-YN260 |
| D10657B | 1 | PARTBOFD10657 PLUG PLATE ASSY - VSCU | | 0 | 23-32-11 356/268/L036 | YD158-YL999 |
| D10657B | 1 | PARTBOFD10657 PLUG PLATE ASSY - VSCU | | 0 | 23-32-11 860/280/R040 | YN231-YN260 |
| D10657C | 1 | PARTCOFD10657 PLUG PLATE ASSY - VSCU | | 0 | 23-32-11 356/268/L036 | YD158-YL999 |
| D10657C | 1 | PARTCOFD10657 PLUG PLATE ASSY - VSCU | | 0 | 23-32-11 860/280/R040 | YN231-YN260 |
| D10659 | 1 | DPXBMA-32W4-33S-0005 PLUG - VTR-1 | 71468 | 1 | 23-32-11 369/293/L039 | YC051-YC052 |
| D10659 | 1 | DPXBMA-32W4-33S-0005 PLUG - VTR-1 | 71468 | 1 | 23-32-11 363/275/L030 | YC053-YD157 |
| D10659 | 1 | DPXBMA-67-33S-0001 PLUG - VEP-1 | 71468 | 1 | 23-32-13 363/276/L028 | YD158-YD170 |
| D10659 | 1 | DPXBMA-67-33S-0001 PLUG | 71468 | 1 | 23-32-11 350/ /L | YL951-YL999 |
| D10659 | 1 | DPXBMA-67-33S-0001 PLUG - VEP-1 | 71468 | 1 | 23-32-13 860/280/R040 | YN231-YN260 |
| D10659 T | 1 | 249-1983-000 COAX CONTACT | 71468 | 1 | 23-32-11 */*/ | YC051-YD157 |
| D10661 | 1 | DPXBMA-32W4-33S-0005 PLUG - VTR-2 | 71468 | 1 | 23-32-11 369/293/L039 | YC051-YC052 |
| D10661 | 1 | DPXBMA-32W4-33S-0005 PLUG - VTR-2 | 71468 | 1 | 23-32-11 355/276/L029 | YC053-YD157 |
| D10661 | 1 | DPXBMA-67-33S-0001 PLUG - VEP-2 | 71468 | 1 | 23-32-13 355/276/L028 | YD158-YD170 |
| D10661 T | 1 | 249-1983-000 COAX CONTACT | 71468 | 1 | 23-32-11 / / | YC051-YC052 |
| D10661 T | 1 | 249-1983-000 COAX CONTACT | 71468 | 1 | 23-32-11 */*/ | YC053-YD157 |
| D10665 | 1 | BACC66F11F69AA01 PLUG PLATE ASSY | 81205 | 1 | 23-34-06 E008-01/ / | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D10600

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D10665 T | | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-34-06 / / | YC051-YC052 |
| D10665 T | | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-34-06 E008-01/ / | YC053-YD157 |
| D10665A | 1 | PARTAOFD10665 PLUG - TAPE REPRODUCER | | 1 | 23-34-06 / / | YC051-YC052 |
| D10665A | 1 | PARTAOFD10665 PLUG - TAPE REPRODUCER | | 1 | 23-34-06 E008-01/ / | YC053-YD157 |
| D10665B | 1 | PARTBOFD10665 PLUG - REPRODUCER | | 1 | 23-34-06 / / | YC051-YC052 |
| D10665B | 1 | PARTBOFD10665 PLUG - REPRODUCER | | 1 | 23-34-06 E008-01/ / | YC053-YD157 |
| D10665C | 1 | PARTCOFD10665 PLUG - TAPE PRODUCER | | 1 | 23-34-06 / / | YC051-YC052 |
| D10665C | 1 | PARTCOFD10665 PLUG - TAPE PRODUCER | | 1 | 23-34-06 E008-01/ / | YC053-YD157 |
| D10667 | 1 | 280U0013-101 PLUG PLATE ASSY - VSCU | 81205 | 1 | 23-32-13 363/275/L031 | YC051-YD157 |
| D10669 | 1 | BACC45FT22-55S PLUG PLATE ASSY - VSCU | 81205 | 1 | 23-32-12 363/297/L039 | YC051-YC052 |
| D10669 | 1 | BACC45FT22-55S PLUG PLATE ASSY - VSCU | 81205 | 1 | 23-32-12 362/264/L040 | YC053-YD157 |
| D10671 | 1 | BACC45FT22-55S6 PLUG PLATE ASSY - VSCU | 81205 | 1 | 23-32-13 363/297/L039 | YC051-YC052 |
| D10671 | 1 | BACC45FT22-55S6 PLUG PLATE ASSY - VSCU | 81205 | 1 | 23-32-13 363/275/L039 | YC053-YC058 |
| D10671 | 1 | BACC45FT22-55S6 PLUG PLATE ASSY - VSCU | 81205 | 1 | 23-32-13 362/267/L040 | YC059-YD157 |
| D10673 | 1 | BACC45FT22-55S7 PLUG PLATE ASSY - VSCU | 81205 | 1 | 23-32-11 363/297/L039 | YC051-YC052 |
| D10673 | 1 | BACC45FT22-55S7 PLUG PLATE ASSY - VSCU | 81205 | 1 | 23-32-11 362/267/L037 | YC053-YD157 |
| D10675 | 1 | BACC45FT22-55S8 PLUG PLATE ASSY - VSCU | 81205 | 1 | 23-32-12 363/297/L039 | YC051-YC052 |

EQUIPMENT LIST

D280A108

Section D10600

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| D10675 | 1 | BACC45FT22-55S8 PLUG PLATE ASSY - VSCU | 81205 | 1 | 23-32-12 362/264/L042 | YC053-YC058 |
| D10675 | 1 | BACC45FT22-55S8 PLUG PLATE ASSY - VSCU | 81205 | 1 | 23-32-12 362/264/L42 | YC059-YD157 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D10600
Page 4 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D10712 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-14 604/213/L067 | YN231-YN501 |
| D10712 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 33-51-14 */*/ | YN231-YN501 |
| D10714 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-11 604/212/R067 | YN231-YN501 |
| D10714 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 33-51-11 */*/ | YN231-YN501 |
| D10715 | 1 | BACC45FT18A31P PLUG- | 81205 | 1 | 23-24-11 790/300/L016 | YC051-YD170 |
| D10716 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-14 727C+13/212/L068 | ALL |
| D10716 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 33-51-14 */*/ | ALL |
| D10717 | 1 | BACC45FT16A24S PLUG- | 81205 | 1 | 23-24-11 790/300/L015 | YC051-YD170 |
| D10719 | 1 | BACC66H40F03AK01 PLUG PLATE ASSEMBLY | 81205 | 1 | 34-31-11 E001-02/ / | YC051-YD170 |
| D10719 | 1 | BACC66H40F03AK01 PLUG PLATE ASSEMBLY - IL S RECEIVER -1 | 81205 | 1 | 34-31-11 E001-02/ / | YL951-YR328 |
| D10719 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 34-31-11 E001-02/ / | YC051-YD170 |
| D10719 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 34-31-11 */*/ | YL951-YR328 |
| D10719A | 1 | PARTAOFD10719 PLUG- | | 0 | 34-31-11 E001-02/ / | YC051-YD170 |
| D10719A | 1 | PARTAOFD10719 PLUG- | | 0 | 34-31-11 */*/ | YL951-YR328 |
| D10719AU | 1 | 125-94-9 PLUG-COAX | 91836 | 1 | 34-58-11 E001-02/ / | YC051-YD170 |
| D10719AU | 1 | 125-94-9 PLUG-COAX | 91836 | 1 | 34-58-11 */*/ | YL951-YR328 |
| D10719B | 1 | PARTBOFD10719 PLUG- | | 0 | 34-31-11 E001-02/ / | YC051-YD170 |

EQUIPMENT LIST

D280A108

Section D10700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D10719B | 1 | PARTBOFD10719 PLUG- | | 0 | 34-31-11 */*/ | YL951-YR328 |
| D10719C | 1 | PARTCOFD10719 PLUG- | | 0 | 34-31-11 E001-02/ / | YC051-YD170 |
| D10719C | 1 | PARTCOFD10719 PLUG- | | 0 | 34-31-11 */*/ | YL951-YR328 |
| D10721 | 1 | BACC66H40F03AK01 PLUG PLATE ASSEMBLY | 81205 | 1 | 34-31-11 E001-04/ / | YC051-YD170, YN231-YN501 |
| D10721 | 1 | BACC66H40F03AK01 PLUG PLATE ASSEMBLY | 81205 | 1 | 34-31-21 E001-04/ / | YL951-YL999, YR301-YR328 |
| D10721 T | 1 | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 34-31-21 E001-04/ / | YC051-YC052 |
| D10721 T | 1 | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 34-31-11 E001-04/ / | YC053-YD170 |
| D10721 T | 1 | S280W601-116 GND - BLOCK 48 | 81205 | 1 | 34-31-11 */*/ | YL951-YR328 |
| D10721A | 1 | PARTAOFD10721 PLUG - MMR-2 | | 0 | 34-31-11 E001-04/ / | YC051-YD170 |
| D10721A | 1 | PARTAOFD10721 PLUG - MMR-2 | | 0 | 34-31-21 */*/ | YL951-YL999, YR301-YR328 |
| D10721A | 1 | PARTAOFD10721 PLUG - MMR-2 | | 1 | 34-31-11 */*/ | YN231-YN501 |
| D10721AU | 1 | 125-94-9 PLUG-COAX | 91836 | 1 | 34-58-21 E001-04/ / | YC053-YD170 |
| D10721AU | 1 | 125-94-9 PLUG-COAX | 91836 | 1 | 34-58-21 */*/ | YL951-YR328 |
| D10721B | 1 | PARTBOFD10721 PLUG - MMR-2 | | 0 | 34-31-11 E001-04/ / | YC051-YD170 |
| D10721B | 1 | PARTBOFD10721 PLUG - MMR-2 | | 0 | 34-31-21 */*/ | YL951-YL999, YR301-YR328 |
| D10721B | 1 | PARTBOFD10721 PLUG - MMR-2 | | 1 | 34-31-11 */*/ | YN231-YN501 |
| D10721C | 1 | PARTCOFD10721 PLUG - MMR-2 | | 0 | 34-31-11 E001-04/ / | YC051-YD170 |

EQUIPMENT LIST

D280A108

Section D10700

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D10721C | 1 | PARTCOFD10721 PLUG - MMR-2 | | 0 | 34-31-21 */*/ | YL951-YL999, YR301-YR328 |
| D10721C | 1 | PARTCOFD10721 PLUG - MMR-2 | | 1 | 34-31-11 */*/ | YN231-YN501 |
| D10723 | 1 | DPXBMA-67-33S-0001 PLUG- | 71468 | 1 | 23-34-01 E008-01/ / | YC051-YD170 |
| D10724 | 1 | BACC45FT18-31S PLUG- | 81205 | 1 | 21-31-11 P005-06/ / | YC053-YR328 |
| D10726 | 1 | BACC45FT18-31S6 PLUG- | 81205 | 1 | 21-31-11 P005-06/ / | ALL |
| D10727 | 1 | BACC66H21C58AA01 PLUG PLATE ASSY | 81205 | 1 | 23-27-36 E004-01/ / | YD158-YD170 |
| D10727 | 1 | BACC66H21C58AA01 PLUG PLATE ASSY | 81205 | 1 | 23-27-31 E004-01/ / | YL951-YR328 |
| D10727 T | | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-27-36 E004-01/ / | YD158-YD170 |
| D10727 T | | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-27-31 */*/ | YL951-YR328 |
| D10727A | 1 | PARTAOFD10727 PLUG | | 0 | 23-27-36 E004-01/ / | YD158-YD170 |
| D10727A | 1 | PARTAOFD10727 PLUG | | 0 | 23-27-31 */*/ | YL951-YR328 |
| D10727B | 1 | PARTBOFD10727 PLUG | | 0 | 23-27-36 E004-01/ / | YD158-YD170 |
| D10727B | 1 | PARTBOFD10727 PLUG | | 0 | 23-27-31 */*/ | YL951-YR328 |
| D10727C | 1 | PARTCOFD10727 PLUG | | 0 | 23-27-36 E004-01/ / | YD158-YD170 |
| D10727C | 1 | PARTCOFD10727 PLUG | | 0 | 23-27-31 */*/ | YL951-YR328 |
| D10728 | 1 | MS3476L12-10S PLUG-FEEDBACK MODULE (OFV) | 96906 | 1 | 21-31-11 967+10/165/R030 | YC051-YC055 |
| D10728 | 1 | MS3476L12-10S PLUG-FEEDBACK MODULE (OFV) | 96906 | 1 | 21-31-11 973/183/R13 | YC056-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D10700

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D10728 | 1 | MS3476L12-10S PLUG-FEEDBACK MODULE (OFV) | 96906 | 1 | 21-31-11 973/183/R013 | YN231-YN501 |
| D10728 T | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 21-31-11 */*/ | ALL |
| D10730 | 1 | MS3476L10-6S PLUG-MANUAL DC MOTOR (OFC) | 96906 | 1 | 21-31-11 967+10/165/R030 | YC051-YC055 |
| D10730 | 1 | MS3476L10-6S PLUG-MANUAL DC MOTOR (OFC) | 96906 | 1 | 21-31-11 972/190/R15 | YC056-YL999, YR301-YR328 |
| D10730 | 1 | MS3476L10-6S PLUG-MANUAL DC MOTOR (OFC) | 96906 | 1 | 21-31-11 972/190/R015 | YN231-YN501 |
| D10730 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 21-31-11 */*/ | ALL |
| D10732 | 1 | MS3476L16-26S PLUG-ELECTRONIC ACTUATOR NO.1 (OFV) | 96906 | 1 | 21-31-22 980/190/R013 | ALL |
| D10732 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 21-31-22 */*/ | ALL |
| D10734 | 1 | MS3476L16-26S PLUG-ELECTRONIC ACTUATOR NO.2 (OFV) | 96906 | 1 | 21-31-23 967+15/170/R026 | YC051-YC055 |
| D10734 | 1 | MS3476L16-26S PLUG-ELECTRONIC ACTUATOR NO.2 (OFV) | 96906 | 1 | 21-31-23 978/190/R14 | YC056-YL999, YR301-YR328 |
| D10734 | 1 | MS3476L16-26S PLUG-ELECTRONIC ACTUATOR NO.2 (OFV) | 96906 | 1 | 21-31-23 978/190/R014 | YN231-YN501 |
| D10734 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 21-31-23 */*/ | ALL |
| D10736 | 1 | MS3476L14-12S PLUG-FEEDBACK MODULE (OFV) | 96906 | 1 | 21-31-23 967+10/160/R026 | YC051-YC055 |
| D10736 | 1 | MS3476L14-12S PLUG-FEEDBACK MODULE (OFV) | 96906 | 1 | 21-31-23 974/185/R12 | YC056-YL999, YR301-YR328 |
| D10736 | 1 | MS3476L14-12S PLUG-FEEDBACK MODULE (OFV) | 96906 | 1 | 21-31-23 974/185/R012 | YN231-YN501 |
| D10736 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 21-31-23 */*/ | YC051-YC055 |
| D10736 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 21-31-23 */*/ | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section D10700

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D10738 | 1 | BACC66F11C13AA01 PLUG PLATE ASSY - CABIN PRESS CONT NO. 1 | 81205 | 1 | 21-31-22 E002-02/ / | YC051-YD158, YL951-YR328 |
| D10738 T | 1 | S280W601-116 GROUND-48 | 81205 | 1 | 21-31-22 E002-02/ / | YC051-YD158, YL951-YR328 |
| D10738A | 1 | PARTAOFD10738 PLUG | | 1 | 21-31-22 E002-02/ / | YC051-YD158, YL951-YR328 |
| D10738B | 1 | PARTBOFD10738 PLUG | | 1 | 21-31-22 E002-02/ / | YC051-YD158, YL951-YR328 |
| D10738C | 1 | PARTCOFD10738 PLUG | | 1 | 21-31-22 E002-02/ / | YC051-YD158, YL951-YR328 |
| D10740 | 1 | BACC66F11C13AA01 PLUG-PLATE ASSY | 81205 | 1 | 21-31-23 E004-01/ / | YC051-YD157 |
| D10740 | 1 | BACC66F11C13AA01 PLUG-PLATE ASSY | 81205 | 1 | 21-31-23 E001-01/ / | YD158-YR328 |
| D10740 T | | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 21-31-24 E004-01/ / | YC051-YC065 |
| D10740 T | | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 21-31-24 */ */ | YC067-YD157, YL951-YR328 |
| D10740 T | | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 21-31-24 E001-01/ / | YD158-YD170 |
| D10740A | 1 | PARTAOFD10740 PLUG-PLATE ASSY | | 0 | 21-31-23 E004-01/ / | YC051-YC065 |
| D10740A | 1 | PARTAOFD10740 PLUG-PLATE ASSY | | 0 | 21-31-23 */ */ | YC067-YD157, YL951-YR328 |
| D10740A | 1 | PARTAOFD10740 PLUG-PLATE ASSY | | 0 | 21-31-23 E001-01/ / | YD158-YD170 |
| D10740B | 1 | PARTBOFD10740 PLUG-PLATE ASSY | | 0 | 21-31-23 E004-01/ / | YC051-YC065 |
| D10740B | 1 | PARTBOFD10740 PLUG-PLATE ASSY | | 0 | 21-31-23 */ */ | YC067-YD157, YL951-YR328 |
| D10740B | 1 | PARTBOFD10740 PLUG-PLATE ASSY | | 0 | 21-31-23 E001-01/ / | YD158-YD170 |
| D10740C | 1 | PARTCOFD10740 PLUG-PLATE ASSY | | 0 | 21-31-23 E004-01/ / | YC051-YC065 |

EQUIPMENT LIST

D280A108

Section D10700

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D10740C | 1 | PARTCOFD10740 PLUG-PLATE ASSY | | 0 | 21-31-23 */*/ | YC067-YD157, YL951-YR328 |
| D10740C | 1 | PARTCOFD10740 PLUG-PLATE ASSY | | 0 | 21-31-23 E001-01/ / | YD158-YD170 |
| D10744 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-11 952/290/R014 | ALL |
| D10744 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 33-51-11 */*/ | ALL |
| D10746 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-14 952/290/L014 | ALL |
| D10746 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 33-51-14 */*/ | ALL |
| D10748 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-11 322/291/R007 | YC051-YN260 |
| D10748 T | 1 | BACC10JC16 CLAMP, 90 DEG | 81205 | 1 | 33-51-11 */*/ | YC051-YN260 |
| D10750 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-11 322/291/L007 | ALL |
| D10750 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 33-51-11 */*/ | ALL |
| D10754 | 1 | S280W557-221 RCPT- | 81205 | 1 | 33-29-11 329/293/L004 | YC051-YD151 |
| D10754 | 1 | BACC65AK221P RCPT- | 81205 | 1 | 33-29-11 329/293/L004 | YD152-YN260 |
| D10756 | 1 | S280W557-121 PLUG- | 81205 | 1 | 33-29-11 328/293/L004 | YC051-YD151 |
| D10756 | 1 | BACC65AJ121S PLUG- | 81205 | 1 | 33-29-11 328/293/L004 | YD152-YN260 |
| D10760 | 1 | MB12P-1 PLUG- | 09922 | 1 | 33-29-11 327/293/R004 | YC051-YN260 |
| D10762 | 1 | BACS16X1A PLUG | 81205 | 1 | 21-31-25 P006-00/ / | ALL |
| D10770 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 21-42-11 975/297/R010 | ALL |

EQUIPMENT LIST

D280A108

Section D10700

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D10770 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 21-42-11 */*/ | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D10700

Page 7 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|-------------------------------|-----------------------------|
| D10820 | 1 | BACS16AG1 PLUG | 81205 | 1 | 21-31-11 P006-00/ / | ALL |
| D10822 | 1 | BACS16AG1 PLUG | 81205 | 1 | 21-31-22 P006-00/ / | ALL |
| D10824 | 1 | BACS16AG1 PLUG | 81205 | 1 | 21-31-23 P006-00/ / | ALL |
| D10845 | 1 | BACC63BV14F7SN RCPT- | 81205 | 1 | 31-31-14 FIN 73.5/285/L007 | ALL |
| D10845 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 31-31-14 */ */ | ALL |
| D10847 | 1 | BACS16AF1 SOCKET- | 81205 | 1 | 34-49-11 J00024/ / | YC053-YR328 |
| D10849 | 1 | BACS16AF1 SOCKET-TERRAIN SELECT RLY-R | 81205 | 1 | 34-49-11 J022-00/ / | YC053-YN236, YN501-YR328 |
| D10851 | 1 | BACC63CC12-12P PLUG- | 81205 | 1 | 34-24-15 193/240/R020 | YC051-YC053 |
| D10851 | 1 | BACC63CB12-12S PLUG- | 81205 | 1 | 34-24-15 193/240/R020 | YC054-YD157 |
| D10851 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 31-62-11 / / | YC051-YD155 |
| D10851 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 31-62-11 */ */ | YD157 |
| D10853 | 1 | MS3126F20-41S PLUG - CONDUCTIVE | 96906 | 1 | 34-24-15 P002-01/ / | YD158, YL951- YR328 |
| D10857 | 1 | BACC66H21C04AB01 PLUG PLATE ASSY- | 81205 | 1 | 23-15-11 E006-01/ / | YC051-YD157 |
| D10857 T | 1 | S280W601-116 GROUND BLOCK, ARINC 600 | 81205 | 1 | 23-15-11 E006-01/ / | YC051-YD157 |
| D10857A | 1 | PARTAOFD10857 PLUG - SDU | | 0 | 23-15-11 E006-01/ / | YC051-YC057 |
| D10857A | 1 | PARTAOFD10857 PLUG- SDU | | 0 | 23-15-11 E006-01/ / | YC058-YD157 |
| D10857B | 1 | PARTBOFD10857 PLUG - SDU | | 0 | 23-15-11 E006-01/ / | YC051-YC057 |

EQUIPMENT LIST

D280A108

Section D10800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D10857B | 1 | PARTBOFD10857 PLUG- SDU | | 0 | 23-15-11 E006-01/ / | YC058-YD157 |
| D10857C | 1 | PARTCOFD10857 PLUG - SDU | | 0 | 23-15-11 E006-01/ / | YC051-YC057 |
| D10857C | 1 | PARTCOFD10857 PLUG- SDU | | 0 | 23-15-11 E006-01/ / | YC058-YD157 |
| D10859 | 1 | BKAC2-V155M-30008 PLUG PLATE ASSY- | 71468 | 1 | 23-15-11 E006-01/ / | YC051-YD157 |
| D10859A | 1 | PARTAOFD10859 PLUG- | | 0 | 23-15-11 E006-01/ / | YC051-YD157 |
| D10859AT | 1 | 1800-11 ATTENUATOR (M/W D10859A) | 91836 | 1 | 23-15-12 E006-01/ / | YC051-YD157 |
| D10859AU | 1 | BACC47EN4A COAX CONTACT | 81205 | 1 | 23-15-12 E006-01/ / | YC051-YD157 |
| D10859B | 1 | PARTBOFD10859 PLUG- | | 0 | 23-15-11 E006-01/ / | YC051-YD157 |
| D10859BT | 1 | KA-59-353-M06 COAX CONNECTOR | 91836 | 1 | 23-15-12 E006-01/ / | YC051-YD157 |
| D10859BU | 1 | BACC47EN4A COAX CONTACT | 81205 | 1 | 23-15-12 E006-01/ / | YC051-YD157 |
| D10859C | 1 | PARTCOFD10859 PLUG- | | 0 | 23-15-11 E006-01/ / | YC051-YD157 |
| D10861 | 1 | MS3126F12-10S PLUG-LNA/DIP | 96906 | 1 | 23-15-11 787/295/L010 | YC051-YD157 |
| D10863 | 1 | D38999-26WB35SN PLUG- ANTENNA CNTL | 96906 | 1 | 23-15-12 787/290/L005 | YC051-YD157 |
| D10863 T | 1 | M85049-38S11W STRAIN-RELIEF-STRAIGHT | 96906 | 1 | 23-15-12 760/ / | YC051-YD157 |
| D10865 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 23-15-11 E006-01/ / | YC051-YD157 |
| D10871 | 1 | KA-59-438-M06 PLUG- (COAX) | 91836 | 1 | 23-15-12 E006-01/ / | YC051-YC058 |
| D10871 | 1 | 125-88-9 PLUG- (COAX) | 91836 | 1 | 23-15-12 E006-01/ / | YC059-YD157 |

EQUIPMENT LIST

D280A108

Section D10800

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D10873 | 1 | 1205-61-9 PLUG- | 91836 | 1 | 23-15-12 787/285/L010 | YC051-YD157 |
| D10875 | 1 | KA-59-353-M06 PLUG- LNA/DIP - ANTENNA PORT | 91836 | 1 | 23-15-12 767/285/L010 | YC051-YD157 |
| D10877 | 1 | 125-88-9 PLUG- LOW NOISE AMP/DIP | 91836 | 1 | 23-15-13 787/285/L010 | YC051-YD157 |
| D10878 | 1 | BACC45FT12-12S PLUG- | 81205 | 1 | 25-51-21 821/205/L019 | YC051-YL999, YR301-YR328 |
| D10878 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 25-51-21 821/205/L019 | YC051-YL999, YR301-YR328 |
| D10879 | 1 | KA-59-353-M06 PLUG- ANTENNA RF | 91836 | 1 | 23-15-12 767/290/L005 | YC051-YD157 |
| D10884 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 21-42-11 273/190/L022 | ALL |
| D10884 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 21-42-11 */*/ | ALL |
| D10890 | 1 | DPX2MB-67S67S-33B-0001 PLUG PLATE ASSY | 71468 | 1 | 24-22-11 E002-01/ / | ALL |
| D10890A | 1 | PARTAOFD10890 PLUG- | | 1 | 24-22-11 E002-01/ / | ALL |
| D10890B | 1 | PARTBOFD10890 PLUG- | | 1 | 24-22-11 E002-01/ / | ALL |
| D10892 | 1 | DPX2MB-67S67S-33B-0001 PLUG PLATE ASSY | 71468 | 1 | 24-11-21 E004-02/ / | ALL |
| D10892A | 1 | PARTAOFD10892 PLUG | | 1 | 24-11-21 E004-02/ / | YC051-YC057 |
| D10892A | 1 | PARTAOFD10892 PLUG | | 1 | 24-11-21 */*/ | YC058-YR328 |
| D10892B | 1 | PARTBOFD10892 PLUG | | 1 | 24-11-21 E004-02/ / | YC051-YC057 |
| D10892B | 1 | PARTBOFD10892 PLUG | | 1 | 24-11-21 */*/ | YC058-YR328 |
| D10896 | 1 | DPX2MB-67S67S-33B-0001 PLUG PLATE ASSY | 71468 | 1 | 24-22-31 E002-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D10800

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| D10896A | 1 | PARTAOFD10896 PLUG | | 1 | 24-22-31 E002-01/ / | ALL |
| D10896B | 1 | PARTBOFD10896 PLUG | | 1 | 24-22-31 E002-01/ / | ALL |
| D10898 | 1 | DPX2MB-67S67S-33B-0061 PLUG PLATE ASSY | 71468 | 1 | 24-22-21 E004-02/ / | ALL |
| D10898A | 1 | PARTAOFD10898 PLUG | | 1 | 24-22-21 E004-02/ / | YC051-YC057 |
| D10898A | 1 | PARTAOFD10898 PLUG | | 1 | 24-22-21 */*/* | YC058-YR328 |
| D10898B | 1 | PARTBOFD10898 PLUG | | 1 | 24-22-21 E004-02/ / | YC051-YC057 |
| D10898B | 1 | PARTBOFD10898 PLUG | | 1 | 24-22-21 */*/* | YC058-YR328 |

EQUIPMENT LIST

D280A108

Section D10800

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D10901 | 1 | MS27473T18A53S PLUG | 96906 | 1 | 31-32-15 P061-02/ / | YL951-YR328 |
| D10903 | 1 | MS27473T18A53PA PLUG | 96906 | 1 | 31-32-15 P061-02/ / | YL951-YR328 |
| D10912 | 1 | BACC63CN2842SN RECP-CONDUCTIVE | 81205 | 1 | 49-61-11 1090/229/L13 | YC051-YC052 |
| D10912 | 1 | BACC63CN2842SN RECP-CONDUCTIVE | 81205 | 1 | 49-61-11 1090/229/L013 | YC053-YR328 |
| D10912 T | 1 | BACC10KA28 CLAMP, STRAIGHT | 81205 | 1 | 49-61-11 1088/ / | YC051-YC052 |
| D10912 T | 1 | BACC10KA28 CLAMP, STRAIGHT | 81205 | 1 | 49-61-11 1090/229/L013 | YC053-YD157 |
| D10912 T | 1 | BACC10KA28 CLAMP, STRAIGHT | 81205 | 1 | 49-61-11 */*/ | YD158-YR328 |
| D10916 | 1 | BACS16W1A SOCKET- | 81205 | 1 | 73-22-31 J00024/ / | ALL |
| D10918 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 73-22-31 J022-00/ / | YC051-YN236, YN501-YR328 |
| D10920 | 1 | SO-1056-8691 RELAY SOCKET- | 35344 | 1 | 76-21-11 J023-00/ / | ALL |
| D10922 | 1 | SO-1056-8691 RELAY SOCKET | 35344 | 1 | 76-21-11 J022-00/ / | YC051-YN236, YN501-YR328 |
| D10924 | 1 | SO-1056-8691 RELAY SOCKET | 35344 | 1 | 76-21-21 J020-0B/ / | ALL |
| D10926 | 1 | SO-1056-8691 SOCKET- | 35344 | 1 | 76-21-21 J00024/ / | ALL |
| D10952 | 1 | SO-1064-001 SOCKET- | 35344 | 1 | 73-22-11 J00024/ / | ALL |
| D10954 | 1 | SO-1064-001 RELAY SOCKET | 35344 | 1 | 73-22-11 J022-00/ / | YC051-YN236, YN501-YR328 |
| D10956 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 21-61-21 262/278/L005 | YC051-YR323, YR325-YR328 |

EQUIPMENT LIST

D280A108

Section D10900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D10958 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 21-61-11 261/278/L7 | YC051-YL999, YR301-YR323, YR325-YR328 |
| D10958 | 1 | BACC45FT12-3S PLUG- | 81205 | 1 | 21-61-21 261/278/L7 | YN231-YN501 |
| D10960 | 1 | BACC45FT8-3S PLUG | 81205 | 1 | 21-61-22 424/274/R026 | YN231-YN260 |
| D10960 T | 1 | BACC10JS08 CLAMP, STRAIGHT | 81205 | 1 | 21-61-22 */*/ | YN231-YN260 |
| D10962 | 1 | BACC45FT12-3S PLUG- | 81205 | 1 | 21-61-22 408/274/R028 | YN231-YN260 |
| D10964 | 1 | 017832-3000 PLUG- | 58795 | 1 | 21-61-51 411/274/R028 | YN231-YN260 |
| D10973 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-63 787/273/L053 | YD158-YD170 |
| D10975 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-63 787/273/L053 | YD158-YD170 |
| D10977 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 787/273/L053 | YD158-YD170 |
| D10977 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YD158-YD170 |
| D10979 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-63 787/273/R055 | YD158-YD170 |
| D10981 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-63 787/273/R055 | YD158-YD170 |
| D10982 | 1 | BACC45FT24-61S7 PLUG- | 81205 | 1 | 32-64-11 205/184/R020 | YC051-YD158, YL951-YR328 |
| D10982 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 32-64-11 */*/ | YC051-YD158, YL951-YR328 |
| D10983 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 787/273/R055 | YD158-YD170 |
| D10983 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D10900

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D10984 | 1 | BACC45FT24-61S9 PLUG- | 81205 | 1 | 32-64-12 205/180/R018 | YC051-YD158, YL951-YR328 |
| D10984 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 32-64-21 / / | YC051-YD158, YL951-YL952, YN231-YN260 |
| D10984 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 32-64-21 */ */ | YL953-YL999, YN501-YR328 |
| D10986 | 1 | BACC45FT24-61S8 PLUG- | 81205 | 1 | 31-53-11 205/182/R020 | YC051-YD158, YL951-YR328 |
| D10986 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 52-71-11 / / | YC051-YD158, YL951-YL952, YN231-YN260 |
| D10986 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 52-71-11 */ */ | YL953-YL999, YN501-YR328 |
| D10988 | 1 | BACC45FT24-61S10 PLUG- | 81205 | 1 | 32-31-12 205/178/R018 | YC051-YD158, YL951-YR328 |
| D10988 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 32-31-11 / / | YC051-YD158, YL951-YL952, YN231-YN260 |
| D10988 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 32-31-11 */ */ | YL953-YL999, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D10900
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D11002 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 32-31-11 J022-00/ / | YC051-YN236, YN501-YR328 |
| D11004 | 1 | BACS16W1A SOCKET- | 81205 | 1 | 32-31-12 J00024/ / | ALL |
| D11005 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-51 656/270/R42 | YD158-YD170 |
| D11008 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 32-31-11 J022-00/ / | YC051-YN236, YN501-YR328 |
| D11010 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 32-31-12 J020-0B/ / | ALL |
| D11012 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 32-31-11 J022-00/ / | YC051-YN236, YN501-YR328 |
| D11014 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 32-31-12 J020-0B/ / | ALL |
| D11016 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 32-31-12 J020-0B/ / | ALL |
| D11018 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 32-31-11 J022-00/ / | YC051-YN236, YN501-YR328 |
| D11020 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 32-31-11 J022-00/ / | YC051-YN236, YN501-YR328 |
| D11022 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 32-31-11 J022-00/ / | YC051-YN236, YN501-YR328 |
| D11024 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 32-31-12 J020-0B/ / | ALL |
| D11026 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 32-31-12 J020-0B/ / | ALL |
| D11040 | 1 | BACC63BP10C5SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 33-44-12 OFSS 747/ / | ALL |
| D11040 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 33-44-12 OFSS 749/ / | ALL |
| D11042 | 1 | BACC63BP10C5SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 33-44-12 OFSS-748/ / | ALL |
| D11042 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 33-44-12 OFSS-749/ / | ALL |

EQUIPMENT LIST

D280A108

Section D11000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|-------------------------------|-----------------------------|
| D11044 | 1 | BACC63BP18C8SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 33-43-11 OFSS 750/ / | ALL |
| D11044 T | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 33-43-11 OFSS 748/ / | ALL |
| D11046 | 1 | BACC63BP18C8SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 33-43-11 OFSS-750/ / | ALL |
| D11046 T | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 33-43-11 OFSS-748/ / | ALL |
| D11048 | 1 | BACC63BP10C5SN PLUG- | 81205 | 1 | 33-44-11 562/295/R030 | ALL |
| D11048 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 33-44-11 */*/ | ALL |
| D11050 | 1 | BACC63BP10C5SN PLUG- | 81205 | 1 | 33-44-11 649/164/L055 | YC051-YN236, YN501-YR328 |
| D11050 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 33-44-11 */*/ | YC051-YN236, YN501-YR328 |
| D11052 | 1 | BACC63BP14C4SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 33-43-11 OFSS 768/009/R013 | YC051-YC065 |
| D11052 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 33-43-11 */*/ | YC051-YC065 |
| D11054 | 1 | BACC63BP14C4SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 33-43-11 OFSS 811/009/R033 | YC051-YC065 |
| D11054 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 33-43-11 */*/ | YC051-YC065 |
| D11056 | 1 | BACC63BP14C4SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 33-43-11 OFSS 768/009/L013 | YC051-YC065 |
| D11056 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 33-43-11 */*/ | YC051-YC065 |
| D11058 | 1 | BACC63BP14C4SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 33-43-11 OFSS 811/009/L033 | YC051-YC065 |
| D11058 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 33-43-11 */*/ | YC051-YC065 |
| D11064 | 1 | BACC45FT22-55S9 PLUG-LAV A (P13-LIGHT) | 81205 | 1 | 33-29-11 305/289/L019 | YC051-YD158, YL951-YN260 |

EQUIPMENT LIST

D280A108

Section D11000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D11064 T | 1 | 450EB001C22-347 BACKSHELL- | 81205 | 1 | 33-29-11 */*/ | YC051-YD158, YL951-YN260 |
| D11066 | 1 | BACC45FT22-55S9 PLUG-LAV D (P14-LIGHT) | 81205 | 1 | 33-29-11 943/292/L019 | YC051-YD158, YL951-YN260 |
| D11066 T | 1 | BACC10JC22 CLAMP, 90 DEG | 81205 | 1 | 33-29-11 */*/ | YC051-YD158, YL951-YN260 |
| D11068 | 1 | BACC45FT24-61S6 PLUG-LAV A (P13-MISC ELEC) | 81205 | 1 | 23-42-11 305/289/L016 | YC051-YD158, YL951-YN260 |
| D11068 T | 1 | 450EB001C24-347 BACKSHELL- | 81205 | 1 | 23-42-11 */*/ | YC051-YD158, YL951-YN260 |
| D11070 | 1 | BACC45FT24-61S6 PLUG-LAV D (P14-MISC ELEC) | 81205 | 1 | 38-41-11 941/292/L020 | YC051-YD158, YL951-YN260 |
| D11070 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 38-41-11 */*/ | YC051-YD158, YL951-YN260 |
| D11072 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 350/222/R067 | ALL |
| D11073 | 1 | BACS16W5A SOCKET-RELAY | 81205 | 1 | 23-71-01 J022-00/180/L020 | YC051-YD157 |
| D11073 | 1 | BACS16W5A SOCKET-RELAY | 81205 | 1 | 23-71-01 J022-00/ / | YD158-YN236, YN501-YR328 |
| D11074 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 370/221/L069 | ALL |
| D11076 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-13 653/230/R071 | YN231-YN501 |
| D11078 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 653/230/L071 | YN231-YN501 |
| D11080 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 727F+11/175/R052 | YC051-YL999, YR301-YR328 |
| D11080 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 763/175/R052 | YN231-YN501 |
| D11082 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-13 727F+11/174/L052 | YC051-YL999, YR301-YR328 |
| D11082 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 751/174/L052 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D11000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D11084 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 997/238/R057 | ALL |
| D11086 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 996/240/L056 | ALL |
| D11088 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 367/290/L031 | YC051-YD157 |
| D11088 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 381/289/L031 | YD158-YD170 |
| D11090 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 468/290/L036 | YN231-YN260 |
| D11092 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 450/289/R035 | YC051-YD157 |
| D11092 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 450/291/R035 | YD158-YD170 |
| D11094 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 500A+12/290/R036 | YN231-YN260 |
| D11096 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 500B+8/290/L036 | YN231-YN260 |
| D11098 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-13 554/289/R035 | YC051-YD157 |
| D11098 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 554/289/R035 | YD158-YL999 |
| D11098 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 532/290/R036 | YN231-YN260 |

EQUIPMENT LIST

D280A108

Section D11000
Page 4 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D11100 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-13 727/290/L036 | YC051-YL999 |
| D11100 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 548/290/L036 | YN231-YN260 |
| D11102 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-13 612/290/R036 | YN231-YN260 |
| D11108 | 1 | BACC63BP10A5SN PLUG-RIGHT LOGO LIGHT | 81205 | 1 | 33-49-11 1224/294/R187 | ALL |
| D11108 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 33-49-11 */*/ | ALL |
| D11110 | 1 | BACC63BP10A5SN PLUG-LEFT LOGO LIGHT | 81205 | 1 | 33-49-11 1222/295/L190 | ALL |
| D11110 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 33-49-11 */*/ | ALL |
| D11114 | 1 | DPX3MA66565-252 PLUG PLATE ASSY | 71468 | 1 | 49-41-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D11114A | 1 | PARTAOFD11114 PLUG | | 1 | 49-41-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D11114B | 1 | PARTBOFD11114 PLUG | | 1 | 49-41-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D11114C | 1 | PARTCOFD11114 PLUG | | 1 | 49-41-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D11118 | 1 | BACC63CN2430SN RECP-CONDUCTIVE | 81205 | 1 | 49-41-11 1088/233/R014 | YC051-YD157 |
| D11118 | 1 | BACC63CN2430SN RECP-CONDUCTIVE | 81205 | 1 | 49-41-11 1089/229/R014 | YD158-YR328 |
| D11118 T | 1 | BACC10KA24 CLAMP, STRAIGHT | 81205 | 1 | 49-41-11 1088/233/R014 | YC051-YD157 |
| D11118 T | 1 | BACC10KA24 CLAMP, STRAIGHT | 81205 | 1 | 49-41-11 */*/ | YD158-YR328 |
| D11120 | 1 | BACC63BP12A3SN PLUG | 81205 | 1 | 32-41-11 707/117/L132 | ALL |
| D11122 | 1 | BACC63BP12A3SN PLUG | 81205 | 1 | 32-41-11 707/117/L94 | ALL |

EQUIPMENT LIST

D280A108

Section D11100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D11124 | 1 | BACC63BP12A3SN PLUG- | 81205 | 1 | 32-41-11 707/117/R94 | ALL |
| D11125 | | BACC45FT12-12S PLUG- | 81025 | 1 | 23-71-01 P005-88/ / | YN501-YR328 |
| D11125 | 1 | BACC45FT12-12S PLUG- | 81205 | 1 | 23-71-01 P005-88/ / | YC053-YN260 |
| D11126 | 1 | BACC63BP12A3SN PLUG | 81205 | 1 | 32-41-11 707/117/R132 | ALL |
| D11128 | 1 | BACC45FN16-24S RECP- | 81205 | 1 | 78-32-51 251/195/L003 | ALL |
| D11128 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 78-32-51 TBD/ / | YC051-YC055 |
| D11128 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 78-32-51 */*/ | YC056-YR328 |
| D11130 | 1 | BACC45FN14-15S RCPT | 81205 | 1 | 78-34-11 AB0250A/195/L005 | YC051-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D11130 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 78-34-11 P008/ / | YC051-YD158 |
| D11130 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 78-34-11 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D11131 | 1 | BACS16X4A SOCKET-RELAY | 81205 | 1 | 23-71-01 J022-00/ / | YC051-YN236, YN501-YR328 |
| D11132 | 1 | BACC45FN16-24S6 RECP- | 81205 | 1 | 78-32-61 251/197/L004 | ALL |
| D11132 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 78-32-61 */*/ | ALL |
| D11134 | 1 | BACC45FN14-15S6 RCPT- | 81205 | 1 | 78-34-21 251/197/L005 | YC051-YD158, YL951-YR328 |
| D11134 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 78-34-21 / / | YC051-YD158, YL951-YL952, YN231-YN260 |

EQUIPMENT LIST

D280A108

Section D11100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11134 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 78-34-21 */*/ | YL953-YL999, YN501-YR328 |
| D11138 | 1 | BACC45FT24-61S PLUG- | 81205 | 1 | 32-64-11 205/189/R022 | YC051-YD158, YL951-YR328 |
| D11138 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 32-31-11 */*/ | YC051-YD158, YL951-YR328 |
| D11140 | 1 | BACC45FT24-61S PLUG- | 81205 | 1 | 32-64-12 205/175/R017 | ALL |
| D11140 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 32-31-12 / / | YC051-YD158 |
| D11140 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 32-31-12 */*/ | YD160-YR328 |
| D11142 | 1 | BACC45FT24-61S6 PLUG- | 81205 | 1 | 32-31-11 205/187/R022 | YC051-YD158, YL951-YR328 |
| D11142 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 32-31-11 */*/ | YC051-YD158, YL951-YR328 |
| D11154 | 1 | BACS16AF1 SOCKET- | 81205 | 1 | 32-44-11 J00024/ / | ALL |
| D11158 | 1 | BACC63CC14-15S6 RCPT- | 81205 | 1 | 73-21-21 238/202/L005 | ALL |
| D11158 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 73-21-21 TBD/ / | ALL |
| D11160 | 1 | BACC63CC14-15S8 RCPT- | 81205 | 1 | 73-21-21 238/203/L005 | ALL |
| D11160 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 73-21-21 */*/ | ALL |
| D11162 | 1 | BACC63CC14-15S6 RCPT- | 81205 | 1 | 73-21-21 238/202/R5 | ALL |
| D11162 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 73-21-21 TBD/ / | ALL |
| D11164 | 1 | BACC63CC14-15S8 RCPT- | 81205 | 1 | 73-21-21 238/203/R5 | YC054-YL999, YR301-YR328 |
| D11164 | 1 | BACC63CC14-15S8 RCPT- | 81205 | 1 | 73-21-21 238/203/R005 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D11100

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D11164 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 73-21-21 TBD/ / | YC054-YL999, YR301-YR328 |
| D11164 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 73-21-21 */*/ | YN231-YN501 |
| D11173 | 1 | BACC45FT10-5S PLUG - NONCONDUCTIVE | 81205 | 1 | 23-42-13 923/289/R029 | YL951-YL999 |
| D11173 | 1 | BACC45FT10-5S PLUG | 81205 | 1 | 23-42-12 923/289/R029 | YR301-YR328 |
| D11173 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 23-42-13 */*/ | YL951-YL999 |
| D11173 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 23-42-12 */*/ | YR301-YR328 |
| D11179 | 1 | BACS16AH1 SOCKET 30 SEC DELAY RELAY | 81205 | 1 | 27-31-37 J011-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section D11100

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D11281 | 1 | DPXBMA-10-33P-0029 PLUG | 71468 | 1 | 34-24-15 E004-01/ / | YD158-YR328 |
| D11284 | 1 | BACC45FN20-25S RCPT- | 81205 | 1 | 25-51-21 727+4/172/L015 | YC051-YL999, YR301-YR328 |
| D11286 | 1 | BACC63CC14-15SN RECP-CONDUCTIVE | 81205 | 1 | 76-21-11 AF0213A/210/L001 | YC051-YC052 |
| D11286 | 1 | BACC63CC14-15SN RECP-CONDUCTIVE | 81205 | 1 | 76-21-11 213/210/L001 | YC053-YL957, YN231-YN235 |
| D11286 | 1 | BACC63CB14-15SN PLUG-CONDUCTIVE | 81205 | 1 | 76-21-11 213/210/L001 | YL958-YL999, YN236-YR328 |
| D11286 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 76-21-21 / / | YC051-YC055 |
| D11286 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 76-21-21 */ */ | YC056-YR328 |
| D11288 | 1 | BACC63CC14-15S6 RECP-CONDUCTIVE | 81205 | 1 | 76-21-11 213/210/R001 | YC051-YD158, YL951-YL957, YN231-YN235 |
| D11288 | 1 | BACC63CB14-15S6 PLUG-CONDUCTIVE | 81205 | 1 | 76-21-11 213/210/R001 | YL958-YL968, YN236, YN501- YR328 |
| D11288 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 76-21-21 / / | YC051-YD158 |
| D11288 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 76-21-21 */ */ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D11290 | 1 | BACC63CC14-15S7 RECP-CONDUCTIVE | 81205 | 1 | 76-21-21 AF0222A/ / | YC051-YD158, YL951-YL957, YN231-YN235 |
| D11290 | 1 | BACC63CB14-15S7 PLUG-CONDUCTIVE | 81205 | 1 | 76-21-21 AF0222A/ / | YL958-YL999, YN236-YR328 |
| D11290 T | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 76-21-21 / / | YC051-YD158, YL951-YR328 |
| D11292 | 1 | BACC63CC14-15S8 RECP-CONDUCTIVE | 81205 | 1 | 76-21-21 AF0222A/ */ | YC051-YC065 |

EQUIPMENT LIST

D280A108

Section D11200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D11292 | 1 | BACC63CC14-15S8 RECP-CONDUCTIVE | 81205 | 1 | 76-21-21 AF0222A/ / | YC067-YL957, YN231-YN235 |
| D11292 | 1 | BACC63CB14-15S8 PLUG-CONDUCTIVE | 81205 | 1 | 76-21-21 AF0222A/ / | YL958-YL999, YN236-YR328 |
| D11292 T | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 74-11-11 */*/ | ALL |
| D11294 | 1 | 00855-1727-0001 PLUG-LEFT PITOT HEATER | 04274 | 1 | 30-31-11 192/225/L32 | ALL |
| D11296 | 1 | 00855-1727-0001 PLUG-LEFT ELEVATOR PITOT HEATER | 04274 | 1 | 30-31-11 1071/388/L007 | ALL |
| D11298 | 1 | 00855-1727-0001 PLUG-LWR RIGHT PITOT HEATER | 04274 | 1 | 30-31-12 192/ / | YC051-YC052 |
| D11298 | 1 | 00855-1727-0001 PLUG-LWR RIGHT PITOT HEATER | 04274 | 1 | 30-31-12 193/214/R033 | YC053-YR328 |

EQUIPMENT LIST

D280A108

Section D11200
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D11300 | 1 | 00855-1727-0001 PLUG-UPPER RIGHT PITOT HEATER | 04274 | 1 | 30-31-12 192/ / | YC051-YC052 |
| D11300 | 1 | 00855-1727-0001 PLUG-UPPER RIGHT PITOT HEATER | 04274 | 1 | 30-31-12 193/226/R033 | YC053-YR328 |
| D11302 | 1 | 00855-1727-0001 PLUG-RIGHT ELEVATOR PITOT HEATER | 04274 | 1 | 30-31-12 1071/388/R007 | ALL |
| D11304 | 1 | BACC63CB18-31S6 PLUG | 81205 | 1 | 28-41-11 222/178/L021 | ALL |
| D11304 T | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 28-41-11 */*/ | ALL |
| D11306 | 1 | BACC63CB18-31SN PLUG | 81205 | 1 | 28-41-11 221/179/L019 | ALL |
| D11306 T | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 28-41-11 TBD/ / | ALL |
| D11308 | 1 | BACC63CB18-31S7 PLUG | 81205 | 1 | 28-41-11 223/178/L017 | ALL |
| D11308 T | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 28-41-11 */*/ | ALL |
| D11312 | 1 | S283A202-11 PLUG | 81205 | 1 | 28-41-11 OFSS-265/ / | YC051-YD158, YL951-YR328 |
| D11312 T | 1 | BACC10KE24 CLAMP, 90 DEG | 81205 | 1 | 28-41-11 OFSS-265/ / | YC051-YD158, YL951-YR328 |
| D11314 | 1 | S283A202-11 PLUG | 81205 | 1 | 28-41-11 OFSS 265/ / | YC051-YD158, YL951-YR328 |
| D11314 T | 1 | BACC10KE24 CLAMP, 90 DEG | 81205 | 1 | 28-41-11 OFSS 265/ / | YC051-YD158, YL951-YR328 |
| D11316 | 1 | S283A202-11 PLUG | 81205 | 1 | 28-41-11 666/185/L043 | YC051-YD158, YL951-YR328 |
| D11316 T | 1 | BACC10KE24 CLAMP, 90 DEG | 81205 | 1 | 28-41-11 TBD/ / | YC051-YC055 |
| D11316 T | 1 | BACC10KE24 CLAMP, 90 DEG | 81205 | 1 | 28-41-11 */*/ | YC056-YD158, YL951-YR328 |
| D11318 | 1 | BACC63BP16C24SN PLUG | 81205 | 1 | 28-44-12 P015-00/ / | YC051-YL954, YN231-YN235 |

EQUIPMENT LIST

D280A108

Section D11300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11318 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 28-44-12 P015-00/ / | YC051-YL954, YN231-YN235 |
| D11320 | 1 | BACC63BP16C24SN PLUG | 81205 | 1 | 28-44-12 P015-00/ / | YC051-YL954, YN231-YN235 |
| D11320 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 28-44-12 P015-00/ / | YC051-YL954, YN231-YN235 |
| D11322 | 1 | BACC63BP16C24SN PLUG | 81205 | 1 | 28-44-12 P015-00/ / | YC051-YL954, YN231-YN235 |
| D11322 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 28-44-12 P015-00/ / | YC051-YL954, YN231-YN235 |
| D11326 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-13 727D/290/L036 | YC051-YL999 |
| D11326 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 628/290/L036 | YN231-YN260 |
| D11328 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-13 692/290/R036 | YN231-YN260 |
| D11330 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-13 706/290/L035 | YN231-YN260 |
| D11332 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 727B+5/290/R036 | YN231-YN260 |
| D11334 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 727G+15/290/L036 | YC051-YL999 |
| D11334 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-13 727C+1/290/L036 | YN231-YN260 |
| D11336 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 752/290/R036 | YN231-YN260 |
| D11338 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 767/289/L035 | YC051-YL999 |
| D11338 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 767/289/L035 | YN231-YN260 |
| D11344 | 1 | AMC02RA03W RCPT- | 05574 | 23 | 33-51-21 MULTI/ / | YC051-YC058 |
| D11352 | 1 | BACC63CB8-2SN PLUG | 81205 | 1 | 28-41-11 221/178/L018 | ALL |

EQUIPMENT LIST

D280A108

Section D11300

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D11352 T | 1 | BACC10KD8 CLAMP, STRAIGHT | 81205 | 1 | 28-41-11 */ */ | ALL |
| D11354 | 1 | BACC63CB8-2S6 PLUG | 81205 | 1 | 28-41-11 223/178/L021 | ALL |
| D11354 T | 1 | BACC10KD8 CLAMP, STRAIGHT | 81205 | 1 | 28-41-11 TBD / / | ALL |
| D11356 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-26-31 370/291/L000 | YC051-YN260 |
| D11358 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-26-31 911/292/L001 | YC051-YN260 |
| D11360 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 21-61-21 373/196/L058 | YN231-YN501 |
| D11360 T | 1 | BACC10JC10 CLAMP, 90 DEG | 81205 | 1 | 21-61-21 */ */ | YN231-YN501 |
| D11362 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 21-61-22 532/299/R010 | YN231-YN501 |
| D11366 | 1 | AMC02PA03R PLUG- | 05574 | 1 | 35-21-21 314/286/L027 | YC051-YD151 |
| D11366 | 1 | AMC02PA03R PLUG- | 05574 | 1 | 35-21-21 317/286/L027 | YD152-YR328 |
| D11368 | 1 | AMC02PA03R PLUG- | 05574 | 1 | 35-21-21 962/291/L025 | ALL |
| D11370 | 1 | BACS16X1A SOCKET-STANDBY SHUTOFF VLV IND RLY R625 | 81205 | 1 | 29-25-11 J011-00 / / | ALL |
| D11372 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-31 381/290/R012 | YC051-YD151 |
| D11372 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-31 381/290/R012 | YD152-YN260 |
| D11382 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-22 899/290/R010 | YC051-YD151 |
| D11382 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-22 899/290/R010 | YD152-YN260 |
| D11384 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-31 383/290/L012 | YC051-YD151 |

EQUIPMENT LIST

D280A108

Section D11300

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D11384 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-31 383/290/L012 | YD152-YN260 |
| D11394 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-22 897/290/L010 | YC051-YD151 |
| D11394 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-22 897/290/L010 | YD152-YN260 |
| D11396 | 1 | MB12P-1 PLUG- | 09922 | 1 | 33-26-21 321/292/R023 | ALL |
| D11398 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-26-21 324/291/R023 | YC051-YD151 |
| D11398 | 1 | BACC65AL803S PLUG- | 81205 | 1 | 33-26-21 324/291/R023 | YD152-YR328 |

EQUIPMENT LIST

D280A108

Section D11300
Page 4 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11400 | 1 | 002368-0802 RCPT- | 81205 | 1 | 33-26-21 324/292/R024 | ALL |
| D11402 | 1 | BACS16AF1 SOCKET- | 81205 | 1 | 32-41-11 J00024/ / | ALL |
| D11404 | 1 | BACS16AF1 RELAY SOCKET | 81205 | 1 | 32-41-11 J022-00/ / | YC051-YN236, YN501-YR328 |
| D11406 | 1 | BACS16AF1 RELAY SOCKET | 81205 | 1 | 32-41-11 J022-00/ / | YC051-YN236, YN501-YR328 |
| D11409 | 1 | BACC63BP10C5SN PLUG | 81205 | 1 | 27-32-31 1083/266/L029 | YC051-YN236, YN501-YR328 |
| D11409 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-32-31 1083/ / | YC051-YC052 |
| D11409 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-32-31 1083/266/L029 | YC053-YC064 |
| D11409 T | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-32-31 1083/266/L29 | YC065-YN236, YN501-YR328 |
| D11412 | 1 | BACC63CE24-10P PLUG- | 81205 | 1 | 24-51-11 P91/ / | YC051-YC055 |
| D11412 | 1 | BACC63CE24-10P PLUG- | 81205 | 1 | 24-51-11 378/179/L043 | YC056-YR328 |
| D11414 | 1 | BACC63CE24-10PW PLUG- | 81205 | 1 | 24-51-11 377 P91/179/L45 | YC051-YC055 |
| D11414 | 1 | BACC63CE24-10PW PLUG- | 81205 | 1 | 24-51-11 378/179/L046 | YC056-YD158, YL951-YR328 |
| D11416 | 1 | BACC45FT24-43P PLUG- | 81205 | 1 | 24-52-11 P091-00/ / | ALL |
| D11416 T | 1 | BACC10JS24 CLAMP, STRAIGHT | 81205 | 1 | 24-52-11 */*/ | ALL |
| D11418 | 1 | BACC45FT16-24P PLUG- | 81205 | 1 | 21-42-11 378/176/L043 | ALL |
| D11418 T | 1 | BACC10JC16 CLAMP, 90 DEG | 81205 | 1 | 21-42-11 */*/ | ALL |
| D11420 | 1 | BACC63CE24-11S PLUG- | 81205 | 1 | 24-52-11 378/177/L047 | ALL |

EQUIPMENT LIST

D280A108

Section D11400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D11422 | 1 | BACC45FT14-7P6 PLUG- | 81205 | 1 | 21-27-21 378/177/L045 | ALL |
| D11422 T | 1 | BACC10JC14 CLAMP, 90 DEG | 81205 | 1 | 21-27-21 */*/ | ALL |
| D11423 | 1 | MS3126F12-10S PLUG | 81205 | 1 | 23-70-11 341/288/L027 | YN501-YR328 |
| D11424 | 1 | BACC63CE24-10PZ PLUG- | 81205 | 1 | 24-34-11 377 P91/173/L42 | YC051-YC055 |
| D11424 | 1 | BACC63CE24-10PZ PLUG- | 81205 | 1 | 24-34-11 378/174/L043 | YC056-YR328 |
| D11426 | 1 | BACC63CE24-10S PLUG- | 81205 | 1 | 24-32-11 P091-00/ / | ALL |
| D11428 | 1 | BACC63CE24-11P PLUG- | 81205 | 1 | 29-11-12 P091-00/ / | YC051-YL968, YN231-YN236, YN501-YR323, YR325-YR328 |
| D11428 T | 1 | BACC10HV24 CLAMP, STRAIGHT | 81205 | 1 | 29-11-12 388/179/L46 | YC051-YD158, YN231-YN236, YN501 |
| D11428 T | 1 | BACC10HV24 CLAMP, STRAIGHT | 81205 | 1 | 29-11-12 */*/ | YD160-YL968, YR301-YR323, YR325-YR328 |
| D11430 | 1 | BACC63CE24-10PW PLUG- | 81205 | 1 | 25-31-11 P091-00/ / | ALL |
| D11430 T | 1 | BACC10HV24 CLAMP, STRAIGHT | 81205 | 1 | 25-31-11 */*/ | ALL |
| D11432 | 1 | BACC45FT24-61P PLUG- | 81205 | 1 | 24-24-11 P091-00/ / | ALL |
| D11434 | 1 | BACC45FT24-43P PLUG | 81205 | 1 | 24-32-11 P091-00/ / | ALL |
| D11436 | 1 | BACC45FT16-24P6 PLUG- | 81205 | 1 | 24-22-31 P091-00/ / | ALL |
| D11438 | 1 | BACC45FT16-10P PLUG- | 81205 | 1 | 24-21-31 P091-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section D11400

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D11440 | 1 | BACC63CE24-10P PLUG- | 81205 | 1 | 24-61-11 P092/ / | ALL |
| D11442 | 1 | BACC63CE24-10PW PLUG- | 81205 | 1 | 24-51-21 P092/ / | ALL |
| D11444 | 1 | BACC63CE24-10PZ PLUG- | 81205 | 1 | 24-51-21 P092/ / | ALL |
| D11446 | 1 | BACC45FT14-4P PLUG- | 81205 | 1 | 24-52-11 378/177/R42 | ALL |
| D11446 T | 1 | 450EB001C14-347 BACKSHELL | 81205 | 1 | 24-51-11 P92/ / | ALL |
| D11448 | 1 | BACC45FT24-43P PLUG- | 81205 | 1 | 24-41-11 P092/176/R039 | ALL |
| D11448 T | 1 | BACC10JS24 CLAMP, STRAIGHT | 81205 | 1 | 24-41-11 */*/ | ALL |
| D11450 | 1 | BACC63CE24-11S PLUG- | 81205 | 1 | 24-32-11 378 P92/177/R44 | YC051-YD153 |
| D11450 | 1 | BACC63CE24-11S PLUG- | 81205 | 1 | 24-32-11 378 P92/177/R044 | YD154-YD157 |
| D11450 | 1 | BACC63CE24-11S PLUG- | 81205 | 1 | 24-32-11 378/177/R044 | YD158-YR328 |
| D11450 T | 1 | BACC10HV24 CLAMP, STRAIGHT | 81205 | 1 | 24-32-11 */*/ | ALL |
| D11452 | 1 | BACC45FT24-43P6 PLUG- | 81205 | 1 | 33-23-21 P092-00/174/R039 | ALL |
| D11452 T | 1 | BACC10GH24 BACKSHELL- | 81205 | 1 | 33-23-21 */*/ | ALL |
| D11454 | 1 | BACC45FT24-61P PLUG | 81205 | 1 | 24-22-21 P092-00/179/R039 | ALL |
| D11456 | 1 | BACC63CE24-11P PLUG- | 81205 | 1 | 29-11-12 P092-00/ / | YC051-YL968, YN231-YN236, YN501-YR323, YR325-YR328 |
| D11458 | 1 | BACC63CE24-10P PLUG- | 81205 | 1 | 25-31-11 388/179/R039 | ALL |

EQUIPMENT LIST

D280A108

Section D11400

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D11458 T | 1 | BACC10HV24 CLAMP, STRAIGHT | 81205 | 1 | 25-31-11 */*/ | ALL |
| D11460 | 1 | S280W557-121 PLUG- | 81205 | 1 | 33-29-11 972/292/R007 | YC051-YD151 |
| D11460 | 1 | BACC65AJ121S PLUG- | 81205 | 1 | 33-29-11 972/292/R007 | YD152-YN260 |
| D11462 | 1 | S280W557-221 RCPT- | 81205 | 1 | 33-29-11 973/292/R008 | YC051-YD151 |
| D11462 | 1 | BACC65AK221P RCPT- | 81205 | 1 | 33-29-11 973/292/R008 | YD152-YN260 |
| D11464 | 1 | MB12P-1 PLUG- | 09922 | 1 | 33-29-11 972/293/L005 | YC051-YN260 |
| D11470 | 1 | AMC02PA03R PLUG- | 05574 | 1 | 30-71-11 868/179/L043 | YC051-YN236, YN501-YR328 |
| D11478 | 1 | DPX2MA-67SD8S-33B-0001 PLUG PLATE ASSY | 71468 | 1 | 49-41-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D11478A | 1 | PARTAOFD11478 PLUG | | 1 | 49-41-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D11478B | 1 | PARTBOFD11478 PLUG | | 1 | 49-41-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D11480 | 1 | AMC02PA03R PLUG- | 05574 | 1 | 35-21-21 962/291/R026 | ALL |

EQUIPMENT LIST

D280A108

Section D11400
Page 4 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11500 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 360/274/L051 | YC051-YD151 |
| D11500 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 367/272/L055 | YD152-YR328 |
| D11500 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11502 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 380/274/L051 | YC051-YD151 |
| D11502 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 374/272/L056 | YD152-YL999, YR301-YR328 |
| D11502 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 370/274/L051 | YN231-YN501 |
| D11502 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11504 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 400/274/L051 | YC051-YD151 |
| D11504 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 402/278/L050 | YD152-YL999, YR301-YR328 |
| D11504 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 390/274/L051 | YN231-YN501 |
| D11504 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11506 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 430/274/L051 | YC051-YL999, YR301-YR328 |
| D11506 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 410/274/L051 | YN231-YN501 |
| D11506 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11508 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 450/274/L051 | YC051-YL999, YR301-YR328 |
| D11508 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 430/274/L051 | YN231-YN501 |
| D11508 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |

EQUIPMENT LIST

D280A108

Section D11500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11510 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 470/274/L051 | YC051-YL999, YR301-YR328 |
| D11510 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 450/274/L051 | YN231-YN501 |
| D11510 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11512 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 490/274/L051 | YC051-YL999, YR301-YR328 |
| D11512 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 478/274/L051 | YN231-YN501 |
| D11512 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11514 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 500+10/274/L051 | YC051-YL999, YR301-YR328 |
| D11514 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 498/274/L051 | YN231-YN501 |
| D11514 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11516 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 500A+12/274/L051 | YC051-YL999, YR301-YR328 |
| D11516 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 500A+14/274/L051 | YN231-YN501 |
| D11516 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11518 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 500B+12/274/L051 | YC051-YL999, YR301-YR328 |
| D11518 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 500C+2/274/L051 | YN231-YN501 |
| D11518 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11520 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 500C+12/274/L051 | YC051-YL999, YR301-YR328 |
| D11520 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 500D+19/277/L053 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D11500

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11520 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11522 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 500D+12/274/L051 | YC051-YL999, YR301-YR328 |
| D11522 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | YC051-YL999, YR301-YR328 |
| D11524 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 500E+16/274/L051 | YC051-YL999, YR301-YR328 |
| D11524 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | YC051-YL999, YR301-YR328 |
| D11526 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 500F+14/274/L051 | YC051-YL999, YR301-YR328 |
| D11526 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | YC051-YL999, YR301-YR328 |
| D11528 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 500G+10/274/L051 | YC051-YL999, YR301-YR328 |
| D11528 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | YC051-YL999, YR301-YR328 |
| D11530 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 500H+10/274/L051 | YC051-YD151 |
| D11530 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 500H+6/274/L052 | YD152-YL999, YR301-YR328 |
| D11530 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 551/279/L055 | YN231-YN501 |
| D11530 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11532 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 520/274/L051 | YC051-YD151 |
| D11532 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 500I+16/273/L054 | YD152-YL999, YR301-YR328 |
| D11532 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 566/274/L051 | YN231-YN501 |
| D11532 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |

EQUIPMENT LIST

D280A108

Section D11500

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11534 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 545/274/L051 | YC051-YD151 |
| D11534 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 531/273/L054 | YD152-YL999, YR301-YR328 |
| D11534 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 594/274/L051 | YN231-YN501 |
| D11534 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11536 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 565/274/L051 | YC051-YL999, YR301-YR328 |
| D11536 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 622/274/L051 | YN231-YN501 |
| D11536 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11538 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 588/274/L051 | YC051-YL999, YR301-YR328 |
| D11538 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 650/274/L051 | YN231-YN501 |
| D11538 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11540 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 611/274/L051 | YC051-YL999, YR301-YR328 |
| D11540 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 678/274/L051 | YN231-YN501 |
| D11540 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11542 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 630/274/L051 | YC051-YL999, YR301-YR328 |
| D11542 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 700/274/L051 | YN231-YN501 |
| D11542 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11544 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 660/274/L051 | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D11500

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11544 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727+19/272/L057 | YN231-YN501 |
| D11544 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11546 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 680/274/L051 | YC051-YL999, YR301-YR328 |
| D11546 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727A+15/274/L051 | YN231-YN501 |
| D11546 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11548 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 700/274/L051 | YC051-YL999, YR301-YR328 |
| D11548 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727C+13/274/L051 | YN231-YN501 |
| D11548 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11550 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 718/274/L051 | YC051-YD151 |
| D11550 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 726/272/L054 | YD152-YL999, YR301-YR328 |
| D11550 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727D+11/274/L051 | YN231-YN501 |
| D11550 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11552 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727+10/274/L051 | YC051-YL999, YR301-YR328 |
| D11552 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727E+14/272/L058 | YN231-YN501 |
| D11552 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11554 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727A+10/274/L051 | YC051-YD151 |
| D11554 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727A+16/272/L054 | YD152-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D11500

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11554 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | YC051-YL999, YR301-YR328 |
| D11556 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727B+10/274/L051 | YC051-YL999, YR301-YR328 |
| D11556 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | YC051-YL999, YR301-YR328 |
| D11558 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727C+10/274/L051 | YC051-YL999, YR301-YR328 |
| D11558 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | YC051-YL999, YR301-YR328 |
| D11560 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727D+10/274/L051 | YC051-YL999, YR301-YR328 |
| D11560 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | YC051-YL999, YR301-YR328 |
| D11562 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727E+10/274/L051 | YC051-YL999, YR301-YR328 |
| D11562 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | YC051-YL999, YR301-YR328 |
| D11564 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727F+10/274/L051 | YC051-YL999, YR301-YR328 |
| D11564 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 780/274/L051 | YN231-YN501 |
| D11564 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11566 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 727G+10/274/L051 | YC051-YD151 |
| D11566 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 727G+12/272/L054 | YD152-YL999, YR301-YR328 |
| D11566 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-11 815/269/L061 | YN231-YN501 |
| D11566 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11568 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727H+10/274/L051 | YC051-YD151 |

EQUIPMENT LIST

D280A108

Section D11500

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11568 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727H+8/272/L054 | YD152-YL999, YR301-YR328 |
| D11568 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 830/274/L051 | YN231-YN501 |
| D11568 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11570 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727I+10/274/L051 | YC051-YD151 |
| D11570 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727I+16/272/L054 | YD152-YL999, YR301-YR328 |
| D11570 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 866/273/L053 | YN231-YN501 |
| D11570 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11572 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727J+10/274/L051 | YC051-YD151 |
| D11572 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 727J+8/272/L054 | YD152-YL999, YR301-YR328 |
| D11572 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 898/274/L056 | YN231-YN501 |
| D11572 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11574 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 757/274/L051 | YC051-YD151 |
| D11574 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 763/272/L054 | YD152-YL999, YR301-YR328 |
| D11574 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | YC051-YL999, YR301-YR328 |
| D11576 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 785/274/L051 | YC051-YD151 |
| D11576 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 775/272/L054 | YD152-YL999, YR301-YR328 |
| D11576 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 914/274/L051 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D11500

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11576 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11578 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 802/274/L051 | YC051-YL999, YR301-YR328 |
| D11578 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 943/277/L050 | YN231-YN501 |
| D11578 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-11 */*/ | ALL |
| D11580 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 822/274/L051 | YC051-YL999, YR301-YR328 |
| D11580 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-12 */*/ | YC051-YL999, YR301-YR328 |
| D11582 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 842/274/L051 | YC051-YL999, YR301-YR328 |
| D11582 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-12 */*/ | YC051-YL999, YR301-YR328 |
| D11584 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 865/274/L051 | YC051-YL999, YR301-YR328 |
| D11584 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-12 */*/ | YC051-YL999, YR301-YR328 |
| D11586 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 890/274/L051 | YC051-YD151 |
| D11586 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 898/274/L056 | YD152-YL999, YR301-YR328 |
| D11586 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-12 */*/ | YC051-YL999, YR301-YR328 |
| D11588 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 924/274/L051 | YC051-YL999, YR301-YR328 |
| D11588 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-12 */*/ | YC051-YL999, YR301-YR328 |
| D11590 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 937/274/L051 | YC051-YD151 |
| D11590 | 1 | BACC45FN18-14S RCPT-PSU LEFT | 81205 | 1 | 33-23-12 943/277/L050 | YD152-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D11500

Page 8

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11590 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-12 */*/ | YC051-YL999, YR301-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D11500

Page 9 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11600 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 360/274/R051 | YC051-YL999, YR301-YR328 |
| D11600 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 361/273/R049 | YN231-YN501 |
| D11600 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/* | ALL |
| D11602 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 380/274/R051 | YC051-YD151 |
| D11602 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 391/273/R051 | YD152-YL999, YR301-YR328 |
| D11602 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 381/275/R052 | YN231-YN501 |
| D11602 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/* | ALL |
| D11604 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 400/274/R051 | YC051-YD151 |
| D11604 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 410/273/R052 | YD152-YL999, YR301-YR328 |
| D11604 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 383/275/R052 | YN231-YN501 |
| D11604 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/* | ALL |
| D11606 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 430/274/R051 | YC051-YD170 |
| D11606 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 431/273/R052 | YL951-YL999, YR301-YR328 |
| D11606 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 410/274/R051 | YN231-YN501 |
| D11606 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/* | ALL |
| D11608 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 450/274/R051 | YC051-YL999, YR301-YR328 |
| D11608 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 436/276/R053 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D11600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11608 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/ | ALL |
| D11610 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 470/274/R051 | YC051-YL999, YR301-YR328 |
| D11610 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 450/274/R051 | YN231-YN501 |
| D11610 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/ | ALL |
| D11612 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 490/274/R051 | YC051-YL999, YR301-YR328 |
| D11612 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 478/274/R051 | YN231-YN501 |
| D11612 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/ | ALL |
| D11613 | 1 | BACC63BV10F5SN RCPT - CONDUCTIVE | 81205 | 1 | 22-11-81 1142/ / | YC064 |
| D11613 | 1 | BACC63BV10F5SN RCPT - CONDUCTIVE | 81205 | 1 | 22-11-81 RUD77.0/ / | YC065-YD158, YL951-YR328 |
| D11613 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-11-81 */*/ | YC064-YD158, YL951-YR328 |
| D11614 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 500+10/274/R051 | YC051-YL999, YR301-YR328 |
| D11614 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 498/274/R051 | YN231-YN501 |
| D11614 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/ | ALL |
| D11615 | 1 | BACC63BV10F5SN RCPT - CONDUCTIVE | 81205 | 1 | 22-11-81 1144/ / | YC064 |
| D11615 | 1 | BACC63BV10F5SN RCPT - CONDUCTIVE | 81205 | 1 | 22-11-81 RUD77.0/ / | YC065-YD158, YL951-YR328 |
| D11615 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 22-11-81 */*/ | YC064-YD158, YL951-YR328 |
| D11616 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 500A+12/274/R051 | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D11600

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11616 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 500A+14/274/R051 | YN231-YN501 |
| D11616 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/ | ALL |
| D11617 | 1 | BACC63BP16C24SN PLUG - CONDUCTIVE | 81205 | 1 | 22-11-81 1135/ / | YC064 |
| D11617 | 1 | BACC63BP16C24SN PLUG - CONDUCTIVE | 81205 | 1 | 22-11-81 RUD82.0/ / | YC065-YD158, YL951-YR328 |
| D11617 T | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 22-11-81 */*/ | YC064-YD158, YL951-YR328 |
| D11618 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 500B+12/274/R051 | YC051-YL999 |
| D11618 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 500C+10/273/R055 | YN231-YN501 |
| D11618 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 500B+12/273/R051 | YR301-YR328 |
| D11618 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/ | ALL |
| D11619 | 1 | BACC63BP16C24SN PLUG - CONDUCTIVE | 81205 | 1 | 22-11-81 1134/ / | YC064 |
| D11619 | 1 | BACC63BP16C24SN PLUG - CONDUCTIVE | 81205 | 1 | 22-11-81 RUD82.0/ / | YC065-YD158, YL951-YR328 |
| D11619 T | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 22-11-81 */*/ | YC064-YD158, YL951-YR328 |
| D11620 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 500C+12/274/R051 | YC051-YL999, YR301-YR328 |
| D11620 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 500D+10/274/R051 | YN231-YN501 |
| D11620 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/ | ALL |
| D11622 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 500D+12/274/R051 | YC051-YL999, YR301-YR328 |
| D11622 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/ | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D11600

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11624 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 500E+16/274/R051 | YC051-YL999, YR301-YR328 |
| D11624 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/ | YC051-YL999, YR301-YR328 |
| D11626 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 500F+14/274/R051 | YC051-YL999, YR301-YR328 |
| D11626 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/ | YC051-YL999, YR301-YR328 |
| D11628 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 500G+10/274/R051 | YC051-YL999, YR301-YR328 |
| D11628 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/ | YC051-YL999, YR301-YR328 |
| D11630 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 500H+10/274/R051 | YC051-YL999, YR301-YR328 |
| D11630 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 559/274/R051 | YN231-YN501 |
| D11630 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/ | ALL |
| D11632 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 520/274/R051 | YC051-YD151 |
| D11632 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 500I+16/273/R054 | YD152-YL999, YR301-YR328 |
| D11632 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 566/274/R051 | YN231-YN501 |
| D11632 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-21 */*/ | ALL |
| D11634 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 545/274/R051 | YC051-YL999, YR301-YR328 |
| D11634 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-21 594/274/R051 | YN231-YN501 |
| D11634 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11636 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 565/274/R051 | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D11600

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11636 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 622/274/R051 | YN231-YN501 |
| D11636 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11638 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 588/274/R051 | YC051-YL999, YR301-YR328 |
| D11638 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 650/274/R051 | YN231-YN501 |
| D11638 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11640 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 611/274/R051 | YC051-YL999, YR301-YR328 |
| D11640 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 678/274/R051 | YN231-YN501 |
| D11640 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11642 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 630/274/R051 | YC051-YL999, YR301-YR328 |
| D11642 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 712/273/R060 | YN231-YN501 |
| D11642 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11644 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 660/274/R051 | YC051-YL999, YR301-YR328 |
| D11644 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727+19/271/R058 | YN231-YN501 |
| D11644 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11646 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 680/274/R051 | YC051-YL999, YR301-YR328 |
| D11646 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727A+15/274/R051 | YN231-YN501 |
| D11646 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |

EQUIPMENT LIST

D280A108

Section D11600

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11648 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 700/274/R051 | YC051-YL999, YR301-YR328 |
| D11648 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727C+13/274/R051 | YN231-YN501 |
| D11648 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11650 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 718/274/R051 | YC051-YD151 |
| D11650 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 726/273/R054 | YD152-YL999, YR301-YR328 |
| D11650 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727D+11/274/R051 | YN231-YN501 |
| D11650 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11652 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727+10/274/R051 | YC051-YL999, YR301-YR328 |
| D11652 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 764/273/R058 | YN231-YN501 |
| D11652 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11654 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727A+10/274/R051 | YC051-YD151 |
| D11654 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727A+16/272/R054 | YD152-YL999, YR301-YR328 |
| D11654 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | YC051-YL999, YR301-YR328 |
| D11656 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727B+10/274/R051 | YC051-YL999, YR301-YR328 |
| D11656 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | YC051-YL999, YR301-YR328 |
| D11658 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727C+10/274/R051 | YC051-YD151 |
| D11658 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727C+18/272/R054 | YD152-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D11600

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11658 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | YC051-YL999, YR301-YR328 |
| D11660 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727D+10/274/R051 | YC051-YL999, YR301-YR328 |
| D11660 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | YC051-YL999, YR301-YR328 |
| D11662 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727E+10/274/R051 | YC051-YD151 |
| D11662 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727E+18/272/R054 | YD152-YL999, YR301-YR328 |
| D11662 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | YC051-YL999, YR301-YR328 |
| D11664 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727F+10/274/R051 | YC051-YL999, YR301-YR328 |
| D11664 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 774/274/R051 | YN231-YN501 |
| D11664 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11666 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727G+10/274/R051 | YC051-YD151 |
| D11666 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727G+18/272/R054 | YD152-YL999, YR301-YR328 |
| D11666 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 802/274/R051 | YN231-YN501 |
| D11666 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11668 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727H+10/274/R051 | YC051-YL999, YR301-YR328 |
| D11668 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 830/274/R051 | YN231-YN501 |
| D11668 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11670 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727I+10/274/R051 | YC051-YD151 |

EQUIPMENT LIST

D280A108

Section D11600

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11670 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727I+16/272/R054 | YD152-YL999, YR301-YR328 |
| D11670 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 862/273/R057 | YN231-YN501 |
| D11670 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11672 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 727J+10/274/R051 | YC051-YL999, YR301-YR328 |
| D11672 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 872/273/R056 | YN231-YN501 |
| D11672 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11674 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 757/274/R051 | YC051-YD151 |
| D11674 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 763/272/R054 | YD152-YL999, YR301-YR328 |
| D11674 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | YC051-YL999, YR301-YR328 |
| D11676 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 785/274/R051 | YC051-YL999, YR301-YR328 |
| D11676 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 914/274/R051 | YN231-YN501 |
| D11676 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11678 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 802/274/R051 | YC051-YL999, YR301-YR328 |
| D11678 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 932/274/R051 | YN231-YN501 |
| D11678 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | ALL |
| D11680 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 822/274/R051 | YC051-YL999, YR301-YR328 |
| D11680 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/ | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D11600

Page 8

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11682 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 842/274/R051 | YC051-YL999, YR301-YR328 |
| D11682 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/* | YC051-YL999, YR301-YR328 |
| D11684 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 865/274/R051 | YC051-YL999, YR301-YR328 |
| D11684 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/* | YC051-YL999, YR301-YR328 |
| D11686 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 890/274/R051 | YC051-YL999, YR301-YR328 |
| D11686 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/* | YC051-YL999, YR301-YR328 |
| D11688 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 924/274/R051 | YC051-YL999, YR301-YR328 |
| D11688 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/* | YC051-YL999, YR301-YR328 |
| D11690 | 1 | BACC45FN18-14S RCPT-PSU RIGHT | 81205 | 1 | 33-23-22 937/274/R051 | YC051-YL999, YR301-YR328 |
| D11690 T | 1 | 69-74374-3 PSU BRACKET | 81205 | 1 | 33-23-22 */*/* | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D11600
Page 9 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D11702 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 38-32-12 862/198/L019 | ALL |
| D11702 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 38-32-12 */*/ | ALL |
| D11712 | 1 | DSXN2PS8SS36C7P7301 PLUG PLATE ASSY | 71468 | 1 | 24-31-11 P006-00/ / | ALL |
| D11712A | 1 | PARTAOFD11712 MATING CONNECTOR | | 1 | 24-31-11 P006-00/ / | ALL |
| D11712B | 1 | PARTBOFD11712 MATING CONNECTOR | | 1 | 24-32-11 P006-00/ / | ALL |
| D11714 | 1 | DSXN2PS36C7PS67S7301 PLUG PLATE ASSY | 71468 | 1 | 24-31-11 P006-00/ / | ALL |
| D11714A | 1 | PARTAOFD11714 MATING CONNECTOR | | 1 | 24-28-11 P006-00/ / | ALL |
| D11714B | 1 | PARTBOFD11714 MATING CONNECTOR | | 1 | 24-31-11 P006-00/ / | ALL |
| D11716 | 1 | BACC45FN8-3S RCPT- | 81205 | 1 | 38-32-12 868/178/L040 | ALL |
| D11718 | 1 | BACC45FT18-8S PLUG- | 81205 | 1 | 38-32-12 856/190/L043 | YC051-YL968, YN231-YN236, YN501-YR323, YR325-YR328 |
| D11718 T | 1 | BACC10GH18 BACKSHELL- | 81205 | 1 | 38-32-12 856/190/L043 | YC051-YD158, YN231-YN236, YN501 |
| D11718 T | 1 | BACC10GH18 BACKSHELL- | 81205 | 1 | 38-32-12 */*/ | YD160-YL968, YR301-YR323, YR325-YR328 |
| D11722 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-25-21 352/279/L030 | YC051-YD151, YL951-YR328 |
| D11722 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-25-21 368/289/L032 | YD152-YD170 |
| D11728 | 1 | BACC63BV10B5SN RCPT- | 81205 | 1 | 31-53-11 678/195/R063 | YC051-YD158, YL951-YR323, YR325-YR328 |

EQUIPMENT LIST

D280A108

Section D11700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D11728 T | 1 | BACC10KB10 CLAMP, 90 DEG | 81205 | 1 | 31-53-11 */ */ | YC051-YD158, YL951-YR323, YR325-YR328 |
| D11730 | 1 | BACC63BP12C3SN PLUG-CONDUCTIVE | 81205 | 1 | 27-62-21 673/196/R060 | YC051-YD158 |
| D11730 | 1 | BACC63BP12H3SN PLUG-CONDUCTIVE | 81205 | 1 | 27-62-21 673/196/R060 | YD160-YR328 |
| D11730 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 27-62-21 TBD/ / | YC051-YD152 |
| D11730 T | 1 | BACC10KF12 CLAMP, 45 DEG | 81205 | 1 | 27-62-21 */ */ | YD153-YD158 |
| D11730 T | 1 | 620AB049C12 BACKSHELL-CONDUCTIVE 45 DEG | 81205 | 1 | 27-62-21 */ */ | YD160-YR328 |
| D11732 | 1 | BACC45FT18-31S PLUG | 81205 | 1 | 32-64-11 P002-03/ / | YC051-YD158, YL951-YR328 |
| D11732 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 32-64-11 */ */ | YC051-YC052, YD158 |
| D11732 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 32-64-11 */ / | YC053-YD157, YL951-YR328 |
| D11734 | 1 | BACC63CM0803SN PLUG-CONDUCTIVE | 81205 | 1 | 32-35-11 680/197/L049 | YC051-YR323, YR325-YR328 |
| D11734 T | 1 | BACC10KB08 CLAMP, 90 DEG | 81205 | 1 | 32-35-11 */ */ | YC051-YR323, YR325-YR328 |
| D11736 | 1 | BACC63CE22-2S PLUG- | 81205 | 1 | 24-32-11 P92 388/ / | ALL |
| D11738 | 1 | BACC45FT24-43P7 PLUG | 81205 | 1 | 24-32-11 388/388/L42 | YC051-YC055 |
| D11738 | 1 | BACC45FT24-43P7 PLUG | 81205 | 1 | 24-32-11 P92 388/175/R42 | YC056-YD157 |
| D11738 | 1 | BACC45FT24-43P7 PLUG | 81205 | 1 | 24-32-11 P92 388/ / | YD158-YR328 |
| D11740 | 1 | BACC63CE22-2P PLUG- | 81205 | 1 | 29-22-11 388/176/R039 | ALL |

EQUIPMENT LIST

D280A108

Section D11700

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11756 | 1 | BACS16W1A CONNECTOR | 81205 | 1 | 24-23-51 P006-00/ / | ALL |
| D11758 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 438/203/L011 | YC051-YL999, YR301-YR328 |
| D11758 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 433/203/L010 | YN231-YN501 |
| D11760 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 469/203/L010 | YC051-YC055 |
| D11760 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 469/203/L006 | YC056-YR328 |
| D11764 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 509/203/L010 | ALL |
| D11766 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 500A+13/203/R012 | YN231-YN501 |
| D11768 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 500B+09/203/L010 | YN231-YN501 |
| D11770 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-12 727A+10/205/R019 | YC051-YN236, YN501-YR328 |
| D11772 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-12 727B+7/205/L011 | YC051-YN236, YN501-YR328 |
| D11774 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-12 727D+7/205/R011 | YC051-YN236, YN501-YR328 |
| D11776 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-12 754/205/L010 | YC051-YN236, YN501-YR328 |
| D11778 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-12 774/205/R010 | YC051-YN236, YN501-YR328 |
| D11782 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-12 834/205/L019 | YC051-YN236, YN501-YR328 |
| D11784 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-12 894/205/R010 | YC051-YN236, YN501-YR328 |
| D11786 | 1 | BACC63BP10C5SN PLUG- | 81205 | 1 | 38-32-12 1038/231/L045 | ALL |
| D11786 T | 1 | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 38-32-12 */ */* | ALL |

EQUIPMENT LIST

D280A108

Section D11700

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D11788 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 38-32-13 852/172/L034 | ALL |
| D11788 T | 1 | MS27559-2 BACKSHELL- | 96906 | 1 | 38-32-13 */*/ | ALL |
| D11798 | 1 | MS25182-2 PLUG-APU START POWER UNIT | 96906 | 1 | 49-41-11 E002-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D11700
Page 4 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D11800 | 1 | BACC45FT14-7P PLUG- | 81205 | 1 | 21-27-31 P91 378/ / | ALL |
| D11802 | 1 | BACC45FT14-7P PLUG- | 81205 | 1 | 21-27-31 P0092/ / | ALL |
| D11802 T | 1 | 450EB001C14-347 BACKSHELL-45 DEGREE | 81205 | 1 | 21-27-31 */ */ | ALL |
| D11804 | 1 | BACC63CC16-10SN ENGINE TEST CONNECTOR | 81205 | 1 | 31-62-25 372/187/R058 | YC051-YD158, YL951-YR328 |
| D11804 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81025 | 1 | 73-24-11 */ */ | YC051-YD157 |
| D11804 T | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 73-24-11 */ */ | YD158, YL951- YR328 |
| D11810 | 1 | BACC45FT18-14S PLUG | 81205 | 1 | 33-11-11 P041-00/ / | YC051-YD158, YL951-YR328 |
| D11810 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 33-11-11 */ */ | YC051-YC052, YD158 |
| D11810 T | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 33-11-11 */ / | YC053-YD157, YL951-YR328 |
| D11812 | 1 | BACC45FT14-7S PLUG | 81205 | 1 | 33-11-31 P041-00/ / | YC051-YD158, YL951-YR328 |
| D11812 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 33-11-31 */ */ | YC051-YC052, YD158 |
| D11812 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 33-11-31 */ / | YC053-YD157, YL951-YR328 |
| D11813 | 1 | M24308-2-281F PLUG | 96906 | 1 | 23-27-39 E004-01/ / | YD158-YR328 |
| D11813 T | 1 | DE44994 BACKSHELL | 71468 | 1 | 23-27-39 */ */ | YD158-YR328 |
| D11813 U | 1 | D20419 SCREW LOCK | 71468 | 2 | 23-27-39 */ */ | YD158-YD170, YL955-YL999, YN501-YR328 |
| D11814 | 1 | BACC63BP16C10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/439/ | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section D11800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11814 | 1 | BACC63BP16D10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/439/ | YD160-YN236, YN501-YR328 |
| D11814 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YC051-YD158 |
| D11814 T | 1 | BACC10KB16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YD160-YN236, YN501-YR328 |
| D11815 | 1 | BACC63CT11-35SN PLUG | 81205 | 1 | 23-42-12 917/ / | YN501 |
| D11815 | 1 | BACC63CT11-35SN PLUG | 81205 | 1 | 23-42-12 917/292/L035 | YR301-YR328 |
| D11815 T | 1 | BACC10MK11 BACKSHELL, SWINGARM | 81205 | 1 | 23-42-12 / / | YN501 |
| D11815 T | 1 | BACC10MK11 BACKSHELL, SWINGARM | 81205 | 1 | 23-42-12 */*/ | YR301-YR328 |
| D11816 | 1 | BACC63BP16C10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/330/ | YC051-YD158 |
| D11816 | 1 | BACC63BP16D10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/330/ | YD160-YN236, YN501-YR328 |
| D11816 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YC051-YD158 |
| D11816 T | 1 | BACC10KB16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YD160-YN236, YN501-YR328 |
| D11818 | 1 | BACC63BP16C10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/235/ | YC051-YD158 |
| D11818 | 1 | BACC63BP16D10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/235/ | YD160-YN236, YN501-YR328 |
| D11818 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YC051-YD158 |
| D11818 T | 1 | BACC10KB16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YD160-YN236, YN501-YR328 |
| D11820 | 1 | BACC63BP16C10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 721/173/L062 | YC051-YD158 |
| D11820 | 1 | BACC63BP16D10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 721/173/L062 | YD160-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D11800

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11820 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YC051-YD158 |
| D11820 T | 1 | BACC10KB16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YD160-YN236, YN501-YR328 |
| D11822 | 1 | BACC63BP16C10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 721/173/R063 | YC051-YD158 |
| D11822 | 1 | BACC63BP16D10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 721/173/R063 | YD160-YN236, YN501-YR328 |
| D11822 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YC051-YD158 |
| D11822 T | 1 | BACC10KB16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YD160-YN236, YN501-YR328 |
| D11824 | 1 | BACC63BP16C10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/244/ | YC051-YD158 |
| D11824 | 1 | BACC63BP16D10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/244/ | YD160-YN236, YN501-YR328 |
| D11824 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YC051-YD158 |
| D11824 T | 1 | BACC10KB16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YD160-YN236, YN501-YR328 |
| D11826 | 1 | BACC63BP16C10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/330/ | YC051-YD158 |
| D11826 | 1 | BACC63BP16D10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/330/ | YD160-YN236, YN501-YR328 |
| D11826 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YC051-YD158 |
| D11826 T | 1 | BACC10KB16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YD160-YN236, YN501-YR328 |
| D11828 | 1 | BACC63BP16C10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/432/ | YC051-YD158 |
| D11828 | 1 | BACC63BP16D10SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/432/ | YD160-YN236, YN501-YR328 |
| D11828 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */*/ | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section D11800

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D11828 T | 1 | BACC10KB16 CLAMP, 90 DEG | 81205 | 1 | 27-53-21 */ */ * | YD160-YN236, YN501-YR328 |
| D11830 | 1 | BACC45FT10-20S PLUG- | 81205 | 1 | 21-61-13 500F+7/298/L012 | YC051-YL999, YR301-YR328 |
| D11832 | 1 | BACC63CE12S-3S PLUG- | 81205 | 1 | 21-61-51 500F+9/300/L012 | YC051-YL999, YR301-YR328 |
| D11834 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 21-61-13 500+10/298/L014 | YC051-YC058 |
| D11834 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 21-61-13 500F+10/298/L014 | YC059-YL999, YR301-YR328 |
| D11836 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 21-61-14 536/298/R12 | YC051-YL999, YR301-YR328 |
| D11838 | 1 | BACC63CE12S-3S PLUG- | 81205 | 1 | 21-61-51 535/299/R012 | YC051-YL999, YR301-YR328 |
| D11839 | 9 | 10-60450-5 SOCKET-AUTO STOW RETRACT RELAY | 81205 | 1 | 27-62-41 P006-00/ / | YC051-YC065 |
| D11839 | 1 | 10-60450-5 SOCKET-AUTO STOW RETRACT RELAY | 81205 | 1 | 27-62-41 P006-00/ / | YN231-YN501 |
| D11840 | 1 | BACC45FT10-20S PLUG- | 81205 | 1 | 21-61-14 537/299/R012 | YC051-YL999, YR301-YR328 |
| D11841 | 9 | BACC45FT14-7S PLUG | CUST | 1 | 27-62-41 201/210/R002 | YC051-YC065 |
| D11841 | 1 | BACC45FT14-7S PLUG- | 81205 | 1 | 27-62-41 201/210/L002 | YN231-YN236, YN501 |
| D11841 T | 1 | BACC10JC14 CLAMP, 90 DEG | 81205 | 1 | 27-62-41 */ */ * | YN231-YN236, YN501 |
| D11842 | 1 | BACC45FT14-7S PLUG | 81205 | 1 | 33-11-21 P042-00/ / | YC051-YD158, YL951-YR328 |
| D11842 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 33-11-21 */ / | YC051-YD158 |
| D11842 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 33-11-21 */ */ * | YL951-YR328 |
| D11844 | 1 | BACC45FT14-7S6 PLUG | 81205 | 1 | 33-11-32 P042-00/ / | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D11800

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D11844 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 33-11-32 */ / | YC051-YD158 |
| D11844 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 33-11-32 */ */ | YL951-YR328 |
| D11866 | 1 | BACS16AG1 SOCKET- | 81205 | 1 | 21-25-11 J00024/ / | YC051-YC059, YC065-YD158 |
| D11866 | 1 | BACS16AF1 SOCKET- | 81205 | 1 | 21-25-11 J00024/ / | YC060-YC064, YD160-YL999, YR301-YR328 |
| D11866 | 1 | BACS16AF1 SOCKET- | 81205 | 1 | 21-25-11 J024-00/ / | YN231-YN501 |
| D11868 | 1 | BACS16W5A RELAY SOCKET | 81205 | 1 | 21-27-31 J020-0B/ / | ALL |
| D11874 | 1 | BACS16W1A SOCKET- | 81205 | 1 | 21-43-21 J00024/ / | ALL |
| D11876 | 1 | BACS16W5A SOCKET- | 81205 | 1 | 21-43-21 J00024/ / | ALL |
| D11878 | 1 | BACS16X1A SOCKET- | 81205 | 1 | 21-43-21 J00024/ / | ALL |
| D11880 | 1 | BACC45FT12-12S PLUG- | 81205 | 1 | 21-43-21 368/154/R005 | ALL |
| D11880 T | 1 | 450EB001C12-347 BACKSHELL-45 DEGREE | 06324 | 1 | 21-43-21 / / | YC051-YD158 |
| D11880 T | 1 | 450EB001C12-347 BACKSHELL-45 DEGREE | 06324 | 1 | 21-43-21 */ */ | YD160-YR328 |
| D11882 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-31 425/289/R031 | YC051-YD151 |
| D11882 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-31 425/289/R031 | YD152-YN260 |
| D11884 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-31 483/289/R032 | YC051-YD151 |
| D11884 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-31 483/289/R032 | YD152-YN260 |

EQUIPMENT LIST

D280A108

Section D11800

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D11886 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-31 500C+3/289/R032 | YN231-YN260 |
| D11888 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-31 563/289/R032 | YN231-YN260 |
| D11890 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-32 643/288/R032 | YN231-YN260 |
| D11892 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-32 723/289/R032 | YN231-YN260 |
| D11894 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-32 727C+16/289/R032 | YN231-YN260 |
| D11896 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-32 785/289/R032 | YN231-YN260 |
| D11898 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-32 844/288/R031 | YC051-YD151 |
| D11898 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-32 844/288/R031 | YD152-YN260 |

EQUIPMENT LIST

D280A108

Section D11800
Page 6 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11900 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-21 436/289/L032 | YC051-YD151 |
| D11900 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-21 436/289/L032 | YD152-YN260 |
| D11902 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-21 500+17/289/L033 | YN231-YN260 |
| D11904 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-21 500D+17/289/L032 | YN231-YN260 |
| D11906 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-21 602/289/L032 | YN231-YN260 |
| D11908 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-21 681/289/L032 | YN231-YN260 |
| D11910 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-22 727A+14/289/L033 | YN231-YN260 |
| D11912 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-22 727E+10/289/L032 | YN231-YN260 |
| D11914 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-22 794/289/L032 | YC051-YD151 |
| D11914 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-22 794/289/L032 | YD152-YL999 |
| D11914 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-22 800/289/L032 | YN231-YN260 |
| D11916 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-22 855/289/L031 | YC051-YD151 |
| D11916 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-22 855/289/L031 | YD152-YL999 |
| D11916 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-22 859/289/L031 | YN231-YN260 |
| D11920 | 1 | BACC63CC8-2SN RCPT-CONDUCTIVE | 81205 | 1 | 30-71-11 526/150/R027 | ALL |
| D11920 T | 1 | BACC10KD8 CLAMP, STRAIGHT | 81205 | 1 | 30-71-11 */*/* | ALL |
| D11922 | 1 | 48-7191-1 RCPT- AFCS FLOODLIGHT | 02660 | 1 | 33-14-11 P007-00/ / | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D11900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|-------------------------------|-----------------------------|
| D11924 | 1 | 48-7190 PLUG- AFCS FLOODLIGHT | 02660 | 1 | 33-14-11 P007-00/ / | YC051-YD158, YL951-YR328 |
| D11926 | 1 | 48-7191-1 RCPT- CENTER PANEL FLOODLIGHT | 02660 | 1 | 33-14-11 P007-00/ / | YC051-YD158, YL951-YR328 |
| D11928 | 1 | 48-7190 PLUG- CENTER PANEL FLOODLIGHT | 02660 | 1 | 33-14-11 P007-00/ / | YC051-YD158, YL951-YR328 |
| D11930 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-14-11 P009 196/222/L006 | ALL |
| D11930 T | 1 | 450EB001C16-347 BACKSHELL-(45 DEGREE) | 81205 | 1 | 33-14-11 */*/* | ALL |
| D11932 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-14-11 P009 196/ / | ALL |
| D11932 T | 1 | BACC10JC16 CLAMP, 90 DEG | 81205 | 1 | 33-14-11 */*/* | ALL |
| D11936 | 1 | 48-7191-1 RCPT- MOUNTED FLOODLIGHT | 02660 | 1 | 33-14-11 P007-00/ / | YC051-YD158, YL951-YR328 |
| D11938 | 1 | 48-7190 PLUG- MOUNTED FLOODLIGHT | 02660 | 1 | 33-14-11 P007-00/ / | YC051-YD158, YL951-YR328 |
| D11939 | | BACS16X1A RCPT-RPL CONTROL SYS A HYD | 81205 | 1 | 27-25-11 P006-00/ / | YC051-YC059, YD154-YD155 |
| D11939 | | BACS16X1A RCPT-RPL CONTROL SYS A HYD | 81205 | 1 | 27-25-11 P006/00/ | YC060-YD153 |
| D11939 | 1 | BACS16X1A RCPT-RPL CONTROL SYS A HYD | 81205 | 1 | 27-25-11 P006-00/ / | YD157-YR328 |
| D11940 | 1 | 48-7191-1 RCPT- MOUNT FLOODLIGHT | 02660 | 1 | 33-14-11 P007-00/ / | YC051-YD158, YL951-YR328 |
| D11941 | | BACS16X1A RCPT-RPL CONTROL SYS B HYD | 81205 | 1 | 27-25-11 P006-00/ / | YC051-YC059, YD154-YD155 |
| D11941 | | BACS16X1A RCPT-RPL CONTROL SYS B HYD | 81205 | 1 | 27-25-11 P006/00/ | YC060-YD153 |
| D11941 | 1 | BACS16X1A RCPT-RPL CONTROL SYS B HYD | 81205 | 1 | 27-25-11 P006-00/ / | YD157-YR328 |
| D11942 | 1 | 48-7190 PLUG- MOUNT FLOODLIGHT | 02660 | 1 | 33-14-11 P007-00/ / | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D11900

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D11952 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-31 500B/289/R032 | YC051-YD151 |
| D11952 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-31 500B/289/R032 | YD152-YL999 |
| D11954 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-31 500E+13/289/R032 | YC051-YD151 |
| D11954 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-31 500E+13/289/R032 | YD152-YL999 |
| D11956 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-31 500I+5/289/R032 | YC051-YD151 |
| D11956 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-31 500I+5/289/R032 | YD152-YL999 |
| D11958 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-31 585/289/R032 | YC051-YD151 |
| D11958 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-31 585/289/R032 | YD152-YL999 |
| D11960 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-32 665/288/R032 | YC051-YD151 |
| D11960 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-32 665/288/R032 | YD152-YL999 |
| D11962 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-31 727+18/289/R032 | YC051-YD151 |
| D11962 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-31 727+18/289/R032 | YD152-YL999 |
| D11964 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-31 727D+16/289/R032 | YC051-YD151 |
| D11964 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-31 727D+16/289/R032 | YD152-YL999 |
| D11966 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-32 727H+8/289/R032 | YC051-YD151 |
| D11966 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-32 727H+8/289/R032 | YD152-YL999 |
| D11968 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-32 775/289/R032 | YC051-YD151 |

EQUIPMENT LIST

D280A108

Section D11900

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D11968 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-32 775/289/R032 | YD152-YL999 |
| D11970 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-21 495/289/L032 | YC051-YD151 |
| D11970 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-21 495/289/L032 | YD152-YL999 |
| D11972 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-21 500C+11/289/L032 | YC051-YD151 |
| D11972 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-21 500C+11/289/L032 | YD152-YL999 |
| D11974 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-21 500G+3/289/L032 | YC051-YD151 |
| D11974 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-21 500G+3/289/L032 | YD152-YL999 |
| D11976 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-21 539/289/L032 | YC051-YD151 |
| D11976 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-21 539/289/L032 | YD152-YL999 |
| D11978 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-21 618/289/L032 | YC051-YD151 |
| D11978 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-21 618/289/L032 | YD152-YL999 |
| D11980 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-21 698/289/L032 | YC051-YD151 |
| D11980 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-21 698/289/L032 | YD152-YL999 |
| D11982 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-22 727B+11/289/L032 | YC051-YD151 |
| D11982 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-22 727B+11/289/L032 | YD152-YD157 |
| D11982 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-22 727B+12/289/L032 | YD158-YL999 |
| D11984 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-22 727F+4/289/L032 | YC051-YD151 |

EQUIPMENT LIST

D280A108

Section D11900

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D11984 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-22 727F+4/289/L032 | YD152-YL999 |
| D11986 | 1 | S280W557-801 PLUG- | 81205 | 1 | 33-22-22 727I+18/289/L032 | YC051-YD151 |
| D11986 | 1 | BACC65AL801S PLUG- | 81205 | 1 | 33-22-22 727I+18/289/L032 | YD152-YL999 |
| D11988 | 1 | BACC45FT14-7S PLUG-LEFT WINDSHIELD WIPER SWITCH | 81205 | 1 | 30-42-11 P005-04/ / | YC051-YD158, YL951-YR328 |
| D11990 | 1 | BACC45FT20-16S PLUG | 81205 | 1 | 32-64-11 P002-03/ / | YC051-YD158, YL951-YR328 |
| D11990 T | 1 | BACC10JS20 CLAMP, STRAIGHT | 81205 | 1 | 32-64-11 */ */ | YC051-YC052, YD158 |
| D11990 T | 1 | BACC10JS20 CLAMP, STRAIGHT | 81205 | 1 | 32-64-11 */ / | YC053-YD157, YL951-YR328 |
| D11993 | 1 | BACC45FT18-31P PLUG | 81205 | 1 | 23-24-11 806/300/L012 | YL951-YR328 |
| D11994 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 500F+15/203/R010 | YC051-YC055 |
| D11994 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 500F+5/203/R012 | YC056-YL999, YR301-YR328 |
| D11995 | 1 | BACC63BP12A3SN PLUG | 81205 | 1 | 31-31-14 725/170/L016 | YD154-YD158 |
| D11995 | 1 | BACC63BP12A3SN PLUG- CONDUCTIVE | 81205 | 1 | 31-31-14 725/170/L016 | YD160-YN236, YN501-YR328 |
| D11995 T | 1 | BACC10KF12 CLAMP, 45 DEG | 81205 | 1 | 31-31-14 */ */ | YD154-YD158 |
| D11995 T | 1 | 620AB049C12 BACKSHELL- | 81205 | 1 | 31-31-14 */ */ | YD160-YN236, YN501-YR328 |
| D11996 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 500G+15/205/L010 | YC051-YC055 |
| D11996 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 500G+9/203/L010 | YC056-YL999, YR301-YR328 |
| D11997 | 1 | BACS16AG1 RELAY SOCKET | 81205 | 1 | 23-32-14 J004-00/ / | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D11900

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D11997 | 1 | BACS16AG1 RELAY SOCKET | 81205 | 1 | 23-32-12 J004-00/ / | YL951-YN260 |
| D11997 | 1 | BACS16AG1 RELAY SOCKET | 81205 | 1 | 44-21-22 J004-00/ / | YN501-YR328 |
| D11998 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-12 727F+7/205/L010 | YC051-YL999, YR301-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D11900
Page 6 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12000 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-12 727H+7/205/R010 | YC051-YC055 |
| D12000 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-12 727H+13/205/R009 | YC056-YL999, YR301-YR328 |
| D12002 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-11 500C+6/212/R067 | YC051-YL999, YR301-YR328 |
| D12002 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 33-51-11 */*/ | YC051-YL999, YR301-YR328 |
| D12004 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-11 727C+14/212/R067 | YC051-YL999, YR301-YR328 |
| D12004 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 33-51-11 */*/ | YC051-YL999, YR301-YR328 |
| D12006 | 1 | BACC63CB12-12SN PLUG- | 81205 | 1 | 28-21-21 P006-00/ / | ALL |
| D12006 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 28-21-21 TBD/ / | YC051-YC059 |
| D12006 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 28-21-21 */*/ | YC060-YL999, YR301-YR328 |
| D12006 T | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 28-21-21 P006-00/ / | YN231-YN501 |
| D12007 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-31 382/273/L049 | YL951-YL999 |
| D12007 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-31 375/270/L040 | YN231-YN260 |
| D12008 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-11 565/213/L068 | YC051-YL999, YR301-YR328 |
| D12008 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 33-51-11 */*/ | YC051-YL999, YR301-YR328 |
| D12009 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-31 382/273/L049 | YL951-YL999 |
| D12009 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-31 375/270/L040 | YN231-YN260 |
| D12010 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-13 565/213/R068 | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D12000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12010 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 33-51-13 */*/ | YC051-YL999, YR301-YR328 |
| D12011 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 375/273/L049 | YL951-YL999 |
| D12011 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 375/270/L042 | YN231-YN260 |
| D12011 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YL951-YN260 |
| D12012 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 727J+15/289/R035 | YC051-YL999 |
| D12013 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-31 382/273/R050 | YL951-YL999 |
| D12013 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-31 375/270/R040 | YN231-YN260 |
| D12014 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 873/289/R034 | YC051-YD170 |
| D12015 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-31 382/273/R050 | YL951-YL999 |
| D12015 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-31 375/270/R040 | YN231-YN260 |
| D12016 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 888/289/L035 | YC051-YD170 |
| D12017 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 375/273/R050 | YL951-YL999 |
| D12017 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 375/270/R042 | YN231-YN260 |
| D12017 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YL951-YN260 |
| D12018 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 653/229/R071 | YC051-YL999, YR301-YR328 |
| D12019 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-32 445/270/L035 | YL951-YN260 |
| D12020 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 634/289/R035 | YC051-YL999 |

EQUIPMENT LIST

D280A108

Section D12000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12021 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-32 445/270/L035 | YL951-YN260 |
| D12022 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 727C+7/289/R035 | YC051-YL999 |
| D12023 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 443/270/L042 | YL951-YN260 |
| D12023 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YL951-YN260 |
| D12024 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 727F+21/289/R035 | YC051-YL999 |
| D12025 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-32 445/270/R035 | YL951-YN260 |
| D12026 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 714/289/R035 | YC051-YL999 |
| D12027 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-32 445/270/R035 | YL951-YN260 |
| D12028 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-51-13 612/296/L010 | YC051-YL999 |
| D12029 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 443/270/R042 | YL951-YN260 |
| D12029 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YL951-YN260 |
| D12030 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-51-13 628/293/L019 | YN231-YN235 |
| D12030 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-51-13 628/288/L000 | YN236-YN260 |
| D12031 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-33 500/270/L035 | YL951-YN260 |
| D12032 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-13 608/227/L074 | YC051-YD157 |
| D12032 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 608/227/L074 | YD158-YL999, YR301-YR328 |
| D12033 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-33 500/270/L035 | YL951-YN260 |

EQUIPMENT LIST

D280A108

Section D12000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12034 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-13 569/289/L035 | YC051-YL999 |
| D12035 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 500/270/L042 | YL951-YN260 |
| D12035 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YL951-YN260 |
| D12036 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-13 653/227/L074 | YC051-YL999, YR301-YR328 |
| D12037 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-33 500/270/R040 | YL951-YN260 |
| D12038 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-13 649/289/L035 | YC051-YL999 |
| D12039 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-33 500/270/R040 | YL951-YN260 |
| D12041 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 500/270/R042 | YL951-YN260 |
| D12041 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YL951-YN260 |
| D12043 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-34 500A+10/270/L035 | YL951-YL999 |
| D12044 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 500G+18/289/R035 | YC051-YL999 |
| D12045 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-34 500A+10/270/L035 | YL951-YL999 |
| D12046 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 500H+11/289/L035 | YC051-YL999 |
| D12047 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 500A+8/270/L042 | YL951-YL999 |
| D12047 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YL951-YL999 |
| D12048 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 500A+5/289/L035 | YC051-YL999 |
| D12049 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-34 500A+10/270/R040 | YL951-YL999 |

EQUIPMENT LIST

D280A108

Section D12000

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12050 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 608/227/R074 | YC051-YL999, YR301-YR328 |
| D12051 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-34 500A+10/270/R040 | YL951-YL999 |
| D12052 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 33-51-21 430/208/L068 | YD158-YR328 |
| D12053 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 500A+8/270/R042 | YL951-YL999 |
| D12053 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YL951-YL999 |
| D12055 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-41 500C+15/270/L040 | YL951-YL999 |
| D12055 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-41 500C/270/L040 | YN231-YN260 |
| D12057 | 1 | 755-78-9 PLUG - COAX | 91836 | 1 | 23-32-41 500C+15/270/L040 | YL951-YL999 |
| D12057 | 1 | 755-78-9 PLUG - COAX | 91836 | 1 | 23-32-41 500C/270/L040 | YN231-YN260 |
| D12059 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 500C+14/270/L042 | YL951-YL999 |
| D12059 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 500C/270/L042 | YN231-YN260 |
| D12059 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YL951-YN260 |
| D12060 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 500D+5/274/R030 | YC051-YD157, YL951-YL999 |
| D12060 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 500D+4/291/R036 | YD158-YD170 |
| D12061 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-41 500C+15/270/R040 | YL951-YL999 |
| D12061 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-41 500C/270/R040 | YN231-YN260 |
| D12062 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 500D+19/289/L035 | YC051-YL999 |

EQUIPMENT LIST

D280A108

Section D12000

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12063 | 1 | 755-78-9 PLUG - COAX | 91836 | 1 | 23-32-41 500C+15/270/R040 | YL951-YL999 |
| D12063 | 1 | 755-78-9 PLUG - COAX | 91836 | 1 | 23-32-41 500C/270/R040 | YN231-YN260 |
| D12064 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-21 573/225/R070 | YC051-YL999, YR301-YR328 |
| D12065 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 500C+14/270/R042 | YL951-YL999 |
| D12065 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 500C/270/R042 | YN231-YN260 |
| D12065 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YL951-YN260 |
| D12066 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-21 573/226/R070 | YC051-YL999, YR301-YR328 |
| D12067 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-42 500G+5/270/L040 | YL951-YL999 |
| D12067 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-42 563/270/L040 | YN231-YN260 |
| D12068 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-21 576/234/L062 | YC051-YL999, YR301-YR328 |
| D12069 | 1 | 755-78-9 PLUG - COAX | 91836 | 1 | 23-32-42 500G+5/270/L040 | YL951-YL999 |
| D12069 | 1 | 755-78-9 PLUG - COAX | 91836 | 1 | 23-32-42 563/270/L040 | YN231-YN260 |
| D12071 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 500G+6/270/L042 | YL951-YL999 |
| D12071 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 563/270/L042 | YN231-YN260 |
| D12071 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YL951-YN260 |
| D12072 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-21 576/234/L062 | YC051-YL999, YR301-YR328 |
| D12073 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-42 500G+5/270/R040 | YL951-YL999 |

EQUIPMENT LIST

D280A108

Section D12000

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| D12073 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-42 563/270/R040 | YN231-YN260 |
| D12075 | 1 | 755-78-9 PLUG - COAX | 91836 | 1 | 23-32-42 500G+5/270/R040 | YL951-YL999 |
| D12075 | 1 | 755-78-9 PLUG - COAX | 91836 | 1 | 23-32-42 563/270/R040 | YN231-YN260 |
| D12077 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 500G+6/270/R042 | YL951-YL999 |
| D12077 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 563/270/R042 | YN231-YN260 |
| D12077 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YL951-YN260 |
| D12079 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-43 555/270/L035 | YL951-YL999 |
| D12081 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-43 555/270/L035 | YL951-YL999 |
| D12083 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 557/270/L042 | YL951-YL999 |
| D12083 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YL951-YL999 |
| D12085 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-43 555/270/R040 | YL951-YL999 |
| D12087 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-43 555/270/R040 | YL951-YL999 |
| D12089 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 557/270/R042 | YL951-YL999 |
| D12089 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YL951-YL999 |
| D12091 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-51 670/270/L040 | YL951-YN260 |
| D12092 | 1 | BACC63BP16D10SN PLUG-CONDUCTIVE | 81205 | 1 | 38-31-31 312/175/L030 | YL951-YR328 |
| D12092 T | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 38-31-31 */*/ | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D12000

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D12093 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-51 670/270/L040 | YL951-YN260 |
| D12095 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 670/270/L042 | YL951-YN260 |
| D12095 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/* | YL951-YN260 |
| D12097 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-51 670/270/R040 | YL951-YN260 |
| D12099 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-51 670/270/R040 | YL951-YN260 |

EQUIPMENT LIST

D280A108

Section D12000
Page 8 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D12100 | | 7210B RCPT-OXYGEN CONCENTRATOR OUTLET | 65C27437 74545 | 1 | 25-29-11 380/225/L068 | YC051-YD170 |
| D12101 | 1 | BACC45FT8-3S PLUG | 81205 | 1 | 33-25-61 670/270/R042 | YL951-YN260 |
| D12101 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YL951-YN260 |
| D12103 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-52 727+19/273/L054 | YL951-YL999 |
| D12103 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-52 727A+15/270/L040 | YN231-YN260 |
| D12105 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-52 727+19/273/L054 | YL951-YL999 |
| D12105 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-52 727A+15/270/L040 | YN231-YN260 |
| D12106 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 33-14-11 P021-01/ / | ALL |
| D12107 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 727+18/270/L042 | YL951-YL999 |
| D12107 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 727A+15/270/L042 | YN231-YN260 |
| D12107 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YL951-YN260 |
| D12108 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-14-11 214/230/L36 | YC051-YD151 |
| D12108 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-14-11 P021-01/ / | YD152-YR328 |
| D12109 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-52 727+19/273/R055 | YL951-YL999 |
| D12109 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-52 727A+15/270/R040 | YN231-YN260 |
| D12110 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 33-14-11 P023-01/ / | ALL |
| D12111 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-52 727+19/273/R055 | YL951-YL999 |

EQUIPMENT LIST

D280A108

Section D12100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D12111 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-52 727A+15/270/R040 | YN231-YN260 |
| D12112 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-14-11 P023-01/ / | ALL |
| D12113 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 727+18/270/R042 | YL951-YL999 |
| D12113 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 727A+15/270/R042 | YN231-YN260 |
| D12113 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YL951-YN260 |
| D12115 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-53 727C+19/273/L054 | YL951-YL999 |
| D12117 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-53 727C+19/273/L054 | YL951-YL999 |
| D12119 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 727C+18/270/L042 | YL951-YL999 |
| D12119 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YL951-YL999 |
| D12121 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-53 727C+19/273/R055 | YL951-YL999 |
| D12123 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-53 727C+19/273/R055 | YL951-YL999 |
| D12125 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 727C+18/270/R042 | YL951-YL999 |
| D12125 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YL951-YL999 |
| D12127 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-61 727G+5/270/L040 | YL951-YL999 |
| D12127 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-61 727E+17/270/L040 | YN231-YN260 |
| D12129 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-61 727G+5/270/L040 | YL951-YL999 |
| D12129 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-61 727E+17/270/L040 | YN231-YN260 |

EQUIPMENT LIST

D280A108

Section D12100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D12131 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 727G+4/270/L042 | YL951-YL999 |
| D12131 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 727E+17/270/L042 | YN231-YN260 |
| D12131 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YL951-YN260 |
| D12133 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-61 727G+5/270/R040 | YL951-YL999 |
| D12133 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-61 727E+17/270/R040 | YN231-YN260 |
| D12135 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-61 727G+5/270/R040 | YL951-YL999 |
| D12135 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-61 727E+17/270/R040 | YN231-YN260 |
| D12137 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 727G+4/270/R042 | YL951-YL999 |
| D12137 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 727E+17/270/R042 | YN231-YN260 |
| D12137 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YL951-YN260 |
| D12139 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-61 755/270/L040 | YL951-YL999 |
| D12139 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-61 830/270/L040 | YN231-YN260 |
| D12141 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-61 755/270/L040 | YL951-YL999 |
| D12141 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-61 830/270/L040 | YN231-YN260 |
| D12143 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 755/270/L042 | YL951-YL999 |
| D12143 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 830/270/L042 | YN231-YN260 |
| D12143 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YL951-YN260 |

EQUIPMENT LIST

D280A108

Section D12100

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D12145 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-62 755/270/R040 | YL951-YL999 |
| D12145 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-62 830/270/R040 | YN231-YN260 |
| D12147 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-62 755/270/R040 | YL951-YL999 |
| D12147 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-62 830/270/R040 | YN231-YN260 |
| D12149 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 755/270/R042 | YL951-YL999 |
| D12149 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 830/270/R042 | YN231-YN260 |
| D12149 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YL951-YN260 |
| D12151 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-63 830/270/L040 | YL951-YL999 |
| D12153 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-63 830/270/L040 | YL951-YL999 |
| D12155 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-51 830/270/L042 | YL951-YL999 |
| D12155 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-51 */*/ | YL951-YL999 |
| D12156 | 1 | BACC45FT12-12S PLUG-CAPTAIN COLUMN SWITCHING MODULE | 81205 | 1 | 27-41-11 228/202/L011 | YC051-YD158, YL951-YR328 |
| D12156 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-41-11 / / | YC051-YC055 |
| D12156 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-41-11 */*/ | YC056-YD158, YL951-YR328 |
| D12157 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 23-32-63 830/270/R040 | YL951-YL999 |
| D12159 | 1 | 755-78-9 PLUG | 91836 | 1 | 23-32-63 830/270/R040 | YL951-YL999 |
| D12161 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 33-25-61 830/270/R042 | YL951-YL999 |

EQUIPMENT LIST

D280A108

Section D12100

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D12161 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 33-25-61 */*/ | YL951-YL999 |
| D12163J | 1 | BACI10AL34AS INSERT | 81205 | 1 | 23-34-01 AB0410/ / | YL951-YN260 |
| D12163J | 1 | BACI10AL34AS INSERT | 81205 | 1 | 44-21-26 AB0410/ / | YN501-YR328 |
| D12163JK | 1 | BACC10LH2B BACKSHELL - EMI | 81205 | 1 | 23-34-01 */*/ | YL951-YN260 |
| D12163JK | 1 | BACC10LH2B BACKSHELL - EMI | 81205 | 1 | 44-21-26 */*/ | YN501-YR328 |
| D12163JT | 1 | BACC65AP2B01 RCPT | 81205 | 1 | 23-34-01 */*/ | YL951-YN260 |
| D12163JT | 1 | BACC65AP2B01 RCPT | 81205 | 1 | 44-21-26 */*/ | YN501-YR328 |
| D12163P | 1 | BACI10AL34AP INSERT | 81205 | 1 | 23-34-01 410/205/R039 | YL951-YL968, YN231-YN236, YN501 |
| D12163P | 1 | BACI10AL34AP INSERT | 81205 | 1 | 23-34-01 AB410/ / | YR301-YR328 |
| D12163PQ | 1 | BACC10LH2B BACKSHELL - EMI | 81205 | 1 | 23-34-01 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D12163PT | 1 | BACC65AN2B01 PLUG | 81205 | 1 | 23-34-01 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D12165J | 1 | BACI10AL34AS INSERT | 81205 | 1 | 23-34-01 AB0410/ / | YL951-YN260 |
| D12165J | 1 | BACI10AL34AS INSERT | 81205 | 1 | 44-21-26 AB0410/ / | YN501-YR328 |
| D12165JK | 1 | BACC10LH2B BACKSHELL - EMI | 81205 | 1 | 23-34-01 */*/ | YL951-YN260 |
| D12165JK | 1 | BACC10LH2B BACKSHELL - EMI | 81205 | 1 | 44-21-26 */*/ | YN501-YR328 |
| D12165JT | 1 | BACC65AP2B02 RCPT | 81205 | 1 | 23-34-01 */*/ | YL951-YN260 |

EQUIPMENT LIST

D280A108

Section D12100

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D12165JT | 1 | BACC65AP2B02 RCPT | 81205 | 1 | 44-21-26 */*/ | YN501-YR328 |
| D12165P | 1 | BACI10AL34AP INSERT | 81205 | 1 | 23-34-01 410/205/R039 | YL951-YL968, YN231-YN236, YN501 |
| D12165P | 1 | BACI10AL34AP INSERT | 81205 | 1 | 23-34-01 AB410/ / | YR301-YR328 |
| D12165PQ | 1 | BACC10LH2B BACKSHELL - EMI | 81205 | 1 | 23-34-01 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D12165PT | 1 | BACC65AN2B02 PLUG | 81205 | 1 | 23-34-01 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D12167J | 1 | BACI10AL34AS INSERT | 81205 | 1 | 23-34-01 AB0410/ / | YL951-YN260 |
| D12167J | 1 | BACI10AL34AS INSERT | 81205 | 1 | 44-21-26 AB0410/ / | YN501-YR328 |
| D12167JK | 1 | BACC10LH2B BACKSHELL -EMI | 81205 | 1 | 23-34-01 */*/ | YL951-YN260 |
| D12167JK | 1 | BACC10LH2B BACKSHELL -EMI | 81205 | 1 | 44-21-26 */*/ | YN501-YR328 |
| D12167JT | 1 | BACC65AP2B03 RCPT | 81205 | 1 | 23-34-01 */*/ | YL951-YN260 |
| D12167JT | 1 | BACC65AP2B03 RCPT | 81205 | 1 | 44-21-26 */*/ | YN501-YR328 |
| D12167P | 1 | BACI10AL34AP INSERT | 81205 | 1 | 23-34-01 410/205/R039 | YL951-YL968, YN231-YN236, YN501 |
| D12167P | 1 | BACI10AL34AP INSERT | 81205 | 1 | 23-34-01 AB410/ / | YR301-YR328 |
| D12167PQ | 1 | BACC10LH2B BACKSHELL - EMI | 81205 | 1 | 23-34-01 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D12100

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D12167PT | 1 | BACC65AN2B03 PLUG | 81205 | 1 | 23-34-01 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D12169J | 1 | BACI10AL34AP INSERT | 81205 | 1 | 23-34-02 AB0410/ / | YL951-YN501 |
| D12169J | 1 | BACI10AL34AP INSERT | 81205 | 1 | 44-21-26 AB0410/ / | YR301-YR328 |
| D12169JK | | BACC10LH2B BACKSHELL | 81205 | 1 | 23-34-02 */*/ | YL951-YN501 |
| D12169JK | | BACC10LH2B BACKSHELL | 81205 | 1 | 44-21-26 */*/ | YR301-YR328 |
| D12169JT | 1 | BACC65AP2B04 RCPT | 81205 | 1 | 23-34-02 */*/ | YL951-YN501 |
| D12169JT | 1 | BACC65AP2B04 RCPT | 81205 | 1 | 44-21-26 */*/ | YR301-YR328 |
| D12169P | 1 | BACI10AL34AS INSERT | 81205 | 1 | 23-34-02 420/204/R039 | YL951-YL968, YN231-YN236, YN501 |
| D12169P | 1 | BACI10AL34AS INSERT | 81205 | 1 | 23-34-02 AB410/ / | YR301-YR328 |
| D12169PQ | | BACC10LH2B BACKSHELL | 81205 | 1 | 23-34-02 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D12169PT | 1 | BACC65AN2B04 PLUG | 81205 | 1 | 23-34-02 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D12170 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 500B+14/203/R010 | YC051-YC055 |
| D12170 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 500B+5/203/R012 | YC056-YL999, YR301-YR328 |
| D12171J | 1 | BACI10AL34AP INSERT | 81205 | 1 | 23-34-02 AB0410/ / | YL951-YN501 |
| D12171J | 1 | BACI10AL34AP INSERT | 81205 | 1 | 44-21-26 AB0410/ / | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D12100

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D12171JK | | BACC10LH2B BACKSHELL | 81205 | 1 | 23-34-02 */*/ | YL951-YN501 |
| D12171JK | | BACC10LH2B BACKSHELL | 81205 | 1 | 44-21-26 */*/ | YR301-YR328 |
| D12171JT | 1 | BACC65AP2B05 RCPT | 81205 | 1 | 23-34-02 */*/ | YL951-YN501 |
| D12171JT | 1 | BACC65AP2B05 RCPT | 81205 | 1 | 44-21-26 */*/ | YR301-YR328 |
| D12171P | 1 | BACI10AL34AS INSERT | 81205 | 1 | 23-34-02 420/204/R039 | YL951-YL968, YN231-YN236, YN501 |
| D12171P | 1 | BACI10AL34AS INSERT | 81205 | 1 | 23-34-02 AB410/ / | YR301-YR328 |
| D12171PQ | | BACC10LH2B BACKSHELL | 81205 | 1 | 23-34-02 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D12171PT | 1 | BACC65AN2B05 PLUG | 81205 | 1 | 23-34-02 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D12172 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 500D+12/203/L010 | YC051-YC055 |
| D12172 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-36-11 500D+9/203/L010 | YC056-YL999, YR301-YR328 |
| D12180 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 915/168/L001 | YC051-YN236, YN501-YR328 |
| D12182 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 915/168/L001 | YC051-YN236, YN501-YR328 |
| D12184 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 958/177/L001 | YC051-YN236, YN501-YR328 |
| D12186 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 958/178/L001 | YC051-YN236, YN501-YR328 |
| D12188 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 958/204/R023 | YC051-YN236, YN501-YR328 |
| D12190 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 958/204/R023 | YC051-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D12100

Page 8

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|---------------------------------------|
| D12192 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 996/200/R038 | YC051-YN236, YN501-YR328 |
| D12194 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 996/200/R038 | YC051-YN236, YN501-YR328 |
| D12196 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 1003/203/L040 | YC051-YC055, YN231-YN236, YN501 |
| D12196 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 1003/203/L40 | YC056-YL999, YR301-YR328 |
| D12198 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 961/203/R024 | YC051-YC055 |
| D12198 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 1003/203/L40 | YC056-YL999, YR301-YR328 |
| D12198 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 1003/203/L040 | YN231-YN236, YN501 |

EQUIPMENT LIST

D280A108

Section D12100

Page 9 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D12200 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 961/203/R024 | YC051-YN236, YN501-YR328 |
| D12202 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 961/203/R024 | YC051-YN236, YN501-YR328 |
| D12204 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 910/204/R052 | YC051-YN236, YN501-YR328 |
| D12206 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 910/204/R052 | YC051-YN236, YN501-YR328 |
| D12208 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 909/203/R039 | YC051-YN236, YN501-YR328 |
| D12210 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 909/203/R039 | YC051-YN236, YN501-YR328 |
| D12211J | 1 | BACI10AL34AP INSERT | 81205 | 1 | 23-34-02 AB0410/ / | YL951-YN260 |
| D12211J | 1 | BACI10AL34AP INSERT | 81205 | 1 | 44-21-26 AB0410/ / | YN501-YR328 |
| D12211JK | | BACC10LH2B BACKSHELL | 81205 | 1 | 23-34-02 */*/ | YL951-YN260 |
| D12211JK | | BACC10LH2B BACKSHELL | 81205 | 1 | 44-21-26 */*/ | YN501-YR328 |
| D12211JT | 1 | BACC65AP2B06 RCPT | 81205 | 1 | 23-34-02 */*/ | YL951-YN260 |
| D12211JT | 1 | BACC65AP2B06 RCPT | 81205 | 1 | 44-21-26 */*/ | YN501-YR328 |
| D12211P | 1 | BACI10AL34AS INSERT | 81205 | 1 | 23-34-02 420/204/R039 | YL951-YL968, YN231-YN236, YN501-YR328 |
| D12211PQ | | BACC10LH2B BACKSHELL | 81205 | 1 | 23-34-02 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D12211PT | 1 | BACC65AN2B06 PLUG | 81205 | 1 | 23-34-02 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D12212 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 909/204/R050 | YC051-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D12200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D12213J | 1 | BACC63CC22-55SN RCPT | 81205 | 1 | 23-32-12 400/294/R024 | YL951-YN235 |
| D12213J | 1 | BACC63CC22-55SN RCPT | 81205 | 1 | 23-32-12 AB0340B/ / | YN236-YN260 |
| D12213JK | | S280W603-214 BACKSHELL - 45 DEG. | 81205 | 1 | 23-32-12 */*/ | YL951-YL999, YN236-YN260 |
| D12213JK | | S280W603-114 BACKSHELL | 81205 | 1 | 23-32-12 */*/ | YN231-YN235 |
| D12213P | 1 | BACC63CB22-55PN PLUG | 81205 | 1 | 23-34-01 400/294/R024 | YL951-YN260 |
| D12213PQ | | S280W604-18 BACKSHELL | 81205 | 1 | 23-34-01 */*/ | YL951-YN260 |
| D12214 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 909/204/R050 | YC051-YN236, YN501-YR328 |
| D12215 | 1 | BACS16W1A SOCKET - OVERHEAD VIDEO CONTROL RELAY | 81205 | 1 | 44-21-36 P006-00/ / | YN501-YR324 |
| D12216 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 902/201/R054 | YC051-YN236, YN501-YR328 |
| D12218 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 902/201/R054 | YC051-YN236, YN501-YR328 |
| D12220 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 963/201/R026 | YC051-YN236, YN501-YR328 |
| D12222 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 963/201/R026 | YC051-YN236, YN501-YR328 |
| D12224 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 942/203/L042 | YC051-YN236, YN501-YR328 |
| D12225 | 1 | BACS16AF1 SOCKET- | 81205 | 1 | 21-25-11 J00024/ / | YC060-YC064, YD160-YR328 |
| D12226 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 942/203/L042 | YC051-YN236, YN501-YR328 |
| D12227 | 1 | BACS16AF1 SOCKET- | 81205 | 1 | 21-25-11 J00024/ / | YC060-YC064, YD160-YR328 |
| D12228 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 948/202/R045 | YC051-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D12200

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12229 | 1 | BACS16W1A SOCKET- | 81205 | 1 | 21-27-21 J00024/ / | YC060-YC064, YD160-YR328 |
| D12230 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 948/202/R045 | YC051-YN236, YN501-YR328 |
| D12232 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 30-71-11 897/204/L047 | YC051-YN236, YN501-YR328 |
| D12234 | 1 | 48-7190-1 PLUG- | 02660 | 1 | 30-71-11 897/204/L047 | YC051-YN236, YN501-YR328 |
| D12237 | 1 | BACC63CB12-12SN PLUG | 81205 | 1 | 23-70-11 P008/ / | YL951-YR328 |
| D12237 T | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */*/ | YL951-YR328 |
| D12239 | 1 | BACC63CB10-5PN PLUG | 81205 | 1 | 23-70-11 361/292/R008 | YL951-YN260 |
| D12239 T | | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 23-70-11 */*/ | YL951-YN260 |
| D12241 | 1 | 126-58-9 PLUG | 81205 | 1 | 31-62-42 355/291/R008 | YL951-YN260 |
| D12243 | 1 | BACC63CB10-5PN PLUG | 81205 | 1 | 23-70-11 355/291/R008 | YL951-YN260 |
| D12243 T | | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 23-70-11 */*/ | YL951-YN260 |
| D12245 | 1 | 126-58-9 PLUG | 81205 | 1 | 31-62-42 349/290/R008 | YL951-YN260 |
| D12246 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-12 500+12/289/R035 | YC051-YL999 |
| D12247 | 1 | BACC63CB10-5PN PLUG | 81205 | 1 | 23-70-11 348/292/R008 | YL951-YN260 |
| D12247 T | | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 23-70-11 */*/ | YL951-YN260 |
| D12248 | 1 | BACS16AG1 SOCKET- | 81205 | 1 | 21-27-21 J00024/ / | ALL |
| D12249 | 1 | 126-58-9 PLUG | 81205 | 1 | 31-62-42 343/291/R008 | YL951-YN260 |

EQUIPMENT LIST

D280A108

Section D12200

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D12250 | 1 | BACS16AG1 RELAY SOCKET | 81205 | 1 | 21-27-31 J020-0B/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D12200

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D12317 | 1 | D38999-26FJ61PN PLUG | 81205 | 1 | 23-70-11 347/292/R003 | YL951-YN260 |
| D12317 T | | 387HS020P25A-D3-342 BACKSHELL | 81205 | 1 | 23-70-11 */*/ | YL951-YN260 |
| D12319 | 1 | D38999-26FJ61PB PLUG | 81205 | 1 | 23-70-11 352/292/R003 | YL951-YN260 |
| D12319 T | | 387HS020P25A-D3-342 BACKSHELL | 81205 | 1 | 23-70-11 */*/ | YL951-YN260 |
| D12321 | 1 | D38999-26FJ61PC PLUG | 81205 | 1 | 23-70-11 354/292/R003 | YL951-YN260 |
| D12321 T | | 387HS020P25A-D3-342 BACKSHELL | 81205 | 1 | 23-70-11 */*/ | YL951-YN260 |
| D12323 | 1 | D38999-26FE8SN PLUG | 81205 | 1 | 23-70-11 356/292/R003 | YL951-YN260 |
| D12323 T | | 380HS115NF1710M4 ?? | 81205 | 1 | 23-70-11 */*/ | YL951-YN260 |
| D12325 | 1 | MS3126F12-10S PLUG | 81205 | 1 | 23-70-11 296/290/L001 | YL951-YR328 |
| D12327 | 1 | MS3126F12-10S PLUG | 81205 | 1 | 23-70-11 337/292/L001 | YL951-YN260 |
| D12329 | 1 | MS3126F12-10S PLUG | 81205 | 1 | 23-70-11 300/288/R021 | YL951-YR328 |
| D12346 | 1 | 48-7191 RCPT-WTR PRESS PROX SW | 02660 | 1 | 38-41-13 915/165/R010 | ALL |
| D12348 | 1 | 48-7190 PLUG-WTR PRESS PROX SW | 02660 | 1 | 38-41-13 0915/165/R010 | ALL |
| D12350 | 1 | AMC02PA03R PLUG- | 05574 | 1 | 33-51-21 360/284/L031 | YC051-YD157, YL951-YR328 |
| D12350 | 1 | AMC02PA03R PLUG- | 05574 | 1 | 33-51-21 368/289/L031 | YD158-YD170 |
| D12391 | 1 | BACC66H21A06 PLUG | 81205 | 1 | 44-21-20 E008-01/ / | YN501-YR328 |
| D12391 T | 1 | 527-212MA9B9C4S1 BACKSHELL - STRAIGHT | 06324 | 1 | 44-21-20 */*/ | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D12300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D12391A | 1 | PARTAOFD12391 PLUG | 81205 | 1 | 44-21-20 */*/ | YN501-YR328 |
| D12391B | 1 | PARTBOFD12391 PLUG | 81205 | 1 | 44-21-20 */*/ | YN501-YR328 |
| D12391C | 1 | PARTCOFD12391 PLUG | 81205 | 1 | 44-21-20 */*/ | YN501-YR328 |
| D12392 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-21 642/237/R070 | YN231-YN260 |
| D12392 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-22 641/248/R070 | YN501 |
| D12394 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-21 642/237/R070 | YN231-YN260 |
| D12394 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-22 641/248/R070 | YN501 |
| D12396 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-21 642/248/L070 | YN231-YN260 |
| D12396 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-22 641/248/L070 | YN501 |
| D12398 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-21 642/248/L070 | YN231-YN260 |
| D12398 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-22 641/248/L070 | YN501 |

EQUIPMENT LIST

D280A108

Section D12300

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D12416 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-29-11 299/290/L008 | YC051-YD158, YL951-YR328 |
| D12425 | 1 | POACONNECTOR PLUG - P1 CREW PANEL | 0RF67 | 1 | 44-21-12 306/273/L017 | YN501-YR328 |
| D12430 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-21 642/224/R062 | YC051-YD157 |
| D12430 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-22 642/224/R062 | YD158-YL999, YR301-YR328 |
| D12432 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-21 642/224/R062 | YC051-YD157 |
| D12432 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-22 642/224/R062 | YD158-YL999, YR301-YR328 |
| D12434 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-21 642/224/L062 | YC051-YD157 |
| D12434 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-22 642/224/L062 | YD158-YL999, YR301-YR328 |
| D12436 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-21 642/224/L062 | YC051-YD157 |
| D12436 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-22 642/224/L062 | YD158-YL999, YR301-YR328 |
| D12442 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-13 590/270/L060 | YC051-YL999, YR301-YR328 |
| D12444 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-13 590/270/L060 | YC051-YL999, YR301-YR328 |
| D12446 | 1 | AMC02PA03R PLUG- | 05574 | 1 | 33-51-13 590/270/L060 | YC051-YL999 |
| D12448 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-13 628/270/L060 | ALL |
| D12450 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-13 628/270/L060 | ALL |
| D12451 | 1 | POACONNECTOR PLUG - RJ45 (DATA PORT) | 0RF67 | 1 | 44-21-12 307/275/L025 | YN501-YR328 |
| D12452 | 1 | AMC02PA03R PLUG- | 05574 | 1 | 33-51-13 628/270/L060 | YC051-YN260 |

EQUIPMENT LIST

D280A108

Section D12400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12454 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-13 590/270/R60 | YC051-YC052 |
| D12454 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-13 590/270/R060 | YC053-YL999, YR301-YR328 |
| D12456 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-13 590/270/R060 | YC051-YL999, YR301-YR328 |
| D12458 | 1 | AMC02PA03R PLUG- | 05574 | 1 | 33-51-13 590/270/R060 | YC051-YL999 |
| D12460 | 1 | 48-7191 RCPT- | 02660 | 1 | 33-51-13 628/270/R060 | ALL |
| D12462 | 1 | 48-7190 PLUG- | 02660 | 1 | 33-51-13 628/270/R060 | ALL |
| D12464 | 1 | AMC02PA03R PLUG- | 05574 | 1 | 33-51-13 628/270/R060 | YC051-YN260 |
| D12466 | 1 | BACS16AG1 RELAY SOCKET | 81205 | 1 | 49-62-11 J020-0B/ / | ALL |
| D12488 | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-51-14 810/289/R035 | YC051-YL999 |

EQUIPMENT LIST

D280A108

Section D12400

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D12538 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 52-71-13 J022-00/ / | YC051-YN236, YN501-YR328 |
| D12540 | 1 | BACS16W1A SOCKET- | 81205 | 1 | 52-71-14 J00024/ / | ALL |
| D12544 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 617/251/R066 | ALL |
| D12546 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 617/251/R066 | ALL |
| D12552 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 617/251/L066 | ALL |
| D12554 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 617/251/L066 | ALL |
| D12560 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 579/251/R066 | YC051-YL999, YR301-YR328 |
| D12562 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 579/251/R066 | YC051-YL999, YR301-YR328 |
| D12576 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 579/251/L066 | YC051-YL999, YR301-YR328 |
| D12578 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 579/251/L066 | YC051-YL999, YR301-YR328 |
| D12592 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-14-11 P009 196/ / | ALL |
| D12592 T | 1 | 450EB001C16-347 BACKSHELL-(45 DEGREE) | 81205 | 1 | 33-14-11 */ */ | ALL |

EQUIPMENT LIST

D280A108

Section D12500

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12606 | 1 | AMC02PA03R PLUG- | 05574 | 1 | 35-21-31 322/281/R034 | ALL |
| D12652 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 638/251/R066 | ALL |
| D12654 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 638/251/R066 | ALL |
| D12656 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 581/229/R069 | YC051-YD157, YL951-YR328 |
| D12656 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 610/223/R069 | YD158-YD170 |
| D12658 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 581/229/R069 | YC051-YD157, YL951-YR328 |
| D12658 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 611/223/R069 | YD158-YD170 |
| D12660 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 640/229/R069 | ALL |
| D12662 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 640/229/R069 | ALL |
| D12664 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 638/251/L066 | ALL |
| D12666 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 638/251/L066 | ALL |
| D12668 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 613/229/L069 | ALL |
| D12669 | | BACS16AF1 RELAY-SOCKET | | 1 | 23-279 J039-00/ / | YL951-YL952, YN231-YN235 |
| D12669 | | BACS16AF1 RELAY-SOCKET | | 1 | 23-27-39 J039-00/ / | YL953-YL954 |
| D12670 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 613/229/L069 | ALL |
| D12672 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 639/229/L069 | ALL |
| D12674 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 639/229/L069 | ALL |

EQUIPMENT LIST

D280A108

Section D12600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D12676 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 600/251/R066 | YC051-YL999, YR301-YR328 |
| D12678 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 600/251/R066 | YC051-YL999, YR301-YR328 |
| D12680 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 570/229/R069 | YC051-YL999, YR301-YR328 |
| D12682 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 570/229/R069 | YC051-YL999, YR301-YR328 |
| D12684 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 560/229/R069 | YC051-YD157, YL951-YL999, YR301-YR328 |
| D12684 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 607/223/R070 | YD158-YD170 |
| D12686 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 560/229/R069 | YC051-YD157, YL951-YL999, YR301-YR328 |
| D12686 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 607/223/R070 | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D12600
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12700 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 600/251/L066 | YC051-YL999, YR301-YR328 |
| D12702 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 600/251/L066 | YC051-YL999, YR301-YR328 |
| D12704 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 575/224/L069 | YC051-YL999, YR301-YR328 |
| D12706 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 575/224/L069 | YC051-YL999, YR301-YR328 |
| D12708 | 1 | 48-7191-1 RCPT- | 02660 | 1 | 21-42-11 604/222/L070 | YC051-YL999, YR301-YR328 |
| D12710 | 1 | 48-7190 PLUG- | 02660 | 1 | 21-42-11 604/222/L070 | YC051-YL999, YR301-YR328 |
| D12748 | 1 | AMC02PA03R PLUG- | 05574 | 1 | 33-51-21 370/209/L067 | YL951-YL999 |
| D12748 | 1 | AMC02PA03R PLUG- | 05574 | 1 | 33-51-21 380/209/L031 | YR301-YR328 |
| D12756 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 52-71-13 J022-00/ / | YC051-YN236, YN501-YR328 |
| D12758 | 1 | BACS16W1A SOCKET- | 81205 | 1 | 52-71-14 J00024/ / | ALL |
| D12759 | 1 | BACS16AG1 RELAY SOCKET | 81205 | 1 | 23-42-11 J020-0B/ / | YL951-YR328 |
| D12760 | 1 | BACC45FT24-61S CONNECTOR | 81205 | 1 | 26-16-21 P08-75/ / | YC053-YR328 |
| D12760 T | 1 | BACC10JS24 CLAMP, STRAIGHT | 81205 | 1 | 26-16-21 / / | YC053-YR328 |
| D12761 | 1 | BACC63CB20-41SN PLUG - COAX | 91836 | 1 | 46-11-51 473/304/R001 | YL951-YL954, YN231-YN235 |
| D12761 T | 1 | BACC10MP20 BACKSHELL, SWINGARM | 91836 | 1 | 46-11-51 473/304/R001 | YL951-YL954, YN231-YN235 |
| D12762 | 1 | D38999-26WD35SN CONNECTOR | 96906 | 1 | 26-16-21 450/204/L030 | YC053-YR328 |
| D12762 T | 1 | M85049-39S15W BACKSHELL | 96906 | 1 | 26-16-21 / / | YC053-YR328 |

EQUIPMENT LIST

D280A108

Section D12700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12764 | 1 | D38999-26WF35SN CONNECTOR | 96906 | 1 | 26-16-21 450/204/L028 | YC053-YR328 |
| D12764 T | 1 | M85049-39S19W BACKSHELL | 96906 | 1 | 26-16-21 */*/ | YC053-YL999, YR301-YR328 |
| D12764 T | 1 | M85049-39S19W BACKSHELL | 96906 | 1 | 26-16-21 / / | YN231-YN501 |
| D12766 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-21 470/203/L015 | YC053-YR328 |
| D12766 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 26-16-21 */*/ | YC053-YD158 |
| D12766 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-21 */*/ | YD160-YL999, YR301-YR328 |
| D12766 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-21 / / | YN231-YN501 |
| D12768 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-21 500C+10/203/L012 | YC053-YL999, YR301-YR328 |
| D12768 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-21 500A+10/203/L012 | YN231-YN501 |
| D12768 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 26-16-21 */*/ | YC053-YD158 |
| D12768 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-21 */*/ | YD160-YL999, YR301-YR328 |
| D12768 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-21 / / | YN231-YN501 |
| D12770 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-21 430/203/R012 | YC053-YR328 |
| D12770 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 26-16-21 */*/ | YC053-YD158 |
| D12770 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-21 */*/ | YD160-YL999, YR301-YR328 |
| D12770 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-21 / / | YN231-YN501 |
| D12772 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-21 500E+10/203/R015 | YC053-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D12700

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12772 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-21 500+10/203/R015 | YN231-YN501 |
| D12772 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 26-16-21 */*/ | YC053-YD158 |
| D12772 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-21 */*/ | YD160-YL999, YR301-YR328 |
| D12772 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-21 / / | YN231-YN501 |
| D12774 | 1 | D38999-26WD35SN CONNECTOR | 96906 | 1 | 26-16-22 817/206/L030 | YC053-YR328 |
| D12774 T | 1 | M85049-39S15W BACKSHELL | 96906 | 1 | 26-16-22 */*/ | YC053-YR328 |
| D12776 | 1 | D38999-26WF35SN CONNECTOR | 96906 | 1 | 26-16-22 817/206/L030 | YC053-YC058, YD160-YR328 |
| D12776 | 1 | D38999-26WF35SN CONNECTOR | 96906 | 1 | 26-16-22 905/206/L029 | YC059-YD158 |
| D12776 T | 1 | M85049-39S19W BACKSHELL | 96906 | 1 | 26-16-22 */*/ | YC053-YR328 |
| D12778 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-22 727C+10/205/L011 | YC053-YR328 |
| D12778 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 26-16-22 */*/ | YC053-YD158 |
| D12778 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-22 */*/ | YD160-YR328 |
| D12780 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-22 727I+11/205/L009 | YC053-YL999, YR301-YR328 |
| D12780 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-22 777/205/L009 | YN231-YN501 |
| D12780 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 26-16-22 / / | YC053-YD158 |
| D12780 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-22 / / | YD160-YL999, YR301-YR328 |
| D12780 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-22 */*/ | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D12700

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12782 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-22 877/205/L009 | YC053-YC058, YD160-YR328 |
| D12782 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-22 968/204/R009 | YC059-YD158 |
| D12782 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 26-16-22 */*/ | YC053-YD158 |
| D12782 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-22 */*/ | YD160-YR328 |
| D12784 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-22 727B+10/205/R010 | YC053-YR328 |
| D12784 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 26-16-22 */*/ | YC053-YD158 |
| D12784 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-22 */*/ | YD160-YR328 |
| D12786 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-22 727J+11/205/R009 | YC053-YL999, YR301-YR328 |
| D12786 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-22 757/205/R009 | YN231-YN501 |
| D12786 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 26-16-22 757/ / | YC053-YD158 |
| D12786 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-22 757/ / | YD160-YL999, YR301-YR328 |
| D12786 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-22 */*/ | YN231-YN501 |
| D12788 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-22 857/205/R009 | YC053-YC058, YD160-YR328 |
| D12788 | 1 | BACC45FT12-12S CONNECTOR | 81205 | 1 | 26-16-22 938/204/R009 | YC059-YD158 |
| D12788 T | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 26-16-22 */*/ | YC053-YD158 |
| D12788 T | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 26-16-22 */*/ | YD160-YR328 |
| D12792 | 1 | BACC45FS10-5S CONNECTOR | 81205 | 1 | 26-23-11 540/180/L16 | YC053-YC057 |

EQUIPMENT LIST

D280A108

Section D12700

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12792 | 1 | BACC45FS10-5S CONNECTOR | 81205 | 1 | 26-23-11 540/180/L016 | YC058-YR328 |
| D12792 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 26-23-11 */*/ | YC053-YR328 |
| D12794 | 1 | BACC45FT8-3S CONNECTOR | 81205 | 1 | 26-23-11 540/180/L16 | YC053-YC057, YN231-YN501 |
| D12794 | 1 | BACC45FT8-3S CONNECTOR | 81205 | 1 | 26-23-11 540/180/L016 | YC058-YL999, YR301-YR328 |
| D12794 T | 1 | BACC10JS08 CLAMP, STRAIGHT | 81205 | 1 | 26-23-11 */*/ | YC053-YR328 |
| D12796 | 1 | BACC45FT10-5S CONNECTOR | 81205 | 1 | 26-23-11 540/180/L16 | YC053-YC057, YN231-YN501 |
| D12796 | 1 | BACC45FT10-5S CONNECTOR | 81205 | 1 | 26-23-11 540/180/L016 | YC058-YL999, YR301-YR328 |
| D12796 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 26-23-11 */*/ | YC053-YR328 |

EQUIPMENT LIST

D280A108

Section D12700

Page 5 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D12802 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 33-51-21 500C+10/210/L070 | YD158-YR328 |
| D12816 | 1 | BACC45FS10-5S CONNECTOR | 81205 | 1 | 26-23-11 540/180/R19 | YC053-YR328 |
| D12816 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 26-23-11 */*/ | YC053-YR328 |
| D12818 | 1 | BACC45FT8-3S CONNECTOR | 81205 | 1 | 26-23-11 540/180/R19 | YC053-YR328 |
| D12818 T | 1 | BACC10JS08 CLAMP, STRAIGHT | 81205 | 1 | 26-23-11 */*/ | YC053-YR328 |
| D12820 | 1 | BACC45FT10-5S CONNECTOR | 81205 | 1 | 26-23-11 540/180/R019 | YC053-YR328 |
| D12820 T | 1 | BACC10JS10 CLAMP, STRAIGHT | 81205 | 1 | 26-23-11 */*/ | YC053-YR328 |
| D12828 | 1 | AMC02RA03R RCPT- | 05574 | 1 | 33-51-21 570/210/L075 | YC051-YD157 |
| D12828 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 33-51-21 570/210/L075 | YD158-YL999, YR301-YR328 |
| D12859 | 1 | D38999-26FJ61PN PLUG | 81205 | 1 | 23-70-11 385/295/L003 | YN501-YR328 |
| D12859 T | | 387HS020P25A-D3-342 BACKSHELL | 81205 | 1 | 23-70-11 */*/ | YN501-YR328 |
| D12861 | 1 | D38999-26FJ61PB PLUG | 81205 | 1 | 23-70-11 390/295/L003 | YN501-YR328 |
| D12861 T | | 387HS020P25A-D3-342 BACKSHELL | 81205 | 1 | 23-70-11 */*/ | YN501-YR328 |
| D12863 | 1 | D38999-26FJ61PC PLUG | 81205 | 1 | 23-70-11 390/295/L005 | YN501-YR328 |
| D12863 T | | 387HS020P25A-D3-342 BACKSHELL | 81205 | 1 | 23-70-11 */*/ | YN501-YR328 |
| D12865 | 1 | D38999-26FE8SN PLUG | 81205 | 1 | 23-70-11 390/295/L003 | YN501-YR328 |
| D12865 T | | 380HS115NF1710M4 BACKSHELL | 81205 | 1 | 23-70-11 */*/ | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D12800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D12877 | 1 | BACC63CB10-5PN PLUG | 81205 | 1 | 23-70-11 305/290/R016 | YN501-YR328 |
| D12877 T | | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 23-70-11 */*/ | YN501-YR305 |
| D12877 T | | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */*/ | YR306-YR328 |
| D12879 | 1 | BACC63CB10-5PN PLUG | 81205 | 1 | 23-70-11 302/290/R016 | YN501-YR328 |
| D12879 T | | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 23-70-11 */*/ | YN501-YR305 |
| D12879 T | | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */*/ | YR306-YR328 |
| D12881 | 1 | BACC63CB10-5PN PLUG | 81205 | 1 | 23-70-11 302/290/R016 | YN501-YR328 |
| D12881 T | | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 23-70-11 */*/ | YN501-YR305 |
| D12881 T | | BACC10KD10 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */*/ | YR306-YR328 |
| D12883J | 1 | BACC63CU17-82PA RCPT | 81205 | 1 | 44-21-12 AB0373/ / | YN501-YR328 |
| D12883P | 1 | POACONNECTOR PLUG - P3 | ORF67 | 1 | 44-21-12 AB0373/ / | YN501-YR301 |
| D12883P | 1 | BACC63CT17-82SA PLUG | 81205 | 1 | 44-21-12 AB0373/ / | YR303-YR328 |
| D12885J | 1 | BACC63CU17-82PN RCPT | 81205 | 1 | 44-21-12 AB0373/ / | YN501-YR328 |
| D12885P | 1 | POACONNECTOR PLUG - P4 | ORF67 | 1 | 44-21-12 AB0373/ / | YN501-YR328 |
| D12887J | 1 | BACC45FN10-5S RCPT | 81205 | 1 | 44-21-12 AB0373/ / | YN501-YR328 |
| D12887P | 1 | POACONNECTOR PLUG - P2 | ORF67 | 1 | 44-21-12 AB0373/ / | YN501-YR328 |
| D12889J | 1 | BACC63CU17-82PN RCPT | 81205 | 1 | 44-21-12 AB0373/ / | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D12800

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D12889P | 1 | BACC63CT17-82SN PLUG | 81205 | 1 | 44-21-12 AB0373/ / | YR303-YR328 |
| D12891J | 1 | BACC63CU17-82PA RCPT | 81205 | 1 | 44-21-12 AB0373/ / | YN501-YR328 |
| D12891P | 1 | POACONNECTOR PLUG - P3 | ORF67 | 1 | 44-21-12 AB0373/ / | YR303-YR328 |
| D12893J | 1 | BACC63CU17-82SC RCPT | 81205 | 1 | 44-21-12 AB0373/ / | YN501-YR328 |
| D12895J | 1 | BACC63CU17-82SD RCPT | 81205 | 1 | 44-21-12 AB0373/ / | YN501-YR328 |
| D12897J | 1 | BACC63CU17-82PN RCPT | 81205 | 1 | 44-21-12 AB0366/ / | YN501-YR328 |
| D12897P | 1 | BACC63CT17-82SN PLUG | 812054 | 1 | 44-21-12 366/ / | YR303-YR328 |
| D12899J | 1 | BACC45FN12-12S RCPT | 81205 | 1 | 44-21-12 AB0373/ / | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D12800

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D12945 | | SO-1066-001 RELAY SOCKET | 81206 | 1 | 23-42-14 J039-0B/ / | YN501-YR328 |
| D12955 | 1 | BACC45FT12-12S PLUG- | 81205 | 1 | 44-21-36 375/270/L042 | YN501-YR328 |
| D12957 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-36 375/270/L042 | YN501-YR328 |
| D12957 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-36 */*/ | YN501-YR328 |
| D12957 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-36 */*/ | YN501-YR328 |
| D12959 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-36 375/270/L042 | YN501-YR328 |
| D12961 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-36 375/270/L042 | YN501-YR328 |
| D12961 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-36 */*/ | YN501-YR328 |
| D12961 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-36 */*/ | YN501-YR328 |
| D12963 | 1 | BACC45FT12-12S PLUG- | 81205 | 1 | 44-21-46 376.5/270/R042 | YN501-YR328 |
| D12965 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-46 376.5/270/R042 | YN501-YR328 |
| D12965 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-46 */*/ | YN501-YR328 |
| D12965 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-46 */*/ | YN501-YR328 |
| D12967 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-46 376.5/270/R042 | YN501-YR328 |
| D12968 | 1 | BACS16W5A SOCKET | 81205 | 1 | 27-31-11 J011-00/ / | ALL |
| D12969 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-46 376/270/R042 | YN501 |
| D12969 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-46 375/270/R042 | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D12900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D12969 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-46 */*/ | YN501-YR328 |
| D12969 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-46 */*/ | YN501-YR328 |
| D12971 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-36 443/270/L042 | YN501-YR328 |
| D12973 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-36 443/270/L042 | YN501-YR328 |
| D12973 T | 1 | G65217M BASCKSHELL | 06324 | 1 | 44-21-36 */*/ | YN501-YR328 |
| D12973 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-36 */*/ | YN501-YR328 |
| D12975 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-36 443/270/L042 | YN501-YR328 |
| D12977 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-36 443/270/L042 | YN501-YR328 |
| D12977 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-36 */*/ | YN501-YR328 |
| D12977 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-36 */*/ | YN501-YR328 |
| D12979 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-46 476.5/270/R042 | YN501-YR328 |
| D12981 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-46 476.5/270/R042 | YN501-YR328 |
| D12981 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-46 */*/ | YN501-YR328 |
| D12981 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-46 */*/ | YN501-YR328 |
| D12983 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-46 476.5/270/R042 | YN501-YR328 |
| D12985 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-46 476.5/270/R042 | YN501-YR328 |
| D12985 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-46 */*/ | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D12900

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|-------------------------------|-------------|
| D12985 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-46 */*/ | YN501-YR328 |
| D12987 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-36 500C+14/270/L042 | YN501-YR328 |
| D12989 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-36 500C+14/270/L042 | YN501-YR328 |
| D12989 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-36 */*/ | YN501-YR328 |
| D12989 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-36 */*/ | YN501-YR328 |
| D12991 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-36 500C+14/270/L042 | YN501-YR328 |
| D12993 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-36 500C+14/270/L042 | YN501-YR328 |
| D12993 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-36 */*/ | YN501-YR328 |
| D12993 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-36 */*/ | YN501-YR328 |
| D12995 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-46 500C+0.5/270/R042 | YN501-YR328 |
| D12997 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-46 500C+0.5/270/R042 | YN501-YR328 |
| D12997 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-46 */*/ | YN501-YR328 |
| D12997 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-46 */*/ | YN501-YR328 |
| D12999 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-46 500C+0.5/270/R042 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D12900

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|-------------------------------|-------------|
| D13001 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-46 500C+0.5/270/R042 | YN501-YR328 |
| D13001 T | 1 | G65271M BACKSHELL | 06324 | 1 | 44-21-46 */*/ | YN501 |
| D13001 T | 1 | G65217M BACKSHELL | 77820 | 1 | 44-21-46 */*/ | YR301-YR328 |
| D13001 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-46 */*/ | YN501-YR328 |
| D13005 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-36 550/270/L042 | YN501 |
| D13005 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-36 500G+6/270/L042 | YR301-YR328 |
| D13007 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-36 500G+6/270/L042 | YN501-YR328 |
| D13007 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-36 */*/ | YN501-YR328 |
| D13007 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-36 */*/ | YN501-YR328 |
| D13009 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-36 500G+6/270/L042 | YN501-YR328 |
| D13011 | 1 | BACC63CT9G5SN PLUG- | 81205 | 1 | 44-21-37 556/270/L042 | YN501 |
| D13011 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-36 500G+6/270/L042 | YR301-YR328 |
| D13011 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-37 */*/ | YN501 |
| D13011 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-36 */*/ | YR301-YR328 |
| D13011 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-37 */*/ | YN501 |
| D13011 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-36 */*/ | YR301-YR328 |
| D13013 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-46 500G+2.5/270/R042 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D13000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|-------------------------------|-------------|
| D13015 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-46 563/270/R042 | YN501 |
| D13015 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-46 500G+2.5/270/R042 | YR301-YR328 |
| D13015 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-46 */*/ | YN501-YR328 |
| D13015 U | 1 | 21-33321-5 BACKSHELL | 77820 | 1 | 44-21-46 */*/ | YN501-YR328 |
| D13017 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-46 500G+2.5/270/R042 | YN501-YR328 |
| D13018 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-11 500C+8/213/L067 | YD158-YL999 |
| D13018 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-11 500C+7/215/L067 | YN231-YN260 |
| D13018 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-11 500C+7/213/L067 | YN501-YR328 |
| D13018 T | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 33-51-11 */*/ | YD158-YR328 |
| D13019 | 1 | BACC63CT9G5SN PLUG- | 81205 | 1 | 44-21-47 556/270/R042 | YN501 |
| D13019 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-46 500G+2/270/R042 | YR301-YR328 |
| D13019 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-47 */*/ | YN501 |
| D13019 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-46 */*/ | YR301-YR328 |
| D13019 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-47 */*/ | YN501 |
| D13019 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-46 */*/ | YR301-YR328 |
| D13021 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-36 557/270/L042 | YR301-YR328 |
| D13023 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-36 557/270/L042 | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D13000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D13023 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-36 */*/ | YR301-YR328 |
| D13023 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-36 */*/ | YR301-YR328 |
| D13025 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-36 557/270/L042 | YR301-YR328 |
| D13027 | 1 | BACC63CT9G5SN PLUG- | 81205 | 1 | 44-21-37 557/270/L042 | YR301-YR328 |
| D13027 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-37 */*/ | YR301-YR328 |
| D13027 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-37 */*/ | YR301-YR328 |
| D13029 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-46 545.5/270/R042 | YR301-YR328 |
| D13031 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-46 557/270/R042 | YR301-YR328 |
| D13031 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-46 */*/ | YR301-YR328 |
| D13031 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-46 */*/ | YR301-YR328 |
| D13033 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-46 545.5/270/R042 | YR301-YR328 |
| D13035 | 1 | BACC63CT9G5SN PLUG- | 81205 | 1 | 44-21-47 545.5/270/R042 | YR301-YR328 |
| D13035 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-47 */*/ | YR301-YR328 |
| D13035 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-47 */*/ | YR301-YR328 |
| D13037 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-37 670/270/L042 | YN501-YR328 |
| D13039 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-37 670/270/L042 | YN501-YR328 |
| D13039 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-37 */*/ | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D13000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D13039 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-37 */*/ | YN501-YR328 |
| D13041 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-37 670/270/L042 | YN501-YR328 |
| D13043 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-37 670/270/L042 | YN501-YR328 |
| D13043 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-37 */*/ | YN501-YR328 |
| D13043 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-37 */*/ | YN501-YR328 |
| D13045 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-47 670/270/R042 | YN501-YR328 |
| D13047 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-47 670/270/R042 | YN501-YR328 |
| D13047 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-47 */*/ | YN501-YR328 |
| D13047 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-47 */*/ | YN501-YR328 |
| D13049 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-47 670/270/R042 | YN501-YR328 |
| D13051 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-47 670/270/R042 | YN501-YR328 |
| D13051 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-47 */*/ | YN501-YR328 |
| D13051 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-47 */*/ | YN501-YR328 |
| D13053 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-37 727A+15/270/L042 | YN501 |
| D13053 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-37 727+18/270/L042 | YR301-YR328 |
| D13055 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-37 727A+15/270/L042 | YN501 |
| D13055 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-37 727+18/270/L042 | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D13000

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D13055 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-37 */*/ | YN501-YR328 |
| D13055 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-37 */*/ | YN501-YR328 |
| D13057 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-37 727A+15/270/L042 | YN501 |
| D13057 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-37 727+18/270/L042 | YR301-YR328 |
| D13059 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-37 727A+15/270/L042 | YN501 |
| D13059 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-37 727+18/270/L042 | YR301-YR328 |
| D13059 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-37 / / | YN501 |
| D13059 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-37 */*/ | YR301-YR328 |
| D13059 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-37 / / | YN501 |
| D13059 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-37 */*/ | YR301-YR328 |
| D13061 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-47 727A+15/270/R042 | YN501 |
| D13061 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-47 727+18/270/R042 | YR301-YR328 |
| D13063 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-47 727A+15/270/R042 | YN501 |
| D13063 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-47 727+18/270/R042 | YR301-YR328 |
| D13063 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-47 */*/ | YN501-YR328 |
| D13063 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-47 */*/ | YN501-YR328 |
| D13065 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-47 727A+15/270/R042 | YN501 |

EQUIPMENT LIST

D280A108

Section D13000

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D13065 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-47 727+18/270/R042 | YR301-YR328 |
| D13067 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-47 727A+15/270/R042 | YN501 |
| D13067 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-47 727+18/270/R042 | YR301-YR328 |
| D13067 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-47 */*/ | YN501-YR328 |
| D13067 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-47 */*/ | YN501-YR328 |
| D13085 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-37 727E+17/270/L042 | YN501 |
| D13085 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-37 727G+4/270/L042 | YR301-YR328 |
| D13087 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-37 727E+17/270/L042 | YN501 |
| D13087 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-37 727G+4/270/L042 | YR301-YR328 |
| D13087 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-37 */*/ | YN501-YR328 |
| D13087 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-37 */*/ | YN501-YR328 |
| D13089 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-37 727E+17/270/L042 | YN501 |
| D13089 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-37 727G+4/270/L042 | YR301-YR328 |
| D13091 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-37 727E+17/270/L042 | YN501 |
| D13091 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-37 727G+4/270/L042 | YR301-YR328 |
| D13091 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-37 */*/ | YN501-YR328 |
| D13091 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-37 */*/ | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D13000

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D13093 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-47 727E+17/270/R042 | YN501 |
| D13093 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-47 727H+8/270/R042 | YR301-YR328 |
| D13095 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-47 727E+17/270/R042 | YN501 |
| D13095 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-47 727H+8/270/R042 | YR301-YR328 |
| D13095 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-47 */*/ | YN501-YR328 |
| D13095 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-47 */*/ | YN501-YR328 |
| D13097 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-47 727E+17/270/R042 | YN501 |
| D13097 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-47 727H+8/270/R042 | YR301-YR328 |
| D13099 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-47 727E+17/270/R042 | YN501 |
| D13099 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-47 727H+8/270/R042 | YR301-YR328 |
| D13099 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-47 / / | YN501 |
| D13099 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-47 */*/ | YR301-YR328 |
| D13099 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-47 / / | YN501 |
| D13099 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-47 */*/ | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D13000
Page 7 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D13101 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-37 830/270/L042 | YN501 |
| D13101 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-37 755/270/L042 | YR301-YR328 |
| D13103 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-37 830/270/L042 | YN501 |
| D13103 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-37 755/270/L042 | YR301-YR328 |
| D13103 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-37 */*/* | YN501-YR328 |
| D13103 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-37 */*/* | YN501-YR328 |
| D13105 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-37 830/270/L042 | YN501 |
| D13105 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-37 755/270/L042 | YR301-YR328 |
| D13107 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-37 830/270/L042 | YN501 |
| D13107 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-37 755/270/L042 | YR301-YR328 |
| D13107 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-37 */*/* | YN501-YR328 |
| D13107 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-37 */*/* | YN501-YR328 |
| D13109 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-47 830/270/R042 | YN501 |
| D13109 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-47 755/270/R042 | YR301-YR328 |
| D13111 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-47 830/270/R042 | YN501 |
| D13111 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-47 755/270/R042 | YR301-YR328 |
| D13111 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-47 */*/* | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D13100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D13111 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-47 */*/ | YN501-YR328 |
| D13113 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-47 830/270/R042 | YN501 |
| D13113 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-47 755/270/R042 | YR301-YR328 |
| D13115 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-47 830/270/R042 | YN501 |
| D13115 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-47 755/270/R042 | YR301-YR328 |
| D13115 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-47 */*/ | YN501-YR328 |
| D13115 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-47 */*/ | YN501-YR328 |
| D13124 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 33-51-22 855/210/L068 | YD158-YR328 |
| D13130 | | BACS16W1A RELAY SOCKET | 81205 | 1 | 44-21-22 J022-00/ / | YN501-YR328 |
| D13132 | 1 | BACS16W1A SOCKET- | 81205 | 1 | 73-22-31 J00024/ / | YN501-YR328 |
| D13185 | 1 | BACC63CT13-35SN PLUG - | | 1 | 23-71-01 947/293/L005 | YL963-YL999, YN236-YR328 |
| D13187 | 1 | BACS16AG1 SOCKET RELAY - CVR DISPATCH | 81205 | 1 | 23-71-01 AJ0011/ / | YL963-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section D13100
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D13221 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-37 830/270/L042 | YR301-YR328 |
| D13223 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-37 830/270/L042 | YR301-YR328 |
| D13223 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-37 */*/ | YR301-YR328 |
| D13223 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-37 */*/ | YR301-YR328 |
| D13225 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-37 830/270/L042 | YR301-YR328 |
| D13227 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-37 830/270/L042 | YR301-YR328 |
| D13227 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-37 */*/ | YR301-YR328 |
| D13227 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-37 */*/ | YR301-YR328 |
| D13229 | 1 | BACC45FT12-12S PLUG | 81205 | 1 | 44-21-47 830/270/R042 | YR301-YR328 |
| D13231 | 1 | BACC63CT9G5SA PLUG | 81205 | 1 | 44-21-47 830/270/R042 | YR301-YR328 |
| D13231 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-47 */*/ | YR301-YR328 |
| D13231 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-47 */*/ | YR301-YR328 |
| D13233 | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-47 830/270/R042 | YR301-YR328 |
| D13235 | 1 | BACC63CT9G5SN PLUG | 81205 | 1 | 44-21-47 830/270/R042 | YR301-YR328 |
| D13235 T | 1 | G65217M BACKSHELL | 06324 | 1 | 44-21-47 */*/ | YR301-YR328 |
| D13235 U | 1 | 21-33321-5 SEAL BOOT | 77820 | 1 | 44-21-47 */*/ | YR301-YR328 |
| D13258 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 33-51-22 727C+10/210/L068 | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section D13200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D13262 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 33-51-21 610/210/L068 | YN231-YN260 |
| D13262 | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 33-51-21 607/208/L011 | YN501 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D13200
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-----------------------------------|-----------------------|-----|------------------------------|-------------|
| D13308 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 32-31-12 J020-0A/ / | YC060-YC064 |
| D13363 | 1 | BACC63CT11-35SN PLUG | 81205 | 1 | 23-42-12 347/299/R10 | YN501-YR328 |
| D13363 T | 1 | BACC10MK11 BACKSHELL, SWINGARM | 81205 | 1 | 23-42-12 347/*/* | YN501-YR328 |
| D13364 | 1 | BACS16W1A RELAY SOCKET | 81205 | 1 | 27-41-12 J011-00/ / | YC059-YR328 |

EQUIPMENT LIST

D280A108

Section D13300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|------------------------------|
| D13688 | 9 | BACS16W1A RELAY SOCKET | 81205 | 1 | 21-31-22 J020-00/ / | YC053, YC055, YC060-YC064 |
| D13688 | | BACS16W1A RELAY SOCKET | 81205 | 1 | 21-31-22 J020-00/ / | YC067-YR328 |
| D13690 | 9 | BACS16W1A RELAY SOCKET | 81205 | 1 | 21-31-23 J020-00/ / | YC053, YC055, YC060-YC064 |
| D13690 | | BACS16W1A RELAY SOCKET | 81205 | 1 | 21-31-23 J020-00/ / | YC067-YR328 |

EQUIPMENT LIST

D280A108

Section D13600
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D13712 | | BACS16W1A SOCKET - IFE/PASS SEAT CONTROL RELAY | 81205 | 1 | 24-28-41 P006-00/ / | YC051-YD153 |
| D13712 | 1 | BACS16W1A SOCKET - IFE/PASS SEAT CONTROL RELAY | 81205 | 1 | 24-28-41 P006-00/ / | YD154-YR328 |
| D13730 | 1 | BACC45FT14-15S PLUG - DOOR POST ASSY INTERFACE | 81205 | 1 | 52-51-11 279/284/R010 | YD155-YR328 |
| D13730 T | 1 | 450EB001C14-347 BACKSHELL - SINGLE LEG - 45 DEG | | 1 | 52-51-11 */*/ | YD155-YR328 |
| D13734 | 1 | BACS16W1A SOCKET - ZONAL DRYER | 81205 | 1 | 21-74-11 P006-00/ / | YD158-YD170 |
| D13736 | 1 | BACC45FT14-15S PLUG- | 81205 | 1 | 21-74-11 351/178/R034 | YD158-YD170 |
| D13736 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 21-74-11 */*/ | YD158-YD170 |
| D13738 | 1 | BACC45FT14-15S PLUG- | 81205 | 1 | 21-74-11 874/171/L016 | YD158-YD170 |
| D13738 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 21-74-11 */*/ | YD158-YD170 |
| D13740 | 1 | BACC45FT14-4S PLUG- | 81205 | 1 | 21-74-11 874/171/L016 | YD158-YD170 |
| D13740 T | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 21-74-11 */*/ | YD158-YD170 |
| D13742 | 1 | MS3476W8-33S PLUG- | 81205 | 1 | 21-74-11 936/190/L014 | YD158-YD170 |
| D13742 T | 1 | M85049-52-1-8W BACKSHELL | 81205 | 1 | 21-74-11 0983/171/L016 | YD158-YD170 |
| D13790 | 1 | BACC45FT14-15S PLUG- S1 TEST SWITCH - LEFT | 81205 | 1 | 28-23-11 P061-08/ / | YD158-YR328 |
| D13792 | 1 | BACC45FT14-15S6 PLUG- S2 TEST SWITCH - RIGHT | 81205 | 1 | 28-23-11 P061-08/ / | YD158-YR328 |
| D13794 | 1 | BACS16W10A RELAY SOCKET | 81205 | 1 | 28-23-11 J020-00/ / | YD158-YR328 |
| D13796 | 1 | BACS16X6A RELAY SOCKET | 81205 | 1 | 28-23-11 J020-00/ / | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section D13700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D13798 | 1 | BACS16W10A RELAY SOCKET | 81205 | 1 | 28-23-11 J004-00/ / | YD158-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D13700
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D13800 | 1 | BACS16X6A RELAY SOCKET | 81205 | 1 | 28-23-11 J004-00/ / | YD158-YR328 |
| D13804 | 1 | BACC63BP22C55SN PLUG- | 81205 | 1 | 47-30-11 500I+11/201/R012 | YD160-YL999, YR301-YR328 |
| D13804 | 1 | BACC63BP22C55SN PLUG- | 81205 | 1 | 47-30-11 MULTI/201/R012 | YN232-YN501 |
| D13804 T | 1 | BACC10MP22 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 */*/ | YD160-YL999, YN232-YR328 |
| D13806 | 1 | BACC63BP22C55S6 PLUG- | 81205 | 1 | 47-30-11 500I+6/201/R012 | YD160-YL999, YR301-YR328 |
| D13806 | 1 | BACC63BP22C55S6 PLUG- | 81205 | 1 | 47-30-11 MULTI/201/R012 | YN232-YN501 |
| D13806 T | 1 | BACC10MP22 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 */*/ | YD160-YL999, YN232-YR328 |
| D13808 | 1 | BACC63BP12D12SN PLUG- | 81205 | 1 | 47-30-11 543/157/R038 | YL951-YL999, YN232-YR328 |
| D13808 T | 1 | BACC10MM12 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 543/157/R038 | YL951-YL999, YR301-YR328 |
| D13808 T | 1 | BACC10MM12 BACKSHELL, SWINGARM 90 DEGREE | 81205 | 1 | 47-30-11 543/157/R038 | YN232-YN501 |
| D13810 | 1 | BACC63DB11-98SN PLUG- | 81205 | 1 | 47-30-11 543/162/L032 | YL951-YL999, YN232-YR328 |
| D13810 T | 1 | BACC10MA11 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 543/162/L032 | YL951-YL999, YN232-YR328 |
| D13812 | 1 | BACC63DB11-98SD PLUG- | 81205 | 1 | 47-30-11 644/160/L054 | YL951-YL999, YN232-YR328 |
| D13812 T | 1 | BACC10MA11 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 644/160/L054 | YL951-YL999, YN232-YR328 |
| D13814 | 1 | BACC63DB9-98SN PLUG- | 81205 | 1 | 47-30-11 642/163/L048 | YL951-YL999, YN232-YR328 |
| D13814 T | 1 | BACC10MA9 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 642/163/L048 | YL951-YL999, YN232-YR328 |
| D13816 | 1 | BACC63DB9-98SD PLUG- | 81205 | 1 | 47-30-11 654/161/L066 | YL951-YL999, YN232-YR328 |

EQUIPMENT LIST

D280A108

Section D13800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D13816 T | 1 | BACC10MA9 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 654/161/L066 | YL951-YL999, YN232-YR328 |
| D13818 | 1 | BACC63DB9-35SN PLUG- | 81205 | 1 | 47-30-11 656/158/L047 | YL951-YL999, YN232-YR328 |
| D13818 T | 1 | BACC10MA9 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 656/158/L047 | YL951-YL999, YN232-YR328 |
| D13820 | 1 | M83723-75G1005N PLUG- | 81205 | 1 | 47-30-11 605/162/L059 | YL951-YL954, YN232-YN235 |
| D13820 | 1 | BACC63CB10B5SN PLUG- | 81205 | 1 | 47-30-11 605/162/L059 | YL955-YL999, YN236-YR328 |
| D13820 T | 1 | BACC10MM10 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 605/162/L059 | YL951-YL999, YN232-YR328 |
| D13824 | 1 | BACC63DB9-35SN PLUG- | 81205 | 1 | 47-30-11 602/161/L060 | YL951-YL999, YN232-YR328 |
| D13824 T | 1 | BACC10MA9 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 602/161/L060 | YL951-YL999, YN232-YR328 |
| D13826 | 1 | BACC63DB9-98SN PLUG- | 81205 | 1 | 47-30-11 653/162/L061 | YL951-YL999, YN232-YR328 |
| D13826 T | 1 | BACC10MA9 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 653/162/L061 | YL951-YL999, YN232-YR328 |
| D13828 | 1 | BACC63DB11-98SN PLUG- | 81205 | 1 | 47-30-11 657/161/L066 | YL951-YL999, YN232-YR328 |
| D13828 T | 1 | BACC10MA11 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 657/161/L066 | YL951-YL999, YN232-YR328 |
| D13830 | 1 | BACC63DB9-35SN PLUG- | 81205 | 1 | 47-30-11 539/167/L034 | YL951-YL999, YN232-YR328 |
| D13830 T | 1 | BACC10MA9 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 539/167/L034 | YL951-YL999, YN232-YR328 |
| D13832 | 1 | BACC63BP16D24PN PLUG- | 81205 | 1 | 47-30-11 538/197/L041 | YD160-YL999, YN232-YR328 |
| D13832 T | 1 | BACC10MM16 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 */ */ * | YD160-YL999, YN232-YR328 |
| D13838 | 1 | BACC63BP10D5SN PLUG | 81205 | 1 | 47-30-11 723/166/R010 | YD160-YR328 |

EQUIPMENT LIST

D280A108

Section D13800

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D13838 T | 1 | 387AS020Z110A-D3-342 BACKSHELL - CONDUCTIVE | 81205 | 1 | 47-30-11 */*/ | YD160-YR328 |
| D13840 | 1 | BACS16W1A SOCKET - IVS POWER RELAY | 82105 | 1 | 44-21-10 P006-00/ / | YN501-YR324 |
| D13842 | | BACS16AG1 RELAY SOCKET | 81205 | 1 | 47-30-11 J020-00/ / | YC060-YC064, YD160-YR328 |
| D13844 | 1 | BACC45FT12-12S CONECTOR | 81205 | 10 | 26-16-21 MULTI/ / | YD160-YR328 |
| D13846 | 1 | BACC45FN12-12P CONECTOR | 81205 | 10 | 26-16-21 MULTI/ / | YD160-YR328 |

EQUIPMENT LIST

D280A108

Section D13800

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D13900 | 1 | BACC45FT14-7S PLUG- | 81205 | 1 | 25-29-11 357/166/R024 | YL951-YL999, YN232-YR328 |
| D13900 T | 1 | BACC10GH14 BACKSHELL | 81205 | 1 | 25-29-11 / / | YR303-YR328 |
| D13902 | 1 | CEMA9PK87 PLUG- | 55104 | 1 | 25-29-11 357/166/R025 | YL951-YL999, YN232-YR328 |
| D13902 T | 1 | 557T386NF131 BACKSHELL | 06324 | 1 | 25-29-11 */*/ | YL951-YL999, YN232-YR328 |
| D13902 U | 1 | D110278 LATCH PLATE | 71468 | 2 | 25-29-11 */*/ | YL951-YL999, YN232-YR328 |
| D13904 | 1 | 172169-1 PLUG- | 00779 | 1 | 25-29-11 255/216/R040 | YL951-YL999, YN232-YR328 |
| D13906 | 1 | 172169-1 PLUG- | 00779 | 1 | 25-29-11 253/225/L040 | YL951-YL999, YN232-YR328 |
| D13908 | 1 | CEMA9PK87 PLUG- | 55104 | 1 | 25-29-11 357/166/R025 | YL951-YL999, YN232-YR328 |
| D13908 T | 1 | 557T386NF131 BACKSHELL | 06324 | 1 | 25-29-11 */*/ | YL951-YL999, YN232-YR328 |
| D13908 U | 1 | D110278 LATCH PLATE | 71468 | 2 | 25-29-11 */*/ | YL951-YL999, YN232-YR328 |
| D13928 | 1 | BACC63BV16B24SN RCPT - NGS INTERFACE | 81205 | 1 | 47-30-11 537/197/L041 | YD160-YR328 |
| D13928 T | 1 | 387AS020Z116A-D3-342 BACKSHELL - CONDUCTIVE | 81205 | 1 | 47-30-11 */*/ | YD160-YR328 |
| D13932 | 1 | BACC63BP22D39PN PLUG- | 81205 | 1 | 47-30-11 536/164/L036 | YL951-YL999, YN232-YR328 |
| D13932 T | 1 | BACC10MM22 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 536/164/L036 | YL951-YL999, YN232-YR328 |
| D13934 | 1 | BACC63BP22D39SN PLUG- | 81205 | 1 | 47-30-11 536/164/L036 | YD160-YL999, YN232-YR328 |
| D13934 T | 1 | BACC10MM22 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 */*/ | YD160-YL999, YN232-YR328 |
| D13938 | | D38999-26FA98SN SPEED BRK GND PROX SW | 81205 | 1 | 27-62-11 675/194/R067 | YL953-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D13900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D13938 T | | M85049-39S9N BACKSHELL | 81205 | 1 | 27-62-11 / / | YL953-YL999, YR301-YR328 |
| D13940 | | BACS16W1A RELAY-SOCKET | 81205 | 1 | 27-62-11 J039-00/ / | YL953-YL999, YR301-YR328 |
| D13942 | | BACS16W1A RELAY-SOCKET | 81205 | 1 | 27-62-11 J039-00/ / | YL953-YL999, YR301-YR328 |
| D13944 | | BACS16W1A RELAY-SOCKET | 81205 | 1 | 27-62-11 J039-00/ / | YL953-YL999, YR301-YR328 |
| D13946 | | BACS16W1A RELAY-SOCKET | 81205 | 1 | 27-62-11 J039-00/ / | YL953-YL999, YR301-YR328 |
| D13948 | | BACS16W1A RELAY-SOCKET | 81205 | 1 | 27-62-11 J039-00/ / | YL953-YL999, YR301-YR328 |
| D13950 | | BACS16W1A RELAY-SOCKET | 81205 | 1 | 27-62-11 J039-00/ / | YL953-YL999, YR301-YR328 |
| D13952 | | BACS16W1A RELAY-SOCKET | 81205 | 1 | 27-62-11 J039-00/ / | YL953-YL999, YR301-YR328 |
| D13954 | | BACC63BP10C5SN SPOILER-SOCKET | 81205 | 1 | 27-62-11 ORSS/412/ | YL953-YL999, YR301-YR328 |
| D13954 T | | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 27-62-11 ORSS/412/ | YL953-YL999, YR301-YR328 |
| D13956 | | BACC63BP10C5SN SPOILER-SOCKET | 81205 | 1 | 27-62-11 ORSS/383/ | YL953-YL999, YR301-YR328 |
| D13956 T | | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-62-11 ORSS/383/ | YL953-YL999, YR301-YR328 |
| D13958 | | BACC63BP10C5SN SPOILER-SOCKET | 81205 | 1 | 27-62-11 ORSS/342/ | YL953-YL999, YR301-YR328 |
| D13958 T | | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 27-62-11 ORSS/342/ | YL953-YL999, YR301-YR328 |
| D13964 | | BACC63BP10C5SN SPOILER - SOCKET | 81205 | 1 | 27-62-11 ORSS/358/ | YL953-YL999, YR301-YR328 |
| D13964 T | | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-62-11 ORSS/358/ | YL953-YL999, YR301-YR328 |
| D13966 | | BACC63BP10C5SN SPOILER - SOCKET | 81205 | 1 | 27-62-11 ORSS/400/ | YL953-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D13900

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D13966 T | | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-62-11 ORSS/400/ | YL953-YL999, YR301-YR328 |
| D13968 | | BACC63BP10C5SN SPOILER - SOCKET | 81205 | 1 | 27-62-11 ORSS/422/ | YL953-YL999, YR301-YR328 |
| D13968 T | | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 27-62-11 ORSS/422/ | YL953-YL999, YR301-YR328 |
| D13970 | 1 | BACC63BP22D39SN PLUG- | 81205 | 1 | 47-30-11 536/166/R037 | YD160-YL999, YN232-YR328 |
| D13970 T | 1 | BACC10MM22 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 */*/ | YD160-YL999, YN232-YR328 |
| D13972 | 1 | BACC63BP22D39PN PLUG- | 81205 | 1 | 47-30-11 536/166/R037 | YL951-YL999, YN232-YR328 |
| D13972 T | 1 | BACC10MM22 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 536/166/R037 | YL951-YL999, YR301-YR328 |
| D13972 T | 1 | BACC10MM22 BACKSHELL, SWINGARM STRAIGHT | 81205 | 1 | 47-30-11 536/166/R037 | YN232-YN501 |

EQUIPMENT LIST

D280A108

Section D13900
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D14112 | | BACC63BV10B5PN RECPT - CONDUCTIVE | 81205 | 1 | 47-30-11 723/166/R010 | YD160-YR328 |
| D14112 T | | 440AS069Z11002-3T BACKSHELL - CONDUCTIVE | 81205 | 1 | 47-30-11 */*/ | YD160-YR328 |
| D14114 | 1 | 172159-1 RCPT W/ SOCKET CONTACTS (170362-3) | 00779 | 1 | 31-52-11 P007/ / | YL951-YN501 |
| D14114 | 1 | 172159-1 RCPT W/ SOCKET CONTACTS (170362-3) | 00779 | 1 | 31-52-11 P007-00/ / | YR301-YR328 |
| D14114 T | 1 | 170362-3 SOCKET CONTACTS | 00779 | 1 | 31-52-11 */*/ | YL951-YR328 |
| D14116 | 1 | 172159-1 RCPT W/ SOCKET CONTACTS (170362-3) | 00779 | 1 | 31-52-11 P007-00/ / | YL951-YR328 |
| D14116 T | 1 | 170362-3 SOCKET CONTACTS | 00779 | 1 | 31-52-11 P007-00/ / | YL951-YN501 |
| D14116 T | 1 | 170362-3 SOCKET CONTACTS | 00779 | 1 | 31-52-11 */*/ | YR301-YR328 |
| D14118 | 1 | 172159-1 RCPT W/ SOCKET CONTACTS (170362-3) | 00779 | 1 | 33-18-51 P007-00/ / | YL951-YR328 |
| D14118 T | 1 | 170362-3 SOCKET CONTACTS | 00779 | 1 | 33-18-61 */*/ | YL951-YR328 |
| D14120 | 1 | 172159-1 RCPT W/ SOCKET CONTACTS (170362-3) | 00779 | 1 | 33-18-51 P007-00/ / | YL951-YR328 |
| D14120 T | 1 | 170362-3 SOCKET CONTACTS | 00779 | 1 | 33-18-51 P007-00/ / | YL951-YN501 |
| D14120 T | 1 | 170362-3 SOCKET CONTACTS | 00779 | 1 | 33-18-51 */*/ | YR301-YR328 |
| D14124 | | BACC63BP10C5SN SPOILER - SOCKET | 81205 | 1 | 27-62-11 ORSS/317/ | YL953-YL999, YR301-YR328 |
| D14124 T | | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 27-62-11 ORSS/317/ | YL953-YL999, YR301-YR328 |
| D14126 | | BACC63BP10C5SN SPOILER-SOCKET | 81205 | 1 | 27-62-11 ORSS/294/ | YL953-YL999, YR301-YR328 |
| D14126 T | | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 27-62-11 ORSS/294/ | YL953-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D14100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D14156 | 1 | BACS16X1A SOCKET- | 81205 | 1 | 47-30-11 J00024/ / | YL951-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D14100
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|---|
| D14200 | 1 | BACC63DB13-98SN PLUG- | 81205 | 1 | 47-30-11 577/155/L044 | YL951-YL999, YN232-YR328 |
| D14200 T | 1 | BACC10MA13 BACKSHELL, SWINGARM | 81205 | 1 | 47-30-11 577/155/L044 | YL951-YL999, YN232-YR328 |
| D14284 | 9 | BACC63CE14S-7S PLUG-CAB PRESS SW | 81205 | 1 | 21-33-11 196/208/R001 | YC060-YC064 |
| D14284 | 1 | BACC63CE14S-7S PLUG-CAB PRESS SW | 81205 | 1 | 21-33-11 196/208/R001 | YL952 |
| D14284 | 1 | BACC63CE14S-7S PLUG-CAB PRESS SW | 81205 | 1 | 21-33-11 196/208/0.46 | YL953-YL999, YN232-YN235, YR301-YR328 |
| D14284 | 1 | BACC63CE14S-7S PLUG-CAB PRESS SW | 81205 | 1 | 21-33-11 196/208/0.40 | YN236-YN501 |

EQUIPMENT LIST

D280A108

Section D14200

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D14360 | | BACC63CT15-18SN CONNECTOR PLUG - SOCKET | 81205 | 1 | 27-31-37 635/201/R051 | YL955-YL999, YR301-YR328 |
| D14360 | | BACC63CT15-18SN CONNECTOR PLUG - SOCKET | 81205 | 1 | 27-31-37 634/195/R052 | YN236-YN501 |
| D14360 T | | BACC10MK15 BACKSHELL, SWINGARM | 81205 | 1 | 27-31-37 / / | YL955-YL999, YN236-YR328 |
| D14362 | | BACC63CT15-18SN CONNECTOR PLUG - SOCKET | 81205 | 1 | 27-53-12 714/195/R057 | YL955-YL999, YN236-YR328 |
| D14362 T | | BACC10MK15 BACKSHELL, SWINGARM | 81205 | 1 | 27-53-12 / / | YL955-YL999, YN236-YR328 |
| D14364 | 1 | BACC45FT22-55S9 PLUG-LAV A (FWD ATTENDANT CTRL PNL) | 81205 | 1 | 23-42-14 305/290/L014 | YN501-YR328 |
| D14364 T | 1 | 450EB001C22-347 BACKSHELL | 81205 | 1 | 23-42-14 */*/ | YN501-YR328 |
| D14366 | 1 | BACC45FT22-55S PLUG-LAV A (FWD ATTENDANT CTRL PNL) | 81205 | 1 | 23-42-14 305/290/L015 | YN501-YR328 |
| D14366 T | 1 | 450EB001C22-347 BACKSHELL | 81205 | 1 | 23-42-14 */*/ | YN501-YR328 |
| D14368 | 1 | BACC45FT24-61S6 PLUG-LAV A (FWD ATTENDANT CTRL PNL) | 81205 | 1 | 23-42-14 305/290/L014 | YN501-YR328 |
| D14368 T | 1 | 450EB001C24-347 BACKSHELL | 81205 | 1 | 23-42-14 */*/ | YN501-YR328 |
| D14370 | 1 | BACC45FT22-55S7 PLUG-LAV A (FWD ATTENDANTS CTRL PNL) | 81205 | 1 | 23-42-14 305/290/L014 | YN501-YR328 |
| D14372 | 1 | BACC45FT22-55S9 PLUG-LAV D (AFT ATTENDANT CTRL PNL) | 81205 | 1 | 23-42-15 941/292/L020 | YN501-YR328 |
| D14372 T | 1 | BACC10JC22 CLAMP, 90 DEG | 81205 | 1 | 23-42-15 */*/ | YN501-YR328 |
| D14374 | 1 | BACC45FT22-55S PLUG-LAV D (AFT ATTENDANT CTRL PNL) | 81205 | 1 | 23-42-15 938/292/L019 | YN501-YR328 |
| D14374 T | 1 | BACC10JC22 CLAMP, 90 DEG | 81205 | 1 | 23-42-15 */*/ | YN501-YR328 |
| D14376 | 1 | BACC45FT24-61S6 PLUG-LAV D (AFT ATTENDANT CTRL PNL) | 81205 | 1 | 23-42-15 941/292/L020 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D14300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D14376 T | 1 | BACC10JC24 CLAMP, 90 DEG | 81205 | 1 | 23-42-15 */*/ | YN501-YR328 |
| D14378 | 1 | BACC45FT22-55S7 PLUG-LAV D (AFT ATTENDANT CTRL PNL) | 81205 | 1 | 23-42-15 941/292/L020 | YN501-YR328 |
| D14378 T | 1 | BACC10JC22 CLAMP, 90 DEG | 81205 | 1 | 23-42-15 */*/ | YN501-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D14300

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D14404 | 1 | BACC63EEA-03SN PLUG- | 81205 | 3 | 33-22-22 MULTI/ / | YN501-YR314, YR317-YR318, YR320-YR328 |
| D14404 | 1 | BACC63EEA-03SN PLUG- | 81205 | 7 | 33-22-22 MULTI/ / | YR315-YR316, YR319 |
| D14408 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 678/296/L027 | YN501 |
| D14430 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 619/296/L027 | YN501 |
| D14434 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 559/296/L027 | YN501 |
| D14436 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-21 500+19/296/L027 | YN501 |
| D14438 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 500C+19/296/L027 | YN501 |
| D14440 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-21 459/298/R009 | YN501 |
| D14442 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 500+19/296/L027 | YN501 |
| D14446 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 464/296/L027 | YN501 |
| D14448 | 1 | BACC63EDA-03PN RCPT- | 81205 | 3 | 33-22-22 MULTI/ / | YN501-YR314, YR317-YR318, YR320-YR328 |
| D14448 | 1 | BACC63EDA-03PN RCPT- | 81205 | 7 | 33-22-22 MULTI/ / | YR315-YR316, YR319 |
| D14452 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-41 464/296/L027 | YN501 |
| D14454 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 500A+1/296/L027 | YN501 |
| D14458 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 500D+1/296/L027 | YN501 |
| D14462 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 561/296/L027 | YN501 |

EQUIPMENT LIST

D280A108

Section D14400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D14464 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 500+18/296/L027 | YR301-YR328 |
| D14466 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 621/296/L027 | YN501 |
| D14474 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-24-21 319/292/L002 | YN501-YR328 |
| D14478 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-24-21 356/290/L011 | YN501-YR328 |
| D14494 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-31 459/298/R009 | YN501 |
| D14496 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-31 459/298/R010 | YN501 |

EQUIPMENT LIST

D280A108

Section D14400

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D14500 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-31 459/298/R011 | YN501 |
| D14502 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-31 464/296/R027 | YN501 |
| D14504 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-31 464/296/R027 | YN501 |
| D14506 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-31 500A+1/296/R027 | YN501 |
| D14510 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-31 500D+1/296/R027 | YN501 |
| D14514 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-31 561/296/R027 | YN501 |
| D14518 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-31 621/296/R027 | YN501 |
| D14540 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-24-22 914/290/R010 | YN501-YR328 |
| D14544 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-24-22 931/290/L015 | YN501-YR328 |
| D14546 | 1 | BACC63EDA-03PN RCPT- | 81205 | 1 | 33-24-22 1122/291/R010 | YN501-YR328 |
| D14550 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-24-22 1121/291/R010 | YN501-YR328 |
| D14552 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-24-22 979/290/L007 | YN501-YR328 |
| D14556 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-24-22 979/290/L005 | YN501-YR328 |
| D14558 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 679/296/R027 | YN501 |
| D14560 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-24-22 979/290/R007 | YN501-YR328 |
| D14562 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 619/296/R027 | YN501 |
| D14564 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-24-22 979/290/R008 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D14500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D14566 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 559/296/R027 | YN501 |
| D14568 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-24-22 931/290/R015 | YN501-YR328 |
| D14570 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 500C+19/296/R027 | YN501 |
| D14574 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 500+19/296/R027 | YN501 |
| D14578 | 1 | BACC63EEA-04SN PLUG- | 81205 | 1 | 33-21-12 419/269/L059 | YN501-YR328 |
| D14580 | 1 | BACC63EEA-04SN PLUG- | 81205 | 1 | 33-21-12 419/269/L059 | YN501-YR328 |
| D14582 | 1 | BACC63EEA-04SN PLUG- | 81205 | 1 | 33-21-12 628/269/L059 | YN501 |
| D14582 | 1 | BACC63EEA-04SN PLUG- | 81205 | 1 | 33-21-12 590/269/L059 | YR301-YR328 |
| D14584 | 1 | BACC63EEA-04SN PLUG- | 81205 | 1 | 33-21-12 628/269/L059 | YN501-YR328 |
| D14586 | 1 | BACC63EEA-04SN PLUG- | 81205 | 1 | 33-21-12 866/269/L059 | YN501-YR328 |
| D14588 | 1 | BACC63EEA-04SN PLUG- | 81205 | 1 | 33-21-12 866/269/L059 | YN501-YR328 |
| D14590 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-21-12 419/269/L059 | YN501-YR328 |
| D14594 | 1 | BACC63EEA-04SN PLUG- | 81205 | 1 | 33-21-12 419/269/R059 | YN501-YR328 |
| D14596 | 1 | BACC63EEA-04SN PLUG- | 81205 | 1 | 33-21-12 419/269/R059 | YN501-YR328 |
| D14598 | 1 | BACC63EEA-04SN PLUG- | 81205 | 1 | 33-21-12 628/269/R059 | YN501 |
| D14598 | 1 | BACC63EEA-04SN PLUG- | 81205 | 1 | 33-21-12 590/269/R059 | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D14500

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D14600 | 1 | BACC63EEA-04SN PLUG- | 81205 | 1 | 33-21-12 628/269/R059 | YN501-YR328 |
| D14602 | 1 | BACC63EEA-04SN PLUG- | 81205 | 1 | 33-21-12 866/269/R059 | YN501-YR328 |
| D14604 | 1 | BACC63EEA-04SN PLUG- | 81205 | 1 | 33-21-12 866/269/R059 | YN501-YR328 |
| D14606 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-21-12 419/269/R059 | YN501-YR328 |
| D14608 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-24-22 866/269/R059 | YN501-YR328 |
| D14610 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-24-21 318/292/L004 | YN501-YR328 |
| D14612 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-24-21 319/292/L004 | YN501-YR328 |
| D14614 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-24-22 931/290/L014 | YN501-YR328 |
| D14618 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-24-22 979/290/L008 | YN501-YR328 |
| D14622 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-24-22 979/290/R007 | YN501-YR328 |
| D14626 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-24-22 931/290/R014 | YN501-YR328 |
| D14630 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-24-21 356/290/L008 | YN501-YR328 |
| D14634 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-24-21 356/290/L009 | YN501-YR328 |
| D14650 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-24-21 356/290/R012 | YN501-YR328 |
| D14654 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-24-22 916/290/L010 | YN501-YR328 |
| D14656 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-24-22 916/290/L010 | YN501-YR328 |
| D14668 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-21-12 357/290/L001 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D14600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D14682 | 1 | BACC63EDA-05PN RCPT- | 81205 | 3 | 33-22-22 MULTI/ / | YN501-YR314, YR317-YR318, YR320-YR328 |
| D14682 | 1 | BACC63EDA-05PN RCPT- | 81205 | 7 | 33-22-22 MULTI/ / | YR315-YR316, YR319 |
| D14684 | 1 | BACC63EEA-05SN PLUG- | 81205 | 3 | 33-22-22 MULTI/ / | YN501-YR314, YR317-YR318, YR320-YR328 |
| D14684 | 1 | BACC63EEA-05SN PLUG- | 81205 | 7 | 33-22-22 MULTI/ / | YR315-YR316, YR319 |
| D14686 | 1 | BACC63EDA-05PN RCPT- | 81205 | 3 | 33-22-22 MULTI/ / | YN501-YR314, YR317-YR318, YR320-YR328 |
| D14686 | 1 | BACC63EDA-05PN RCPT- | 81205 | 7 | 33-22-22 MULTI/ / | YR315-YR316, YR319 |
| D14688 | 1 | BACC63EEA-05SN PLUG- | 81205 | 3 | 33-22-22 MULTI/ / | YN501-YR314, YR317-YR318, YR320-YR328 |
| D14688 | 1 | BACC63EEA-05SN PLUG- | 81205 | 7 | 33-22-22 MULTI/ / | YR315-YR316, YR319 |
| D14690 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-51-12 403/289/R006 | YN501-YR328 |
| D14692 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-51-12 460/298/L010 | YN501-YR328 |
| D14694 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-12 461/295/L025 | YN501-YR328 |
| D14696 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-12 500C+18/295/R025 | YN501 |
| D14698 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-12 500I+1/295/L025 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D14600

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D14700 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-12 617/295/R023 | YN501-YR328 |
| D14702 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-12 622/296/L027 | YN501 |
| D14702 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-13 622/296/L027 | YR301-YR328 |
| D14706 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-51-13 698/289/R006 | YN501 |
| D14706 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-51-14 698/289/R006 | YR301-YR328 |
| D14708 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-13 727+10/295/R023 | YN501 |
| D14708 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-14 727+10/295/R023 | YR301-YR328 |
| D14710 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-51-13 727A+10/289/L006 | YN501-YR328 |
| D14712 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-13 727B+2/289/L018 | YN501-YR328 |
| D14714 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-51-14 727D+8/289/R006 | YN501-YR328 |
| D14716 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-14 760/298/R028 | YN501 |
| D14718 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-14 762/289/L018 | YN501 |
| D14720 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-51-14 815/289/L006 | YN501-YR328 |
| D14722 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-51-14 877/289/R006 | YN501-YR328 |
| D14724 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-51-13 628/270/R060 | YN501-YR328 |
| D14726 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-51-13 628/270/L060 | YN501-YR328 |
| D14730 | | BACC63CT15-18SN CONNECTOR PLUG - SOCKET | 81205 | 1 | 32-64-21 635/195/R052 | YL955-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section D14700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D14730 T | | BACC10MK15 BACKSHELL, SWINGARM | 81205 | 1 | 32-64-21 */*/ | YL955-YL999, YN236-YR328 |
| D14732 | 1 | BACC45FT12-3S PLUG- | 81205 | 1 | 21-61-22 413/274/R044 | YN501 |
| D14732 T | 1 | BACC10JX12 BACKSHELL - 90 DEG | 81205 | 1 | 21-61-22 */*/ | YN501 |
| D14734 | 1 | BACC63CE12S-3S PLUG- | 81205 | 1 | 21-61-51 413/274/R044 | YN501 |
| D14734 T | 1 | BACC10HW12 CLAMP, 90 DEG | 81205 | 1 | 21-61-51 */*/ | YN501 |
| D14736 | 1 | BACC45FT8-3S PLUG | 81205 | 1 | 21-61-22 413/274/R044 | YN501 |
| D14736 T | 1 | BACC10JS08 CLAMP, STRAIGHT | 81205 | 1 | 21-61-22 */*/ | YN501 |
| D14742 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-21 MULTI/ / | YN501-YR328 |
| D14744 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-21 MULTI/ / | YN501-YR328 |
| D14746 | 1 | BACC63EDA-03PN RCPT- | 81205 | 1 | 33-22-21 MULTI/ / | YN501-YR328 |
| D14748 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 MULTI/ / | YN501-YR328 |
| D14750 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 459/298/L011 | YN501 |
| D14760 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 500C+10/296/R027 | YR301-YR328 |
| D14774 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-29-11 314/293/L004 | YN501-YR328 |
| D14776 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-29-11 978/292/R007 | YN501-YR328 |
| D14784 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-31 500+18/296/R027 | YR301-YR328 |
| D14788 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-24-22 942/292/L010 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D14700

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D14790 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-24-22 1121/291/R008 | YN501-YR328 |
| D14792 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-24-22 1121/291/R008 | YN501-YR328 |
| D14798 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-21 500+16/296/L027 | YR301-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D14700
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D14804 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-22 727D+5/297/L009 | YR315-YR316, YR319 |
| D14806 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 727D+5/297/L010 | YR315-YR316, YR319 |
| D14808 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-22 727D+5/297/L011 | YR315-YR316, YR319 |
| D14810 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 500C+10/296/L027 | YR301-YR328 |
| D14812 | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 33-51-11 310/290/R006 | YN501-YR328 |
| D14812 T | 1 | BACC10JC16 CLAMP, 90 DEG | 81205 | 1 | 33-51-11 */ */ * | YN501-YR328 |
| D14814 | 1 | BACC63DE0320SA PLUG- | 81205 | 7 | 33-51-12 D41078TI / / | YN501 |
| D14814 | 1 | BACC63DE0320SA PLUG- | 81205 | 11 | 33-51-12 D41078TI / / | YR301-YR314, YR317-YR318, YR320-YR328 |
| D14814 | 1 | BACC63DE0320SA PLUG- | 81205 | 8 | 33-51-12 D41078TI / / | YR315-YR316, YR319 |
| D14816 | 1 | BACC63DF0316PA RCPT- | 81205 | 7 | 33-51-12 MULTI / / | YN501 |
| D14816 | 1 | BACC63DF0316PA RCPT- | 81205 | 11 | 33-51-12 MULTI / / | YR301-YR314, YR317-YR318, YR320-YR328 |
| D14816 | 1 | BACC63DF0316PA RCPT- | 81205 | 8 | 33-51-12 MULTI / / | YR315-YR316, YR319 |
| D14818 | 1 | 126-58-9 PLUG | 81205 | 1 | 31-62-42 302/290/R008 | YN501-YR305 |
| D14818 | 1 | 125-94-9 PLUG | 81205 | 1 | 31-62-42 302/290/R008 | YR306-YR328 |
| D14820 | 1 | 126-58-9 PLUG | 81205 | 1 | 31-62-42 302/290/R008 | YN501-YR305 |
| D14820 | 1 | 125-94-9 PLUG | 81205 | 1 | 31-62-42 302/290/R008 | YR306-YR328 |

EQUIPMENT LIST

D280A108

Section D14800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D14822 | 1 | 126-58-9 PLUG | 81205 | 1 | 31-62-42 302/290/R008 | YN501-YR305 |
| D14822 | 1 | 125-94-9 PLUG | 81205 | 1 | 31-62-42 302/290/R008 | YR306-YR328 |
| D14824 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-51-12 500+18/298/R007 | YR301-YR328 |
| D14826 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-12 500C+10/295/R024 | YR301-YR328 |
| D14828 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-12 500C+14/295/L025 | YR301-YR328 |
| D14830 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-12 500H+20/295/R023 | YR301-YR328 |
| D14832 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-14 727F+5/295/R023 | YR301-YR328 |
| D14834 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-13 727E+9/296/L027 | YR301-YR328 |
| D14836 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-14 765/295/R023 | YR301-YR328 |
| D14838 | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-51-14 768/294/L023 | YR301-YR328 |
| D14840 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-51-13 590/270/R060 | YR301-YR328 |
| D14842 | 1 | BACC63DE0320SA PLUG- | 81205 | 1 | 33-51-13 590/270/L060 | YR301-YR328 |
| D14844 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-22 768/296/L027 | YR301-YR328 |
| D14846 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-22 821/297/L011 | YR301-YR328 |
| D14848 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 821/297/L011 | YR301-YR328 |
| D14850 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-22 821/296/L011 | YR301-YR328 |
| D14856 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 766/296/L027 | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D14800

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D14858 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 727H+21/296/L027 | YR301-YR328 |
| D14860 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 727F+5/296/L027 | YR301-YR314, YR317-YR318, YR320-YR328 |
| D14866 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-22 727A+7/297/L011 | YR315-YR316, YR319 |
| D14868 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 727A+7/297/L010 | YR315-YR316, YR319 |
| D14870 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-22 727A+7/297/L009 | YR315-YR316, YR319 |
| D14876 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 678/296/L027 | YR301-YR328 |
| D14878 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 618/296/L027 | YR301-YR328 |
| D14880 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 558/296/L027 | YR301-YR328 |
| D14882 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 500H+20/296/L027 | YR301-YR328 |
| D14884 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 500F+4/296/L027 | YR301-YR328 |
| D14896 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-21 458.6/298/L011 | YR301-YR328 |
| D14898 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 458.6/298/L010 | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D14800

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D14902 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-31 459/298/R012 | YR301-YR328 |
| D14904 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-31 459/298/R011 | YR301-YR328 |
| D14906 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-31 459/298/R010 | YR301-YR328 |
| D14916 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-31 500C+12/296/R027 | YR301-YR328 |
| D14918 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-31 500F+6/296/R027 | YR301-YR328 |
| D14920 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-31 500I/296/R027 | YR301-YR328 |
| D14922 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-31 560/296/R027 | YR301-YR328 |
| D14924 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-31 620/296/R027 | YR301-YR328 |
| D14930 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-32 727A+7/297/R011 | YR315-YR316, YR319 |
| D14932 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 727A+7/297/R010 | YR315-YR316, YR319 |
| D14940 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 727C+13/296/R027 | YR301-YR314, YR317-YR318, YR320-YR328 |
| D14942 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 727F+7/296/R027 | YR301-YR328 |
| D14944 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 727I+1/296/R027 | YR301-YR328 |
| D14950 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-32 831/288/R011 | YR301-YR328 |
| D14952 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 831/288/R011 | YR301-YR328 |
| D14954 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-51 831/288/R011 | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D14900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D14960 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 500C+12/296/L027 | YR301-YR328 |
| D14962 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 500F+6/296/L027 | YR301-YR328 |
| D14964 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 500H+22/296/L027 | YR301-YR328 |
| D14966 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 560/296/L027 | YR301-YR328 |
| D14968 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 620/296/L027 | YR301-YR328 |
| D14978 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 727C+13/296/L027 | YR301-YR314, YR317-YR318, YR320-YR328 |
| D14980 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 727F+7/296/L027 | YR301-YR328 |
| D14982 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 727I+1/296/L027 | YR301-YR328 |
| D14990 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 766/296/R027 | YR301-YR328 |
| D14992 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 727H+21/296/R027 | YR301-YR328 |
| D14994 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 727F+5/296/R027 | YR301-YR314, YR317-YR318, YR320-YR328 |

EQUIPMENT LIST

D280A108

Section D14900

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-------------|
| D15004 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 678/296/R027 | YR301-YR328 |
| D15006 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 618/296/R027 | YR301-YR328 |
| D15008 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 558/296/R027 | YR301-YR328 |
| D15010 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 500H+20/296/R027 | YR301-YR328 |
| D15012 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 500F+4/296/R027 | YR301-YR328 |
| D15016 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 21-61-13 410/274/R044 | YR301-YR328 |
| D15016 T | 1 | BACC10JX10 BACKSHELL - 90 DEG | 81205 | 1 | 21-61-13 /*/* | YR301-YR328 |
| D15018 | 1 | BACC63CE12S-3S PLUG- | 58795 | 1 | 21-61-13 410/274/R044 | YR301-YR328 |
| D15018 T | 1 | BACC10HW12 CLAMP, 90 DEG | 81205 | 1 | 21-61-51 /*/* | YR301-YR328 |
| D15020 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 21-61-13 410/274/R044 | YR301-YR328 |
| D15020 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 21-61-13 /*/* | YR301-YR328 |
| D15022 | 1 | BACC45FT10-5S PLUG- | 81205 | 1 | 21-61-14 727G+11/274/R044 | YR301-YR328 |
| D15022 T | 1 | BACC10JX10 BACKSHELL - 90 DEG | 81205 | 1 | 21-61-14 /*/* | YR301-YR328 |
| D15024 | 1 | BACC63CE12S-3S PLUG- | 58795 | 1 | 21-61-14 727G+11/274/R044 | YR301-YR328 |
| D15024 T | 1 | BACC10HW12 CLAMP, 90 DEG | 81205 | 1 | 21-61-51 /*/* | YR301-YR328 |
| D15026 | 1 | BACC45FT8-3S PLUG- | 81205 | 1 | 21-61-14 727G+11/274/R044 | YR301-YR328 |
| D15026 T | 1 | BACC10JS8 CLAMP, STRAIGHT | 81205 | 1 | 21-61-14 /*/* | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D15000

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D15242 | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-51-13 620/288/L000 | YN501-YR328 |
| D15244 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-32 727A+7/297/R009 | YR315-YR316, YR319 |
| D15246 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-32 727D+5/297/R011 | YR315-YR316, YR319 |
| D15248 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 727D+5/297/R009 | YR315-YR316, YR319 |
| D15250 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-32 727D+5/297/R010 | YR315-YR316, YR319 |
| D15258 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-22 727F+5/296/L027 | YR315-YR316, YR319 |
| D15284 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 727C+11/296/L027 | YR301-YR314, YR317-YR318, YR320-YR328 |
| D15286 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 727+11/296/L027 | YR301-YR314, YR317-YR318, YR320-YR328 |
| D15292 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 680/296/R027 | YR301-YR314, YR317-YR318, YR320-YR328 |
| D15294 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 727+13/296/R027 | YR301-YR314, YR317-YR318, YR320-YR328 |

EQUIPMENT LIST

D280A108

Section D15200

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D15300 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 680/296/L027 | YR301-YR314, YR317-YR318, YR320-YR328 |
| D15302 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 727+13/296/L027 | YR301-YR314, YR317-YR318, YR320-YR328 |
| D15308 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 727C+11/296/R027 | YR301-YR314, YR317-YR318, YR320-YR328 |
| D15310 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 727+11/296/R027 | YR301-YR314, YR317-YR318, YR320-YR328 |
| D15318 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-22 819/297/L009 | YN501 |
| D15320 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 819/297/L010 | YN501 |
| D15322 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-22 819/297/L011 | YN501 |
| D15324 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-22 816/296/L027 | YN501 |
| D15326 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 816/295/L027 | YN501 |
| D15328 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 759/295/L027 | YN501 |
| D15330 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 727C+12/295/L027 | YN501 |
| D15332 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 727+12/295/L027 | YN501 |
| D15334 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 681/296/R027 | YN501 |
| D15336 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 727+14/296/R027 | YN501 |
| D15338 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 727C+14/296/R027 | YN501 |

EQUIPMENT LIST

D280A108

Section D15300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------|
| D15340 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 761/296/R027 | YN501 |
| D15342 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-32 761/296/R027 | YN501 |
| D15344 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-32 821/298/R011 | YN501 |
| D15346 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 821/298/R010 | YN501 |
| D15348 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-51 821/298/R009 | YN501 |
| D15350 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 727+14/296/L027 | YN501 |
| D15352 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 727C+14/296/L027 | YN501 |
| D15354 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 761/296/L027 | YN501 |
| D15356 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-51 816/292/R020 | YN501 |
| D15358 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 816/296/R027 | YN501 |
| D15360 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 759/296/R027 | YN501 |
| D15362 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 727C+12/296/R027 | YN501 |
| D15364 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 727+12/296/R027 | YN501 |
| D15366 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-22 761/296/L027 | YN501 |
| D15368 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 681/296/L027 | YN501 |
| D15368 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-32 620/296/R027 | YR315-YR316, YR319 |
| D15370 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-22 812/296/L027 | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D15300

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------|
| D15372 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 812/296/L027 | YR301-YR328 |
| D15374 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-22 727F+5/296/L027 | YR315-YR316, YR319 |
| D15376 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-22 678/296/L027 | YR315-YR316, YR319 |
| D15378 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-21 500+16/296/L027 | YR301-YR328 |
| D15380 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-31 465/296/R027 | YR301-YR328 |
| D15382 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-31 465/296/R027 | YR301-YR328 |
| D15384 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-32 727D+9/296/R027 | YR315-YR316, YR319 |
| D15386 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 727D+9/296/R027 | YR315-YR316, YR319 |
| D15388 | 1 | BACC63EEA-03SN PLUG- | 81205 | 1 | 33-22-32 768/296/R027 | YR301-YR328 |
| D15390 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-41 465/296/L027 | YR301-YR328 |
| D15392 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 465/296/L027 | YR301-YR328 |
| D15394 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 680/296/L027 | YR315-YR316, YR319 |
| D15396 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-41 727D+9/296/L027 | YR315-YR316, YR319 |
| D15398 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 727D+9/296/L027 | YR315-YR316, YR319 |

EQUIPMENT LIST

D280A108

Section D15300

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D15400 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-41 768/296/L027 | YR301-YR328 |
| D15402 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-51 813/296/R027 | YR301-YR314, YR317-YR318, YR320-YR328 |
| D15402 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-51 812/296/R027 | YR315-YR316, YR319 |
| D15404 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 813/296/R027 | YR301-YR314, YR317-YR318, YR320-YR328 |
| D15404 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 812/296/R027 | YR315-YR316, YR319 |
| D15406 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 727F+5/296/R027 | YR315-YR316, YR319 |
| D15408 | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-51 695/296/R027 | YR315-YR316, YR319 |
| D15410 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 695/296/R027 | YR315-YR316, YR319 |
| D15412 | 1 | BACC63EEA-03SA PLUG- | 81205 | 1 | 33-22-51 500+16/296/R027 | YR301-YR328 |
| D15414 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-32 815/296/R027 | YR301-YR314, YR317-YR318, YR320-YR328 |
| D15414 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-32 768/296/R027 | YR315-YR316, YR319 |
| D15416 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-41 680/296/L027 | YR315-YR316, YR319 |
| D15418 | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-51 727F+5/296/R027 | YR315-YR316, YR319 |

EQUIPMENT LIST

D280A108

Section D15400

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D15510 | 1 | BACC63DE0320SA PLUG | 81205 | 1 | 32-35-11 247/206/R013 | YR301-YR328 |
| D15512 | 1 | RSE116755 SOCKET-RELAY | 81205 | 1 | 30-31-11 P018-00/ / | YL968-YL999, YN236-YR328 |
| D15514 | 1 | BACS16W1A SOCKET-RELAY | 81205 | 1 | 30-31-12 P018-00/ / | YL968-YL999, YN236-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D15500

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D15706 | 1 | BACS16X2A SOCKET- | 81205 | 1 | 33-26-31 J011-00/ / | YR315-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D15700

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D30002 | 1 | BACC63CM1814P6 PLUG-CONDUCTIVE CONNECTOR | 81205 | 2 | 78-35-11 NSTA 202/136/L12 | YC056-YR328 |
| D30002 T | 1 | 440AS069ZM1836-4 BACKSHELL | 06324 | 2 | 78-35-11 / / | YC056-YD157 |
| D30002 T | 1 | 440AS069ZM1836-3-63 BACKSHELL | 06324 | 2 | 78-35-11 / / | YD158-YR328 |
| D30002 U | 1 | 202K142-25-0-225 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YD157 |
| D30002 U | 1 | 202C632-50-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YD158-YR328 |
| D30002 U | 2 | 202K142-25-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YR328 |
| D30002 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 2 | 78-35-11 / / | YC056-YR328 |
| D30006 | 1 | BACC63CM1814P7 PLUG-CONDUCTIVE CONNECTOR | 81205 | 2 | 78-35-11 NSTA 202/137/R12 | YC056-YR328 |
| D30006 T | 1 | 440AS069ZM1836-4 BACKSHELL | 06324 | 2 | 78-35-11 / / | YC056-YD157 |
| D30006 T | 1 | 440AS069ZM1836-3-63 BACKSHELL | 06324 | 2 | 78-35-11 / / | YD158-YR328 |
| D30006 U | 1 | 202K142-25-0-225 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YD157 |
| D30006 U | 1 | 202C632-50-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YD158-YR328 |
| D30006 U | 2 | 202K142-25-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YR328 |
| D30006 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 2 | 78-35-11 / / | YC056-YR328 |
| D30008 | 1 | BACC63CM1610P6 PLUG-CONDUCTIVE CONNECTOR | 81205 | 2 | 78-35-11 NSTA 200/137/L12 | YC056-YR328 |
| D30008 T | 1 | 440AS069ZM1635-4 BACKSHELL | 06324 | 2 | 78-35-11 / / | YC056-YD157 |
| D30008 T | 1 | 440AS069ZM1635-3 BACKSHELL | 06324 | 2 | 78-35-11 / / | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section D30000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|-------------------------------|-----------------------------|
| D30008 U | 1 | 202K132-25-0-225 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YD157 |
| D30008 U | 1 | 202C621-50-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YD158-YR328 |
| D30008 U | 2 | 202K132-25-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YR328 |
| D30008 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 2 | 78-35-11 / / | YC056-YR328 |
| D30010 | 1 | BACC63CM1610P7 PLUG-CONDUCTIVE CONNECTOR | 81205 | 2 | 78-35-11 NSTA 200/137/R12 | YC056-YR328 |
| D30010 T | 1 | 440AS069ZM1635-4 BACKSHELL | 06324 | 2 | 78-35-11 / / | YC056-YD157 |
| D30010 T | 1 | 440AS069ZM1635-3 BACKSHELL | 06324 | 2 | 78-35-11 / / | YD158-YR328 |
| D30010 U | 1 | 202K132-25-0-225 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YD157 |
| D30010 U | 1 | 202C621-50-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YD158-YR328 |
| D30010 U | 2 | 202K132-25-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YR328 |
| D30010 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 2 | 78-35-11 / / | YC056-YR328 |
| D30014 | 1 | BACC63BP22C39S9 PLUG-CONDUCTIVE | 81205 | 1 | 80-11-11 IFSS-229/ / | YC051-YD158, YL951-YR328 |
| D30014 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 80-11-11 IFSS-229/ / | YC051-YD158, YN231 |
| D30014 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 80-11-11 IFSS-229/ / | YL951-YL999, YN232-YR328 |
| D30016 | 1 | BACC63BP22C39P9 PLUG-CONDUCTIVE | 81205 | 1 | 24-21-11 NSTA 259/146/R013 | ALL |
| D30016 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 24-21-11 / / | ALL |
| D30038 | 1 | CA66287-50 PLUG | 71468 | 2 | 24-21-11 TBD/ / | ALL |

EQUIPMENT LIST

D280A108

Section D30000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|-------------------------------|-------------|
| D30040 | 1 | SEESCD282A730-001 PLUG- | 81205 | 1 | 78-36-11 IFSS-228/ / | YC055-YD158 |
| D30040 | 1 | SEEDWG325-039-002-0 PLUG- | 81205 | 1 | 78-36-11 IFSS-228/ / | YD160-YR328 |
| D30042 | 1 | BACC63BP22C39PN PLUG-CONDUCTIVE | 81205 | 1 | 73-21-21 NSTA 258/149/R013 | YC056-YR328 |
| D30042 T | 1 | 440AS069LF2208-4P BACKSHELL | 06324 | 1 | 73-21-21 / / | YC056-YC058 |
| D30042 T | 1 | 440AH069LF2208-P BACKSHELL | 06324 | 1 | 73-21-21 / / | YC059-YR328 |
| D30042 U | 1 | 202K153-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 73-21-21 / / | YC056-YR328 |
| D30042 U | 2 | 202K153-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 73-21-21 / / | YC056-YR328 |
| D30042 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 73-21-21 / / | YC056-YR328 |
| D30062 | 1 | BACC63BP16C24SN PLUG-CONDUCTIVE | 81205 | 1 | 26-11-11 IFSS-229/ / | ALL |
| D30062 T | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 26-11-11 IFSS-229/ / | ALL |
| D30064 | 1 | BACC63BP16C24PN PLUG-CONDUCTIVE | 81205 | 1 | 26-11-11 NSTA 260/142/R013 | ALL |
| D30064 T | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 26-11-11 / / | ALL |
| D30072 | 1 | BACC63CM1005SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 2 | 78-35-11 NSTA 200/128/L25 | YC056-YR328 |
| D30072 T | 1 | 440AJ069ZM1003 BACKSHELL | 06324 | 2 | 78-35-11 / / | YC056-YR328 |
| D30072 U | 1 | 202K121-25-0-225 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YR328 |
| D30072 U | 2 | 202K121-25-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YR328 |
| D30072 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 2 | 78-35-11 / / | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section D30000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D30074 | 1 | BACC63CM1005SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 2 | 78-35-11 NSTA 200/124/R28 | YC056-YR328 |
| D30074 T | 1 | 440AJ069ZM1003 BACKSHELL | 06324 | 2 | 78-35-11 / / | YC056-YR328 |
| D30074 U | 1 | 202K121-25-0-225 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YR328 |
| D30074 U | 2 | 202K121-25-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YR328 |
| D30074 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 2 | 78-35-11 / / | YC056-YR328 |
| D30076 | 1 | BACC63CM1005SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 2 | 78-35-11 NSTA 200/128/L23 | YC056-YR328 |
| D30076 T | 1 | 440AS069ZM1003-5-16B BACKSHELL | 06324 | 2 | 78-35-11 / / | YC056-YR328 |
| D30076 U | 1 | 202K121-25-0-225 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YR328 |
| D30076 U | 2 | 202K121-25-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YR328 |
| D30076 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 2 | 78-35-11 / / | YC056-YR328 |
| D30078 | 1 | BACC63CM1005SN PLUG-CONDUCTIVE CONNECTOR | 81205 | 2 | 78-35-11 NSTA 200/126/R28 | YC056-YR328 |
| D30078 T | 1 | 440AJ069ZM1003 BACKSHELL | 06324 | 2 | 78-35-11 / / | YC056-YR328 |
| D30078 U | 1 | 202K121-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YR328 |
| D30078 U | 2 | 202K121-25-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-35-11 / / | YC056-YR328 |
| D30078 V | 1 | BACB42F3 STRAIGHT, LIPPED BOOT | 81205 | 2 | 78-35-11 / / | YC056-YR328 |
| D30082 | 1 | SEESCD282A730-003 PLUG- | 81205 | 1 | 73-21-21 IFSS-228/ / | YC055-YD158 |
| D30082 | 1 | SEEDWG325-104-601-0 PLUG- | 81205 | 1 | 73-21-21 IFSS-228/ / | YL951-YL959, YN231-YN235 |

EQUIPMENT LIST

D280A108

Section D30000

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|-------------------------------|-----------------------------|
| D30082 | 1 | SEEDWGLCS282A730-033 PLUG- | 81205 | 1 | 73-21-21 IFSS-228/ / | YL963-YL999, YN236-YR328 |
| D30084 | 1 | BACC63BP22C39P6 PLUG-CONDUCTIVE | 81205 | 1 | 78-35-11 NSTA 258/144/R013 | YC056-YR328 |
| D30084 T | 1 | 440AH069LF2208-P BACKSHELL | 06324 | 1 | 78-35-11 / / | YC056-YR328 |
| D30084 U | 1 | 202K153-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-35-11 / / | YC056-YR328 |
| D30084 U | 2 | 202K153-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-35-11 / / | YC056-YR328 |
| D30084 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 78-35-11 / / | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section D30000

Page 5 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D30114 | 1 | BACC63BP22C39S9 PLUG-CONDUCTIVE | 81205 | 1 | 80-11-11 IFSS 229/ / | ALL |
| D30114 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 80-11-11 IFSS 229/ / | YC051-YD158, YN231 |
| D30114 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 80-11-11 IFSS 229/ / | YD160-YL999, YN232-YR328 |
| D30116 | 1 | BACC63BP22C39P9 PLUG-CONDUCTIVE | 81205 | 1 | 80-11-11 NSTA 259/146/L13 | ALL |
| D30116 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 80-11-11 / / | ALL |
| D30140 | 1 | SEESCD282A730-002 PLUG- | 81205 | 1 | 73-24-12 IFSS 229/ / | YC055-YD158 |
| D30140 | 1 | SEEDWG325-039-102-0 PLUG- | 81205 | 1 | 73-24-12 IFSS 229/ / | YD160-YR328 |
| D30142 | 1 | BACC63BP22C39PN PLUG-CONDUCTIVE | 81205 | 1 | 78-35-21 NSTA 258/149/L13 | YC056-YR328 |
| D30142 T | 1 | 440AS069LF2208-4P BACKSHELL | 06324 | 1 | 78-35-21 / / | YC056-YR328 |
| D30142 U | 1 | 202K153-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-35-21 / / | YC056-YR328 |
| D30142 U | 2 | 202K153-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-35-21 / / | YC056-YR328 |
| D30142 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 78-35-21 / / | YC056-YR328 |
| D30162 | 1 | BACC63BP16C24SN PLUG-CONDUCTIVE | 81205 | 1 | 26-11-21 IFSS 230/ / | ALL |
| D30162 T | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 26-11-21 IFSS 230/ / | YC051-YD153 |
| D30162 T | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 26-11-21 */ */ | YD154-YR328 |
| D30164 | 1 | BACC63BP16C24PN PLUG-CONDUCTIVE | 81205 | 1 | 26-11-21 NSTA 260/142/L13 | ALL |
| D30164 T | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 26-11-21 / / | ALL |

EQUIPMENT LIST

D280A108

Section D30100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D30182 | 1 | SEESCD282A730-004 PLUG | 81205 | 1 | 73-21-21 IFSS 228/ / | YC055-YD158 |
| D30182 | 1 | SEEDWG325-104-701-0 PLUG | 81205 | 1 | 73-21-21 IFSS 228/ / | YL951-YL959, YN231-YN235 |
| D30182 | 1 | SEEDWGLCS282A730-034 PLUG | 81205 | 1 | 73-21-21 IFSS 228/ / | YL963-YL999, YN236-YR328 |
| D30184 | 1 | BACC63BP22C39P6 PLUG-CONDUCTIVE | 81205 | 1 | 73-21-21 NSTA 258/144/L13 | YC056-YR328 |
| D30184 T | 1 | 440AH069LF2208-P BACKSHELL | 06324 | 1 | 73-21-21 / / | YC056-YR328 |
| D30184 U | 1 | 202K153-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 73-21-21 / / | YC056-YR328 |
| D30184 U | 2 | 202K153-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 73-21-21 / / | YC056-YR328 |
| D30184 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 73-21-21 / / | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section D30100
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D30202 | 1 | BACC63CN1814S6 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 78-36-11 NSTA 202/136/L12 | YC056-YR328 |
| D30202 T | 1 | 440AH069ZM1836 BACKSHELL | 06324 | 1 | 78-36-11 / / | YC056-YR328 |
| D30202 U | 1 | 202K132-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-36-11 / / | YC056-YR328 |
| D30202 U | 2 | 202K132-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-36-11 / / | YC056-YR328 |
| D30202 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 78-36-11 / / | YC056-YR328 |
| D30204 | 1 | BACC63CN1814SN RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 36-11-11 NSTA 162/134/R10 | YC056-YR328 |
| D30204 T | 1 | 440AH069ZM1836 BACKSHELL | 06324 | 1 | 36-11-11 / / | YC056-YR328 |
| D30204 U | 1 | 202K132-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 36-11-11 / / | YC056-YR328 |
| D30204 U | 2 | 202K132-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 36-11-11 / / | YC056-YR328 |
| D30204 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 36-11-11 / / | YC056-YR328 |
| D30206 | 1 | BACC63CN1814S7 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 78-35-21 NSTA 202/136/R12 | YC056-YR328 |
| D30206 T | 1 | 440AH069ZM1836 BACKSHELL | 06324 | 1 | 78-35-21 / / | YC056-YR328 |
| D30206 U | 1 | 202K132-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-35-21 / / | YC056-YR328 |
| D30206 U | 2 | 202K132-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-35-21 / / | YC056-YR328 |
| D30206 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 78-35-21 / / | YC056-YR328 |
| D30208 | 1 | BACC63CN1610S6 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 78-35-11 NSTA 200/136/L12 | YC056-YR328 |
| D30208 T | 1 | 440AH069ZM1635 BACKSHELL | 06324 | 1 | 78-35-11 / / | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section D30200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D30208 U | 1 | 202K132-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-35-11 / / | YC056-YR328 |
| D30208 U | 2 | 202K132-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-35-11 / / | YC056-YR328 |
| D30208 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 78-35-11 / / | YC056-YR328 |
| D30210 | 1 | BACC63CN1610S7 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 78-36-11 NSTA 200/136/R12 | YC056-YR328 |
| D30210 T | 1 | 440AH069ZM1635 BACKSHELL | 06324 | 1 | 78-36-11 / / | YC056-YR328 |
| D30210 U | 1 | 202K132-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-36-11 / / | YC056-YR328 |
| D30210 U | 2 | 202K132-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-36-11 / / | YC056-YR328 |
| D30210 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 78-36-11 / / | YC056-YR328 |
| D30212 | 1 | BACC63CN1610SN RECP-CONDUCTIV CONNECTOR | 81205 | 1 | 73-22-11 NSTA 178/134/R11 | ALL |
| D30212 T | 1 | BACC10KC16 CLAMP, 45 DEG | 81205 | 1 | 73-22-11 / / | ALL |
| D30220 | 1 | BACC63CN1407S7 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 26-11-11 NSTA 170/136/R12 | ALL |
| D30220 T | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 26-11-11 / / | ALL |
| D30224 | 1 | BACC63CN2842S7 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 78-35-21 NSTA 182/135/R11 | YC056-YR328 |
| D30224 T | 1 | 440AH069ZM2838-745 BACKSHELL | 06324 | 1 | 78-35-21 / / | YC056-YR328 |
| D30224 U | 1 | 202K153-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-35-21 / / | YC056-YR328 |
| D30224 U | 2 | 202K153-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-35-21 / / | YC056-YR328 |
| D30224 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 78-36-11 / / | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section D30200

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D30228 | 1 | BACC63CN2430SN RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 30-21-11 NSTA 166/135/R11 | ALL |
| D30228 T | 1 | BACC10KC24 CLAMP, 45 DEG | 81205 | 1 | 30-21-11 / / | ALL |
| D30234 | 1 | BACC63CN2842SN RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 24-21-11 NSTA 162/135/L11 | ALL |
| D30234 T | 1 | BACC10KC28 CLAMP, 45 DEG | 81205 | 1 | 24-21-11 / / | ALL |
| D30238 | 1 | CA66286-45 RECP- | 71468 | 1 | 24-21-11 NSTA 170/135/L11 | ALL |
| D30252 | 1 | BACC63CN1407S6 RECP-CONDUCTIVE | 81205 | 1 | 26-11-11 NSTA 172/134/R11 | ALL |
| D30252 T | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 26-11-11 / / | ALL |
| D30256 | 1 | BACC63CN1407SN RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 73-22-11 NSTA 163/136/R12 | ALL |
| D30256 T | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 73-22-11 / / | ALL |
| D30260 | 1 | BACC63CN2842S6 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 73-21-21 NSTA 186/136/R11 | YC056-YR328 |
| D30260 T | 1 | 440AH069ZM2838-745 BACKSHELL | 06324 | 1 | 73-21-21 / / | YC056-YR328 |
| D30260 U | 1 | 202K153-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 73-21-21 / / | YC056-YR328 |
| D30260 U | 2 | 202K153-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 73-21-21 / / | YC056-YR328 |
| D30260 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 73-21-21 / / | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section D30200

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D30402 | 1 | BACC63CN1814S6 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 78-36-21 NSTA 202/136/L12 | YC056-YR328 |
| D30402 T | 1 | 440AH069ZM1836 BACKSHELL | 06324 | 1 | 78-36-21 / / | YC056-YR328 |
| D30402 U | 1 | 202K132-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-36-21 / / | YC056-YR328 |
| D30402 U | 2 | 202K132-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-36-21 / / | YC056-YR328 |
| D30402 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 78-36-21 / / | YC056-YR328 |
| D30404 | 1 | BACC63CN1814SN RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 30-11-11 NSTA 162/134/R10 | YC056-YR328 |
| D30404 T | 1 | 440AH069ZM1836 BACKSHELL | 06324 | 1 | 30-11-11 / / | YC056-YR328 |
| D30404 U | 1 | 202K132-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 30-11-11 / / | YC056-YR328 |
| D30404 U | 2 | 202K132-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 30-11-11 / / | YC056-YR328 |
| D30404 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 30-11-11 / / | YC056-YR328 |
| D30406 | 1 | BACC63CN1814S7 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 78-36-21 NSTA 202/136/R12 | YC056-YR328 |
| D30406 T | 1 | 440AH069ZM1836 BACKSHELL | 06324 | 1 | 78-36-21 / / | YC056-YR328 |
| D30406 U | 1 | 202K132-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-36-21 / / | YC056-YR328 |
| D30406 U | 2 | 202K132-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-36-21 / / | YC056-YR328 |
| D30406 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 78-36-21 / / | YC056-YR328 |
| D30408 | 1 | BACC63CN1610S6 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 78-35-21 NSTA 200/136/L12 | YC056-YR328 |
| D30408 T | 1 | 440AH069ZM1635 BACKSHELL | 06324 | 1 | 78-35-21 / / | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section D30400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|-------------------------------|-------------|
| D30408 U | 1 | 202K132-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-35-21 / / | YC056-YR328 |
| D30408 U | 2 | 202K132-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-35-21 / / | YC056-YR328 |
| D30408 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 78-35-21 / / | YC056-YR328 |
| D30410 | 1 | BACC63CN1610S7 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 78-36-21 NSTA 200/136/R12 | YC056-YR328 |
| D30410 T | 1 | 440AH069ZM1635 BACKSHELL | 06324 | 1 | 78-36-21 / / | YC056-YR328 |
| D30410 U | 1 | 202K132-25-0-225 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-36-21 / / | YC056-YR328 |
| D30410 U | 2 | 202K132-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-36-21 / / | YC056-YR328 |
| D30410 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 78-36-21 / / | YC056-YR328 |
| D30412 | 1 | BACC63CN1610SN RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 73-22-11 NSTA 178/134/R011 | ALL |
| D30412 T | 1 | BACC10KC16 CLAMP, 45 DEG | 81205 | 1 | 73-22-11 */ */ | ALL |
| D30420 | 1 | BACC63CN1407S7 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 26-11-21 NSTA 170/136/R12 | ALL |
| D30420 T | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 26-11-21 / / | ALL |
| D30424 | 1 | BACC63CN2842S7 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 78-35-21 NSTA 182/135/R11 | YC056-YR328 |
| D30424 T | 1 | 440AH069ZM2838-745 BACKSHELL | 06324 | 1 | 78-35-21 8/ / | YC056-YR328 |
| D30424 U | 1 | 202K153-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-35-21 / / | YC056-YR328 |
| D30424 U | 2 | 202K153-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 78-35-21 / / | YC056-YR328 |
| D30424 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 78-35-21 / / | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section D30400

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|-------------------------------|-------------|
| D30428 | 1 | BACC63CN2430SN RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 30-21-21 NSTA 166/135/R011 | ALL |
| D30428 T | 1 | BACC10KC24 CLAMP, 45 DEG | 81205 | 1 | 30-21-21 */*/ | ALL |
| D30434 | 1 | BACC63CN2842SN RCPT-CONDUCTIVE | 81205 | 1 | 80-11-11 NSTA 162/135/L11 | ALL |
| D30434 T | 1 | BACC10KC28 CLAMP, 45 DEG | 81205 | 1 | 80-11-11 / / | ALL |
| D30438 | 1 | CA66286-45 RECP- | 71468 | 1 | 24-21-11 NSTA 170/135/L11 | ALL |
| D30452 | 1 | BACC63CN1407S6 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 26-11-21 NSTA 172/134/R011 | ALL |
| D30452 T | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 26-11-21 */*/ | ALL |
| D30456 | 1 | BACC63CN1407SN RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 73-22-11 NSTA 163/136/R12 | ALL |
| D30456 T | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 73-22-11 / / | ALL |
| D30460 | 1 | BACC63CN2842S6 RECP-CONDUCTIVE CONNECTOR | 81205 | 1 | 73-21-21 NSTA 186/136/R11 | YC056-YR328 |
| D30460 T | 1 | 440AH069ZM2838-745 BACKSHELL | 06324 | 1 | 73-21-21 / / | YC056-YR328 |
| D30460 U | 1 | 202K153-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 73-21-21 / / | YC056-YR328 |
| D30460 U | 2 | 202K153-25-0 STRAIGHT, LIPPED BOOT | 06090 | 1 | 73-21-21 / / | YC056-YR328 |
| D30460 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 1 | 73-21-21 / / | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section D30400

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D37001J | 1 | BACC63CC12-12SN RECP | 81205 | 1 | 23-70-11 AB0288/ / | YL951-YR328 |
| D37001JK | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */ */ | YL951-YR328 |
| D37001P | 1 | BACC63CB12-12PN PLUG | 81205 | 1 | 23-70-11 AB0288/ / | YL951-YR328 |
| D37001PQ | | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 23-70-11 */ / | YL951-YR328 |
| D37002J | 1 | BACC63CC12-12SN RCPT- | 81205 | 1 | 23-70-11 AB0358/ / | YL951-YR328 |
| D37002JK | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */ */ | YL951-YR328 |
| D37002P | 1 | BACC63CB12-12PN PLUG | 81205 | 1 | 23-70-11 AB0358/ / | YL951-YR328 |
| D37002PQ | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */ / | YL951-YR328 |
| D37003J | 1 | BACC63CC12-12SN RECP | 81205 | 1 | 23-70-11 326/291/R018 | YL951-YR328 |
| D37003JK | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */ */ | YL951-YR328 |
| D37003P | 1 | BACC63CB12-12PN PLUG | 81205 | 1 | 23-70-11 326/291/R018 | YL951-YR328 |
| D37003PQ | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */ / | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D37000

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D39901 | 1 | BACC63BP22C39S8 PLUG-CONDUCTIVE | 81205 | 1 | 27-81-11 500I+15/181/L060 | YC051-YL999, YR301-YR328 |
| D39901 | 1 | BACC63BP22C39S8 PLUG-CONDUCTIVE | 81205 | 1 | 27-81-11 500D+15/181/L060 | YN231-YN501 |
| D39901 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 27-81-11 */*/ | ALL |
| D39902 | 1 | BACC63BP22C39S8 PLUG-CODUCTIVE | 81205 | 1 | 27-81-21 500I+15/181/R059 | YC051-YC055 |
| D39902 | 1 | BACC63BP22C39S8 PLUG-CODUCTIVE | 81205 | 1 | 27-81-22 500I+15/181/R059 | YC056-YL999, YR301-YR328 |
| D39902 | 1 | BACC63BP22C39S8 PLUG-CODUCTIVE | 81205 | 1 | 27-81-21 500D+15/181/R059 | YN231-YN501 |
| D39902 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 27-81-21 TBD/ / | ALL |
| D39903 | 1 | BACC63BP22C39P8 PLUG-CONDUCTIVE | 81205 | 1 | 27-81-12 IFSS-80/ / | ALL |
| D39903 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 27-81-12 */*/ | ALL |
| D39904 | 1 | BACC63BP22C39P8 PLUG-CONDUCTIVE | 81205 | 1 | 27-81-11 IFSS 79/ / | ALL |
| D39904 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 27-81-11 OFSS 79/ / | ALL |
| D39905 | 1 | BACC63BP22C39S6 PLUG-CONDUCTIVE | 81205 | 1 | 28-43-11 525/194/L067 | ALL |
| D39905 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 28-43-11 TBD/ / | ALL |
| D39906 | 1 | BACC63BP22C39S6 PLUG-CONDUCTIVE | 81205 | 1 | 28-41-11 525/194/R067 | ALL |
| D39906 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 28-41-11 TBD/ / | YC051-YL999, YR301-YR328 |
| D39906 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 28-41-11 */*/ | YN231-YN501 |
| D39907 | 1 | BACC63BP22C39P6 PLUG-CONDUCTIVE | 81205 | 1 | 33-44-12 IFSS-93/ / | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D39900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D39907 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 33-44-12 IFSS-95/ / | YC051-YD158, YL951-YR328 |
| D39908 | 1 | BACC63BP22C39P6 PLUG-CONDUCTIVE | 81205 | 1 | 28-44-11 IFSS 97/ / | YC051-YD158, YL951-YR328 |
| D39908 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 28-44-11 */ */ | YC051-YD158, YL951-YR328 |
| D39909 | 1 | BACC63BP18C11S7 PLUG-CONDUCTIVE | 81205 | 1 | 76-21-11 500I+5/188/L064 | YC051-YL999, YR301-YR328 |
| D39909 | 1 | BACC63BP18C11S7 PLUG-CONDUCTIVE | 81205 | 1 | 76-21-11 500D+5/188/L064 | YN231-YN501 |
| D39909 T | 1 | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 76-21-11 TBD/ / | YC051-YC055 |
| D39909 T | 1 | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 76-21-11 */ */ | YC056-YR328 |
| D39910 | 1 | BACC63BP18C11S7 PLUG-CONDUCTIVE | 81205 | 1 | 76-21-21 500I+9/188/R064 | YC051-YL999, YR301-YR328 |
| D39910 | 1 | BACC63BP18C11S7 PLUG-CONDUCTIVE | 81205 | 1 | 76-21-21 500D+9/188/R064 | YN231-YN501 |
| D39910 T | 1 | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 76-21-21 TBD/ / | ALL |
| D39911 | 1 | BACC63BP18C11P7 PLUG-CONDUCTIVE | 81205 | 1 | 76-21-11 IFSS-85/ / | YC051-YD158, YL951-YR328 |
| D39911 T | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 80-11-11 IFSS-85/ / | YC051-YD158, YL951-YR328 |
| D39912 | 1 | BACC63BP18C11P7 PLUG-CONDUCTIVE | 81205 | 1 | 76-21-21 IFSS 85/ / | ALL |
| D39912 T | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 80-11-11 IFSS 85/ / | ALL |
| D39913 | 1 | BACC63BP22C39S8 PLUG-CONDUCTIVE | 81205 | 1 | 28-41-11 525/187/L064 | ALL |
| D39913 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 28-41-11 */ */ | ALL |
| D39914 | 1 | BACC63BP22C39S8 PLUG-CONDUCTIVE | 81205 | 1 | 28-41-11 525/186/R063 | ALL |

EQUIPMENT LIST

D280A108

Section D39900

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D39914 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 28-41-11 TBD/ / | ALL |
| D39915 | 1 | BACC63BP22C39P8 PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 28-41-11 OFSS -90/ / | YC051-YD158, YL951-YR328 |
| D39915 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 28-41-11 OFSS -91/ / | YC051-YD158, YL951-YR328 |
| D39916 | 1 | BACC63BP22C39P8 PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 28-41-11 OFSS 90/ / | YC051-YD158, YL951-YR328 |
| D39916 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 28-41-11 OFSS 91/ / | YC051-YD158, YL951-YR328 |
| D39917 | 1 | BACC63BP22C39SN PLUG-CONDUCTIVE | 81205 | 1 | 73-21-21 530/194/L066 | ALL |
| D39917 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 73-21-21 TBD/ / | ALL |
| D39918 | 1 | BACC63BP22C39SN PLUG-CONDUCTIVE | 81205 | 1 | 73-21-21 530/194/R066 | ALL |
| D39918 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 73-21-21 TBD/ / | ALL |
| D39919 | 1 | SEESCD282A730-001 PLUG- | 81205 | 1 | 78-36-11 IFSS-100/ / | YC055-YD158 |
| D39919 | 1 | SEEDWG325-039-002-0 PLUG- | 81205 | 1 | 78-36-11 IFSS-100/ / | YD160-YR328 |
| D39920 | 1 | SEESCD282A730-002 PLUG- | 81205 | 1 | 73-24-12 IFSS 100/ / | YC055-YD158 |
| D39920 | 1 | SEEDWG325-039-102-0 PLUG- | 81205 | 1 | 73-24-12 IFSS 100/ / | YD160-YR328 |
| D39921 | 1 | BACC63BP22C39S10 PLUG-CONDUCTIVE | 81205 | 1 | 73-21-21 500I+5/180/L059 | YC051-YL999, YR301-YR328 |
| D39921 | 1 | BACC63BP22C39S10 PLUG-CONDUCTIVE | 81205 | 1 | 73-21-21 500D+5/180/L059 | YN231-YN501 |
| D39921 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 73-21-21 */ */ | ALL |
| D39922 | 1 | BACC63BP22C39S10 PLUG-CONDUCTIVE | 81205 | 1 | 73-21-21 500I+5/180/R060 | YC054-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D39900

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D39922 | 1 | BACC63BP22C39S10 PLUG-CONDUCTIVE | 81205 | 1 | 73-21-21 500D+5/180/R060 | YN231-YN501 |
| D39922 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 73-21-21 TBD/ / | YC054-YL999, YR301-YR328 |
| D39922 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 73-21-21 */ */ | YN231-YN501 |
| D39923 | 1 | SEESCD282A730-003 PLUG- | 81205 | 1 | 73-21-21 IFSS-78/ / | YC055-YD158 |
| D39923 | 1 | SEEDWG325-104-601-0 PLUG- | 81205 | 1 | 73-21-21 IFSS-78/ / | YL951-YL959, YN231-YN235 |
| D39923 | 1 | SEEDWGLCS282A730-033 PLUG- | 81205 | 1 | 73-21-21 IFSS-78/ / | YL963-YL999, YN236-YR328 |
| D39924 | 1 | SEESCD282A730-004 PLUG- | 81205 | 1 | 73-21-21 IFSS 78/ / | YC055-YD158 |
| D39924 | 1 | SEEDWG325-104-701-0 PLUG- | 81205 | 1 | 73-21-21 IFSS 78/ / | YL951-YL959, YN231-YN235 |
| D39924 | 1 | SEEDWGLCS282A730-034 PLUG- | 81205 | 1 | 73-21-21 IFSS 78/ / | YL963-YL999, YN236-YR328 |
| D39925 | 1 | BACC63BP22C39S7 PLUG-CONDUCTIVE | 81205 | 1 | 79-31-11 525/180/L059 | ALL |
| D39925 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 79-31-11 TBD/ / | ALL |
| D39926 | 1 | BACC63BP22C39S7 PLUG-CONDUCTIVE | 81205 | 1 | 30-21-21 525/180/R060 | ALL |
| D39926 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 30-21-21 TBD/ / | ALL |
| D39927 | 1 | BACC63BP22C39P7 PLUG-CONDUCTIVE | 81205 | 1 | 73-22-11 IFSS-89/ / | ALL |
| D39927 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 73-22-11 IFSS-89/ / | ALL |
| D39928 | 1 | BACC63BP22C39P7 PLUG-CONDUCTIVE | 81205 | 1 | 73-22-11 IFSS 89/ / | ALL |
| D39928 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 73-22-11 IFSS 89/ / | ALL |

EQUIPMENT LIST

D280A108

Section D39900

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D39929 | 1 | BACC63BP18C11SN PLUG-CONDUCTIVE | 81205 | 1 | 26-11-11 500I+5/185/L063 | YC051-YL999, YR301-YR328 |
| D39929 | 1 | BACC63BP18C11SN PLUG-CONDUCTIVE | 81205 | 1 | 26-11-11 500D+5/185/L063 | YN231-YN501 |
| D39929 T | 1 | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 26-11-11 TBD/ / | ALL |
| D39930 | 1 | BACC63BP18C11SN PLUG-CONDUCTIVE | 81205 | 1 | 26-12-11 500I+5/185/R063 | YC051-YD153 |
| D39930 | 1 | BACC63BP18C11SN PLUG-CONDUCTIVE | 81205 | 1 | 26-11-21 500I+5/185/R063 | YD154-YL999, YR301-YR328 |
| D39930 | 1 | BACC63BP18C11SN PLUG-CONDUCTIVE | 81205 | 1 | 26-12-11 500D+5/185/R063 | YN231-YN501 |
| D39930 T | 1 | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 26-12-11 */ */ | ALL |
| D39931 | 1 | BACC63BP18C11PN PLUG-CONDUCTIVE | 81205 | 1 | 26-11-11 IFSS-81/ / | ALL |
| D39931 T | 1 | BACC10KF18 CLAMP, 45 DEG | 81205 | 1 | 26-11-11 IFSS-81/ / | ALL |
| D39932 | 1 | BACC63BP18C11PN PLUG-CONDUCTIVE | 81205 | 1 | 26-11-21 IFSS 81/ / | ALL |
| D39932 T | 1 | BACC10KF18 CLAMP, 45 DEG | 81205 | 1 | 73-22-11 IFSS 81/ / | YC051-YD153 |
| D39932 T | 1 | BACC10KF18 CLAMP, 45 DEG | 81205 | 1 | 73-22-11 */ */ | YD154-YR328 |
| D39933 | 1 | BACC63BP22C39S9 PLUG-CONDUCTIVE | 81205 | 1 | 24-24-11 500I+15/185/L063 | YC051-YL999, YR301-YR309 |
| D39933 | 1 | BACC63BP22C39S9 PLUG-CONDUCTIVE | 81205 | 1 | 24-24-11 500D+15/185/L063 | YN231-YN236, YN501 |
| D39933 | 1 | CN1178B22G39S9Y000 PLUG-CONDUCTIVE | 81205 | 1 | 24-24-11 500I+15/185/L063 | YR312-YR328 |
| D39933 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 24-24-11 / / | YC051-YC055 |
| D39933 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 24-24-11 */ */ | YC056-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D39900

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D39934 | 1 | BACC63BP22C39S9 PLUG-CONDUCTIVE | 81205 | 1 | 24-21-21 500I+10/185/R062 | YC051-YL999, YR301-YR309 |
| D39934 | 1 | BACC63BP22C39S9 PLUG-CONDUCTIVE | 81205 | 1 | 24-21-21 500D+10/185/R062 | YN231-YN236, YN501 |
| D39934 | 1 | CN1178B22G39S9Y000 PLUG-CONDUCTIVE | 81205 | 1 | 24-21-21 500I+10/185/R062 | YR312-YR328 |
| D39934 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 24-21-21 TBD/ / | YC051-YN236, YN501-YR328 |
| D39935 | 1 | BACC63BP22C39P9 PLUG-CONDUCTIVE | 81205 | 1 | 24-21-11 IFSS-87/ / | YC051-YD158, YL951-YR328 |
| D39935 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 77-12-21 IFSS-87/ / | YC051-YD158, YL951-YR328 |
| D39936 | 1 | BACC63BP22C39P9 PLUG-CONDUCTIVE | 81205 | 1 | 24-21-21 IFSS 87/ / | ALL |
| D39936 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 77-12-21 IFSS 87/ / | ALL |
| D39937 | 1 | BACC63BP22C39SN PLUG-CONDUCTIVE | 81205 | 1 | 28-23-11 500I+10/178/L058 | YC051-YL999, YR301-YR328 |
| D39937 | 1 | BACC63BP22C39SN PLUG-CONDUCTIVE | 81205 | 1 | 28-23-11 500D+10/178/L058 | YN231-YN236, YN501 |
| D39937 T | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 28-23-11 TBD/ / | YC051-YN236, YN501-YR328 |
| D39938 | 1 | BACC63BP22C39PN PLUG-CONDUCTIVE | 81205 | 1 | 28-23-11 IFSS-84/ / | ALL |
| D39938 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 28-23-11 IFSS-84/ / | YC051-YD153 |
| D39938 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 28-23-11 */ */ | YD154-YR328 |
| D39939 | 1 | BACC63BP22C39SN PLUG-CONDUCTIVE | 81205 | 1 | 28-23-11 500I+10/178/R058 | YC051-YL999, YR301-YR328 |
| D39939 | 1 | BACC63BP22C39SN PLUG-CONDUCTIVE | 81205 | 1 | 28-23-11 500D+10/178/R058 | YN231-YN501 |
| D39939 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 28-23-11 TBD/ / | ALL |

EQUIPMENT LIST

D280A108

Section D39900

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D39940 | 1 | BACC63BP22C39PN PLUG-CONDUCTIVE | 81205 | 1 | 28-23-11 IFSS 84/ / | YC051-YN236, YN501-YR328 |
| D39940 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 28-23-11 */*/ | YC051-YN236, YN501-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D39900
Page 7 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D40004J | 1 | BACC63BV22B19S6 RCPT-CONDUCTIVE | 81205 | 1 | 32-41-11 722/201/R033 | ALL |
| D40004JK | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 */*/ | ALL |
| D40004P | 1 | BACC63BP22D19P6 PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 722/201/R034 | ALL |
| D40004PQ | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 TBD/ / | YC051-YD158, YN231 |
| D40004PQ | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 */*/ | YD160-YL999, YN232-YR328 |
| D40005J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 23-31-04 392/293/R021 | YC051-YL999, YR301-YR328 |
| D40005J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 23-31-04 391/293/R021 | YN231-YN501 |
| D40005P | 1 | AMC02PA03W PLUG | 05574 | 1 | 23-31-04 392/293/R021 | ALL |
| D40006J | 1 | BACC63BV18F14S8 RCPT-CONDUCTIVE | 81205 | 1 | 32-64-21 718/201/R033 | YC051-YD158 |
| D40006J | 1 | BACC63BV18H14S8 RCPT-CONDUCTIVE | 81205 | 1 | 32-64-21 718/201/R033 | YD160-YR328 |
| D40006JK | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-64-21 */*/ | YC051-YD158 |
| D40006JK | 1 | M85049-52S18A BACKSHELL-CONDUCTIVE | 81205 | 1 | 32-64-21 */*/ | YD160-YR328 |
| D40006P | 1 | BACC63BP18C14P8 PLUG- CONDUCTIVE | 81205 | 1 | 32-64-21 718/201/R34 | YC051-YD158 |
| D40006P | 1 | BACC63BP18H14P8 PLUG- CONDUCTIVE | 81205 | 1 | 32-64-21 718/201/R34 | YD160-YR328 |
| D40006PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-64-21 TBD/ / | YC051-YD158 |
| D40006PQ | 1 | M85049-52S18A BACKSHELL- CONDUCTIVE | 81205 | 1 | 32-64-21 TBD/ / | YD160-YR328 |
| D40007J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 23-31-04 951/300/R016 | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D40000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D40007J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 23-31-04 954/297/R020 | YN231-YN501 |
| D40007P | 1 | AMC02PA03W PLUG | 05574 | 1 | 23-31-04 954/297/R020 | YC051-YC055, YL951-YN260 |
| D40007P | 1 | AMC02PA03W PLUG | 05574 | 1 | 23-31-04 952/300/R018 | YC056-YD170, YN501-YR328 |
| D40008J | 1 | BACC63BV12F12SN RECPT- | 81205 | 1 | 26-21-11 726/199/L052 | YC051-YD158 |
| D40008J | 1 | BACC63BV12H12SN RECPT- | 81205 | 1 | 26-21-11 726/199/L052 | YL951-YR328 |
| D40008JK | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 26-21-11 726/200/L53 | YC051-YD158 |
| D40008JK | 1 | M85049-51S12A BACKSHELL | 81205 | 1 | 26-21-11 726/200/L53 | YL951-YR328 |
| D40008P | 1 | BACC63BP12C12PN PLUG - ELEC DISC AFT | 81205 | 1 | 26-21-11 726/199/L053 | YC051-YD158 |
| D40008P | 1 | BACC63BP12H12PN PLUG - ELEC DISC AFT | 81205 | 1 | 26-21-11 726/199/L053 | YD160-YL999, YR301-YR328 |
| D40008P | 1 | BACC63BP12H12PN PLUG - ELEC DISC AFT | 81205 | 1 | 26-21-11 725/200/L053 | YN231-YN501 |
| D40008PQ | 1 | BACC10KE12 CLAMP, 90 DEG | 81205 | 1 | 26-21-11 / / | YC051-YD158 |
| D40008PQ | 1 | M85049-51S12A BACKSHELL | 81205 | 1 | 26-21-11 / / | YD160-YL999, YR301-YR328 |
| D40008PQ | 1 | M85049-51S12A BACKSHELL | 81205 | 1 | 26-21-11 */*/ | YN231-YN501 |
| D40009J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 23-31-04 956/300/L019 | ALL |
| D40009P | 1 | AMC02PA03W PLUG | 05574 | 1 | 23-31-04 952/298/L015 | YC051-YD170, YN501-YR328 |
| D40009P | 1 | AMC02PA03W PLUG | 05574 | 1 | 23-31-04 956/299/L019 | YL951-YN260 |
| D40010J | 1 | BACC63BV12F12SN PLUG - ELEC DISC MID | 81205 | 1 | 26-21-11 715/199/L051 | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section D40000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|-------------------------------|-----------------------------|
| D40010J | 1 | BACC63BV12H12SN RCPT - ELEC DISC MID | 81205 | 1 | 26-21-11 715/199/L051 | YD160-YR328 |
| D40010JK | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 / / | YC051-YD158 |
| D40010JK | 1 | M85049-52S12A BACKSHELL | 81205 | 1 | 26-21-11 / / | YD160-YL999, YR301-YR328 |
| D40010JK | 1 | M85049-52S12A BACKSHELL | 81205 | 1 | 26-21-11 */*/ | YN231-YN501 |
| D40010P | 1 | BACC63BP12C12PN PLUG - ELEC DISC MID | 81205 | 1 | 26-21-11 715/199/L053 | YC051-YD158 |
| D40010P | 1 | BACC63BP12H12PN PLUG - ELEC DISC MID | 81205 | 1 | 26-21-11 715/199/L053 | YD160-YR328 |
| D40010PQ | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 */*/ | YC051-YD158 |
| D40010PQ | 1 | M85049-52S12A BACKSHELL | 81205 | 1 | 26-21-11 */*/ | YD160-YR328 |
| D40011J | 1 | BACC45FN12-12S RCPT | 81205 | 1 | 44-21-12 AB0366/ / | YN501-YR328 |
| D40011P | 1 | BACC45FT12-12P PLUG | 812054 | 1 | 44-21-12 366/ / | YR303-YR328 |
| D40012J | 1 | MTCPQKT1R2PFDD RCPT- | 06090 | 1 | 26-21-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40012P | 1 | MTCPQKT1P2SFDD PLUG | 06090 | 1 | 26-21-11 E002-02/ / | ALL |
| D40014J | 1 | BACC63BV18F8SN RCPT-CONDUCTIVE CONNECTOR | 81205 | 1 | 33-43-11 OFSS-769/ / | ALL |
| D40014JK | 1 | BACC10KF18 CLAMP, 45 DEG | 81205 | 1 | 33-43-11 OFSS-768/ / | ALL |
| D40014P | 1 | BACC63BP18C8PN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 33-43-11 OFSS 769/010/L004 | YC051-YC065 |
| D40014PQ | 1 | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 33-43-11 */*/ | YC051-YC065 |
| D40016J | 1 | BACC63BV18F8SN RCPT-CONDUCTIVE CONNECTOR | 81205 | 1 | 33-43-11 OFSS 769/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|-------------------------------|-----------------------------|
| D40016JK | 1 | BACC10KF18 CLAMP, 45 DEG | 81205 | 1 | 33-43-11 OFSS 768/ / | ALL |
| D40016P | 1 | BACC63BP18C8PN PLUG-CONDUCTIVE CONNECTOR | 81205 | 1 | 33-43-11 OFSS 769/010/R004 | YC051-YC065 |
| D40016PQ | 1 | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 33-43-11 */ */ | YC051-YC065 |
| D40018J | 1 | S280W557-251 RCPT- | 81205 | 1 | 33-22-31 370/290/R012 | YC051-YD151 |
| D40018J | 1 | BACC65AK251P RCPT- | 81205 | 1 | 33-22-31 370/290/R012 | YD152-YN260 |
| D40018P | 1 | S280W557-151 PLUG- | 81205 | 1 | 33-22-31 374/290/R013 | YC051-YD151 |
| D40018P | 1 | BACC65AJ151S PLUG- | 81205 | 1 | 33-22-31 374/290/R013 | YD152-YN260 |
| D40019J | 1 | MTCPQKT2R22SGCB RECPT-CONDUCTIVE | 06090 | 1 | 22-13-11 E001-01/ / | ALL |
| D40019P | 1 | MTCPQKT2P22PGCB PLUG-CONDUCTIVE | 06090 | 1 | 22-13-11 E001-01/ / | ALL |
| D40020J | 1 | S280W557-271 RCPT- | 81205 | 1 | 33-29-11 336/292/L002 | YC051-YC070 |
| D40020J | 1 | S280W557-271 RCPT- | 81205 | 1 | 33-29-11 335/291/L001 | YD151 |
| D40020J | 1 | BACC65AK271P RCPT- | 81205 | 1 | 33-29-11 335/291/L001 | YD152-YN260 |
| D40020P | 1 | S280W557-171 PLUG- | 81205 | 1 | 33-29-11 335/291/L002 | YC051-YD151 |
| D40020P | 1 | BACC65AJ171S PLUG- | 81205 | 1 | 33-29-11 335/291/L002 | YD152-YD157, YL951-YN260 |
| D40020P | 1 | BACC65AJ171S PLUG- | 81205 | 1 | 33-29-11 335/292/000 | YD158 |
| D40024J | 1 | BACC63BV22F55SN RCPT-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/247/ | YC051-YC052 |
| D40024J | 1 | BACC63BV22F55PN RCPT-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/247/ | YC053-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D40000

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40024JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 27-53-21 / / | YC051-YC058 |
| D40024JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 27-53-21 */*/ | YC059-YN236, YN501-YR328 |
| D40024P | 1 | BACC63BP22C55PN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/256/ | YC051-YC052 |
| D40024P | 1 | BACC63BP22C55SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/256/ | YC053-YN236, YN501-YR328 |
| D40024PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 27-53-21 */*/ | YC051-YC052, YD153-YN236, YN501-YR328 |
| D40024PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 27-53-21 / / | YC053-YD152 |
| D40025J | 1 | MTCPQKT1R2SGCB RCPT-CONDUCTIVE | 06090 | 1 | 22-23-11 E003-02/ / | ALL |
| D40025P | 1 | MTCPQKT1P2PGCB PLUG- CONDUCTIVE | 06090 | 1 | 22-23-11 E003-02/ / | YC051-YN236, YN501-YR328 |
| D40026J | 1 | S280W557-271 RCPT- | 81205 | 1 | 33-29-11 949/290/R016 | YC051-YD151 |
| D40026J | 1 | BACC65AK271P RCPT- | 81205 | 1 | 33-29-11 949/290/R016 | YD152-YN260 |
| D40026J | 1 | BACC65AK261P RCPT- | 81205 | 1 | 33-29-11 949/290/R016 | YN501-YR328 |
| D40026P | 1 | S280W557-171 PLUG- | 81205 | 1 | 33-29-11 949/290/R015 | YC051-YD151 |
| D40026P | 1 | BACC65AJ171S PLUG- | 81205 | 1 | 33-29-11 949/290/R015 | YD152-YD158, YL951-YN260 |
| D40026P | 1 | BACC65AJ161S PLUG- | 81205 | 1 | 33-29-11 949/290/R015 | YN501-YR328 |
| D40029J | 1 | MTCPQKT1R2SGDA RCPT-CONDUCTIVE | 06090 | 1 | 27-24-11 E003-02/ / | ALL |
| D40029P | 1 | MTCPQKT1P2PGDA PLUG- CONDUCTIVE | 06090 | 1 | 27-24-11 E003-02/ / | YC051-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D40000

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| D40032J | 1 | S280W557-212 RCPT- | 81205 | 1 | 23-41-11 949/290/L014 | YC051-YD151 |
| D40032J | 1 | BACC65AK212P RCPT- | 81205 | 1 | 23-41-11 949/290/L014 | YD152-YR328 |
| D40032P | 1 | S280W557-112 PLUG - CABIN SERVICE JACK | 81205 | 1 | 23-41-11 940/290/L014 | YC051-YD151 |
| D40032P | 1 | BACC65AJ112S PLUG - CABIN SERVICE JACK | 81205 | 1 | 23-41-11 949/290/L013 | YD152-YR328 |
| D40034J | 1 | BACC63BV22F55SN RCPT-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/256/ | YC051-YC052 |
| D40034J | 1 | BACC63BV22F55PN RCPT-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS/256/ | YC053-YN236, YN501-YR328 |
| D40034JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 27-53-21 / / | YC051-YN236, YN501-YR328 |
| D40034P | 1 | BACC63BP22C55PN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS 256/ / | YC051-YC052 |
| D40034P | 1 | BACC63BP22C55SN PLUG-CONDUCTIVE | 81205 | 1 | 27-53-21 ORSS 256/ / | YC053-YN236, YN501-YR328 |
| D40034PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 27-53-21 */ */ | YC051-YC052, YD153-YN236, YN501-YR328 |
| D40034PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 27-53-21 / / | YC053-YD152 |
| D40038J | 1 | S280W557-251 RCPT- | 81205 | 1 | 33-22-22 906/290/L012 | YC051-YD151 |
| D40038J | 1 | BACC65AK251P RCPT- | 81205 | 1 | 33-22-22 906/290/L012 | YD152-YN260 |
| D40038P | 1 | S280W557-151 PLUG- | 81205 | 1 | 33-22-22 905/289/L012 | YC051-YD151 |
| D40038P | 1 | BACC65AJ151S PLUG- | 81205 | 1 | 33-22-22 905/289/L012 | YD152-YN260 |
| D40040J | 1 | S280W557-211 RCPT- | 81205 | 1 | 33-51-12 317/290/L018 | YC051-YD151 |

EQUIPMENT LIST

D280A108

Section D40000

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40040J | 1 | BACC65AK211P RCPT- | 81205 | 1 | 33-51-12 317/290/L018 | YD152-YR328 |
| D40040P | 1 | S280W557-111 PLUG- | 81205 | 1 | 33-51-12 317/289/L018 | YC051-YD151 |
| D40040P | 1 | BACC65AJ111S PLUG- | 81205 | 1 | 33-51-12 317/289/L018 | YD152-YR328 |
| D40042J | 1 | S280W557-211 RCPT- | 81205 | 1 | 33-51-12 332/289/R026 | YC051-YD151 |
| D40042J | 1 | BACC65AK211P RCPT- | 81205 | 1 | 33-51-12 332/289/R026 | YD152-YR328 |
| D40042P | 1 | S280W557-111 PLUG- | 81205 | 1 | 33-51-12 331/289/R025 | YC051-YD151 |
| D40042P | 1 | BACC65AJ111S PLUG- | 81205 | 1 | 33-51-12 331/289/R025 | YD152-YR328 |
| D40044J | 1 | S280W557-221 RCPT- | 81205 | 1 | 33-51-14 982/289/L033 | YC051-YD151 |
| D40044J | 1 | BACC65AK221P RCPT- | 81205 | 1 | 33-51-14 982/289/L033 | YD152-YR328 |
| D40044P | 1 | S280W557-121 PLUG- | 81205 | 1 | 33-51-14 981/289/L033 | YC051-YD151 |
| D40044P | 1 | BACC65AJ121S PLUG- | 81205 | 1 | 33-51-14 981/289/L033 | YD152-YN260 |
| D40044P | 1 | BACC65AJ121S PLUG- | 81205 | 1 | 33-51-14 982/289/L033 | YN501-YR328 |
| D40046J | 1 | BACC65AK221P RCPT- | 81205 | 1 | 33-51-14 974/289/R034 | ALL |
| D40046P | 1 | S280W557-121 PLUG- | 81205 | 1 | 33-51-14 974/289/R035 | YC051-YD151 |
| D40046P | 1 | BACC65AJ121S PLUG- | 81205 | 1 | 33-51-14 974/289/R035 | YD152-YD170, YN231-YN260 |
| D40046P | 1 | BACC65AJ121S PLUG- | 81205 | 1 | 33-51-14 974/289/R034 | YL951-YL999, YN501-YR328 |
| D40047J | 1 | BACC63CC22-55P8 RCPT - CONDUCTIVE | 81205 | 1 | 34-53-11 E001-04/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40000

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40047JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-53-11 */*/ | ALL |
| D40047P | 1 | BACC63CB22-55S8 PLUG - CONDUCTIVE | 81205 | 1 | 34-53-11 E001-04/ / | ALL |
| D40047PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-53-11 E001-04/ / | YC051-YD170 |
| D40047PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-53-11 */*/ | YL951-YR328 |
| D40049J | 1 | BACC63CC12-12P6 RCPT - CONDUCTIVE | 81205 | 1 | 34-22-11 E001-04/ / | YC051-YD158, YL951-YR328 |
| D40049JK | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 34-22-11 E001-02/ / | YC051-YD155 |
| D40049JK | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 34-22-11 */*/ | YD157-YD158, YL951-YR328 |
| D40049P | 1 | BACC63CB12-12S6 PLUG - CONDUCTIVE | 81205 | 1 | 34-22-11 E001-04/ / | ALL |
| D40049PQ | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 34-22-11 E001-04/ / | YC051-YD170 |
| D40049PQ | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 34-22-11 */*/ | YL951-YR328 |
| D40050J | 1 | BACC45FN14-12P9 RCPT- | 81205 | 1 | 33-22-11 AB0340A/ / | YC051-YD158, YL951-YR328 |
| D40050P | 1 | BACC45FT14-12S9 PLUG- | 81205 | 1 | 33-22-11 341/296/L005 | ALL |
| D40050PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 33-21-11 */*/ | ALL |
| D40052J | 1 | S280W557-221 RCPT- | 81205 | 1 | 33-22-21 454/301/L018 | YC051-YD151 |
| D40052J | 1 | BACC65AK221P RCPT- | 81205 | 1 | 33-22-21 454/301/L018 | YD152-YN260 |
| D40052JK | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 33-22-21 */*/ | YC051-YD151 |
| D40052JK | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-22-21 */*/ | YD152-YN260 |

EQUIPMENT LIST

D280A108

Section D40000

Page 8

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40052P | 1 | S280W557-121 PLUG- | 81205 | 1 | 33-22-11 454/301/L018 | YC051-YD151 |
| D40052P | 1 | BACC65AJ121S PLUG- | 81205 | 1 | 33-22-11 454/301/L018 | YD152-YD158, YL951-YN260 |
| D40053J | 1 | MTCPQKT1R2PFAB RCPT- | 06090 | 1 | 27-18-11 E003-02/ / | ALL |
| D40053P | 1 | MTCPQKT1P2SFAB PLUG- | 06090 | 1 | 27-18-11 E003-02/ / | YC051-YN236, YN501-YR328 |
| D40054J | 1 | BACC45FN12-12P RCPT- | 81205 | 1 | 33-22-11 AB0340A/ / | YC051-YD158, YL951-YR328 |
| D40054P | 1 | BACC45FT12-12S PLUG- | 81205 | 1 | 33-29-11 333/295/L006 | ALL |
| D40054PQ | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 33-29-11 */*/ | ALL |
| D40056J | 1 | BACC63CC18-31SN RCPT-CONDUCTIVE | 81205 | 1 | 21-51-12 542/156/L028 | YC051-YL999, YR301-YR328 |
| D40056J | 1 | BACC63CC16-24SN RCPT-CONDUCTIVE | 81205 | 1 | 21-51-12 542/156/L028 | YN231-YN236, YN501 |
| D40056JK | 1 | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 24-51-14 */*/ | YC051-YL999, YR301-YR328 |
| D40056JK | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 24-51-14 */*/ | YN231-YN236, YN501 |
| D40056P | 1 | BACC63CB18-31PN PLUG-CONDUCTIVE | 81205 | 1 | 21-51-14 542/156/L027 | YC051-YL999, YR301-YR323, YR325-YR328 |
| D40056P | 1 | BACC63CB16-24PN PLUG-CONDUCTIVE | 81205 | 1 | 21-51-14 542/156/L027 | YN231-YN236, YN501 |
| D40056PQ | 1 | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 21-51-14 */*/ | YC051-YL999, YR301-YR323, YR325-YR328 |
| D40056PQ | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 21-51-14 */*/ | YN231-YN236, YN501 |
| D40058J | 1 | BACC63CC18-31SN RCPT-CONDUCTIVE | 81205 | 1 | 21-51-24 542/156/R028 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D40000

Page 9

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40058J | 1 | BACC63CC18-31SN RCPT-CONDUCTIVE | 81205 | 1 | 21-51-24 542/158/R028 | YD158-YL968 |
| D40058J | 1 | BACC63CC18-31SN RCPT-CONDUCTIVE | 81205 | 1 | 21-51-24 536/158/R028 | YL969-YL999, YR301-YR328 |
| D40058J | 1 | BACC63CC16-24SN RCPT-CONDUCTIVE | 81205 | 1 | 21-51-24 542/156/R028 | YN231-YN501 |
| D40058JK | 1 | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 21-51-24 */*/ | YC051-YL999, YR301-YR328 |
| D40058JK | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 21-51-24 */*/ | YN231-YN501 |
| D40058P | 1 | BACC63CB18-31PN PLUG-CONDUCTIVE | 81205 | 1 | 21-51-24 542/156/R027 | YC051-YL999, YR301-YR323, YR325-YR328 |
| D40058P | 1 | BACC63CB16-24PN PLUG-CONDUCTIVE | 81205 | 1 | 21-51-24 542/156/R027 | YN231-YN501 |
| D40058PQ | 1 | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 21-51-24 */*/ | YC051-YL999, YR301-YR323, YR325-YR328 |
| D40058PQ | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 21-51-24 */*/ | YN231-YN501 |
| D40060J | 1 | BACC63CN1610SN RECP-CONDUCTIVE | 81205 | 1 | 26-11-31 1088/229/R014 | YC051-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D40060JK | 1 | BACC10KA16 CLAMP, STRAIGHT | 81205 | 1 | 26-11-31 1088/ / | YC051-YC052 |
| D40060JK | 1 | BACC10KA16 CLAMP, STRAIGHT | 81205 | 1 | 26-11-31 1088/229/R14 | YC053-YC059 |
| D40060JK | 1 | BACC10KA16 CLAMP, STRAIGHT | 81205 | 1 | 26-11-31 1088/229/R014 | YC060-YD158 |
| D40060JK | 1 | BACC10KA16 CLAMP, STRAIGHT | 81205 | 1 | 26-11-31 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D40060P | 1 | BACC63CM1610PN PLUG- | 81205 | 1 | 26-11-31 1088/229/R014 | ALL |

EQUIPMENT LIST

D280A108

Section D40000

Page 10

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40060PQ | 1 | BACC10KB16 CLAMP, 90 DEG | 81205 | 1 | 26-11-31 */*/ | ALL |
| D40062J | 1 | BACC63CN1407SN RCPT- | 81205 | 1 | 26-11-31 1146/248/R012 | ALL |
| D40062JK | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 26-11-31 */*/ | ALL |
| D40062P | 1 | BACC63CM1407PN PLUG- | 81205 | 1 | 26-11-31 1146/248/R013 | ALL |
| D40062PQ | 1 | 287A4811-23 CONDUIT | 81205 | 1 | 26-11-31 1146/248/R013 | ALL |
| D40063J | 1 | MTCPQKT1R2SGBA RECPT-CONDUCTIVE | 06090 | 1 | 2211XXX E001-01/ / | ALL |
| D40063P | 1 | MTCPQKT1P2PGBA PLUG-CONDUCTIVE | 06090 | 1 | 22-11-18 E001-01/ / | ALL |
| D40064J | 1 | MTCPQKT1R2PGDC RCPT- | 06090 | 1 | 21-31-23 E001-01/ / | YD158-YR328 |
| D40064P | 1 | MTCPQKT1P2SGDC PLUG- | 06090 | 1 | 21-31-23 E001-01/ / | YD158-YR328 |
| D40066J | 1 | MTCPQKT1R2SGAC RCPT- | 06090 | 1 | 21-31-23 E004-01/ / | ALL |
| D40066P | 1 | MTCPQKT1P2PGAC PLUG- | 06090 | 1 | 21-31-23 E004-01/ / | ALL |
| D40068J | 1 | MTCPQKT2R26SGAC RCPT- | 06090 | 1 | 30-41-12 E004-02/ / | ALL |
| D40068P | 1 | MTCPQKT2P26PGAC PLUG-CONDUCTIVE | 06090 | 1 | 30-41-12 E004-02/ / | YC051-YD158, YL951-YR328 |
| D40070J | 1 | MTCPQKT2R26SGBA RCPT- | 06090 | 1 | 30-41-11 E002-01/ / | ALL |
| D40070P | 1 | MTCPQKT2P26PGBA PLUG-CONDUCTIVE | 06090 | 1 | 30-41-12 E002-01/ / | ALL |
| D40072P | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-25-31 361/293/R028 | ALL |
| D40075J | 1 | MTCPQKT2R22PGBA RECP- CONDUCTIVE | 06090 | 1 | 23-11-11 E008-01/ / | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D40000

Page 11

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D40075P | 1 | MTCPQKT2P22SGBA PLUG - CONDUCTIVE | 06090 | 1 | 23-11-11 E008-01/ / | YD158-YD170 |
| D40077J | 1 | MTCPQKT2R22PGBB RECP- CONDUCTIVE E08-01 SHELF | 06090 | 1 | 23-11-21 E008-01/ / | YD158-YD170 |
| D40077P | 1 | MTCPQKT2P22SGBB PLUG | 06090 | 1 | 23-11-21 E008-01/ / | YD158-YD170 |
| D40081J | 1 | MTCPQKT1R2SGBB RCPT- | 06090 | 1 | 34-41-11 J048-00/ / | YC051-YC052 |
| D40081P | 1 | MTCPQKT1P2PGBB PLUG - CONDUCTIVE | 06090 | 1 | 28-41-11 J048/ / | YC051-YC052 |
| D40084J | 1 | BACC45FN16-10P8 RCPT- | 81205 | 1 | 33-25-31 AB0340B/ / | ALL |
| D40084P | 1 | BACC45FT16-10S8 PLUG- | 81205 | 1 | 33-25-31 AB0340B/ / | ALL |
| D40084PQ | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 33-25-31 */*/ | ALL |
| D40086J | 1 | S280W557-211 RCPT- | 81205 | 1 | 33-51-12 489/301/L018 | YC051-YD151 |
| D40086J | 1 | BACC65AK211P RCPT- | 81205 | 1 | 33-51-12 489/301/L018 | YD152-YD157 |
| D40086P | 1 | S280W557-111 RCPT- | 81205 | 1 | 33-51-12 490/301/L018 | YC051-YD151 |
| D40086P | 1 | BACC65AJ111S RCPT- | 81205 | 1 | 33-51-12 490/301/L018 | YD152-YD157 |
| D40086PQ | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 33-51-12 */*/ | YC051-YD151 |
| D40086PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-51-12 */*/ | YD152-YD157 |
| D40087J | 1 | MTCPQKT1R2SGBD RCPT- | 06090 | 1 | 30-31-11 J048-00/ / | ALL |
| D40087P | 1 | MTCPQKT1P2PGBD PLUG- | 06090 | 1 | 30-31-11 J048-00/ / | ALL |
| D40089J | 1 | MTCPQKT1R2SGCC RCPT- | 06090 | 1 | 34-41-11 J048-00/ / | YC051-YC052 |

EQUIPMENT LIST

D280A108

Section D40000

Page 12

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40089P | 1 | MTCPQKT1P2PGCC PLUG | 06090 | 1 | 34-41-11 J048-00/ / | YC051-YC052 |
| D40090J | 1 | BACC45FN18-14P9 RCPT- | 81205 | 1 | 26-14-11 AB0288/ / | YC051-YD158 |
| D40090P | 1 | BACC45FT18-14S9 PLUG- | 81205 | 1 | 26-14-11 AB0288/ / | YC051-YD170 |
| D40090PQ | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 26-14-11 */ */ | YC051-YC052 |
| D40090PQ | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 26-14-11 * */ */ | YC053-YD170 |
| D40091J | 1 | MTCPQKT1R2SGCB RCPT- | 06090 | 1 | 34-44-11 J048-00/ / | YC051-YC052 |
| D40091P | 1 | MTCPQKT1P2PGCB PLUG | 06090 | 1 | 34-44-11 J048-00/ / | YC051-YC052 |
| D40095J | 1 | MTCPQKT1R2SFAD RCPT- | 06090 | 1 | 34-51-41 J048-00/ / | ALL |
| D40095P | 1 | MTCPQKT1P2PGAD PLUG - CONDUCTIVE | 06090 | 1 | 34-51-41 J048-00/ / | YC051-YD158, YL951-YR328 |
| D40096J | 1 | BACC45FN16-24S RCPT- | 81205 | 1 | 33-51-12 AB0340B/ / | ALL |
| D40096P | 1 | BACC45FT16-24P PLUG- | 81205 | 1 | 33-51-12 AB0340B/ / | ALL |
| D40097J | 1 | MTCPQKT1R2SGBB RCPT- | 06090 | 1 | 30-31-12 J046-00/ / | YC051-YC052 |
| D40097J | 1 | MTCPQKT1R2SFBB RCPT- | 06090 | 1 | 30-31-12 J046-00/ / | YC053-YR328 |
| D40097P | 1 | MTCPQKT1P2PGBB PLUG- | 06090 | 1 | 30-31-12 J046-00/ / | ALL |
| D40098J | 1 | S280W557-211 RCPT- | 81205 | 1 | 33-51-13 608/295/R036 | YC051-YD151 |
| D40098J | 1 | BACC65AK211P RCPT- | 81205 | 1 | 33-51-13 608/295/R036 | YD152-YL999, YR301-YR328 |
| D40098P | 1 | S280W557-111 PLUG- | 81205 | 1 | 33-51-13 609/295/R036 | YC051-YD151 |

EQUIPMENT LIST

D280A108

Section D40000

Page 13

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40098P | 1 | BACC65AJ111S PLUG- | 81205 | 1 | 33-51-13 609/295/R036 | YD152-YL999, YR301-YR328 |
| D40098PQ | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 33-51-13 */*/ | YC051-YD151 |
| D40098PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-51-13 */*/ | YD152-YL999, YR301-YR328 |
| D40099J | 1 | MTCPQKT1R2SGBC RCPT- | 06090 | 1 | 34-41-11 J046-00/ / | YC051-YC052 |
| D40099P | 1 | MTCPQKT1P2PGBC PLUG - CONDUCTIVE | 06090 | 1 | 34-41-11 J046/ / | YC051-YC052 |

EQUIPMENT LIST

D280A108

Section D40000
Page 14 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40100J | 1 | S280W557-211 RCPT- | 81205 | 1 | 33-51-14 958/301/L017 | YC051-YD151 |
| D40100J | 1 | BACC65AK211P RCPT- | 81205 | 1 | 33-51-14 958/301/L017 | YD152-YN501 |
| D40100P | 1 | S280W557-111 PLUG- | 81205 | 1 | 33-51-14 958/301/L017 | YC051-YD151 |
| D40100P | 1 | BACC65AJ111S PLUG- | 81205 | 1 | 33-51-14 958/301/L017 | YD152-YN501 |
| D40100PQ | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 33-51-14 */*/ | YC051-YD151 |
| D40100PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-51-14 */*/ | YD152-YN501 |
| D40101J | 1 | 2431-84-1 RCPT - (TNC) | 91836 | 1 | 31-62-12 E003-01/ / | ALL |
| D40101P | 1 | 2435-81-1 PLUG - (TNC) STRAIGHT | 91836 | 1 | 31-62-12 391/195/L012 | YC051-YD170, YN231 |
| D40101P | 1 | 2435-81-1 PLUG - (TNC) STRAIGHT | 91836 | 1 | 31-62-12 E003-01/ / | YL951-YL999, YN232-YR328 |
| D40102J | 1 | BACC63CC24-30P6 RCPT- | 81205 | 1 | 33-23-11 AB0340A/ / | YC051-YC058 |
| D40102J | 1 | BACC63CC24-30PN RCPT- | 81205 | 1 | 33-23-11 AB0340A/ / | YC059-YR328 |
| D40102P | 1 | BACC63CB24-30S6 PLUG- | 81205 | 1 | 33-23-11 AB0340A/ / | YC051-YC058 |
| D40102P | 1 | BACC63CB24-30SN PLUG- | 81205 | 1 | 33-23-11 AB0340A/ / | YC059-YR328 |
| D40102PQ | 1 | BACC10KD24 CLAMP, STRAIGHT | 81205 | 1 | 33-23-11 */*/ | ALL |
| D40103J | 1 | MTCPQKT1R2SFCA RCPT- | 06090 | 1 | 35-53-31 J046-00/ / | ALL |
| D40103P | 1 | MTCPQKT1P2PGCA PLUG- | 06090 | 1 | 34-53-21 J046-00/ / | YC051-YN236, YN501-YR328 |
| D40104J | 1 | S280W557-251 RCPT- | 81205 | 1 | 33-23-11 430/300/L017 | YC051-YD151 |

EQUIPMENT LIST

D280A108

Section D40100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D40104J | 1 | BACC65AK251P RCPT- | 81205 | 1 | 33-23-11 430/300/L017 | YD152-YR328 |
| D40104P | 1 | S280W557-151 PLUG- | 81205 | 1 | 33-23-11 430/300/L018 | YC051-YD151 |
| D40104P | 1 | BACC65AJ151S PLUG- | 81205 | 1 | 33-23-11 430/300/L018 | YD152-YR328 |
| D40104PQ | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 33-23-11 */*/ | YC051-YD151 |
| D40104PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-23-11 */*/ | YD152-YR328 |
| D40106J | 1 | S280W557-251 RCPT | 81205 | 1 | 33-23-12 673/295/L035 | YC051-YD151 |
| D40106J | 1 | BACC65AK251P RCPT | 81205 | 1 | 33-23-12 673/295/L035 | YD152-YN260 |
| D40106P | 1 | S280W557-151 PLUG- | 81205 | 1 | 33-23-12 672/254/L035 | YC051-YC052 |
| D40106P | 1 | S280W557-151 PLUG- | 81205 | 1 | 33-23-12 672/294/L035 | YC053-YD151 |
| D40106P | 1 | BACC65AJ151S PLUG- | 81205 | 1 | 33-23-12 672/294/L035 | YD152-YN260 |
| D40106PQ | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 33-23-12 */*/ | YC051-YD151 |
| D40106PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-23-12 */*/ | YD152-YN260 |
| D40107J | 1 | MTCPQKT1R2SGCB RCPT- | 06090 | 1 | 34-41-11 J046-00/ / | YC051-YC052 |
| D40107P | 1 | MTCPQKT1P2PGCB PLUG | 06090 | 1 | 34-44-11 J046-00/ / | YC051-YC052 |
| D40108J | 1 | BACC45FN18-14P8 RCPT- | 81205 | 1 | 33-25-21 AB0340A/ / | ALL |
| D40108P | 1 | BACC45FT18-14S8 PLUG- | 81205 | 1 | 33-25-21 AB0340A/ / | ALL |
| D40108PQ | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 33-25-21 */*/ | ALL |

EQUIPMENT LIST

D280A108

Section D40100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40109J | 1 | BACC65AK251P RCPT | 81205 | 1 | 33-23-12 674/295/L035 | YN501-YR328 |
| D40109P | 1 | BACC65AJ151S PLUG- | 81205 | 1 | 33-23-12 674/295/L035 | YN501-YR328 |
| D40109PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-23-12 */*/ | YN501-YR328 |
| D40110J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-22-21 445/295/L023 | YC051-YN260 |
| D40110P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-21 446/295/L023 | YC051-YN260 |
| D40111J | 1 | BACC45FN12-12P7 RCPT | 81205 | 1 | 23-11-11 E006-02/ / | YL951-YR328 |
| D40111P | 1 | BACC45FT12-12S7 PLUG- | 81205 | 1 | 23-11-11 E006-02/ / | YL951-YR328 |
| D40112J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-22-21 674/294/L024 | YC051-YD157, YL951-YN260 |
| D40112P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-21 674/295/L24 | YC051-YD157, YL951-YN260 |
| D40113J | 1 | MTCPQKT2R22PGBB RCPT-CONDUCTIVE | 06090 | 1 | 23-11-11 E006-02/ / | YL951-YR328 |
| D40113P | 1 | MTCPQKT2P22SGBB PLUG - CONDUCTIVE | 06090 | 1 | 23-11-11 E006-02/ / | YL951-YR328 |
| D40114J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-22-21 879/295/L023 | YC051-YD151, YN231-YN260 |
| D40114J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-22-22 879/295/L023 | YD152-YD157, YL951-YL999 |
| D40114P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-22 879/295/L22 | YC051-YC052, YL951-YL999 |
| D40114P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-22 880/295/L23 | YC053-YD157, YN231-YN260 |
| D40115J | 1 | MTCPQKT2R22PGAD RCPT - CONDUCTIVE | 06090 | 1 | 23-11-21 E006-02/ / | YL951-YR328 |
| D40115P | 1 | MTCPQKT2P22SGAD PLUG-CONDUCTIVE | 06090 | 1 | 23-11-21 E006-02/ / | YL951-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D40100

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40115P | 1 | MTCPQKT2P22SGAD PLUG | 06090 | 1 | 23-11-21 E006-02/ / | YN231-YN501 |
| D40116J | 1 | S280W557-231 RCPT- | 81205 | 1 | 33-25-22 900/298/L026 | YC051-YD151 |
| D40116J | 1 | BACC65AK231P RCPT- | 81205 | 1 | 33-25-22 900/298/L026 | YD152-YR328 |
| D40116P | 1 | S280W557-131 PLUG- | 81205 | 1 | 33-25-22 900/298/L026 | YC051-YD151 |
| D40116P | 1 | BACC65AJ131S PLUG- | 81205 | 1 | 33-25-22 900/298/L026 | YD152-YR328 |
| D40116PQ | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 33-25-22 */*/ | YC051-YD151 |
| D40116PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-25-22 */*/ | YD152-YR328 |
| D40117J | 1 | MTCPQKT1R2SGAA RCPT-CONDUCTIVE | 06090 | 1 | 23-11-11 E006-02/ / | YL951-YR328 |
| D40117P | 1 | MTCPQKT1P2PGAA PLUG - CONDUCTIVE | 06090 | 1 | 23-11-11 E006-02/ / | YL951-YR328 |
| D40118J | 1 | BACC63CC14-12PN RCPT-CONDUCTIVE | 81205 | 1 | 30-11-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40118P | 1 | BACC63CB14-12SN PLUG-CONDUCTIVE | 81205 | 1 | 30-11-11 E002-02/ / | ALL |
| D40118PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 30-11-11 TBD/ / | ALL |
| D40119J | 1 | MTCPQKT1R2SGAC RCPT - CONDUCTIVE | 06090 | 1 | 23-11-21 E006-02/ / | YL951-YR328 |
| D40119P | 1 | MTCPQKT1P2PGAC PLUG - CONDUCTIVE | 06090 | 1 | 23-11-21 E006-02/ / | YL951-YR328 |
| D40120J | 1 | MTCPQKT1R2PFDB RCPT- | 06090 | 1 | 28-43-11 E001-01/ / | ALL |
| D40120P | 1 | MTCPQKT1P2SFDB PLUG- | 06090 | 1 | 28-43-11 E001-01/ / | YC051-YL999, YR301-YR328 |
| D40120P | 1 | MTCPQKT1P2SFDB PLUG-CONDUCTIVE | 06090 | 1 | 28-43-11 E001-01/ / | YN231-YN236, YN501 |

EQUIPMENT LIST

D280A108

Section D40100

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40121J | 1 | MTCPQKT2R26SFBD RCPT- | 06090 | 1 | 23-11-11 E006-02/ / | YL951-YR328 |
| D40121P | 1 | MTCPQKT2P26PFBD PLUG- | 06090 | 1 | 23-11-11 E006-02/ / | YL951-YR328 |
| D40122J | 1 | MTCPQKT2R22SFBD RCPT- | 06090 | 1 | 27-81-11 E001-01/ / | ALL |
| D40122P | 1 | MTCPQKT2P22PFBD PLUG-CONDUCTIVE | 06090 | 1 | 27-81-11 E001-01/ / | ALL |
| D40123J | 1 | 121-39-9 JACK | 91836 | 1 | 23-11-11 E006-02/ / | YL951-YR328 |
| D40123P | 1 | 125-95-9 PLUG- | 91836 | 1 | 23-11-11 E006-02/ / | YL951-YR328 |
| D40125J | 1 | MTCPQKT2R26SFBC RCPT- | 06090 | 1 | 23-11-21 E006-02/ / | YL951-YR328 |
| D40125P | 1 | MTCPQKT2P26PFBC PLUG- | 06090 | 1 | 23-11-21 E006-02/ / | YL951-YR328 |
| D40126J | 1 | MTCPQKT2R22PGBB RCPT-CONDUCTIVE | 06090 | 1 | 79-31-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40126P | 1 | MTCPQKT2P22SGBB PLUG | 06090 | 1 | 79-31-11 E002-02/186/L026 | ALL |
| D40127J | 1 | 2431-87-6 JACK | 91836 | 1 | 23-11-21 E006-02/ / | YL951-YR328 |
| D40127P | 1 | 2435-84-6 PLUG- | 91836 | 1 | 23-11-21 E006-02/ / | YL951-YR328 |
| D40130J | 1 | MTCPQKT2R22SGAD RCPT-CONDUCTIVE | 06090 | 1 | 77-31-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40130P | 1 | MTCPQKT2P22PGAD PLUG-CONDUCTIVE | 06090 | 1 | 77-31-11 E002-02/ / | ALL |
| D40132J | 1 | MTCPQKT2R26PFAA RCPT-CONDUCTIVE | 06090 | 1 | 24-11-11 E002-01/ / | ALL |
| D40132P | 1 | MTCPQKT2P26SGAA PLUG-CONDUCTIVE | 06090 | 1 | 24-11-11 E002-01/ / | YC051-YN236, YN501-YR328 |
| D40133J | 1 | MTCPQKT1R2SFCA RCPT- | 06090 | 1 | 34-49-11 E001-01/ / | YL956-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section D40100

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|---------------------------------------|
| D40133P | 1 | MTCPQKT1P2PFCA PLUG- | 06090 | 1 | 34-49-11 E001-01/ / | YL956-YL999, YN236-YR328 |
| D40136J | 1 | MTCPQKT1R2SGBC RCPT-CONDUCTIVE | 06090 | 1 | 80-11-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40136P | 1 | MTCPQKT1P2PGBC PLUG-CONDUCTIVE | 06090 | 1 | 80-11-11 E002-02/ / | YC051-YC055, YN231-YN501 |
| D40136P | 1 | MTCPQKT1P2PGBC PLUG-CONDUCTIVE | 06090 | 1 | 80-11-11 AE0202A/ / | YC056-YL999, YR301-YR328 |
| D40138J | 1 | MTCPQKT1R2SGBD RCPT-CONDUCTIVE | 06090 | 1 | 73-22-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40138P | 1 | MTCPQKT1P2PGBD PLUG-CONDUCTIVE | 06090 | 1 | 73-22-11 E002-02/ / | YC051-YD153, YN231-YN501 |
| D40138P | 1 | MTCPQKT1P2PGBD PLUG-CONDUCTIVE | 06090 | 1 | 73-22-11 AE0202A/ / | YD154-YL999, YR301-YR328 |
| D40140J | 1 | MTCPQKT2R26PFCC RCPT-CONDUCTIVE | 06090 | 1 | 24-21-21 E004-02/ / | ALL |
| D40140P | 1 | MTCPQKT2P26SGCC PLUG-CONDUCTIVE | 06090 | 1 | 24-21-21 E004-02/ / | YC051-YN236, YN501-YR328 |
| D40142J | 1 | MTCPQKT1R2SFAD RCPT- | 06090 | 1 | 27-31-21 E001-01/ / | ALL |
| D40142P | 1 | MTCPQKT1P2PFAD PLUG-CONDUCTIVE | 06090 | 1 | 27-81-21 E001-01/ / | ALL |
| D40144J | 1 | MTCPQKT1R2SGAB RCPT- | 06090 | 1 | 74-11-11 E004-01/ / | ALL |
| D40144P | 1 | MTCPQKT1P2PGAB PLUG-CONDUCTIVE | 06090 | 1 | 74-11-11 E004-01/ / | YC051-YD153 |
| D40144P | 1 | MTCPQKT1P2PGAB PLUG-CONDUCTIVE | 06090 | 1 | 74-11-11 391/198/R39 | YD154-YL999, YR301-YR328 |
| D40144P | 1 | MTCPQKT1P2PGAB PLUG-CONDUCTIVE | 06090 | 1 | 74-11-11 AE0401A/ / | YN231-YN501 |
| D40147J | 1 | BACC63CC18-31P8 RCPT-CONDUCTIVE | 81205 | 1 | 34-49-11 J022-00/ / | YC053-YD170, YN231-YN236, YN501 |

EQUIPMENT LIST

D280A108

Section D40100

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40147J | 1 | BACC63CC18-31P8 RCPT-CONDUCTIVE | 81205 | 1 | 34-41-11 J022-00/ / | YL951-YL999, YR301-YR328 |
| D40147P | 1 | BACC63CB18-31S8 PLUG-CONDUCTIVE | 81205 | 1 | 34-41-11 256/168/L029 | YC053-YD158, YL951-YR328 |
| D40147PQ | 1 | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 34-41-11 / / | YC053-YD158, YL951-YR328 |
| D40148J | 1 | S280W557-241 RCPT- | 81205 | 1 | 38-41-11 853/294/L034 | YC051-YD151 |
| D40148J | 1 | BACC65AK241P RCPT- | 81205 | 1 | 38-41-11 853/294/L034 | YD152-YR328 |
| D40148P | 1 | S280W557-141 PLUG- | 81205 | 1 | 38-41-11 856/294/L034 | YC051-YD151 |
| D40148P | 1 | BACC65AJ141S PLUG- | 81205 | 1 | 38-41-11 856/294/L034 | YD152-YD158, YL951-YR328 |
| D40148PQ | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 38-41-11 */ */ | YC051-YD151 |
| D40148PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 38-41-11 */ */ | YD152-YD158, YL951-YR328 |
| D40149J | 1 | MTCPQKT2R22PGDA RCPT - CONDUCTIVE | 06090 | 1 | 34-41-11 E003-01/ / | YC053-YR328 |
| D40149P | 1 | MTCPQKT2P22SGDA PLUG | 06090 | 1 | 34-41-11 E003-01/ / | YC053-YD158, YL951-YR328 |
| D40150J | 1 | S280W557-232 RCPT- | 81205 | 1 | 38-32-12 860/289/L043 | YC051-YD151 |
| D40150J | 1 | BACC65AK232P RCPT- | 81205 | 1 | 38-32-12 860/289/L043 | YD152-YR328 |
| D40150P | 1 | S280W557-132 PLUG- | 81205 | 1 | 38-32-12 860/289/L043 | YC051-YD151 |
| D40150P | 1 | BACC65AJ132S PLUG- | 81205 | 1 | 38-32-12 860/289/L043 | YD152-YR328 |
| D40150PQ | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 38-32-12 */ */ | YC051-YD151 |
| D40150PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 38-32-12 */ */ | YD152-YR328 |

EQUIPMENT LIST

D280A108

Section D40100

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|---|
| D40151J | 1 | MTCPQKT2R22SGDB PECPT-CONDUCTIVE | 06090 | 1 | 23-32-21 E004-01/ / | YL951-YN260 |
| D40151P | 1 | MTCPQKT2P22PGDB PLUG-CONDUCTIVE | 06090 | 1 | 23-32-21 E004-01/ / | YL951-YN260 |
| D40152J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 38-32-12 849/188/L050 | YC051-YL968, YN231-YN236, YN501-YR323, YR325-YR328 |
| D40152P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 38-32-12 849/188/L050 | ALL |
| D40153J | 1 | MTCPQKT2R22SGDC RECPT-CONDUCTIVE | 06090 | 1 | 23-32-21 E004-01/ / | YL951-YN260 |
| D40153P | 1 | MTCPQKT2P22PGDC PLUG-CONDUCTIVE | 06090 | 1 | 23-32-21 E004-01/ / | YL951-YN260 |
| D40156J | 1 | MTCPQKT2R22SGDB RCPT- | 06090 | 1 | 73-21-21 E004-01/ / | ALL |
| D40156P | 1 | MTCPQKT2P22PGDB PLUG-CONDUCTIVE | 06090 | 1 | 73-21-21 E004-01/ / | YC054-YR328 |
| D40158J | 1 | MTCPQKT1R2SGBB RCPT- | 06090 | 1 | 76-21-21 E004-01/ / | ALL |
| D40158P | 1 | MTCPQKT1P2PGBB PLUG-CONDUCTIVE | 06090 | 1 | 76-21-21 E004-01/ / | ALL |
| D40160J | 1 | MTCPQKT2R22SFDB RCPT- | 06090 | 1 | 28-21-12 E001-01/ / | ALL |
| D40160P | 1 | MTCPQKT2P22PFDB PLUG-CONDUCTIVE | 06090 | 1 | 28-21-12 E001-01/ / | ALL |
| D40162J | 1 | MTCPQKT1R2SFDC RCPT- | 06090 | 1 | 27-53-21 E001-01/ / | ALL |
| D40162P | 1 | MTCPQKT1P2PFDC PLUG-CONDUCTIVE | 06090 | 1 | 27-53-21 E001-01/ / | ALL |
| D40164J | 1 | MTCPQKT2R26PGAC RCPT | 06090 | 1 | 28-41-11 E004-02/ / | ALL |
| D40164P | 1 | MTCPQKT2P26SGAC PLUG-CONDUCTIVE | 06090 | 1 | 28-41-11 E004-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40100

Page 8

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40165J | 1 | BACC45FN14-15S8 RCPT- | 81205 | 1 | 23-15-11 P006-00/ / | YC051-YC059 |
| D40165J | 1 | BACC45FN14-15S8 RCPT- | 81205 | 1 | 23-15-11 AP0600A/ / | YC060-YD157 |
| D40165P | 1 | BACC45FT14-15P8 PLUG- | 81205 | 1 | 23-15-11 P006-00/ / | YC051-YD157 |
| D40169J | 1 | MTCPQKT1R2PFCA RCPT- | 06090 | 1 | 28-23-11 E004-02/ / | YD158-YR328 |
| D40169P | 1 | MTCPQKT1P2SGCA PLUG-CONDUCTIVE | 06090 | 1 | 23-34-02 E004-02/ / | YD158, YN231- YN260 |
| D40169P | 1 | MTCPQKT1P2SFCA PLUG-CONDUCTIVE | 06090 | 1 | 23-34-02 E004-02/ / | YL951-YL999, YN501-YR328 |
| D40170J | 1 | BACC45FN18-31P8 RCPT- | 81205 | 1 | 33-51-11 AB0340A/ / | YC051-YD158, YL951-YR328 |
| D40170P | 1 | BACC45FT18-31S8 PLUG- | 81205 | 1 | 33-51-11 AB0340A/ / | ALL |
| D40170PQ | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 33-51-11 */ */ | ALL |
| D40173J | 1 | MTCPQKT2R22PFAA RCPT-CONDUCTIVE | 06090 | 1 | 23-34-01 E003-02/ / | YL951-YL952 |
| D40173J | 1 | MTCPQKT2R22PFAA RCPT- | 06090 | 1 | 23-34-01 E003-02/ / | YL953-YN260 |
| D40173P | 1 | MTCPQKT2P22SFCA PLUG | 06090 | 1 | 23-34-01 E003-02/ / | YL951-YN260 |
| D40180J | 1 | MTCPQKT1R2SFDD RCPT- | 06090 | 1 | 27-53-21 E001-01/ / | ALL |
| D40180P | 1 | MTCPQKT1P2PFDD PLUG-CONDUCTIVE | 06090 | 1 | 27-53-21 E001-01/ / | ALL |
| D40184J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-26-31 372/292/L022 | YC051-YN260 |
| D40184P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-26-31 376/292/L022 | YC051-YN260 |
| D40186J | 1 | AMC02RA03B RCPT- | 05574 | 1 | 33-26-31 880/294/L023 | YC051-YN260 |

EQUIPMENT LIST

D280A108

Section D40100

Page 9

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40186P | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-26-31 880/294/L023 | YC051-YN260 |
| D40188J | 1 | BACC63BV14F12PN RECP-CONDUCTIVE | 81205 | 1 | 27-38-11 1158/274/L026 | ALL |
| D40188JK | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-38-11 */*/ | ALL |
| D40188P | 1 | BACC63BP14C12SN PLUG-CONDUCTIVE | 81205 | 1 | 33-49-11 1157/273/L025 | ALL |
| D40188PQ | 1 | BACC10KF14 CLAMP, 45 DEG | 81205 | 1 | 33-49-11 */*/ | ALL |
| D40190J | 1 | BACC63BV14F12PN RECP-CONDUCTIVE | 81205 | 1 | 27-38-11 1158/274/R026 | ALL |
| D40190JK | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-38-11 */*/ | ALL |
| D40190P | 1 | BACC63BP14C12SN PLUG-CONDUCTIVE | 81205 | 1 | 33-49-11 1157/273/R025 | ALL |
| D40190PQ | 1 | BACC10KF14 CLAMP, 45 DEG | 81205 | 1 | 33-49-11 */*/ | ALL |
| D40192J | 1 | BACC63BV16F24SN RCPT-CONDUCTIVE | 81205 | 1 | 27-38-11 1034/300/L010 | YC051-YN236, YN501-YR328 |
| D40192JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-38-11 / / | YC051-YN236, YN501-YR328 |
| D40192P | 1 | BACC63BP16C24PN PLUG-CONDUCTIVE | 81205 | 1 | 27-38-11 1029/300/L10 | ALL |
| D40192PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-38-11 */*/ | ALL |
| D40194J | 1 | MTCPQKT2R22SFAA RCPT- | 06090 | 1 | 27-28-11 E003-02/ / | ALL |
| D40194P | 1 | MTCPQKT2P22PFAA PLUG- | 06090 | 1 | 27-28-11 E003-02/ / | YC051-YN236, YN501-YR328 |
| D40196J | 1 | BACC45FN18-31P7 RCPT- | 81205 | 1 | 33-51-11 AB0340A/ / | ALL |
| D40196P | 1 | BACC45FT18-31S7 PLUG- | 81205 | 1 | 33-51-11 AB0340A/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40100

Page 10

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| D40196PQ | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 33-51-11 */*/ | ALL |
| D40198J | 1 | BACC45FN22-19S RCPT- | 81205 | 1 | 33-25-11 P018-00/ / | ALL |
| D40198P | 1 | BACC45FT22-19P PLUG-CTR CEILING | 81205 | 1 | 33-25-11 P018-00/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D40100

Page 11 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40201J | 1 | 2431-84-1 RCPT - (TNC) | 91836 | 1 | 31-62-22 E003-01/ / | ALL |
| D40201P | 1 | 2435-81-1 RCPT - (TNC) STRAIGHT | 91836 | 1 | 31-62-22 391/194/R010 | YC051-YD170, YN231 |
| D40201P | 1 | 2435-81-1 RCPT - (TNC) STRAIGHT | 91836 | 1 | 31-62-22 E003-01/ / | YL951-YL999, YN232-YR328 |
| D40202J | 1 | BACC63CC24-30P6 RCPT- | 81205 | 1 | 33-23-21 AB0340B/ / | ALL |
| D40202P | 1 | BACC63CB24-30S6 PLUG- | 81205 | 1 | 33-23-21 AB0340B/ / | ALL |
| D40202PQ | 1 | BACC10KD24 CLAMP, STRAIGHT | 81205 | 1 | 33-23-21 */*/ | ALL |
| D40204J | 1 | S280W557-251 RCPT- | 81205 | 1 | 33-23-21 408/296/R026 | YC051-YD151 |
| D40204J | 1 | BACC65AK251P RCPT- | 81205 | 1 | 33-23-21 408/296/R026 | YD152-YN260 |
| D40204P | 1 | S280W557-151 PLUG- | 81205 | 1 | 33-23-21 408/296/R026 | YC051-YD151 |
| D40204P | 1 | BACC65AJ151S PLUG- | 81205 | 1 | 33-23-21 408/296/R026 | YD152-YN260 |
| D40204PQ | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 33-23-21 */*/ | YC051-YD151 |
| D40204PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-23-21 */*/ | YD152-YN260 |
| D40205J | 1 | BACC65AK251P RCPT- | 81205 | 1 | 33-23-21 408/282/R049 | YN501-YR328 |
| D40205P | 1 | BACC65AJ151S PLUG- | 81205 | 1 | 33-23-21 408/282/R049 | YN501-YR328 |
| D40205PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-23-21 */*/ | YN501-YR328 |
| D40206J | 1 | S280W557-251 RCPT- | 81205 | 1 | 33-23-22 675/295/R035 | YC051-YD151 |
| D40206J | 1 | BACC65AK251P RCPT- | 81205 | 1 | 33-23-22 675/295/R035 | YD152-YN260 |

EQUIPMENT LIST

D280A108

Section D40200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D40206P | 1 | S280W557-151 PLUG- | 81205 | 1 | 33-23-22 674/295/R036 | YC051-YD151 |
| D40206P | 1 | BACC65AJ151S PLUG- | 81205 | 1 | 33-23-22 674/295/R036 | YD152-YN260 |
| D40206PQ | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 33-23-22 */*/* | YC051-YD151 |
| D40206PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-23-22 */*/* | YD152-YN260 |
| D40207J | 1 | BACC65AK251P RCPT- | 81205 | 1 | 33-23-22 674/302/R018 | YN501-YR328 |
| D40207P | 1 | BACC65AJ151S PLUG- | 81205 | 1 | 33-23-22 674/302/R018 | YN501-YR328 |
| D40207PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-23-22 */*/* | YN501-YR328 |
| D40208J | 1 | BACC45FN20-25S8 RCPT- | 81205 | 1 | 21-74-11 AP1800A/ / | YD158-YD170 |
| D40208P | 1 | BACC45FT20-25P8 PLUG- | 81205 | 1 | 21-74-11 P018-00/ / | YD158-YD170 |
| D40210J | 1 | S280W557-221 RCPT- | 81205 | 1 | 33-21-12 414/296/R026 | YC051-YD151 |
| D40210J | 1 | BACC65AK221P RCPT- | 81205 | 1 | 33-21-12 414/296/R026 | YD152-YL999 |
| D40210J | 1 | BACC65AK221P RCPT- | 81205 | 1 | 33-21-12 415/296/R026 | YN231-YN260 |
| D40210JK | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 33-21-12 */*/* | YC051-YD151 |
| D40210JK | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-21-12 */*/* | YD152-YN260 |
| D40210P | 1 | S280W557-121 PLUG- | 81205 | 1 | 33-21-12 415/297/R026 | YC051-YD151 |
| D40210P | 1 | BACC65AJ121S PLUG- | 81205 | 1 | 33-21-12 415/297/R026 | YD152-YN260 |
| D40212J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-21-12 651/294/R24 | YC051-YL999 |

EQUIPMENT LIST

D280A108

Section D40200

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D40212J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-21-12 651/296/R22 | YN231-YN260 |
| D40212P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-21-12 651/296/R022 | YC051-YD151 |
| D40212P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-21-12 652/295/R025 | YD152-YL999 |
| D40212P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-21-12 652/296/R022 | YN231-YN260 |
| D40214J | 1 | S280W557-221 RCPT- | 81205 | 1 | 33-21-12 857/294/R035 | YC051-YD151 |
| D40214J | 1 | BACC65AK221P RCPT- | 81205 | 1 | 33-21-12 857/294/R035 | YD152-YL999 |
| D40214J | 1 | BACC65AK221P RCPT- | 81205 | 1 | 33-21-12 857/295/R036 | YN231-YN260 |
| D40214P | 1 | S280W557-121 PLUG- | 81205 | 1 | 33-21-12 857/294/R035 | YC051-YD151 |
| D40214P | 1 | BACC65AJ121S PLUG- | 81205 | 1 | 33-21-12 858/295/R036 | YD152-YN260 |
| D40214PQ | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 33-21-12 */*/ | YC051-YD151 |
| D40214PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-21-12 */*/ | YD152-YN260 |
| D40216J | 1 | BACC45FN14-7S6 RCPT- | 81205 | 1 | 33-25-21 AB0340A/ / | ALL |
| D40216P | 1 | BACC45FT14-7P6 PLUG- | 81205 | 1 | 33-25-21 AB0340A/ / | ALL |
| D40216PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 33-25-21 */*/ | ALL |
| D40218J | 1 | BACC45FN24-43S7 RECP- | 81205 | 1 | 33-25-11 P006-00/ / | ALL |
| D40218P | 1 | BACC45FT24-43P7 PLUG- | 81205 | 1 | 33-25-11 P006-00/ / | ALL |
| D40220J | 1 | BACC45FN20-39S8 RCPT- | 81205 | 1 | 33-26-31 P018-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40200

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40220P | 1 | BACC45FT20-39P8 PLUG- | 81205 | 1 | 33-26-31 P018-00/ / | ALL |
| D40222J | 1 | MTCPQKT2R22SFAB RCPT- | 06090 | 1 | 27-23-11 E004-02/ / | ALL |
| D40222P | 1 | MTCPQKT2P22PFAB PLUG- | 06090 | 1 | 27-23-11 E004-02/ / | YC051-YD158, YL951-YR328 |
| D40226J | 1 | BACC45FN14-12S8 RCPT- | 81205 | 1 | 33-29-11 P006-00/ / | YC051-YN260 |
| D40226J | 1 | BACC45FN16-24S8 RCPT- | 81205 | 1 | 33-29-11 P006-00/ / | YN501-YR328 |
| D40226P | 1 | BACC45FT14-12P8 PLUG- | 81205 | 1 | 33-29-11 P006-00/ / | YC051-YD158, YL951-YN260 |
| D40226P | 1 | BACC45FT16-24P8 PLUG- | 81205 | 1 | 33-29-11 P006-00/ / | YN501-YR328 |
| D40228J | 1 | MTCPQKT2R26SFAA RCPT | 06090 | 1 | 33-42-11 E004-02/ / | ALL |
| D40228P | 1 | MTCPQKT2P26PFAA PLUG- | 06090 | 1 | 33-42-11 E004-02/ / | YC051-YD158, YL951-YR328 |
| D40236J | 1 | BACC63BV12F3SN RCPT-CONDUCTIVE | 81205 | 1 | 27-31-11 1040/298/L006 | YC056-YN236, YN501-YR328 |
| D40236JK | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 27-31-11 / / | YC056-YN236, YN501-YR328 |
| D40236P | 1 | BACC63BP12C3PN PLUG-CONDUCTIVE | 81205 | 1 | 27-31-11 1040/298/L006 | YC056-YR328 |
| D40236PQ | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 27-31-11 / / | YC056-YR328 |
| D40238J | 1 | MTCPQKT2R26SFCB RCPT- | 06090 | 1 | 29-25-11 E004-02/ / | ALL |
| D40238P | 1 | MTCPQKT2P26PFCB PLUG- | 06090 | 1 | 29-25-11 E004-02/ / | YC051-YN236, YN501-YR328 |
| D40240J | 1 | MTCPQKT1R2SGDC RCPT-CONDUCTIVE | 06090 | 1 | 21-31-22 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40240P | 1 | MTCPQKT1P2PGDC PLUG- | 06090 | 1 | 21-31-22 E002-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40200

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-----------------------------------|-----------------------|-----|------------------------------|---|
| D40242J | 1 | MTCPQKT1R2SGDB RCPT- | 06090 | 1 | 21-31-22 E004-01/ / | ALL |
| D40242P | 1 | MTCPQKT1P2PGDB PLUG- | 06090 | 1 | 21-31-22 E004-01/ / | ALL |
| D40244J | 1 | MTCPQKT1R2SFDA RCPT- | 06090 | 1 | 21-51-14 E004-01/ / | ALL |
| D40244P | 1 | MTCPQKT1P2PFDA PLUG- | 06090 | 1 | 21-51-14 E004-01/ / | YC051-YN236, YN501-YR323, YR325-YR328 |
| D40246J | 1 | MTCPQKT1R2SGAA RCPT-CONDUCTIVE | 06090 | 1 | 21-51-14 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40246P | 1 | MTCPQKT1P2PGAA PLUG- | 06090 | 1 | 21-51-14 E002-02/ / | YC051-YC055, YN231-YN236, YN501 |
| D40246P | 1 | MTCPQKT1P2PGAA PLUG- | 06090 | 1 | 21-51-14 AE0202A/ / | YC056-YL999, YR301-YR323, YR325-YR328 |
| D40248J | 1 | BACC63CC16-10S7 RCPT- | 81205 | 1 | 27-53-12 727A+10/297/R027 | YC051-YR323, YR325-YR328 |
| D40248JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-53-12 / / | YC051-YR323, YR325-YR328 |
| D40248P | 1 | BACC63CB16-10P7 PLUG- | 81205 | 1 | 27-53-12 727A+10/298/R027 | ALL |
| D40248PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-53-12 */ */ | ALL |
| D40250J | 1 | BACC63CC16-10S8 RCPT- | 81205 | 1 | 27-41-12 727A+10/294/R036 | YC051-YN260 |
| D40250JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-41-12 / / | YC051-YN260 |
| D40250P | 1 | BACC63CB16-10P8 PLUG- | 81205 | 1 | 27-53-12 727A+10/294/R036 | YC051-YN260 |
| D40250PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-41-12 */ */ | YC051-YN260 |
| D40254J | 1 | MTCPQKT2R26SFBC RCPT- | 06090 | 1 | 25-51-21 E002-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40200

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40254P | 1 | MTCPQKT2P26PFBC PLUG- | 06090 | 1 | 25-51-21 E002-01/ / | ALL |
| D40256J | 1 | MTCPQKT2R26SFAD RCPT- | 06090 | 1 | 25-51-21 E002-01/ / | ALL |
| D40256P | 1 | MTCPQKT2P26PFAD PLUG- | 06090 | 1 | 25-51-21 E002-01/ / | ALL |
| D40258J | 1 | MTCPQKT2R26PFBD RCPT- | 06090 | 1 | 28-23-11 E002-01/ / | ALL |
| D40258P | 1 | MTCPQKT2P26SFBD PLUG- | 06090 | 1 | 28-23-11 E002-01/ / | YC051-YN236, YN501-YR328 |
| D40260J | 1 | MTCPQKT1R2SFCD RCPT- | 06090 | 1 | 25-51-21 E002-01/ / | ALL |
| D40260P | 1 | MTCPQKT1P2PFCD PLUG- | 06090 | 1 | 25-51-21 E002-01/ / | ALL |
| D40262J | 1 | BACC63CC16-24S6 RCPT- | 81205 | 1 | 27-53-11 727A+10/294/L035 | YC051-YN236 |
| D40262JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-53-11 / / | YC051-YN236 |
| D40262P | 1 | BACC63CB16-24P6 PLUG- | 81205 | 1 | 27-53-11 727A+10/294/L035 | YC051-YN260 |
| D40262PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-53-11 */ */ | YC051-YN260 |
| D40264J | 1 | BACC63CC16-10SN RCPT- | 81205 | 1 | 29-25-11 727A+10/297/L027 | YC051-YN236, YN501-YR328 |
| D40264JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 29-25-11 727B+10/297/L27 | YC051-YL999, YR301-YR328 |
| D40264JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 29-25-11 / / | YN231-YN236, YN501 |
| D40264P | 1 | BACC63CB16-10PN PLUG- | 81205 | 1 | 29-25-11 727A+10/298/L027 | ALL |
| D40264PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 29-25-11 */ */ | ALL |
| D40266J | 1 | BACC63CC16-10P9 RCPT- | 81205 | 1 | 27-23-14 547/301/L019 | ALL |

EQUIPMENT LIST

D280A108

Section D40200

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D40266JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-23-14 / / | ALL |
| D40266P | 1 | BACC63CB16-10S9 PLUG- | 81205 | 1 | 27-23-14 547/301/L019 | ALL |
| D40266PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-23-14 / / | ALL |
| D40268J | | BACC63BV22F55SN RCPT-CONDUCTIVE (SB 27-1253) | 81205 | 1 | 27-28-11 AB1080/ / | YC053-YD153 |
| D40268J | | BACC63BV22F55SN RCPT-CONDUCTIVE | 81205 | 1 | 27-28-11 AB1080/ / | YD154-YD155 |
| D40268J | 1 | BACC63BV14F15SN RCPT-CONDUCTIVE | 81205 | 1 | 27-28-11 AB1080/ / | YC051-YC052 |
| D40268J | 1 | BACC63BV22F55SN RCPT-CONDUCTIVE | 81205 | 1 | 27-28-11 AB1080/ / | YD157-YR328 |
| D40268JK | | BACC10KD22 CLAMP, 45 DEG | 81205 | 1 | 27-28-11 */*/ | YC053-YD153 |
| D40268JK | | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 27-28-11 */*/ | YD154-YD155 |
| D40268JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-28-11 */*/ | YC051-YC052 |
| D40268JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 27-28-11 */*/ | YD157-YR328 |
| D40268P | | BACC63BP22C55PN PLUG-CONDUCTIVE | 81205 | 1 | 27-28-11 AB1080/ / | YC053-YC058, YC064-YD155 |
| D40268P | | BACC63BP22C55PN PLUG-CONDUCTIVE (SB 27-1253) | 81205 | 1 | 27-28-11 AB1080/ / | YC059-YC063 |
| D40268P | 1 | BACC63BP14C15PN PLUG-CONDUCTIVE | 81205 | 1 | 27-28-11 AB1080/ / | YC051-YC052 |
| D40268P | 1 | BACC63BP22C55PN PLUG-CONDUCTIVE | 81205 | 1 | 27-28-11 AB1080/ / | YD157-YD158, YL951-YR328 |
| D40268PQ | | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 27-28-11 */*/ | YC053-YC070 |
| D40268PQ | | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 27-28-11 / / | YD151-YD155 |

EQUIPMENT LIST

D280A108

Section D40200

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40268PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-28-11 / / | YC051-YC052 |
| D40268PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 27-28-11 */*/ | YD157-YD158, YL951-YR328 |
| D40270J | 1 | S280W557-251 RCPT- | 81205 | 1 | 33-27-22 937/300/L017 | YC051-YD151 |
| D40270J | 1 | BACC65AK251P RCPT- | 81205 | 1 | 33-27-22 937/300/L017 | YD152-YR328 |
| D40270P | 1 | S280W557-151 PLUG- | 81205 | 1 | 33-25-22 937/300/L017 | YC051-YD151 |
| D40270P | 1 | BACC65AJ151S PLUG- | 81205 | 1 | 33-25-22 937/300/L017 | YD152-YR328 |
| D40270PQ | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 33-25-22 */*/ | YC051-YD151 |
| D40270PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-25-22 */*/ | YD152-YR328 |
| D40272J | 1 | S280W557-251 RCPT- | 81205 | 1 | 35-21-31 937/301/R017 | YC051-YD151 |
| D40272J | 1 | BACC65AK251P RCPT- | 81205 | 1 | 35-21-31 937/301/R017 | YD152-YL999, YR301-YR328 |
| D40272P | 1 | S280W557-151 PLUG- | 81205 | 1 | 33-25-32 937/301/R017 | YC051-YD151 |
| D40272P | 1 | BACC65AJ151S PLUG- | 81205 | 1 | 33-25-32 937/301/R017 | YD152-YR328 |
| D40272PQ | 1 | S280W557-1 MOUNTING TRACK- | 81205 | 1 | 33-25-32 */*/ | YC051-YD151 |
| D40272PQ | 1 | BACT44E1S MOUNTING TRACK- | 81205 | 1 | 33-25-32 */*/ | YD152-YR328 |
| D40276J | 1 | MTCPQKT1R2SGCB RCPT-CONDUCTIVE | 06090 | 1 | 31-31-14 E003-02/ / | ALL |
| D40276P | 1 | MTCPQKT1P2PGCB PLUG- | 06090 | 1 | 31-31-14 E003-02/ / | YC051-YN236, YN501-YR328 |
| D40292J | 1 | BACC45FN18-31P8 RCPT- | 81205 | 1 | 52-71-13 AB0340B/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40200

Page 8

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|---|
| D40292P | 1 | BACC45FT18-31S8 PLUG- | 81205 | 1 | 52-71-13 AB0340B/ / | YC051-YD158, YL951-YR328 |
| D40292PQ | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 52-71-13 / / | YC051-YD158, YL951-YL952, YN231-YN260 |
| D40292PQ | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 52-71-13 */ */ | YL953-YL999, YN501-YR328 |
| D40296J | 1 | BACC63CC20-39P9 RCPT-CONDUCTIVE | 81205 | 1 | 33-51-11 AB0340B/ / | ALL |
| D40296JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 33-51-11 */ */ | ALL |
| D40296P | 1 | BACC63CB20-39S9 PLUG- | 81205 | 1 | 33-51-11 AB0340B/ / | ALL |
| D40296PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 33-51-11 */ */ | ALL |
| D40298J | 1 | BACC45FN22-19S9 RCPT- | 81205 | 1 | 33-25-11 P018-00/ / | ALL |
| D40298P | 1 | BACC45FT22-19P9 PLUG-CTR CEILING | 81205 | 1 | 33-27-31 P018-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40200

Page 9 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40301J | 1 | 2431-84-5 RCPT - (TNC) | 91836 | 1 | 31-62-12 E003-01/ / | ALL |
| D40301P | 1 | 2435-81-5 PLUG - (TNC) STRAIGHT | 91836 | 1 | 31-62-12 391/194/L010 | YC051-YN231 |
| D40301P | 1 | 2435-81-5 PLUG - (TNC) STRAIGHT | 91836 | 1 | 31-62-12 E003-01/ / | YN232-YR328 |
| D40302J | 1 | BACC45FN14-15S RCPT- | 81205 | 1 | 32-44-11 AB0500DL/ / | ALL |
| D40302P | 1 | BACC45FT14-15P PLUG- | 81205 | 1 | 32-44-11 AB0500DL/ / | ALL |
| D40312J | 1 | BACC45FN14-12S6 RCPT | 81205 | 1 | 27-53-11 AB0500DL/ / | ALL |
| D40312P | 1 | BACC45FT14-12P6 PLUG- | 81205 | 1 | 27-53-11 AB0500DL/ / | ALL |
| D40318J | 1 | BACC45FN16-24S6 RCPT- | 81205 | 1 | 78-34-11 AB0500DL/ / | ALL |
| D40318P | 1 | BACC45FT16-24P6 PLUG- | 81205 | 1 | 29-33-11 AB0500DL/ / | ALL |
| D40326J | 1 | BACC45FN18-8S7 RCPT- | 81205 | 1 | 21-25-11 E004-01/ / | ALL |
| D40326P | 1 | BACC45FT18-8P7 PLUG | 81205 | 1 | 21-25-11 E004-01/ / | YC051-YN236, YN501-YR323, YR325-YR328 |
| D40326PQ | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 21-25-11 / / | YC051-YC065 |
| D40326PQ | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 21-25-11 */ */ | YC067-YN236, YN501-YR323, YR325-YR328 |
| D40328J | 1 | MTCPQKT1R2SFDC RCPT- | 06090 | 1 | 21-51-14 E004-01/ / | ALL |
| D40328P | 1 | MTCPQKT1P2PFDC PLUG- | 06090 | 1 | 21-51-14 E004-01/ / | YC051-YR323, YR325-YR328 |
| D40330J | 1 | BACC45FN14-4S RCPT- | 81205 | 1 | 21-25-11 E004-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40330P | 1 | BACC45FT14-4P PLUG- | 81205 | 1 | 21-25-11 E004-01/ / | YC051-YR323, YR325-YR328 |
| D40330PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 21-25-11 */*/ | YC051-YR323, YR325-YR328 |
| D40332J | 1 | BACC45FN16-24P RECEPTICAL | 81205 | 1 | 47-30-11 E001-04/ / | YD160-YR328 |
| D40332P | 1 | BACC45FT16-24S PLUG | 81205 | 1 | 47-30-11 E001-04/ / | YL951-YR328 |
| D40332PQ | 1 | BACC10GH16 BACKSHELL | 81205 | 1 | 47-30-11 E001-04/ / | YL951-YR328 |
| D40338J | 1 | MTCPQKT2R26PFCA RCPT- | 06090 | 1 | 24-22-11 E004-02/ / | ALL |
| D40338P | 1 | MTCPQKT2P26SFCA PLUG- | 06090 | 1 | 24-22-11 E004-02/ / | ALL |
| D40340J | 1 | MTCPQKT2R26PFAD RCPT- | 06090 | 1 | 24-22-11 E002-01/ / | ALL |
| D40340P | 1 | MTCPQKT2P26SFAD PLUG- | 06090 | 1 | 24-22-11 E002-01/ / | ALL |
| D40342J | 1 | MTCPQKT2R26PFAC RCPT- | 06090 | 1 | 24-32-11 E002-01/ / | ALL |
| D40342P | 1 | MTCPQKT2P26SFAC PLUG- | 06090 | 1 | 24-32-11 E002-01/ / | ALL |
| D40344J | 1 | BACC63CC18-31S8 RCPT-CONDUCTIVE | 81205 | 1 | 29-32-11 E001-03/ / | ALL |
| D40344P | 1 | BACC63CB18-31P8 PLUG- | 81205 | 1 | 26-11-21 E001-03/ / | ALL |
| D40344PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 26-11-21 */*/ | ALL |
| D40346J | 1 | BACC63CC22-55SN RCPT- | 81205 | 1 | 26-11-11 E001-04/ / | ALL |
| D40346JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 26-11-11 */*/ | ALL |
| D40346P | 1 | BACC63CB22-55PN PLUG - CONDUCTIVE | 81205 | 1 | 26-11-11 E001-04/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40300

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40346PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 26-11-11 E001-04/ / | YC051-YD170 |
| D40346PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 26-11-11 */*/ | YL951-YR328 |
| D40348J | 1 | MTCPQKT2R22PGCB RCPT-CONDUCTIVE | 06090 | 1 | 26-11-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40348P | 1 | MTCPQKT2P22SGCB PLUG- | 06090 | 1 | 26-11-21 E002-02/ / | YC051-YC052, YR301-YR328 |
| D40348P | 1 | MTCPQKT2P22SGCB PLUG- | 06090 | 1 | 26-11-11 E002-02/ / | YC053-YN501 |
| D40349J | 1 | BACC45FN10-5S RCPT- | 81205 | 1 | 23-70-11 AB0358/ / | YL951-YR328 |
| D40349P | 1 | BACC45FT10-5P PLUG | 81205 | 1 | 23-70-11 AB0358/ / | YL951-YR328 |
| D40350J | 1 | MTCPQKT1R2SFBB RCPT- | 06090 | 1 | 26-12-12 E003-02/ / | YC051-YL959, YN231-YN235 |
| D40350J | 1 | MTCPQKT1R2SGBB RCPT- | 06090 | 1 | 26-12-12 E003-02/ / | YL963-YL999, YN236-YR328 |
| D40350P | 1 | MTCPQKT1P2PFBB PLUG- | 06090 | 1 | 26-12-11 E003-02/ / | YC051-YL959, YN231-YN235 |
| D40350P | 1 | MTCPQKT1P2PGBB PLUG- | 06090 | 1 | 26-12-11 E003-02/ / | YL963-YL999, YN236-YR328 |
| D40351J | 1 | BACC63CC12-12S6 RCPT- | 81205 | 1 | 23-70-11 AB0358/ / | YL951-YR328 |
| D40351JK | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */*/ | YL951-YR328 |
| D40351P | 1 | BACC63CB12-12P6 PLUG | 81205 | 1 | 23-70-11 AB0358/ / | YL951-YR328 |
| D40351PQ | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */*/ | YL951-YR328 |
| D40352J | 1 | BACC45FN22-32S9 RCPT- | 81205 | 1 | 24-11-11 P006-00/ / | ALL |
| D40352P | 1 | BACC45FT22-32P9 PLUG- | 81205 | 1 | 24-11-11 P006-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40300

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D40353J | 1 | BACC63CC12-12S8 RCPT- | 81205 | 1 | 23-70-11 AB0358/ / | YL951-YR328 |
| D40353JK | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */*/ | YL951-YR328 |
| D40353P | 1 | BACC63CB12-12P8 PLUG | 81205 | 1 | 23-70-11 AB0358/ / | YL951-YR328 |
| D40353PQ | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */*/ | YL951-YR328 |
| D40355J | 1 | BACC63CC12-12S9 RCPT- | 81205 | 1 | 23-70-11 AB0358/ / | YL951-YR328 |
| D40355JK | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */*/ | YL951-YR328 |
| D40355P | 1 | BACC63CB12-12P9 PLUG | 81205 | 1 | 23-70-11 AB0358/ / | YL951-YR328 |
| D40355PQ | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */*/ | YL951-YR328 |
| D40356J | 1 | MTCPQKT2R26PFDD RCPT- | 06090 | 1 | 24-22-31 E004-02/ / | ALL |
| D40356P | 1 | MTCPQKT2P26SFDD PLUG- | 06090 | 1 | 24-22-31 E004-02/ / | ALL |
| D40357J | 1 | BACC63CC12-12SN RCPT- | 81205 | 1 | 23-70-11 AB0358/ / | YL951-YR328 |
| D40357JK | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */*/ | YL951-YR328 |
| D40357P | 1 | BACC63CB12-12PN PLUG | 81205 | 1 | 23-70-11 AB0358/ / | YL951-YR328 |
| D40357PQ | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */*/ | YL951-YR328 |
| D40358J | 1 | MTCPQKT2R26PFAC RCPT- | 06090 | 1 | 24-22-11 E002-01/ / | ALL |
| D40358P | 1 | MTCPQKT2P26SFAC PLUG- | 06090 | 1 | 24-22-11 E002-01/ / | ALL |
| D40359J | 1 | BACC63CC12-12S8 RCPT- | 81205 | 1 | 23-70-11 AB0358/ / | YN231-YN260 |

EQUIPMENT LIST

D280A108

Section D40300

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D40359JK | | S280W603-103 BACKSHELL | 81205 | 1 | 23-70-11 */*/ | YN231-YN260 |
| D40360J | 1 | BACC45FN20-25P7 RCPT- | 81205 | 1 | 26-11-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40360P | 1 | BACC45FT20-25S7 PLUG- | 81205 | 1 | 26-11-11 E002-02/ / | ALL |
| D40360PQ | 1 | BACC10GH20 BACKSHELL-SINGLE LEG, STRAIGHT | 81205 | 1 | 26-11-11 E002-02/ / | YC051-YD153 |
| D40360PQ | 1 | BACC10GH20 BACKSHELL-SINGLE LEG, STRAIGHT | 81205 | 1 | 26-11-11 */*/ | YD154-YR328 |
| D40361J | 1 | BACC63CC12-12S7 RCPT- | 81205 | 1 | 23-70-11 AB0358/ / | YN231-YN260 |
| D40361JK | | S280W603-103 BACKSHELL | 81205 | 1 | 23-70-11 */*/ | YN231-YN260 |
| D40362J | 1 | MTCPQKT1R2PFBA RCPT- | 06090 | 1 | 31-31-15 E003-02/ / | YC051-YD170, YN231-YN260 |
| D40362J | 1 | MTCPQKT1R2PFBA RCPT- | 06090 | 1 | 27-25-11 E003-02/ / | YL951-YL999, YN501 |
| D40362J | 1 | MTCPQKT1R2PFBA RCPT- | 06090 | 1 | 24-33-13 E003-02/ / | YR301-YR328 |
| D40362P | 1 | MTCPQKT1P2SFBA PLUG- | 06090 | 1 | 31-31-15 E003-02/ / | ALL |
| D40364J | 1 | MTCPQKT1R2PFCD RCPT- | 06090 | 1 | 24-32-11 E001-01/ / | YC051-YD153 |
| D40364J | 1 | MTCPQKT1R2PGCD RCPT- | 06090 | 1 | 24-32-11 E001-01/ / | YD154-YR328 |
| D40364P | 1 | MTCPQKT1P2SFCD PLUG-CONDUCTIVE | 06090 | 1 | 24-32-11 E001-01/ / | ALL |
| D40365J | 1 | BACC63CC12-12S6 RCPT- | 81205 | 1 | 23-70-11 AB0358/ / | YL951-YR328 |
| D40365JK | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */*/ | YL951-YR328 |
| D40365P | 1 | BACC63CB12-12P6 PLUG | 81205 | 1 | 23-70-11 AB0358/ / | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D40300

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D40365PQ | | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 23-70-11 */ */ | YL951-YR328 |
| D40368J | 1 | BACC45FN16-24S9 RCPT- | 81205 | 1 | 24-23-51 P006-00/ / | ALL |
| D40368P | 1 | BACC45FT16-24P9 PLUG- | 81205 | 1 | 24-32-11 P006-00/ / | ALL |
| D40370J | 1 | MTCPQKT2R26PFDB RCPT | 06090 | 1 | 24-21-21 E004-02/ / | ALL |
| D40370P | 1 | MTCPQKT2P26SFDB PLUG- | 06090 | 1 | 24-21-21 E004-02/ / | ALL |
| D40372J | 1 | BACC45FN14-12P RCPT- | 81205 | 1 | 24-31-11 E002-01/ / | ALL |
| D40372P | 1 | BACC45FT14-12S PLUG- | 81205 | 1 | 24-31-11 E002-01/ / | ALL |
| D40372PQ | 1 | BACC10GH14 BACKSHELL-SINGLE LEG, STRAIGHT | 81205 | 1 | 24-31-11 E2-1 391/195/L37 | ALL |
| D40378J | 1 | MTCPQKT2R22SGCB RCPT- | 06090 | 1 | 21-25-11 E004-01/ / | YC051-YL968, YN231-YN236, YN501-YR306 |
| D40378J | 1 | MTCPQKT2R22SFCB RCPT- | 06090 | 1 | 21-25-11 E004-01/ / | YR307-YR328 |
| D40378P | 1 | MTCPQKT2P22PGCB PLUG- | 06090 | 1 | 21-25-11 E004-01/ / | YC051-YR323, YR325-YR328 |
| D40380J | 1 | MTCPQKT2R22SGBA RCPT-CONDUCTIVE | 06090 | 1 | 33-32-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40380P | 1 | MTCPQKT2P22PGBA PLUG- | 06090 | 1 | 33-32-11 E002-2/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D40380P | 1 | MTCPQKT2P22PGBA PLUG- | 06090 | 1 | 33-32-11 AE0202A/ / | YN231-YN501 |
| D40382J | 1 | MTCPQKT2R22PFCB RCPT | 06090 | 1 | 24-22-21 E004-02/ / | ALL |
| D40382P | 1 | MTCPQKT2P22SFCB PLUG- | 06090 | 1 | 24-22-21 E004-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40300

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|---|
| D40386J | 1 | BACC45FN22-32S6 RCPT- | 81205 | 1 | 78-36-21 P006-00/ / | ALL |
| D40386P | 1 | BACC45FT22-32P6 PLUG- | 81205 | 1 | 78-36-21 P006-00/ / | YC051-YN236, YN501-YR323, YR325-YR328 |
| D40388J | 1 | MTCPQKT2R22SGCA RCPT-CONDUCTIVE | 06090 | 1 | 27-62-11 E004-02/ / | ALL |
| D40388P | 1 | MTCPQKT2P22PGCA PLUG- | 06090 | 1 | 27-62-11 E004-02/ / | YC051-YN236, YN501-YR323, YR325-YR328 |
| D40390J | 1 | MTCPQKT2R22SGDD RCPT- | 06090 | 1 | 73-21-31 E004-01/ / | ALL |
| D40390P | 1 | MTCPQKT2P22PGDD PLUG- | 06090 | 1 | 73-21-31 E004-01/ / | YC051-YN236, YN501-YR323, YR325-YR328 |
| D40392J | 1 | MTCPQKT2R22SGBC RCPT-CONDUCTIVE | 06090 | 1 | 36-11-11 E003-02/ / | ALL |
| D40392P | 1 | MTCPQKT2P22PGBC PLUG- | 06090 | 1 | 36-11-11 E003-02/ / | YC051-YN236, YN501-YR323, YR325-YR328 |
| D40394J | 1 | MTCPQKT2R22SGCD RCPT - CONDUCTIVE | 06090 | 1 | 36-11-11 E003-01/ / | ALL |
| D40394P | 1 | MTCPQKT2P22PGCD PLUG- | 06090 | 1 | 36-11-11 E003-01/ / | YC051-YN236, YN501-YR323, YR325-YR328 |
| D40396J | 1 | BACC45FN14-12S7 RCPT- | 81205 | 1 | 24-32-11 P006-00/ / | ALL |
| D40396P | 1 | BACC45FT14-12P7 PLUG- | 81205 | 1 | 24-32-11 P006-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40300

Page 7 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40400J | 1 | BACC45FN14-12S9 RCPT | 81205 | 1 | 29-33-11 AB0500DR/ / | ALL |
| D40400P | 1 | BACC45FT14-12P9 PLUG- | 81205 | 1 | 29-33-11 AB0500DR/ / | ALL |
| D40401J | 1 | 2431-84-5 RCPT - (TNC) | 91836 | 1 | 31-62-22 E003-01/ / | ALL |
| D40401P | 1 | 2435-81-5 RCPT - (TNC) STRAIGHT | 91836 | 1 | 31-62-22 391/195/R011 | YC051-YD170, YN231 |
| D40401P | 1 | 2435-81-5 RCPT - (TNC) STRAIGHT | 91836 | 1 | 31-62-22 E003-01/ / | YL951-YL999, YN232-YR328 |
| D40402J | 1 | BACC45FN16-24S RCPT | 81205 | 1 | 27-41-12 AB0500DR/ / | ALL |
| D40402P | 1 | BACC45FT16-24P PLUG- | 81205 | 1 | 27-41-12 AB0500DR/ / | ALL |
| D40404J | 1 | BACC45FN18-31P8 RCPT | 81205 | 1 | 31-53-11 AB0500DR/ / | ALL |
| D40404P | 1 | BACC45FT18-31S8 PLUG- | 81205 | 1 | 31-53-11 AB0500DR/ / | ALL |
| D40406J | 1 | BACC45FN14-15S RCPT- | 81205 | 1 | 32-41-11 AB0500DR/ / | ALL |
| D40406P | 1 | BACC45FT14-15P PLUG- | 81205 | 1 | 32-41-11 AB0500DR/ / | ALL |
| D40410J | 1 | BACC45FN16-24S7 RCPT- | 81205 | 1 | 26-12-11 AB0500DR/ / | ALL |
| D40410P | 1 | BACC45FT16-24P7 PLUG- | 81205 | 1 | 32-64-12 AB0500DR/ / | ALL |
| D40416J | 1 | BACC45FN14-12S8 RCPT | 81205 | 1 | 27-23-11 AB0500DR/ / | ALL |
| D40416P | 1 | BACC45FT14-12P8 PLUG- | 81205 | 1 | 27-23-11 AB0500DR/ / | ALL |
| D40426J | 1 | BACC63CC14-15P8 RCPT- | 81205 | 1 | 49-52-31 E003-02/ / | ALL |
| D40426P | 1 | BACC63CB14-15S8 PLUG-CONDUCTIVE | 81205 | 1 | 49-52-31 E003-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40426PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 49-52-31 / / | YC051-YD158 |
| D40426PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 49-52-31 */*/ | YD160-YR328 |
| D40428J | 1 | MTCPQKT2R26SFBD RCPT-CONDUCTIVE | 06090 | 1 | 24-11-11 E002-01/ / | ALL |
| D40428P | 1 | MTCPQKT2P26PGBD PLUG- | 06090 | 1 | 24-11-11 E002-01/ / | YC051-YC059, YC065-YR328 |
| D40428P | 1 | MTCPQKT2P26PGBD PLUG- | 06090 | 1 | 24-11-11 E2-1 391/194/L43 | YC060-YC064 |
| D40430J | 1 | BACC63CC18-31S6 RCPT-CONDUCTIVE | 81205 | 1 | 73-21-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40430P | 1 | BACC63CB18-31P6 PLUG- | 81205 | 1 | 73-21-11 E2-2/ / | YC051-YD157 |
| D40430P | 1 | BACC63CB18-31P6 PLUG- | 81205 | 1 | 73-21-11 AE0202A/ / | YD158 |
| D40430P | 1 | BACC63CB18-31P6 PLUG- | 81205 | 1 | 73-21-11 E002-02/ / | YL951-YL968, YN231-YN236, YN501-YR328 |
| D40430PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 73-21-11 / / | YC051-YD158 |
| D40430PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 73-21-11 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D40432J | 1 | MTCPQKT2R26PFBA RCPT | 06090 | 1 | 27-41-11 E004-02/ / | ALL |
| D40432P | 1 | MTCPQKT2P26SFBA PLUG- | 06090 | 1 | 27-41-11 E004-02/ / | YC051-YR323, YR325-YR328 |
| D40444J | 1 | BACC45FN16-24S8 RCPT- | 81205 | 1 | 21-25-11 P006-00/ / | ALL |
| D40444P | 1 | BACC45FT16-24P8 PLUG- | 81205 | 1 | 21-25-11 P006-00/ / | YC051-YR323, YR325-YR328 |
| D40446J | 1 | MTCPQKT1R2SGAD RCPT-CONDUCTIVE | 06090 | 1 | 78-36-11 E003-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40400

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|-------------------------------|-----------------------------|
| D40446P | 1 | MTCPQKT1P2PGAD PLUG- | 06090 | 1 | 77-31-11 E003-02/ / | ALL |
| D40448J | 1 | MTCPQKT2R22SGCA RCPT - CONDUCTIVE | 06090 | 1 | 73-24-11 E003-01/ / | ALL |
| D40448P | 1 | MTCPQKT2P22PGCA PLUG- | 06090 | 1 | 73-24-11 E003-01/ / | ALL |
| D40450J | 1 | MTCPQKT2R22SGAC RCPT-CONDUCTIVE | 06090 | 1 | 77-31-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40450P | 1 | MTCPQKT2P22PGAC PLUG- | 06090 | 1 | 77-31-11 E2-2 391/185/L29 | YC051-YC055 |
| D40450P | 1 | MTCPQKT2P22PGAC PLUG- | 06090 | 1 | 77-31-11 E2-2 391/185/L029 | YC056-YR328 |
| D40452J | 1 | MTCPQKT1R2SGBA RECPT-CONDUCTIVE | 06090 | 1 | 29-23-11 E001-01/ / | ALL |
| D40452P | 1 | MTCPQKT1P2PGBA PLUG-CONDUCTIVE | 06090 | 1 | 29-23-11 E001-01/ / | YC051-YD158, YL951-YR328 |
| D40454J | 1 | MTCPQKT1R2SGAB RECPT-CONDUCTIVE | 06090 | 1 | 31-53-11 E001-01/ / | ALL |
| D40454P | 1 | MTCPQKT1P2PGAB PLUG-CONDUCTIVE | 06090 | 1 | 31-53-11 E001-01/ / | YC051-YD158, YL951-YR328 |
| D40456J | 1 | MTCPQKT2R26SFCA RCPT- | 06090 | 1 | 24-22-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40456P | 1 | MTCPQKT2P26PFCA PLUG- | 06090 | 1 | 24-22-11 E2-2 390/186/L44 | YC051-YC065, YL951-YL999 |
| D40456P | 1 | MTCPQKT2P26PFCA PLUG- | 06090 | 1 | 24-22-11 AE0202A/ / | YC067-YD157 |
| D40456P | 1 | MTCPQKT2P26PFCA PLUG- | 06090 | 1 | 24-22-11 E002-02/ / | YD158, YN231- YR328 |
| D40458J | 1 | MTCPQKT1R2SGAA RECPT - CONDUCTIVE | 06090 | 1 | 34-49-11 E001-01/ / | YC053-YR328 |
| D40458P | 1 | MTCPQKT1P2PGAA PLUG-CONDUCTIVE | 06090 | 1 | 34-49-11 E001-01/ / | YC053-YD158, YL951-YR328 |
| D40460J | 1 | MTCPQKT1R2PGAA RCPT - CONDUCTIVE | 06090 | 1 | 73-23-11 E003-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40400

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40460P | 1 | MTCPQKT1P2SGAA PLUG- | 06090 | 1 | 73-23-11 E003-01/ / | YC051-YD158, YL951-YR328 |
| D40462J | 1 | MTCPQKT2R22PGBC RCPT-CONDUCTIVE | 06090 | 1 | 29-23-11 E003-02/ / | ALL |
| D40462P | 1 | MTCPQKT2P22SGBC PLUG- | 06090 | 1 | 29-23-11 E003-02/ / | YC051-YD158, YL951-YR328 |
| D40464J | 1 | MTCPQKT1R2PFAB RCPT- | 06090 | 1 | 27-81-31 E001-01/ / | YC051-YD157 |
| D40464J | 1 | MTCPQKT1R2PGAB RCPT-CONDUCTIVE | 06090 | 1 | 27-81-31 E001-01/ / | YD158-YR328 |
| D40464P | 1 | MTCPQKT1P2SFAB PLUG-CONDUCTIVE | 06090 | 1 | 27-62-21 E001-01/ / | YC051-YD157 |
| D40464P | 1 | MTCPQKT1P2SGAB PLUG-CONDUCTIVE | 06090 | 1 | 27-62-21 E001-01/ / | YD158, YL951- YR328 |
| D40466J | 1 | BACC63CC22-55P7 RCPT-CONDUCTIVE | 81205 | 1 | 27-62-11 E001-03/ / | ALL |
| D40466P | 1 | BACC63CB22-55S7 PLUG-CONDUCTIVE | 81205 | 1 | 32-31-12 E001-03/ / | YC051-YD158, YL951-YR328 |
| D40466PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 32-31-12 / / | YC051-YD158, YL951-YL952, YN231-YN260 |
| D40466PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 32-31-12 */ */ | YL953-YL999, YN501-YR328 |
| D40468J | 1 | MTCPQKT1R2PFDB RCPT- | 06090 | 1 | 27-32-21 E003-02/ / | ALL |
| D40468P | 1 | MTCPQKT1P2SFDB PLUG- | 06090 | 1 | 27-32-21 E003-02/ / | YC051-YD158, YL951-YR328 |
| D40470J | 1 | MTCPQKT1R2PGDC RCPT-CONDUCTIVE | 06090 | 1 | 29-23-11 E003-02/ / | YC051-YL999, YN501 |
| D40470J | 1 | MTCPQKT1R2PFDC RCPT- | 06090 | 1 | 29-23-11 E003-02/ / | YN231-YN260, YR301-YR328 |
| D40470P | 1 | MTCPQKT1P2SGDC PLUG- | 06090 | 1 | 29-23-11 E003-02/ / | YC051-YD158, YL951-YL952, YN231-YR328 |

EQUIPMENT LIST

D280A108

Section D40400

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40470P | 1 | MTCPQKT1P2SFDC PLUG- | 06090 | 1 | 29-23-11 E003-02/ / | YL953-YL999 |
| D40472J | 1 | MTCPQKT2R26PFAB RCPT | 06090 | 1 | 24-22-21 E004-02/ / | ALL |
| D40472P | 1 | MTCPQKT2P26SFAB PLUG- | 06090 | 1 | 24-22-21 E004-02/ / | YC051-YD158, YL951-YR328 |
| D40474J | 1 | MTCPQKT1R2SGBB RCPT | 06090 | 1 | 33-36-12 E004-02/ / | ALL |
| D40474P | 1 | MTCPQKT1P2PGBB PLUG- | 06090 | 1 | 33-36-12 E004-02/ / | YC051-YD158, YL951-YR328 |
| D40484J | 1 | MTCPQKT2R26PGDC RCPT | 06090 | 1 | 27-23-11 E004-02/ / | ALL |
| D40484P | 1 | MTCPQKT2P26SGDC CONNECTOR - PLUG | 06090 | 1 | 27-23-11 E004-02/ / | ALL |
| D40486J | 1 | MTCPQKT1R2PGCC RCPT-CONDUCTIVE | 06090 | 1 | 78-32-61 E003-02/ / | ALL |
| D40486P | 1 | MTCPQKT1P2SFCC PLUG- | 06090 | 1 | 78-32-61 E003-02/ / | ALL |
| D40488J | 1 | BACC63CC16-24P6 RCPT-CONDUCTIVE | 81205 | 1 | 78-34-21 E001-03/ / | ALL |
| D40488P | 1 | BACC63CB16-24S6 PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 E001-03/ / | ALL |
| D40488PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 / / | YC051-YD158 |
| D40488PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 */*/ | YD160-YR328 |
| D40490J | 1 | BACC63CC16-24S7 RCPT-CONDUCTIVE | 81205 | 1 | 78-34-21 E001-04/ / | ALL |
| D40490JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 78-34-21 / / | YC051-YD158 |
| D40490JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 78-34-21 */*/ | YD160-YR328 |
| D40490P | 1 | BACC63CB16-24P7 PLUG - CONDUCTIVE | 81205 | 1 | 78-34-21 E001-04/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40400

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40490PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 78-34-21 E001-04/ / | YC051-YD170 |
| D40490PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 78-34-21 */*/ | YL951-YR328 |
| D40496J | 1 | BACC63CC22-19P6 RCPT- | 81205 | 1 | 24-11-11 E001-04/ / | ALL |
| D40496JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 24-11-11 / / | YC051-YC055 |
| D40496JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 24-11-11 */*/ | YC056-YR328 |
| D40496P | 1 | BACC63CB22-19S6 PLUG - CONDUCTIVE | 81205 | 1 | 24-11-11 E001-04/ / | ALL |
| D40496PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 24-11-11 E001-04/ / | YC051-YD170 |
| D40496PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 24-11-11 */*/ | YL951-YR328 |
| D40498J | 1 | BACC63CC18-31P9 RCPT-CONDUCTIVE | 81205 | 1 | 32-41-11 E001-03/ / | ALL |
| D40498P | 1 | BACC63CB18-31S9 PLUG-CONDUCTIVE | 81205 | 1 | 32-42-11 E001-03/ / | YC051-YD158, YL951-YR328 |
| D40498PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 */*/ | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D40400

Page 6 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40500J | 1 | BACC45FN24-43S8 RCPT- | 81205 | 1 | 52-71-11 AB0500DL / / | ALL |
| D40500P | 1 | BACC45FT24-43P8 PLUG- | 81205 | 1 | 52-71-11 AB0500DL / / | YC051-YN236, YN501-YR328 |
| D40502J | 1 | BACC45FN14-12S9 RCPT- | 81205 | 1 | 27-23-11 P006-00/ / | ALL |
| D40502P | 1 | BACC45FT14-12P9 PLUG- | 81205 | 1 | 27-23-11 P006-00/ / | YC051-YD158, YL951-YR328 |
| D40504J | 1 | BACC45FN14-12S RCPT | 81205 | 1 | 33-42-11 P018-00/ / | ALL |
| D40504P | 1 | BACC45FT14-12P PLUG- | 81205 | 1 | 33-42-11 P018-00/ / | YC051-YD158, YL951-YR328 |
| D40506J | 1 | MTCPQKT2R26PFCC RCPT- | 06090 | 1 | 27-53-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40506P | 1 | MTCPQKT2P26SFCC PLUG- | 06090 | 1 | 27-53-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40510J | 1 | MTCPQKT2R22PFBD RCPT- | 06090 | 1 | 27-31-11 E001-01/ / | ALL |
| D40510P | 1 | MTCPQKT2P22SFBD PLUG-CONDUCTIVE | 06090 | 1 | 27-81-11 E001-01/ / | ALL |
| D40512J | 1 | BACC45FN14-15S7 RCPT- | 81205 | 1 | 21-31-22 P006-00/ / | ALL |
| D40512P | 1 | BACC45FT14-15P7 PLUG- | 81205 | 1 | 21-31-22 P006-00/ / | YC053-YR328 |
| D40514J | 1 | BACC45FN16-24S6 RCPT | 81205 | 1 | 21-27-21 P018-00/ / | ALL |
| D40514P | 1 | BACC45FT16-24P6 PLUG- | 81205 | 1 | 21-27-21 P018-00/ / | YC053-YR328 |
| D40516J | 1 | MTCPQKT1R2PFAB RCPT - | 06090 | 1 | 27-32-11 E003-01/ / | ALL |
| D40516P | 1 | MTCPQKT1P2SFAB PLUG- | 06090 | 1 | 27-32-11 E003-01/ / | YC053-YR328 |
| D40518J | 1 | MTCPQKT2R22PGBB RCPT- | 06090 | 1 | 30-41-11 E002-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40518P | 1 | MTCPQKT2P22SGBB PLUG- | 06090 | 1 | 24-11-11 E002-01/ / | YC053-YR328 |
| D40520J | 1 | MTCPQKT2R22PGCD RCPT- | 06090 | 1 | 21-31-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40520P | 1 | MTCPQKT2P22SGCD PLUG- | 06090 | 1 | 21-31-11 E002-02/ / | YC053-YR328 |
| D40522J | 1 | BACC45FN14-12S7 RCPT | 81205 | 1 | 21-27-31 P018-00/ / | ALL |
| D40522P | 1 | BACC45FT14-12P7 PLUG- | 81205 | 1 | 21-27-31 P018-00/ / | ALL |
| D40524J | 1 | BACC45FN14-12S8 RCPT | 81205 | 1 | 30-42-11 P018-00/ / | ALL |
| D40524P | 1 | BACC45FT14-12P8 PLUG- | 81205 | 1 | 30-42-11 P018-00/ / | ALL |
| D40526J | 1 | BACC45FN14-15S8 RCPT- | 81205 | 1 | 27-23-11 P006-00/ / | ALL |
| D40526P | 1 | BACC45FT14-15P8 PLUG- | 81205 | 1 | 27-23-11 P006-00/ / | ALL |
| D40528J | 1 | BACC45FN20-39P6 RCPT- | 81205 | 1 | 27-23-11 P006-00/ / | YC051-YD158, YL951-YR328 |
| D40528P | 1 | BACC45FT20-39S6 PLUG- | 81205 | 1 | 27-23-11 P006-00/ / | ALL |
| D40530J | 1 | MTCPQKT1R2PFAD RCPT- | 06090 | 1 | 27-61-11 E004-01/ / | ALL |
| D40530P | 1 | MTCPQKT1P2SFAD PLUG- | 06090 | 1 | 27-61-11 E004-01/ / | YC051-YD158, YL951-YR328 |
| D40532J | 1 | BACC45FN16-24S6 RCPT- | 81205 | 1 | 21-61-21 P006-00/ / | YC051-YR323, YR325-YR328 |
| D40532P | 1 | BACC45FT16-24P6 PLUG- | 81205 | 1 | 21-61-21 P006-00/ / | YC051-YR323, YR325-YR328 |
| D40534J | 1 | MTCPQKT2R22PFCD RCPT- | 06090 | 1 | 21-51-14 E004-01/ / | ALL |
| D40534P | 1 | MTCPQKT2P22SFCD PLUG- | 06090 | 1 | 21-51-14 E004-01/ / | YC051-YR323, YR325-YR328 |

EQUIPMENT LIST

D280A108

Section D40500

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40536J | 1 | BACC45FN18-31S8 RCPT- | 81205 | 1 | 33-25-11 P006-00/ / | ALL |
| D40536P | 1 | BACC45FT18-31P8 PLUG- | 81205 | 1 | 21-31-23 P006-00/ / | ALL |
| D40538J | 1 | BACC45FN12-12S9 RCPT | 81205 | 1 | 21-31-11 P018-00/ / | YC051-YL967, YN231-YN235 |
| D40538J | 1 | BACC45FN16-24S9 RCPT | 81205 | 1 | 21-31-11 P018-00/ / | YL968-YL999, YN236-YR328 |
| D40538P | 1 | BACC45FT12-12P9 PLUG- | 81205 | 1 | 21-31-11 P018-00/ / | YC051-YL967, YN231-YN235 |
| D40538P | 1 | BACC45FT16-24P9 PLUG- | 81205 | 1 | 21-31-11 P018-00/ / | YL968-YL999, YN236-YR328 |
| D40540J | 1 | MTCPQKT2R22PFAA RCPT- | 06090 | 1 | 33-51-11 E004-02/ / | ALL |
| D40540P | 1 | MTCPQKT2P22SFAA PLUG- | 06090 | 1 | 33-51-11 E004-02/ / | ALL |
| D40542J | 1 | MTCPQKT2R22PGDC RCPT- | 06090 | 1 | 21-31-11 E004-01/ / | ALL |
| D40542P | 1 | MTCPQKT2P22SGDC PLUG- | 06090 | 1 | 21-31-11 E004-01/ / | ALL |
| D40544J | 1 | MTCPQKT1R2PFBA RCPT - | 06090 | 1 | 27-32-21 E003-01/ / | ALL |
| D40544P | 1 | MTCPQKT1P2SFBA PLUG- | 06090 | 1 | 27-32-21 E003-01/ / | ALL |
| D40550J | 1 | BACC45FN22-55S RCPT- | 81205 | 1 | 21-31-11 P006-00/ / | ALL |
| D40550P | 1 | BACC45FT22-55P PLUG- | 81205 | 1 | 21-31-11 P006-00/ / | YC051-YD158, YL951-YR328 |
| D40554J | 1 | MTCPQKT2R22PGBC RCPT- | 06090 | 1 | 21-31-11 E004-01/ / | YC051-YC055 |
| D40554J | 1 | MTCPQKT1R2PGBC RCPT- | 06090 | 1 | 21-31-11 E004-01/ / | YC056-YR328 |
| D40554P | 1 | MTCPQKT2P22SGBC PLUG- | 06090 | 1 | 21-31-11 E004-01/ / | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section D40500

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40554P | 1 | MTCPQKT1P2SGBC PLUG- | 06090 | 1 | 21-31-11 E004-01/ / | YC056-YD158, YL951-YR328 |
| D40556J | 1 | BACC45FN22-55S8 RCPT- | 81205 | 1 | 24-31-11 E001-04/ / | YC051-YD158, YL951-YR328 |
| D40556P | 1 | BACC45FT22-55P8 PLUG | 81205 | 1 | 24-31-11 E001-04/ / | ALL |
| D40556PQ | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 24-31-11 E001-04/ / | YC051-YD170 |
| D40556PQ | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 24-31-11 */ */ | YL951-YR328 |
| D40558J | 1 | BACC45FN18-31S9 RCPT- | 81205 | 1 | 21-25-11 P006-00/ / | ALL |
| D40558P | 1 | BACC45FT18-31P9 PLUG- | 81205 | 1 | 21-25-11 P006-00/ / | ALL |
| D40560J | 1 | BACC45FN16-24S9 RCPT- | 81205 | 1 | 28-21-11 E001-04/ / | ALL |
| D40560P | 1 | BACC45FT16-24P9 PLUG | 81205 | 1 | 28-21-11 E001-04/ / | ALL |
| D40560PQ | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 24-31-11 E001-04/ / | YC051-YD170 |
| D40560PQ | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 24-31-11 */ */ | YL951-YR328 |
| D40562J | 1 | MTCPQKT2R22SFCC RCPT- | 06090 | 1 | 21-25-11 E004-01/ / | ALL |
| D40562P | 1 | MTCPQKT2P22PFCC PLUG- | 06090 | 1 | 21-25-11 E004-01/ / | ALL |
| D40564J | 1 | MTCPQKT2R22PFBA RCPT- | 06090 | 1 | 24-22-31 E002-01/ / | ALL |
| D40564P | 1 | MTCPQKT2P22SFBA PLUG-CONDUCTIVE | 06090 | 1 | 24-22-31 E002-01/ / | ALL |
| D40566P | 1 | MS3126F22-55S PLUG- | 96906 | 1 | 33-12-11 P005-00/ / | YC051-YC052 |
| D40568P | 1 | MS3126F22-55S PLUG- | 96906 | 1 | 33-12-11 P005-00/ / | YC051-YC052 |

EQUIPMENT LIST

D280A108

Section D40500

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40570P | 1 | MS3126F22-55S PLUG- | 96906 | 1 | 33-12-12 P005-00/ / | YC051-YC052 |
| D40572P | 1 | MS3126F22-55S PLUG- | 96906 | 1 | 33-12-12 P005-00/ / | YC051-YC052 |
| D40574J | 1 | BACC45FN18-8S8 RCPT- | 81205 | 1 | 27-53-12 P006-00/ / | ALL |
| D40574P | 1 | BACC45FT18-8P8 PLUG- | 81205 | 1 | 27-53-12 P006-00/ / | YC051-YR323, YR325-YR328 |
| D40574PQ | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 27-53-12 / / | YC051-YR323, YR325-YR328 |
| D40576J | 1 | BACC45FN20-25S7 RCPT | 81205 | 1 | 73-22-11 P018-00/ / | ALL |
| D40576P | 1 | BACC45FT20-25P7 PLUG- | 81205 | 1 | 73-22-11 P018-00/ / | YC051-YD158, YL951-YR328 |
| D40578J | 1 | BACC63CC20-39P8 RCPT - CONDUCTIVE | 81205 | 1 | 29-23-11 P009-00/ / | YC051-YD158, YL951-YR328 |
| D40578JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 29-23-11 */ */ | YC051-YC052, YD158 |
| D40578JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 29-23-11 */ / | YC053-YD157, YL951-YR328 |
| D40578P | 1 | BACC63CB20-39S8 PLUG-CONDUCTIVE | 81205 | 1 | 29-23-11 P009-00/ / | YC051-YD158, YL951-YR328 |
| D40578PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 29-23-11 */ */ | YC051-YD158, YL951-YR328 |
| D40580J | 1 | BACC63CC12-12P6 RCPT - CONDUCTIVE | 81205 | 1 | 32-64-12 P009-00/ / | YC051-YD158, YL951-YR328 |
| D40580JK | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 32-64-12 */ / | YC051-YD158 |
| D40580JK | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 32-64-12 */ */ | YL951-YR328 |
| D40580P | 1 | BACC63CB12-12S6 PLUG-CONDUCTIVE | 81205 | 1 | 32-64-12 190/216/R005 | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D40500

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D40580PQ | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 32-64-12 / / | YC051-YD158, YL951-YL952, YN231-YN260 |
| D40580PQ | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 32-64-12 */ */ | YL953-YL999, YN501-YR328 |
| D40582J | 1 | BACC45FN12-12S7 RCPT- | 81205 | 1 | 33-17-11 P006-00/ / | YC051-YL968, YN231-YN235 |
| D40582J | 1 | BACC63CC12-12S7 RCPT- | 81205 | 1 | 33-17-11 P006-00/ / | YL969-YL999, YR306-YR328 |
| D40582J | 1 | BACC45FN12-12S7 RCPT- | | 1 | 33-17-11 P006-00/ / | YN236, YN501- YR305 |
| D40582JK | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 31-35-03 P006-00/ / | YL969-YL999, YR306-YR328 |
| D40582P | 1 | BACC45FT12-12P7 PLUG- | 81205 | 1 | 33-17-11 P006-00/ / | YC051-YL968, YN231-YN236, YN501-YR305 |
| D40582P | 1 | BACC63CB12-12P7 PLUG- | 81205 | 1 | 33-17-11 P006-00/ / | YL969-YL999, YN237-YN260, YR306-YR328 |
| D40582PQ | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 33-17-11 */ */ | YC051-YL968, YN231-YN236, YN501-YR305 |
| D40582PQ | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 33-17-11 */ */ | YL969-YL999, YN237-YN260, YR306-YR328 |
| D40584J | 1 | MTCPQKT1R2SFAB RCPT | 06090 | 1 | 33-36-11 E004-02/ / | ALL |
| D40584P | 1 | MTCPQKT1P2PFAB PLUG- | 06090 | 1 | 33-36-11 E004-02/ / | ALL |
| D40586J | 1 | MTCPQKT1R2SFAB RCPT- | 06090 | 1 | 30-71-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40586P | 1 | MTCPQKT1P2PFAB PLUG- | 06090 | 1 | 30-71-11 E002-02/ / | YC051-YL959, YN231-YN501 |
| D40586P | 1 | MTCPQKT1P2PFAB PLUG- | 06090 | 1 | 30-71-11 AE0202A/ / | YL963-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D40500

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40594J | 1 | MTCPQKT1R2PFDD RCPT- | 06090 | 1 | 78-36-11 E003-02/ / | ALL |
| D40594P | 1 | MTCPQKT1P2SFDD PLUG- | 06090 | 1 | 78-36-11 E003-02/ / | YC051-YD158, YL951-YR328 |
| D40596J | 1 | MTCPQKT1R2PFCA RCPT- | 06090 | 1 | 22-23-11 E003-02/ / | ALL |
| D40596P | 1 | MTCPQKT1P2SFCA PLUG-CONDUCTIVE | 06090 | 1 | 22-23-11 E003-02/ / | YC053-YR328 |
| D40598J | 1 | MTCPQKT1R2PFCB RCPT- | 06090 | 1 | 24-22-11 E002-01/ / | ALL |
| D40598P | 1 | MTCPQKT1P2SFCB PLUG-CONDUCTIVE | 06090 | 1 | 24-22-11 E002-01/ / | YC053-YR328 |

EQUIPMENT LIST

D280A108

Section D40500
Page 7 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40602J | 1 | BACC63CC18-8PN RCPT-CONDUCTIVE | 81205 | 1 | 27-41-11 J004-00/ / | ALL |
| D40602P | 1 | BACC63CB18-8SN PLUG-CONDUCTIVE | 81205 | 1 | 27-41-11 J004-00/ / | YC051-YR323, YR325-YR328 |
| D40602PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-41-11 / / | YC051-YR323, YR325-YR328 |
| D40610J | 1 | BACC63CC18-14P8 RCPT-CONDUCTIVE | 81205 | 1 | 27-53-12 J004-00/ / | YC051-YD157 |
| D40610J | 1 | BACC63CC18-14P7 RCPT-CONDUCTIVE | 81205 | 1 | 27-53-12 J004-00/ / | YD158-YR328 |
| D40610P | 1 | BACC63CB18-14S8 PLUG-CONDUCTIVE | 81205 | 1 | 27-53-12 J004-00/ / | YC051-YD157 |
| D40610P | 1 | BACC63CB18-14S7 PLUG-CONDUCTIVE | 81205 | 1 | 27-53-12 J004-00/ / | YD158, YL951- YR328 |
| D40610PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-53-12 / / | YC051-YD158, YL951-YL952, YN231-YN260 |
| D40610PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-53-12 */ */ * | YL953-YL999, YN501-YR328 |
| D40612J | 1 | BACC63CC18-14P9 RCPT-CONDUCTIVE | 81205 | 1 | 33-45-11 J004-00/ / | YD158-YL999 |
| D40612J | 1 | BACC63CC18-14P9 RCPT-CONDUCTIVE | 81205 | 1 | 23-32-12 J004-00/ / | YN231-YN260 |
| D40612J | 1 | BACC63CC18-14P9 RCPT-CONDUCTIVE | 81205 | 1 | 44-21-22 J004-00/ / | YN501-YR328 |
| D40612P | 1 | BACC63CB18-14S9 PLUG-CONDUCTIVE | 81205 | 1 | 33-45-11 AJ0004/ / | YD158 |
| D40612P | 1 | BACC63CB18-14S9 PLUG-CONDUCTIVE | 81205 | 1 | 23-32-14 J004-00/ / | YL951-YL999, YN232-YN260 |
| D40612P | 1 | BACC63CB18-14S9 PLUG-CONDUCTIVE | 81205 | 1 | 33-45-11 J004-00/ / | YN231 |
| D40612P | 1 | BACC63CB18-14S9 PLUG-CONDUCTIVE | 81205 | 1 | 44-21-22 J004-00/ / | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D40600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40612PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 23-32-14 */** | YL951-YL952, YN232-YN260 |
| D40612PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 23-32-14 / / | YL953-YL999 |
| D40612PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 33-45-11 */** | YN231 |
| D40612PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 44-21-22 / / | YN501 |
| D40614J | 1 | BACC63CC18-14P6 RCPT-CONDUCTIVE | 81205 | 1 | 27-41-11 J004-00/ / | YC051-YD157 |
| D40614J | 1 | BACC63CC18-14P9 RCPT-CONDUCTIVE | 81205 | 1 | 27-41-11 J004-00/ / | YD158-YR328 |
| D40614P | 1 | BACC63CB18-14S6 PLUG-CONDUCTIVE | 81205 | 1 | 27-41-11 J004-00/ / | YC051-YD157 |
| D40614P | 1 | BACC63CB18-14S9 PLUG-CONDUCTIVE | 81205 | 1 | 27-41-11 J004-00/ / | YD158-YR323, YR325-YR328 |
| D40614PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-41-11 / / | YC051-YR323, YR325-YR328 |
| D40616J | 1 | BACC63CC18-8P7 RCPT-CONDUCTIVE | 81205 | 1 | 27-41-11 J004-00/ / | YC051-YD157 |
| D40616J | 1 | BACC63CC18-8P8 RCPT-CONDUCTIVE | 81205 | 1 | 27-41-11 J004-00/ / | YD158-YR328 |
| D40616P | 1 | BACC63CB18-8S7 PLUG-CONDUCTIVE | 81205 | 1 | 27-41-11 J004-00/ / | YC051-YD157 |
| D40616P | 1 | BACC63CB18-8S8 PLUG-CONDUCTIVE | 81205 | 1 | 27-41-11 J004-00/ / | YD158-YR323, YR325-YR328 |
| D40616PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-41-11 / / | YC051-YR323, YR325-YR328 |
| D40618J | 1 | MTCPQKT2R26PGAD CONNECTOR-RCPT | 06090 | 1 | 24-33-11 E004-02/ / | ALL |
| D40618P | 1 | MTCPQKT2P26SGAD CONNECTOR - PLUG | 06090 | 1 | 24-33-11 E004-02/ / | ALL |
| D40621J | 1 | BACC45FN12-12P RCPT | 81205 | 1 | 23-11-21 E006-02/ / | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D40600

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40621P | 1 | BACC45FT12A12S PLUG- | 81205 | 1 | 23-31-06 E006-02/ / | YL951-YR328 |
| D40623J | 1 | BACC63CC18-31SN RCPT-CONDUCTIVE | 81205 | 1 | 34-21-21 P006-00/ / | ALL |
| D40623JK | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 34-21-21 P006-00/ / | ALL |
| D40623P | 1 | BACC63CB18-31PN PLUG-CONDUCTIVE | 81205 | 1 | 34-21-21 P006-00/ / | ALL |
| D40623PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 34-21-21 */*/ | ALL |
| D40625J | 1 | BACC63CC20-41S9 RCPT-CONDUCTIVE | 81205 | 1 | 34-61-18 P006-00/ / | YC051-YC058 |
| D40625J | 1 | BACC63CC22-55S7 RCPT-CONDUCTIVE | 81205 | 1 | 34-61-18 P006-00/ / | YC059-YD170 |
| D40625J | 1 | BACC63CC22-55S7 RCPT-CONDUCTIVE | 81205 | 1 | 34-61-18 P061-00/ / | YL951-YR328 |
| D40625JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 34-61-18 P061-00/ / | YC051-YC058 |
| D40625JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-61-18 P061-00/ / | YC059-YR328 |
| D40625P | 1 | BACC63CB20-41P9 PLUG-CONDUCTIVE | 81205 | 1 | 34-61-18 P006-00/ / | YC051-YC058 |
| D40625P | 1 | BACC63CB22-55P7 PLUG-CONDUCTIVE | 81205 | 1 | 34-61-18 P006-00/ / | YC059-YR328 |
| D40625PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 34-61-18 */*/ | YC051-YC058 |
| D40625PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-61-18 */*/ | YC059-YR328 |
| D40632J | 1 | BACC63CC18-31P9 RCPT-CONDUCTIVE | 81205 | 1 | 32-31-12 J020-0B/ / | ALL |
| D40632P | 1 | BACC63CB18-31S9 PLUG-CONDUCTIVE | 81205 | 1 | 32-31-12 J020-0B/ / | YC051-YD158, YL951-YR328 |
| D40632PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-31-12 / / | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D40600

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40634J | 1 | BACC63CC18-31PN RCPT-CONDUCTIVE | 81205 | 1 | 27-62-11 J020-0B/ / | ALL |
| D40634P | 1 | BACC63CB18-31SN PLUG-CONDUCTIVE | 81205 | 1 | 27-62-11 J020-0B/ / | ALL |
| D40634PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-62-11 / / | YC051-YD158 |
| D40634PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-62-11 */*/ | YD160-YR328 |
| D40636J | 1 | BACC63CC18-14P8 RCPT-CONDUCTIVE | 81205 | 1 | 21-27-31 J020-0B/ / | ALL |
| D40636P | 1 | BACC63CB18-14S8 PLUG-CONDUCTIVE | 81205 | 1 | 21-27-31 J020-0B/ / | YC051-YC065, YN231-YN501 |
| D40636P | 1 | BACC63CB18-14S8 PLUG-CONDUCTIVE | 81205 | 1 | 21-27-31 AJ020-0B/ / | YC067-YD158, YL951-YL999, YR301-YR328 |
| D40636PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 21-27-31 / / | YC051-YC065 |
| D40636PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 21-27-31 */*/ | YC067-YD158, YL951-YR328 |
| D40638J | 1 | BACC63CC18-14P6 RCPT-CONDUCTIVE | 81205 | 1 | 32-31-11 J020-0B/ / | ALL |
| D40638P | 1 | BACC63CB18-14S6 PLUG-CONDUCTIVE | 81205 | 1 | 32-31-11 J020-0B/ / | ALL |
| D40638PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-31-11 / / | YC051-YD158 |
| D40638PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-31-11 */*/ | YD160-YR328 |
| D40640J | 1 | BACC63CC18-14P7 RCPT-CONDUCTIVE | 81205 | 1 | 29-25-11 J020-0B/ / | ALL |
| D40640P | 1 | BACC63CB18-14S7 PLUG-CONDUCTIVE | 81205 | 1 | 29-25-11 J020-0B/ / | ALL |
| D40640PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 29-25-11 / / | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section D40600

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| D40640PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 29-25-11 */*/ | YD160-YR328 |
| D40642J | 1 | BACC63CC12-12PN RCPT-CONDUCTIVE | 81205 | 1 | 73-24-12 J020-0B/ / | ALL |
| D40642P | 1 | BACC63CB12-12SN PLUG-CONDUCTIVE | 81205 | 1 | 73-24-12 J020-0B/ / | YC051-YD158, YL951-YR328 |
| D40642PQ | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 73-24-12 / / | YC051-YC065 |
| D40642PQ | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 73-24-12 */*/ | YC067-YD158, YL951-YR328 |
| D40646J | 1 | MTCPQKT1R2SFCA RCPT- | 06090 | 1 | 26-16-21 E002-02/ / | YC053-YD158, YL951-YR328 |
| D40646P | 1 | MTCPQKT1P2PFCA PLUG- | 06090 | 1 | 26-16-21 E002-02/ / | YC053-YR328 |
| D40652J | 1 | BACC63BV14F15SN RECPT | 81205 | 1 | 26-21-11 710/199/L052 | YC051-YD158 |
| D40652J | 1 | BACC63BV14H15SN RECPT | 81205 | 1 | 26-21-11 710/199/L052 | YL951-YR328 |
| D40652JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 TBD/ / | YC051-YD152 |
| D40652JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 */*/ | YD153-YD158 |
| D40652JK | 1 | M85049-52S14A BACKSHELL | 81205 | 1 | 26-21-11 */*/ | YL951-YR328 |
| D40652P | 1 | BACC63BP14C15PN PLUG - ELEC DISC FWD | 81205 | 1 | 26-21-11 710/199/L053 | YC051-YD158 |
| D40652P | 1 | BACC63BP14H15PN PLUG - ELEC DISC FWD | 81205 | 1 | 26-21-11 710/199/L053 | YD160-YR328 |
| D40652PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 */*/ | YC051-YD158 |
| D40652PQ | 1 | M85049-52S14A BACKSHELL | 81205 | 1 | 26-21-11 */*/ | YD160-YR328 |
| D40654J | 1 | BACC45FN12-12S RCPT- | 81205 | 1 | 33-32-11 P006-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40600

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|-------------------------------|-----------------------------|
| D40654P | 1 | BACC45FT12-12P PLUG-P6 LOWER | 81205 | 1 | 33-32-11 P006-00/ / | ALL |
| D40654PQ | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 33-32-11 */*/ | ALL |
| D40656J | 1 | MTCPQKT1R2PFBA RCPT- | 06090 | 1 | 26-21-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40656P | 1 | MTCPQKT1P2SFBA PLUG | 06090 | 1 | 26-21-11 E2-2 391/186/L047 | YC051-YD152 |
| D40656P | 1 | MTCPQKT1P2SFBA PLUG | 06090 | 1 | 26-21-11 AE0202A/ / | YD153-YL954, YN231-YN235 |
| D40656P | 1 | MTCPQKT1P2SFBA PLUG | 06090 | 1 | 26-21-11 E002-03/ / | YL955-YL999, YR301-YR328 |
| D40656P | 1 | MTCPQKT1P2SFBA PLUG | 06090 | 1 | 26-21-11 E002-02/ / | YN236-YN501 |
| D40658J | 1 | BACC45FN18-31P6 RCPT- | 81205 | 1 | 28-23-11 J004-00/ / | YD158-YR328 |
| D40658P | 1 | BACC45FT18-31S6 PLUG- | 81205 | 1 | 28-23-11 J004-00/ / | YD158, YL951- YR328 |
| D40658PQ | 1 | BACC10GH18 BACKSHELL - STRAIGHT | 81205 | 1 | 28-23-11 */*/ | YD158, YL951- YR328 |
| D40664 | 1 | BACC63BP22C39SN PLUG-CONNECTOR | 81205 | 1 | 24-41-11 234/187/R034 | YL955-YL999, YN236-YR328 |
| D40664 T | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 24-41-11 */*/ | YL955-YL999, YN236-YR328 |
| D40665 | 1 | BACC63BP22C39PN CONNECTOR | 81205 | 1 | 24-41-11 234/187/R034 | YL955-YL999, YN236-YR328 |
| D40665 T | 1 | BACC10GH22 BACKSHELL | 81205 | 1 | 24-41-11 234/ / | YL955-YL999, YN236-YR328 |
| D40666J | 1 | BACC63CC18-31P7 RCPT-CONDUCTIVE | 81205 | 1 | 27-62-21 J022-00/ / | YC051-YN236, YN501-YR328 |
| D40666P | 1 | BACC63CB18-31S7 PLUG-CONDUCTIVE | 81205 | 1 | 27-62-21 AJ022-00/ / | YC051-YD158, YL951-YR328 |
| D40666PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-62-21 / / | YC051-YC065 |

EQUIPMENT LIST

D280A108

Section D40600

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40666PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-62-21 */ */ * | YC067-YD158, YL951-YR328 |
| D40668J | 1 | BACC63CC18-31PN RCPT-CONDUCTIVE | 81205 | 1 | 29-23-11 J022-00/ / | YC051-YC059, YC065-YD158 |
| D40668J | 1 | BACC63CC22-55PN RCPT-CONDUCTIVE | 81205 | 1 | 29-23-11 J022-00/ / | YC060-YC064, YL951-YN236, YN501-YR328 |
| D40668P | 1 | BACC63CB18-31SN PLUG-CONDUCTIVE | 81205 | 1 | 29-23-11 256/174/L029 | YC051-YC059, YC065-YD158 |
| D40668P | 1 | BACC63CB22-55SN PLUG-CONDUCTIVE | 81205 | 1 | 29-23-11 256/174/L029 | YC060-YC064, YL951-YR328 |
| D40668PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 29-23-11 / / | YC051-YC059, YC065-YD158 |
| D40668PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 29-23-11 / / | YC060-YC064, YL951-YR328 |
| D40669J | 1 | BACC63DF0320PC RCPT | 81205 | 1 | 23-42-12 917/ / | YN501 |
| D40669J | 1 | BACC63DF0320PC RCPT | 81205 | 1 | 23-42-12 914/297/L020 | YR301-YR307 |
| D40669P | 1 | BACC63DE0320SC PLUG | 81205 | 1 | 23-42-12 917/ / | YN501 |
| D40669P | 1 | BACC63DE0320SC PLUG | 81205 | 1 | 23-42-12 914/297/L020 | YR301-YR307 |
| D40670J | 1 | BACC63CC18-31P8 RCPT-CONDUCTIVE | 81205 | 1 | 27-62-11 J022-00/ / | YC051-YC059, YC065-YD158 |
| D40670J | 1 | BACC63CC22-55P8 RCPT-CONDUCTIVE | 81205 | 1 | 27-62-11 J022-00/ / | YC060-YC064, YL951-YN236, YN501-YR328 |
| D40670P | 1 | BACC63CB18-31S8 PLUG-CONDUCTIVE | 81205 | 1 | 27-62-11 256/178/L029 | YC051-YC059, YC065-YD158 |
| D40670P | 1 | BACC63CB22-55S8 PLUG-CONDUCTIVE | 81205 | 1 | 27-62-11 256/178/L029 | YC060-YC064, YL951-YR328 |
| D40670PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-62-11 / / | YC051-YC065 |

EQUIPMENT LIST

D280A108

Section D40600

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40670PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-62-11 */*/ | YC067-YD158 |
| D40670PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 27-62-11 */*/ | YL951-YR328 |
| D40672J | 1 | BACC63CC18-31P6 RCPT-CONDUCTIVE | 81205 | 1 | 78-32-51 J022-00/ / | YC051-YN236, YN501-YR328 |
| D40672P | 1 | BACC63CB18-31S6 PLUG-CONDUCTIVE | 81205 | 1 | 78-32-51 256/182/L029 | ALL |
| D40672PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 78-32-51 / / | YC051-YC055 |
| D40672PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 78-32-51 */*/ | YC056-YR328 |
| D40674J | 1 | BACC63CC18-14P6 RCPT-CONDUCTIVE | 81205 | 1 | 73-22-11 J022-00/ / | YC051-YN236, YN501-YR328 |
| D40674P | 1 | BACC63CB18-14S6 PLUG-CONDUCTIVE | 81205 | 1 | 73-22-11 256/172/L029 | YC051-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D40674PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 73-22-11 / / | YC051-YD158 |
| D40674PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 73-22-11 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D40676J | 1 | BACC63CC18-14P9 RCPT-CONDUCTIVE | 81205 | 1 | 29-25-11 J022-00/ / | YC051-YN236, YN501-YR328 |
| D40676P | 1 | BACC63CB18-14S9 PLUG-CONDUCTIVE | 81205 | 1 | 29-25-11 256/176/L029 | YC051-YD158, YL951-YR328 |
| D40676PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 29-25-11 / / | YC051-YC065 |
| D40676PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 29-25-11 */*/ | YC067-YD158, YL951-YR328 |
| D40678J | 1 | BACC63CC18-8PN RCPT-CONDUCTIVE | 81205 | 1 | 21-25-11 / / | YC051-YC058 |
| D40678J | 1 | BACC63CC18-8PN RCPT-CONDUCTIVE | 81205 | 1 | 21-25-11 J022-00/ / | YC059-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D40600

Page 8

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40678P | 1 | BACC63CB18-8SN PLUG-CONDUCTIVE | 81205 | 1 | 21-25-11 256/184/L029 | YC051-YD158, YL951-YL999, YR301-YR328 |
| D40678PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 21-25-11 / / | YC051-YD157 |
| D40678PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 21-25-11 */*/ | YD158, YL951- YL999, YR301- YR328 |
| D40680J | 1 | BACC63CC18-31P7 RCPT-CONDUCTIVE | 81205 | 1 | 34-49-11 J022-00/ / | YC053-YN236, YN501-YR328 |
| D40680P | 1 | BACC63CB18-31S7 PLUG-CONDUCTIVE | 81205 | 1 | 34-49-11 AJ022-00/ / | YC053-YD158, YL951-YR328 |
| D40680PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 34-49-11 / / | YC053-YC065 |
| D40680PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 34-49-11 */*/ | YC067-YD158, YL951-YR328 |
| D40686J | 1 | BACC63CC18-14P6 RCPT-CONDUCTIVE | 81205 | 1 | 73-21-11 J023-00/ / | ALL |
| D40686P | 1 | BACC63CB18-14S6 PLUG-CONDUCTIVE | 81205 | 1 | 73-21-11 J023/ / | YC051-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D40686PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 73-21-11 / / | YC051-YD158 |
| D40686PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 73-21-11 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D40687J | 1 | BACC45FN14-12S RCPT- | 81205 | 1 | 23-71-11 AP1800A/ / | YL963-YL999, YN236-YR328 |
| D40687P | 1 | BACC45FT14-12P PLUG | | 1 | 23-71-01 P018-00/ / | YL963-YL999, YN236-YR328 |
| D40688J | 1 | BACC63CC18-14P9 RCPT-CONDUCTIVE | 81205 | 1 | 73-21-11 J023-00/ / | ALL |
| D40688P | 1 | BACC63CB18-14S9 PLUG-CONDUCTIVE | 801205 | 1 | 24-11-11 J23/ / | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D40600

Page 9

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40688P | 1 | BACC63CB18-14S9 PLUG-CONDUCTIVE | 81205 | 1 | 24-11-11 J23/ / | YD158 |
| D40688P | 1 | BACC63CB18-14S9 PLUG-CONDUCTIVE | 81205 | 1 | 24-11-11 J00023/ / | YD160-YR328 |
| D40688PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 24-11-11 / / | YC051-YC055 |
| D40688PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 24-11-11 */ */ | YC056-YR328 |
| D40692J | 1 | BACC63CC18-14P8 RECP- | 81205 | 1 | 78-34-21 J024-00/ / | ALL |
| D40692P | 1 | BACC63CB18-14S8 PLUG-CONDUCTIVE | 81205 | 1 | 78-34-21 AJ0024/ / | ALL |
| D40692PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 78-34-21 / / | YC051-YD158 |
| D40692PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 78-34-21 */ */ | YD160-YR328 |
| D40694J | 1 | BACC63CC18-31P6 RECP- | 81205 | 1 | 32-31-12 J024-00/ / | ALL |
| D40694P | 1 | BACC63CB18-31S6 PLUG-CONDUCTIVE | 81205 | 1 | 32-31-12 AJ0024/ / | YC051-YD158, YL951-YR328 |
| D40694PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-31-12 / / | YC051-YD158, YL951-YL952, YN231-YN260 |
| D40694PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-31-12 */ */ | YL953-YL999, YN501-YR328 |
| D40696J | 1 | BACC63CC18-31P6 RECP- | 81205 | 1 | 73-21-11 J024-00/ / | ALL |
| D40696P | 1 | BACC63CB18-31S6 PLUG- | 81205 | 1 | 73-21-11 AJ0024/ / | YC051-YD158, YL951-YR328 |
| D40696PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 73-21-11 / / | YC051-YD158, YL951-YR328 |
| D40697J | 1 | BACC63DF0320PC RCPT | 81205 | 1 | 23-42-12 917/ / | YN501 |

EQUIPMENT LIST

D280A108

Section D40600

Page 10

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40697J | 1 | BACC63DF0320PC RCPT | 81205 | 1 | 23-42-12 922/298/L020 | YR301-YR307 |
| D40697P | 1 | BACC63DE0320SC PLUG | 81205 | 1 | 23-42-12 917/ / | YN501 |
| D40697P | 1 | BACC63DE0320SC PLUG | 81205 | 1 | 23-42-12 922/298/L014 | YR301-YR307 |
| D40698J | 1 | BACC63CC18-31P7 RECP- | 81205 | 1 | 29-23-11 J024-00/ / | YC051-YC059, YC065-YD158 |
| D40698J | 1 | BACC63CC22-55P7 RECP- | 81205 | 1 | 29-23-11 J024-00/ / | YC060-YC064, YL951-YR328 |
| D40698P | 1 | BACC63CB18-31S7 PLUG-CONDUCTIVE | 81205 | 1 | 29-23-11 AJ0024/ / | YC051-YC059, YC065-YD158 |
| D40698P | 1 | BACC63CB22-55S7 PLUG-CONDUCTIVE | 81205 | 1 | 29-23-11 AJ0024/ / | YC060-YC064, YL951-YR328 |
| D40698PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 29-23-11 / / | YC051-YC059, YC065-YD158 |
| D40698PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 29-23-11 / / | YC060-YC064, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D40600

Page 11 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| D40700J | 1 | BACC63CC18-31P9 RECP- | 81205 | 1 | 32-31-12 J024-00/ / | ALL |
| D40700P | 1 | BACC63CB18-31S9 PLUG-CONDUCTIVE | 81205 | 1 | 32-31-12 AJ0024/ / | ALL |
| D40700PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-31-12 / / | YC051-YD158 |
| D40700PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-31-12 */ */ | YD160-YR328 |
| D40702J | 1 | BACC63CC18-31PN RECP- | 81205 | 1 | 32-44-11 J024-00/ / | ALL |
| D40702P | 1 | BACC63CB18-31SN PLUG-CONDUCTIVE | 81205 | 1 | 32-44-11 AJ0024/ / | ALL |
| D40702PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-44-11 / / | YC051-YD158 |
| D40702PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-44-11 */ */ | YD160-YR328 |
| D40708J | 1 | BACC45FN18-31S6 RCPT- | 81205 | 1 | 44-21-10 P006-00/ / | YN501-YR324 |
| D40708P | 1 | BACC45FT18-31P6 PLUG- | 81205 | 1 | 32-31-12 P006-00/ / | YN501-YR328 |
| D40709J | 1 | BACC63DF0320PA RCPT | 81205 | 1 | 23-42-12 917/ / | YN501 |
| D40709J | 1 | BACC63DF0320PA RCPT | 81205 | 1 | 23-42-12 914/297/L020 | YR301-YR307 |
| D40709P | 1 | BACC63DE0320SA PLUG | 81205 | 1 | 23-42-12 917/ / | YN501 |
| D40709P | 1 | BACC63DE0320SA PLUG | 81205 | 1 | 23-42-12 914/297/L020 | YR301-YR307 |
| D40711J | 1 | BACC63DF0320PA RCPT | 81205 | 1 | 23-42-12 917/ / | YN501 |
| D40711J | 1 | BACC63DF0320PA RCPT | 81205 | 1 | 23-42-12 922/298/L015 | YR301-YR307 |
| D40711P | 1 | BACC63DE0320SA PLUG | 81205 | 1 | 23-42-12 917/ / | YN501 |

EQUIPMENT LIST

D280A108

Section D40700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40711P | 1 | BACC63DE0320SA PLUG | 81205 | 1 | 23-42-12 922/298/L015 | YR301-YR307 |
| D40712J | 1 | BACC45FN20-25S9 RCPT | 81205 | 1 | 30-41-12 E004-02/ / | ALL |
| D40712P | 1 | BACC45FT20-25P9 PLUG- | 81205 | 1 | 30-41-12 E004-02/ / | YC051-YN236, YN501-YR323, YR325-YR328 |
| D40712PQ | 1 | BACC10JS20 CLAMP, STRAIGHT | 81205 | 1 | 30-41-12 / / | YC051-YC065 |
| D40712PQ | 1 | BACC10JS20 CLAMP, STRAIGHT | 81205 | 1 | 30-41-12 */ */ | YC067-YN236, YN501-YR323, YR325-YR328 |
| D40714J | 1 | MTCPQKT2R26PFCB RCPT-CONDUCTIVE | 06090 | 1 | 28-23-11 E004-02/ / | ALL |
| D40714P | 1 | MTCPQKT2P26SGCB PLUG | 06090 | 1 | 28-23-11 E004-02/ / | ALL |
| D40718J | 1 | MTCPQKT2R26PFAB RCPT-CONDUCTIVE | 06090 | 1 | 28-21-11 E002-01/ / | ALL |
| D40718P | 1 | MTCPQKT2P26SGAB PLUG-CONDUCTIVE | 06090 | 1 | 28-21-11 E002-01/ / | YC051-YN236, YN501-YR328 |
| D40720J | 1 | MTCPQKT2R26PFCD RCPT-CONDUCTIVE | 06090 | 1 | 24-21-21 E004-02/ / | ALL |
| D40720P | 1 | MTCPQKT2P26SGCD PLUG-CONDUCTIVE | 06090 | 1 | 24-21-21 E004-02/ / | YC051-YN236, YN501-YR328 |
| D40724J | 1 | MTCPQKT2R22PGBC RCPT-CONDUCTIVE | 06090 | 1 | 78-36-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40724P | 1 | MTCPQKT2P22SGBC PLUG- | 06090 | 1 | 78-36-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40726J | 1 | MTCPQKT1R2SGAC RCPT-CONDUCTIVE | 06090 | 1 | 77-31-11 E003-02/ / | YC051-YL954, YN231-YN235 |
| D40726P | 1 | MTCPQKT1P2PGAC PLUG | 06090 | 1 | 77-31-11 E003-02/ / | YC051-YL954, YN231-YN235 |
| D40728J | 1 | BACC63CC16-24S6 RCPT | 81205 | 1 | 77-12-11 AB0405/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40700

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| D40728JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 77-12-11 TBD/ / | ALL |
| D40728P | 1 | BACC63CB16-24P6 PLUG | 81205 | 1 | 77-12-11 AB0405/ / | ALL |
| D40728PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 77-12-11 TBD/ / | ALL |
| D40730J | 1 | BACC63CC16-24S7 RCPT | 81205 | 1 | 77-12-11 AB0405/ / | ALL |
| D40730JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 77-12-11 TBD/ / | ALL |
| D40730P | 1 | BACC63CB16-24P7 PLUG | 81205 | 1 | 77-12-11 AB0405/ / | ALL |
| D40730PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 77-12-11 TBD/ / | ALL |
| D40732J | 1 | MTCPQKT2R22PGDB RCPT - CONDUCTIVE | 06090 | 1 | 77-12-11 E003-01/ / | ALL |
| D40732P | 1 | MTCPQKT2P22SGDB PLUG | 06090 | 1 | 77-12-11 E003-01/ / | ALL |
| D40734J | 1 | BACC63CC16-24S6 RCPT | 81205 | 1 | 77-31-11 AB0420/ / | ALL |
| D40734JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 77-31-11 */*/ | ALL |
| D40734P | 1 | BACC63CB16-24P6 PLUG | 81205 | 1 | 79-31-11 AB0420/ / | ALL |
| D40734PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 79-31-11 */*/ | ALL |
| D40736J | 1 | BACC63CC16-24S7 RCPT | 81205 | 1 | 78-36-11 AB0420/ / | ALL |
| D40736JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 78-36-11 */*/ | ALL |
| D40736P | 1 | BACC63CB16-24P7 PLUG | 81205 | 1 | 78-36-11 AB0420/ / | ALL |
| D40736PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 78-36-11 */*/ | ALL |

EQUIPMENT LIST

D280A108

Section D40700

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40738J | 1 | BACC63CC20-41SN RCPT - CONDUCTIVE | 81205 | 1 | 31-52-11 P007-00/ / | YC051-YD158, YL951-YR328 |
| D40738JK | 1 | BACC10KF20 CLAMP, 45 DEG | 81205 | 1 | 33-11-11 */ */ | YC051-YC052, YD158 |
| D40738JK | 1 | BACC10KF20 CLAMP, 45 DEG | 81205 | 1 | 33-11-11 */ / | YC053-YD157, YL951-YR328 |
| D40738P | 1 | BACC45FT20-41P PLUG- | 81205 | 1 | 31-52-11 P007-00/ / | YC051-YD158, YL951-YR328 |
| D40738PQ | 1 | BACC10JC20 CLAMP, 90 DEG | 81205 | 1 | 31-52-11 */ */ | YC051-YD158, YL951-YR328 |
| D40740J | 1 | BACC63CC20-41SN RCPT - CONDUCTIVE | 81205 | 1 | 31-52-11 P007-00/ / | YC051-YD158, YL951-YR328 |
| D40740JK | 1 | BACC10KF20 CLAMP, 45 DEG | 81205 | 1 | 31-52-11 */ / | YC051-YD158 |
| D40740JK | 1 | BACC10KF20 CLAMP, 45 DEG | 81205 | 1 | 31-52-11 */ */ | YL951-YR328 |
| D40740P | 1 | BACC45FT20-41P PLUG- | 81205 | 1 | 31-52-11 P007-00/ / | YC051-YD158, YL951-YR328 |
| D40740PQ | 1 | BACC10JC20 CLAMP, 90 DEG | 81205 | 1 | 31-52-11 */ */ | YC051-YD158, YL951-YR328 |
| D40742J | 1 | BACC63CC14-7PN RCPT-CONDUCTIVE | 81205 | 1 | 27-41-12 E004-02/ / | ALL |
| D40742P | 1 | BACC63CB14-7SN PLUG-CONDUCTIVE | 81205 | 1 | 27-41-12 E004-02/ / | YC051-YR323, YR325-YR328 |
| D40742PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-41-12 / / | YC051-YR323, YR325-YR328 |
| D40744J | 1 | 48-7191 RCPT- | 02660 | 1 | 33-14-12 P006-00/ / | ALL |
| D40744P | 1 | 48-7190 PLUG- | 02660 | 1 | 33-14-12 P006-00/ / | ALL |
| D40750J | 1 | BACC45FN16-24S8 RCPT- | 81205 | 1 | 32-31-12 P006-00/ / | YC051-YD157 |
| D40750J | 1 | BACC45FN18-31S8 RCPT- | 81205 | 1 | 32-31-12 P006-00/ / | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section D40700

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40750P | 1 | BACC45FT16-24P8 PLUG- | 81205 | 1 | 32-31-12 P006-00/ / | YC051-YD157 |
| D40750P | 1 | BACC45FT18-31P8 PLUG- | 81205 | 1 | 32-31-12 P006-00/ / | YD158-YR328 |
| D40751J | 1 | BACC45FN20-25S RCPT - | 81205 | 1 | 23-71-01 955/302/L008 | YL963-YL999, YN236-YR328 |
| D40751P | 1 | BACC45FT20-25P PLUG - | | 1 | 23-71-01 955/302/L009 | YL963-YL999, YN236-YR328 |
| D40762J | 1 | AMC02RA03B RCPT- | 05574 | 1 | 33-25-51 397/279/L048 | ALL |
| D40762P | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-25-51 397/279/L048 | YC051-YN260, YR301-YR328 |
| D40762P | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-25-51 397/276/L048 | YN501 |
| D40764J | 1 | AMC02RA03B RCPT- | 05574 | 1 | 33-25-51 685/277/L055 | YC051-YD170 |
| D40764J | 1 | AMC02RA03B RCPT- | 05574 | 1 | 33-25-51 687/277/L055 | YL951-YN260 |
| D40764P | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-25-51 685/277/L055 | YC051-YN260 |
| D40774J | 1 | MTCPQKT1R2SGAA RCPT- | 06090 | 1 | 21-25-11 E001-01/ / | YD158-YR328 |
| D40774P | 1 | MTCPQKT1P2PGAA PLUG- | 06090 | 1 | 21-31-24 E001-01/ / | YD158-YR323, YR325-YR328 |
| D40790J | 1 | BACC63CC22-55PN RECP-CONDUCTIVE | 81205 | 1 | 49-41-11 1044/299/R9 | YC053-YD157 |
| D40790J | 1 | BACC63CC22-55PN RECP-CONDUCTIVE | 81205 | 1 | 49-41-11 AB1050R/299/R007 | YD158-YR328 |
| D40790JK | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 49-41-11 1044/299/R9 | YC053-YD157 |
| D40790JK | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 49-41-11 */ */ | YD158-YR328 |
| D40790P | 1 | BACC63CB22-55SN PLUG-CONDUCTIVE | 81205 | 1 | 49-41-11 1050/297/R008 | YC053-YC055, YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D40700

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40790P | 1 | BACC63CB22-55SN PLUG-CONDUCTIVE | 81205 | 1 | 49-41-11 1044/298/R010 | YC056-YL999, YR301-YR328 |
| D40790PQ | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 49-41-11 */*/ | YC053-YL999, YR301-YR328 |
| D40790PQ | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 49-41-11 1050/297/R008 | YN231-YN501 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D40700

Page 6 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|---|
| D40800J | 1 | BACC45FN20-39S8 RCPT- | 81205 | 1 | 26-11-11 P006-06/ / | ALL |
| D40800P | 1 | BACC45FT20-39P8 PLUG- | 81205 | 1 | 26-11-11 P006-00/ / | YC051-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D40800PQ | 1 | BACC10JS20 CLAMP, STRAIGHT | 81205 | 1 | 26-11-11 TBD/ / | YC051-YD158 |
| D40800PQ | 1 | BACC10JS20 CLAMP, STRAIGHT | 81205 | 1 | 26-11-11 */ */ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D40802J | 1 | BACC45FN16-24P RCPT | 81205 | 1 | 30-71-11 P018-00/ / | ALL |
| D40802P | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 30-71-11 P18/ / | YC051-YD157 |
| D40802P | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 30-71-11 AP1800B/ / | YD158 |
| D40802P | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 30-71-11 P018-00/ / | YL951-YL968, YN231-YN236, YN501-YR328 |
| D40804J | 1 | BACC63CC12-12S7 RCPT - CONDUCTIVE | 81205 | 1 | 26-21-11 P009-00/ / | YC051-YD158, YL951-YR328 |
| D40804JK | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 */ */ | YC051-YC052, YD158 |
| D40804JK | 1 | BACC10KD12 CLAMP, STRAIGHT | 81205 | 1 | 26-21-11 */ / | YC053-YD157, YL951-YR328 |
| D40804P | 1 | BACC45FT12-12P7 PLUG- | 81205 | 1 | 26-21-11 P009-00/ / | YC051-YD157, YL951-YL968, YN231-YN236, YN501-YR328 |
| D40804P | 1 | BACC45FT12-12P7 PLUG- | 81205 | 1 | 26-21-11 AP0900A/ / | YD158 |

EQUIPMENT LIST

D280A108

Section D40800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|---|
| D40806J | 1 | BACC63CC22-55S6 RCPT- | 81205 | 1 | 26-12-11 E001-04/ / | YC051-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D40806JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 26-12-11 TBD/ / | YC051-YD158 |
| D40806JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 26-12-11 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D40806P | 1 | BACC63CB22-55P6 PLUG - CONDUCTIVE | 81205 | 1 | 26-12-11 E001-04/ / | ALL |
| D40806PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 26-12-11 E001-04/ / | YC051-YD170 |
| D40806PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 26-12-11 */*/ | YL951-YR328 |
| D40810J | 1 | BACC63CC22-55P9 RCPT-CONDUCTIVE | 81205 | 1 | 32-41-11 E001-03/ / | ALL |
| D40810P | 1 | BACC63CB22-55S9 PLUG | 81205 | 1 | 28-21-11 E001-03/ */ | YC051-YC052 |
| D40810P | 1 | BACC63CB22-55S9 PLUG | 81205 | 1 | 28-21-11 E001-03/ / | YC053-YC065 |
| D40810P | 1 | BACC63CB22-55S9 PLUG | 81205 | 1 | 28-21-11 AE0103A/ / | YC067-YR328 |
| D40810PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 74-11-11 */*/ | ALL |
| D40811J | 1 | BACC45FN12-12P7 RCPT-E8-1 SHELF | 81205 | 1 | 23-11-11 E008-01/ / | YC051-YD170 |
| D40811P | 1 | BACC45FT12-12S7 PLUG- | 81205 | 1 | 23-11-11 E8-1 314/184/L12 | YC051-YD170 |
| D40812J | 1 | BACC45FN22-55S6 RCPT- | 81205 | 1 | 28-21-11 P006-00/ / | YC051-YL999, YR301-YR328 |
| D40812J | 1 | BACC45FN22-55S6 RCPT- | 81205 | 1 | 28-21-11 P006-06/ / | YN231-YN501 |
| D40812P | 1 | BACC45FT22-55P6 PLUG | 81205 | 1 | 28-21-11 P006-00/ */ | YC051-YC052 |

EQUIPMENT LIST

D280A108

Section D40800

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40812P | 1 | BACC45FT22-55P6 PLUG | 81205 | 1 | 28-21-11 P006-00/ / | YC053-YC065 |
| D40812P | 1 | BACC45FT22-55P6 PLUG | 81205 | 1 | 28-21-11 AP0600B/ / | YC067-YR328 |
| D40812PQ | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 28-21-11 */ */ | ALL |
| D40816J | 1 | BACC45FN14-12S9 RCPT- | 81205 | 1 | 33-11-33 P006-00/ / | ALL |
| D40816P | 1 | BACC45FT14-12P9 PLUG- | 81205 | 1 | 33-11-33 P006-00/ / | ALL |
| D40818J | 1 | MTCPQKT1R2SFBC RCPT- | 06090 | 1 | 27-23-11 E001-01/ / | ALL |
| D40818P | 1 | MTCPQKT1P2PFBC PLUG-CONDUCTIVE | 06090 | 1 | 27-23-11 E001-01/ / | YC051-YD158, YL951-YR328 |
| D40820J | 1 | BACC45FN22-19S RCPT- | 81205 | 1 | 27-11-11 P006-00/ / | ALL |
| D40820P | 1 | BACC45FT22-19P PLUG- | 81205 | 1 | 27-11-11 P006-00/ / | YC051-YD158, YL951-YR328 |
| D40820PQ | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 27-11-11 */ */ | YC051-YD158, YL951-YR328 |
| D40822J | 1 | BACC45FN16-24S7 RCPT- | 81205 | 1 | 31-52-11 P006-00/ / | ALL |
| D40822P | 1 | BACC45FT16-24P7 PLUG- | 81205 | 1 | 31-52-11 P006-00/ / | YC051-YD158, YL951-YR328 |
| D40824J | 1 | BACC63CC20-39P9 RCPT - CONDUCTIVE | 81205 | 1 | 31-52-11 P009-00/ / | YC051-YD158, YL951-YR328 |
| D40824JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 33-11-11 */ / | YC051-YD158 |
| D40824JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 33-11-11 */ */ | YL951-YR328 |
| D40824P | 1 | BACC45FT20-39S9 PLUG- | 81205 | 1 | 31-52-11 P009-00/ / | YC051-YD158, YL951-YR328 |
| D40824PQ | 1 | BACC10JS20 BACKSHELL- | 81205 | 1 | 31-52-11 */ */ | YC051-YC052 |

EQUIPMENT LIST

D280A108

Section D40800

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40824PQ | 1 | BACC10JS20 CLAMP, STRAIGHT | 81205 | 1 | 31-52-11 */ */ * | YC053-YD158, YL951-YR328 |
| D40826J | 1 | BACC45FN20-28S9 RCPT- | 81205 | 1 | 35-21-11 E001-04/ / | YC051-YD158, YL951-YR328 |
| D40826P | 1 | BACC45FT20-28P9 PLUG | 81205 | 1 | 35-21-11 E001-04/ / | ALL |
| D40826PQ | 1 | BACC10JS20 CLAMP, STRAIGHT | 81205 | 1 | 35-21-11 E001-04/ / | YC051-YD170 |
| D40826PQ | 1 | BACC10JS20 CLAMP, STRAIGHT | 81205 | 1 | 35-21-11 */ */ * | YL951-YR328 |
| D40830J | 1 | BACC45FN18-14S7 RCPT- | 81205 | 1 | 35-21-11 P018-00/ / | ALL |
| D40830JK | 1 | BACC10JC18 CLAMP, 90 DEG | 81205 | 1 | 35-21-11 P018-00/ / | YC051-YC059 |
| D40830JK | 1 | BACC10JC18 CLAMP, 90 DEG | 81205 | 1 | 35-21-11 */ */ * | YC060-YR328 |
| D40830P | 1 | BACC45FT18-14P7 PLUG- | 81205 | 1 | 35-21-11 P018-00/ / | YC051-YD158, YL951-YR328 |
| D40836J | 1 | BACC63CC14-12PN RCPT-CONDUCTIVE | 81205 | 1 | 27-41-12 1055/298/R007 | YC053-YN236, YN501-YR328 |
| D40836JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-41-12 / / | YC053-YN236, YN501-YR328 |
| D40836P | 1 | BACC63CB14-12SN PLUG-CONDUCTIVE | 81205 | 1 | 27-41-12 1050/ / | YC053-YC058 |
| D40836P | 1 | BACC63CB14-12SN PLUG-CONDUCTIVE | 81205 | 1 | 27-41-12 1055/298/R010 | YC059-YD157 |
| D40836P | 1 | BACC63CB14-12SN PLUG-CONDUCTIVE | 81205 | 1 | 27-41-12 AB1050R/298/R010 | YD158-YR323, YR325-YR328 |
| D40836PQ | 1 | BACC10KE14 CLAMP, 90 DEG | 81205 | 1 | 27-41-12 / / | YC053-YR323, YR325-YR328 |
| D40842J | 1 | BACC63CC18-31PN RCPT-CONDUCTIVE | 81205 | 1 | 27-28-11 1043/296/L017 | YC053-YR328 |
| D40842JK | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-28-11 */ */ * | YC053-YR328 |

EQUIPMENT LIST

D280A108

Section D40800

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40842P | 1 | BACC63CB18-31SN PLUG-CONDUCTIVE | 81205 | 1 | 27-28-11 1050/ / | YC053 |
| D40842P | 1 | BACC63CB18-31SN PLUG-CONDUCTIVE | 81205 | 1 | 27-28-11 AB1050L/ / | YC054-YC057 |
| D40842P | 1 | BACC63CB18-31SN PLUG-CONDUCTIVE | 81205 | 1 | 27-28-11 1043/297/L13 | YC058-YD155 |
| D40842P | 1 | BACC63CB18-31SN PLUG-CONDUCTIVE | 81205 | 1 | 27-28-11 AB1050L/297/L013 | YD157-YN236, YN501-YR328 |
| D40842PQ | 1 | BACC10KE18 CLAMP, 90 DEG | 81205 | 1 | 27-28-11 / / | YC053-YN236, YN501-YR328 |
| D40844J | 1 | BACC63BV10F5PN RCPT- | 81205 | 1 | 21-51-11 578/154/L007 | YD153-YR328 |
| D40844JK | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 21-51-11 */*/ | YD153-YR328 |
| D40844P | 1 | BACC63BP10C5SN PLUG-CONDUCTIVE | 81205 | 1 | 21-51-11 578/154/L007 | YD153-YR328 |
| D40844PQ | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 21-51-11 / / | YD153-YL999, YR301-YR328 |
| D40844PQ | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 21-51-11 537/154/L007 | YN231-YN501 |
| D40846J | 1 | BACC63BV10F5PN RCPT- | 81205 | 1 | 21-51-21 558/155/R08 | YD153-YR328 |
| D40846JK | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 21-51-21 / / | YD153-YR328 |
| D40846P | 1 | BACC63BP10C5SN PLUG-CONDUCTIVE | 81205 | 1 | 21-51-11 558/155/R008 | YD153-YL999, YR301-YR328 |
| D40846P | 1 | BACC63BP10C5SN PLUG- | 81205 | 1 | 21-51-11 558/155/R008 | YN231-YN501 |
| D40846PQ | 1 | BACC10KF10 CLAMP, 45 DEG | 81205 | 1 | 21-51-11 */*/ | YD153-YR328 |
| D40854J | 1 | BACC63CC22-55P7 RECP-CONDUCTIVE | 81205 | 1 | 49-41-11 AB1050R/297/R008 | YC053-YC067 |

EQUIPMENT LIST

D280A108

Section D40800

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40854J | 1 | BACC63CC22-55P7 RECP-CONDUCTIVE | 81205 | 1 | 49-41-11 AB1050R/ / | YC068-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D40854JK | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 49-41-11 1050/ / | YC053-YD158 |
| D40854JK | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 49-41-11 */*/ | YL951-YL968, YN231-YN236, YN501-YR328 |
| D40854P | 1 | BACC63CB22-55S7 PLUG-CONDUCTIVE | 81205 | 1 | 49-41-11 AB1050R/297/R008 | YC053-YD157, YN231-YN260 |
| D40854P | 1 | BACC63CB22-55S7 PLUG-CONDUCTIVE | 81205 | 1 | 49-41-11 AB1050R/ / | YD158-YL999, YN501-YR328 |
| D40854PQ | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 49-41-11 1050/ / | YC053-YC055 |
| D40854PQ | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 49-41-11 */*/ | YC056-YL999, YR301-YR328 |
| D40854PQ | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 49-41-11 AB1050R/297/R008 | YN231-YN501 |
| D40858J | 1 | BACC45FN18-31P RCPT- | 81205 | 1 | 28-23-11 J020-00/ / | YD158-YR328 |
| D40858P | 1 | BACC45FT18-31S PLUG- | 81205 | 1 | 28-23-11 J020-00/ / | YD158-YR328 |
| D40858PQ | 1 | BACC10GH18 BACKSHELL - STRAIGHT | 81205 | 1 | 28-23-11 */*/ | YD158-YR328 |
| D40862J | 1 | AMC02RA03B RCPT- | 05574 | 1 | 33-25-61 477/281/R052 | ALL |
| D40862P | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-25-61 477/281/R052 | ALL |
| D40864J | 1 | AMC02RA03B RCPT- | 05574 | 1 | 33-25-61 684/278/R050 | YC051-YN260 |
| D40864P | 1 | AMC02PA03B PLUG- | 05574 | 1 | 33-25-61 682/278/R050 | YC051-YN260 |
| D40876J | 1 | BACC63CC16-10P6 RECP-CONDUCTIVE | 81205 | 1 | 24-21-31 1046/298/R9 | YC053-YD157 |

EQUIPMENT LIST

D280A108

Section D40800

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|---|
| D40876J | 1 | BACC63CC16-10P6 RECP-CONDUCTIVE | 81205 | 1 | 24-21-31 AB1050R/299/R007 | YD158-YR328 |
| D40876JK | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 24-21-31 1044/299/R9 | YC053-YD157 |
| D40876JK | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 24-21-31 */*/ | YD158-YR328 |
| D40876P | 1 | BACC63CB16-10S6 PLUG-CONDUCTIVE | 81205 | 1 | 24-21-31 1050/297/R008 | YC053-YC055, YN231-YN501 |
| D40876P | 1 | BACC63CB16-10S6 PLUG-CONDUCTIVE | 81205 | 1 | 24-21-31 1047/298/R010 | YC056-YL999, YR301-YR328 |
| D40876PQ | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 24-21-31 */*/ | YC053-YL999, YR301-YR328 |
| D40876PQ | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 24-21-31 1050/297/R008 | YN231-YN501 |
| D40878J | 9 | BACC63CC12-12P6 RCPT- CONDUCTIVE | 81205 | 1 | 21-31-22 J020/ / | YC053, YC055, YC060-YC064 |
| D40878J | 1 | BACC63CC12-12P6 RCPT- CONDUCTIVE | 81205 | 1 | 21-31-22 J020/ / | YC067-YR328 |
| D40878P | 9 | BACC63CB12-12S6 PLUG-CONDUCTIVE | 81205 | 1 | 21-31-21 J020-00/ / | YC053 |
| D40878P | 9 | BACC63CB12-12S6 PLUG- | 81205 | 1 | 21-31-22 J020/ / | YC055, YC060- YC064 |
| D40878P | 1 | BACC63CB12-12S6 PLUG-CONDUCTIVE | 81205 | 1 | 21-31-22 J020/ / | YC067-YD157, YL951-YL999, YR301-YR328 |
| D40878P | 1 | BACC63CB12-12S6 PLUG-CONDUCTIVE | 81205 | 1 | 21-31-22 J020-00/ / | YD158 |
| D40878P | 1 | BACC63CB12-12S6 PLUG-CONDUCTIVE | 81205 | 1 | 21-31-22 AJ0020C/ / | YN231-YN501 |
| D40884J | 9 | BACC63CC18-31P8 RCPT- CONDUCTIVE | 81205 | 1 | 21-31-23 J020/ / | YC053, YC055 |
| D40884J | 1 | BACC63CC18-31P8 RCPT- CONDUCTIVE | 81205 | 1 | 25-51-11 J020-0A/ / | YC060-YC064 |

EQUIPMENT LIST

D280A108

Section D40800

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D40884J | 1 | BACC63CC18-31P8 RCPT- CONDUCTIVE | 81205 | 1 | 21-31-23 J020/ / | YC067-YL999, YR301-YR328 |
| D40884J | 1 | BACC63CC18-31P8 RCPT- CONDUCTIVE | 81205 | 1 | 21-31-23 J020-00/ / | YN231-YN501 |
| D40884JA | 9 | BACC63CC18-31P8 RCPT- CONDUCTIVE | 81205 | 1 | 21-31-23 J020/ / | YC060-YC064 |
| D40884P | 9 | BACC63CB18-31S8 PLUG-CONDUCTIVE | 81205 | 1 | 21-31-23 J020/ / | YC053, YC055 |
| D40884P | 9 | BACC63CB18-31S8 PLUG- | 81205 | 1 | 21-32-23 J020/ / | YC060-YC064 |
| D40884P | 1 | BACC63CB18-31S8 PLUG-CONDUCTIVE | 81205 | 1 | 21-31-23 J020/ / | YC067-YR328 |

EQUIPMENT LIST

D280A108

Section D40800

Page 8 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|-------------------------------|-----------------------------|
| D40904J | 1 | MTCPQKT1R2PFCB RCPT- | 06090 | 1 | 49-52-31 E004-01/ / | ALL |
| D40904P | 1 | MTCPQKT1P2SFCB PLUG- | 06090 | 1 | 49-52-31 E004-01/ / | ALL |
| D40908J | 1 | MTCPQKT1R2PGDB RCPT-CONDUCTIVE | 06090 | 1 | 49-62-11 E003-02/ / | ALL |
| D40908P | 1 | MTCPQKT1P2SGDB PLUG- | 06090 | 1 | 49-62-11 E003-02/ / | ALL |
| D40910J | 1 | MTCPQKT2R26PFBB RCPT-CONDUCTIVE | 06090 | 1 | 49-52-31 E002-01/ / | ALL |
| D40910P | 1 | MTCPQKT2P26SGBB PLUG- | 06090 | 1 | 49-52-31 E002-01/ / | ALL |
| D40912J | 1 | MTCPQKT2R26PFAA RCPT-CONDUCTIVE | 06090 | 1 | 49-41-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40912P | 1 | MTCPQKT2P26SFAA PLUG- | 06090 | 1 | 49-41-11 E2-2/ / | YC051-YC052 |
| D40912P | 1 | MTCPQKT2P26SFAA PLUG- | 06090 | 1 | 49-41-11 E2-2 391/187/L029 | YC053-YL999, YN501-YR328 |
| D40912P | 1 | MTCPQKT2P26SFAA PLUG- | 06090 | 1 | 49-41-11 E002-02/187/L029 | YN231-YN260 |
| D40914J | 1 | BACC63CC14-15P9 RCPT - CONDUCTIVE | 81205 | 1 | 32-42-11 P009-00/ / | YC051-YD158, YL951-YR328 |
| D40914JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 */ */ | YC051-YC052, YD158 |
| D40914JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 */ / | YC053-YD157, YL951-YR328 |
| D40914P | 1 | BACC45FT14-15S9 PLUG- | 81205 | 1 | 32-42-11 P009-00/ / | ALL |
| D40914PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 / / | ALL |
| D40924J | 1 | BACC63CC22-32S8 RCPT - CONDUCTIVE | 81205 | 1 | 33-11-11 P009-00/ / | YC051-YD158, YL951-YR328 |
| D40924JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 33-11-11 */ / | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section D40900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-----------------------------------|-----------------------|-----|-------------------------------|-----------------------------|
| D40924JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 33-11-11 */ */ | YL951-YR328 |
| D40924P | 1 | BACC63CB22-32P8 PLUG- | 81205 | 1 | 33-11-11 P009-00/ / | ALL |
| D40924PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 33-11-11 */ */ | ALL |
| D40926J | 1 | MTCPQKT1R2PFCA RCPT- | 06090 | 1 | 49-52-31 E002-01/ / | ALL |
| D40926P | 1 | MTCPQKT1P2SFCA PLUG- | 06090 | 1 | 49-52-31 E002-01/ / | ALL |
| D40928J | 1 | MTCPQKT1R2PFAD RCPT-CONDUCTIVE | 06090 | 1 | 49-41-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40928P | 1 | MTCPQKT1P2SFAD PLUG- | 06090 | 1 | 49-41-11 E2-2/ / | YC051-YC052 |
| D40928P | 1 | MTCPQKT1P2SFAD PLUG- | 06090 | 1 | 49-41-11 E2-2391/185/L050 | YC053-YC055 |
| D40928P | 1 | MTCPQKT1P2SFAD PLUG- | 06090 | 1 | 49-41-11 E2-2 391/185/L050 | YC056-YL999, YN501-YR328 |
| D40928P | 1 | MTCPQKT1P2SFAD PLUG- | 06090 | 1 | 49-41-11 E002-02/185/L050 | YN231-YN260 |
| D40930J | 1 | MTCPQKT1R2PFBA RCPT- | 06090 | 1 | 24-22-31 E004-02/ / | ALL |
| D40930P | 1 | MTCPQKT1P2SFBA PLUG- | 06090 | 1 | 24-22-31 E004-02/ / | ALL |
| D40934J | 1 | MTCPQKT2R26PFAB RCPT- | 06090 | 1 | 24-32-11 E002-01/ / | ALL |
| D40934P | 1 | MTCPQKT2P26SFAB PLUG- | 06090 | 1 | 24-32-11 E002-01/ / | ALL |
| D40938J | 1 | MTCPQKT2R26PFDA RCPT | 06090 | 1 | 24-21-21 E004-02/ / | ALL |
| D40938P | 1 | MTCPQKT2P26SFDA PLUG- | 06090 | 1 | 24-21-21 E004-02/ / | ALL |
| D40940J | 1 | MTCPQKT1R2SGBC RCPT-CONDUCTIVE | 06090 | 1 | 26-12-12 E003-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40900

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|-------------------------------|-----------------------------|
| D40940P | 1 | MTCPQKT1P2PGBC PLUG- | 06090 | 1 | 26-12-12 E003-02/ / | ALL |
| D40942J | 1 | MTCPQKT1R2PFAC RCPT-CONDUCTIVE | 06090 | 1 | 24-21-31 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40942P | 1 | MTCPQKT1P2SFAC PLUG- | 06090 | 1 | 24-21-31 E2-2/ / | YC051-YC052 |
| D40942P | 1 | MTCPQKT1P2SFAC PLUG- | 06090 | 1 | 24-21-31 E2-2391/186/L029 | YC053-YC055 |
| D40942P | 1 | MTCPQKT1P2SFAC PLUG- | 06090 | 1 | 24-21-31 E2-2 391/185/L050 | YC056-YL999 |
| D40942P | 1 | MTCPQKT1P2SFAC PLUG- | 06090 | 1 | 24-21-31 E002-021/186/L029 | YN231-YN260 |
| D40942P | 1 | MTCPQKT1P2SFAC PLUG- | 06090 | 1 | 24-21-31 AE0202A/ / | YN501 |
| D40942P | 1 | MTCPQKT1P2SFAC PLUG- | 06090 | 1 | 24-21-31 E002-02/ / | YR301-YR328 |
| D40944J | 1 | BACC63CC18-31SN RCPT - CONDUCTIVE | 81205 | 1 | 33-14-11 P009-00/ / | YC051-YD158, YL951-YR328 |
| D40944JK | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 33-14-11 */ */ | YC051-YC052, YD158 |
| D40944JK | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 33-14-11 */ / | YC053-YD157, YL951-YR328 |
| D40944P | 1 | BACC45FT18-31P PLUG- | 81205 | 1 | 33-14-11 P009-00/ / | ALL |
| D40944PQ | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 33-14-11 */ */ | ALL |
| D40946J | 1 | MTCPQKT2R26PFAB RCPT- | 06090 | 1 | 49-62-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D40946P | 1 | MTCPQKT2P26SFAB PLUG- | 06090 | 1 | 49-62-11 E2-2 391/186/L029 | YC051-YL999, YN501-YR328 |
| D40946P | 1 | MTCPQKT2P26SFAB PLUG- | 06090 | 1 | 49-62-11 E002-02/186/L029 | YN231-YN260 |
| D40948J | 1 | MTCPQKT1R2SFBB RCPT- | 06090 | 1 | 27-81-22 E001-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D40900

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D40948P | 1 | MTCPQKT1P2PFBB PLUG- | 06090 | 1 | 27-81-22 E001-01/ / | ALL |
| D40950J | 1 | MTCPQKT1R2PFDC RCPT | 06090 | 1 | 78-34-11 E003-02/ / | ALL |
| D40950P | 1 | MTCPQKT1P2SFDC PLUG- | 06090 | 1 | 78-34-11 E003-02/ / | YC051-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D40952J | 1 | MTCPQKT2R22PFAD RCPT | 06090 | 1 | 78-34-21 E003-02/ / | YC051-YD157 |
| D40952J | 1 | MTCPQKT2R22PGAD RCPT-CONDUCTIVE | 06090 | 1 | 78-34-21 E003-02/ / | YD158-YR328 |
| D40952P | 1 | MTCPQKT2P22SFAD PLUG- | 06090 | 1 | 78-34-21 E003-02/ / | YC051-YD157 |
| D40952P | 1 | MTCPQKT2P22SGAD PLUG- | 06090 | 1 | 78-34-21 E003-02/ / | YD158, YL951- YR328 |
| D40984J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-22-22 720/295/L024 | YD158-YD170 |
| D40984P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-21 720/295/L024 | YD158-YD170 |
| D40990J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-22-31 500G/296/R020 | YD158-YD170 |
| D40990P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-31 500G/296/R020 | YD158-YD170 |
| D40994J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-22-22 800/295/L023 | YD158-YD170 |
| D40994P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-22 800/295/L022 | YD158-YD170 |
| D40996J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-22-32 727J/299/R020 | YD158-YD170 |
| D40996P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-32 727J/299/R020 | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D40900

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D41010J | 1 | BACC45FN16-24P RCPT- | 81205 | 1 | 21-31-11 E004-01/ / | ALL |
| D41010P | 1 | BACC45FT16-24S PLUG- | 81205 | 1 | 21-31-11 E004-01/ / | YC051-YN236, YN501-YR323, YR325-YR328 |
| D41010PQ | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 21-31-11 / / | YC051-YC065 |
| D41010PQ | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 21-31-11 */ */ | YC067-YN236, YN501-YR323, YR325-YR328 |
| D41012J | 1 | MTCPQKT1R2SFDA RCPT- | 06090 | 1 | 24-11-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D41012P | 1 | MTCPQKT1P2PFDA PLUG- | 06090 | 1 | 24-11-11 E002-02/ / | YC051-YR323, YR325-YR328 |
| D41027J | 1 | BACC65AK241P RCPT- | 81205 | 1 | 21-61-13 412/275/R055 | YR301-YR328 |
| D41027P | 1 | BACC65AJ141S PLUG- | 81205 | 1 | 21-61-13 412/275/R055 | YR301-YR328 |
| D41027PQ | 1 | S280W557-1 MOUNTING TRACK | 81205 | 1 | 21-61-13 412/275/R055 | YR301-YR314 |
| D41027PQ | 1 | BACT44E1S MOUNTING TRACK | 81205 | 1 | 21-61-13 412/275/R055 | YR315-YR328 |
| D41028J | 1 | BACC65AK241P RCPT- | 81205 | 1 | 21-61-14 727F+14/276/R056 | YR301-YR328 |
| D41028P | 1 | BACC65AJ141S PLUG- | 81205 | 1 | 21-61-13 727F+14/276/R056 | YR301-YR328 |
| D41028PQ | 1 | S280W557-1 MOUNTING TRACK | 81205 | 1 | 21-61-14 727+14/276/R056 | YR301-YR314 |
| D41028PQ | 1 | BACT44E1S MOUNTING TRACK | 81205 | 1 | 21-61-14 727+14/276/R056 | YR315-YR328 |
| D41052J | 1 | BACC63EFA-03PN RCPT- | 81205 | 1 | 33-25-51 AB0369L/ / | YN501-YR328 |
| D41052P | 1 | BACC63EEA-03SN PLUG | 81205 | 1 | 44-21-36 369/280/L047 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D41000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D41054J | 1 | BACC63EFA-03PN RCPT- | 81205 | 1 | 33-25-51 652/295/L030 | YN501-YR328 |
| D41054P | 1 | BACC63EEA-03SN PLUG | 81205 | 1 | 44-21-37 652/270/L030 | YN501-YR328 |
| D41056J | 1 | BACC63EFA-03PN RCPT- | 81205 | 1 | 33-25-61 AB0376R/ / | YN501-YR328 |
| D41056P | 1 | BACC63EEA-03SN PLUG | 81205 | 1 | 44-21-46 376/270/R069 | YN501-YR328 |
| D41058J | 1 | BACC63EFA-03PN RCPT- | 81205 | 1 | 33-25-61 650/270/R030 | YN501-YR328 |
| D41058P | 1 | BACC63EEA-03SN PLUG | 81205 | 1 | 44-21-47 650/270/R030 | YN501-YR328 |
| D41062J | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-31 427/295/L021 | YN501 |
| D41062J | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-31 425/295/L021 | YR301-YR328 |
| D41062P | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-31 427/295/L021 | YN501-YR328 |
| D41064J | 1 | BACC63DF0316PA RCPT- | 81205 | 1 | 33-22-21 445/295/L023 | YN501-YR328 |
| D41064P | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-22-21 445/295/L023 | YN501-YR328 |
| D41066J | 1 | BACC63DF0316PA RCPT- | 81205 | 1 | 33-22-31 426/295/L019 | YN501-YR328 |
| D41066P | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-22-31 426/295/L019 | YN501-YR328 |
| D41070J | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-21-12 414/295/L022 | YN501-YR328 |
| D41070P | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-21-12 414/295/L022 | YN501-YR328 |
| D41072J | 1 | BACC65AK251P RCPT- | 81205 | 1 | 33-24-21 345/290/L010 | YN501-YR328 |
| D41072P | 1 | BACC65AJ151S PLUG- | 81205 | 1 | 33-24-21 345/290/L010 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D41000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D41074J | 1 | BACC65AK251P RCPT- | 81205 | 1 | 33-24-22 910/290/L013 | YN501-YR328 |
| D41074P | 1 | BACC65AJ151S PLUG- | 81205 | 1 | 33-24-22 912/290/L013 | YN501-YR328 |
| D41076J | 1 | BACC63EDA-05PN RCPT- | 81205 | 1 | 33-22-41 466/296/L024 | YN501-YR328 |
| D41076P | 1 | BACC63EEA-05SN PLUG- | 81205 | 1 | 33-22-41 466/296/L024 | YN501-YR328 |
| D41078J | 1 | BACC63DF0316PB RCPT- | 81205 | 1 | 33-24-22 982/297/L014 | YN501-YR328 |
| D41078P | 1 | BACC63DE0316SB PLUG- | 81205 | 1 | 33-24-22 982/297/L014 | YN501-YR328 |
| D41082J | 1 | BACC65AK261P RCPT- | 81205 | 1 | 33-26-11 346/290/R010 | YN501-YR328 |
| D41082P | 1 | BACC65AJ161S PLUG- | 81205 | 1 | 33-26-11 346/290/R010 | YN501-YR328 |
| D41084J | 1 | BACC63DF0316PA RCPT- | 81205 | 1 | 33-22-32 711/296/R020 | YN501-YR328 |
| D41084P | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-22-32 711/296/R020 | YN501-YR328 |
| D41086J | 1 | BACC63DF0316PA RCPT- | 81205 | 1 | 33-22-22 674/296/L022 | YN501-YR328 |
| D41086P | 1 | BACC63DE0316SA PLUG- | 81205 | 1 | 33-22-22 674/296/L022 | YN501-YR328 |
| D41088J | 1 | BACC65AK211P RCPT- | 81205 | 1 | 33-26-31 367/289/LBL0 | YN501-YR328 |
| D41088P | 1 | BACC65AJ111S PLUG- | 81205 | 1 | 33-26-31 374/290/R013 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D41000

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D41101J | 1 | MTCPQKT1R2SGDC RECEPTACLE - CONDUCTIVE | 06090 | 1 | 23-15-12 E004-01/ / | YC051-YC055 |
| D41101J | 1 | MTCPQKT2R22SGDC RECEPTACLE - CONDUCTIVE | 06090 | 1 | 23-15-12 E004-01/ / | YC056-YD157 |
| D41101P | 1 | MTCPQKT1P2PFDC PLUG- | 06090 | 1 | 23-15-12 E4-1/ / | YC051-YC055 |
| D41101P | 1 | MTCPQKT2P22PFDC PLUG- | 06090 | 1 | 23-15-12 E004-01/ / | YC056-YD157 |
| D41121J | 1 | MTCPQKT2R22SGDA RECPT-CONDUCTIVE | 06090 | 1 | 22-11-11 E001-01/ / | ALL |
| D41121P | 1 | MTCPQKT2P22PGDA PLUG - CONDUCTIVE | 06090 | 1 | 22-11-11 E001-01/ / | ALL |
| D41125J | 1 | MTCPQKT2R22SGBA RECPT-CONDUCTIVE | 06090 | 1 | 34-45-21 E001-01/ / | ALL |
| D41125P | 1 | MTCPQKT2P22PGBA PLUG-CONDUCTIVE | 06090 | 1 | 34-45-21 E001-01/ / | ALL |
| D41127J | 1 | BACC63CC16-24P6 RECP - CONDUCTIVE | 81205 | 1 | 31-62-15 E001-02/ / | ALL |
| D41127JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 31-62-15 / / | ALL |
| D41127P | 1 | BACC63CB16-24S6 PLUG- | 81205 | 1 | 31-62-15 E001-02/ / | ALL |
| D41127PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 31-62-15 E001-02/ / | YC051-YD170 |
| D41127PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 31-62-15 */*/ | YL951-YR328 |
| D41129J | 1 | BACC63CC22-55SN RECP - CONDUCTIVE | 81205 | 1 | 22-11-11 E001-04/ / | ALL |
| D41129JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 22-11-11 / / | ALL |
| D41129P | 1 | BACC63CB22-55PN PLUG - CONDUCTIVE | 81205 | 1 | 22-11-11 E001-04/ / | ALL |
| D41129PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 22-11-11 E001-04/ / | YC051-YD170 |

EQUIPMENT LIST

D280A108

Section D41100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| D41129PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 22-11-11 */*/ | YL951-YR328 |
| D41131J | 1 | BACC63CC22-55P6 RCPT-CONDUCTIVE | 81205 | 1 | 34-53-21 E001-03/ / | ALL |
| D41131P | 1 | BACC63CB22-55S6 PLUG - CONDUCTIVE | 81205 | 1 | 34-53-21 E001-03/ / | ALL |
| D41131PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-53-21 */*/ | ALL |
| D41145J | 1 | MTCPQKT1R2SGAD RECPT-CONDUCTIVE | 06090 | 1 | 22-11-51 E001-01/ / | ALL |
| D41145P | 1 | MTCPQKT1P2PGAD PLUG | 06090 | 1 | 34-21-11 E001-01/ / | ALL |
| D41147J | 1 | MTCPQKT2R26PGCC RECPT-CONDUCTIVE | 06090 | 1 | 31-62-25 E001-01/ / | ALL |
| D41147P | 1 | MTCPQKT2P26SGCC PLUG - CONDUCTIVE | 06090 | 1 | 31-62-25 E001-01/ / | ALL |
| D41153J | 1 | MTCPQKT1R2SGCC RECPT-CONDUCTIVE | 06090 | 1 | 22-11-53 E001-01/ / | YC059-YR328 |
| D41153P | 1 | MTCPQKT1P2PGCC PLUG - CONDUCTIVE | 06090 | 1 | 22-11-53 E001-01/ / | YC059-YR328 |
| D41155J | 1 | MTCPQKT2R22SGDD RECPT-CONDUCTIVE | 06090 | 1 | 34-61-12 E001-01/ / | ALL |
| D41155P | 1 | MTCPQKT2P22PGDD PLUG | 06090 | 1 | 34-61-12 E001-01/ / | ALL |
| D41157J | 1 | MTCPQKT2R22SGCD RECPT-CONDUCTIVE | 06090 | 1 | 34-61-12 E001-01/ / | ALL |
| D41157P | 1 | MTCPQKT2P22PGCD PLUG | 06090 | 1 | 34-61-12 E001-01/ / | ALL |
| D41159J | 1 | MTCPQKT1R2SGBC RECPT-CONDUCTIVE | 06090 | 1 | 22-31-31 E001-01/ / | ALL |
| D41159P | 1 | MTCPQKT1P2PGBC PLUG | 06090 | 1 | 22-31-31 E001-01/ / | ALL |
| D41161J | 1 | MTCPQKT1R2SGAC RECPT-CONDUCTIVE | 06090 | 1 | 22-31-41 E001-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D41100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|-------------|
| D41161P | 1 | MTCPQKT1P2PGAC PLUG-CONDUCTIVE | 06090 | 1 | 22-31-41 E001-01/ / | ALL |
| D41163J | 1 | MTCPQKT2R22PGBD RECPT-CONDUCTIVE | 06090 | 1 | 31-31-13 E001-01/ / | ALL |
| D41163P | 1 | MTCPQKT2P22SGBD PLUG-CONDUCTIVE | 06090 | 1 | 22-11-75 E001-01/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D41100

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|---|
| D41211J | 1 | BACC63CC22-55PN RCPT-CONDUCTIVE | 81205 | 1 | 34-45-02 E001-02/ / | ALL |
| D41211JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-45-02 / / | YC051-YD157 |
| D41211JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-45-02 */*/ | YD158-YR328 |
| D41211P | 1 | BACC63CB22-55SN PLUG | 81205 | 1 | 34-45-02 E001-02/ / | ALL |
| D41211PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 34-45-02 E001-02/ / | YC051-YD170 |
| D41211PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 34-45-02 */*/ | YL951-YR328 |
| D41213J | 1 | BACC63CC16-24PN RCPT - CONDUCTIVE | 81205 | 1 | 34-53-11 E001-02/ / | ALL |
| D41213JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 34-53-11 */*/ | ALL |
| D41213P | 1 | BACC63CB16-24SN PLUG-CONDUCTIVE | 81205 | 1 | 34-45-02 E001-02/ / | ALL |
| D41213PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 34-45-02 E001-02/ / | YC051-YD170 |
| D41213PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 34-45-02 */*/ | YL951-YR328 |
| D41215J | 1 | 2431-88-16 JACK-DME 1 | 91836 | 1 | 34-55-11 E001-02/ / | ALL |
| D41215P | 1 | 2435-83-16 PLUG-DME | 91836 | 1 | 34-55-11 E001-02/ / | ALL |
| D41217J | 1 | BACC63CC22-55P8 RCPT-CONDUCTIVE | 81205 | 1 | 34-53-11 E001-02/ / | YC051-YN236, YN501-YR328 |
| D41217JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-53-11 / / | YC051-YC052 |
| D41217JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-53-11 */*/ | YC053-YC057, YD158-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D41200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D41217JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-53-11 E001-02/ / | YC058-YD157 |
| D41217P | 1 | BACC63CB22-55S8 PLUG | 81205 | 1 | 34-53-11 E001-02/ / | ALL |
| D41217PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 34-53-11 E001-02/ / | YC051-YD170 |
| D41217PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 34-53-11 */ */ | YL951-YR328 |
| D41251J | 1 | BACC63CC22-55P7 RCPT-CONDUCTIVE | 81205 | 1 | 34-31-11 E001-04/ / | YC051-YD170, YN501-YR328 |
| D41251J | 1 | BACC63CC22-55P7 RCPT-CONDUCTIVE | 81205 | 1 | 34-31-11 AE0104B/ / | YL951-YN260 |
| D41251JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-31-11 */ / | YC051-YC058 |
| D41251JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-31-11 */ */ | YC059-YR328 |
| D41251P | 1 | BACC63CB22-55S7 PLUG-CONDUCTIVE | 81205 | 1 | 34-21-13 E001-04/ / | ALL |
| D41251PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 34-45-02 E001-04/ / | YC051-YD170 |
| D41251PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 34-21-13 */ */ | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D41200

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| D41337J | 1 | BACC63CC18-31S8 RCPT-CONDUCTIVE | 81205 | 1 | 23-31-06 E001-03/ / | YC051-YN260 |
| D41337J | 1 | BACC63CC22-55S7 RCPT-CONDUCTIVE | 81205 | 1 | 44-21-22 E001-03/ / | YN501-YR328 |
| D41337P | 1 | BACC63CB18-31P8 PLUG-CONDUCTIVE | 81205 | 1 | 23-31-06 E001-03/ / | YC051-YN260 |
| D41337P | 1 | BACC63CB22-55P7 PLUG-CONDUCTIVE | 81205 | 1 | 23-31-06 E001-03/ / | YN501-YR328 |
| D41337PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 23-31-06 */*/ | YC051-YN260 |
| D41337PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 23-31-06 */*/ | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D41300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D41400J | 1 | BACC45FN16-24S9 RCPT | 81205 | 1 | 32-42-11 E001-03/ / | ALL |
| D41400P | 1 | BACC45FT16-24P9 PLUG-E1-3 SHELF | 81205 | 1 | 32-42-11 E001-03/ / | ALL |
| D41400PQ | 1 | BACC10JS16 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 / / | ALL |
| D41430J | 1 | BACC45FN14-4S6 RECP- | 81205 | 1 | 30-41-11 P006-00/ / | ALL |
| D41430P | 1 | BACC45FT14-4P6 PLUG- | 81205 | 1 | 30-41-11 P006-00/ / | ALL |
| D41431J | 1 | BACC65AK221P RCPT- | 81205 | 1 | 21-61-22 413/276/R055 | YN501 |
| D41431P | 1 | BACC65AJ121S PLUG- | 81205 | 1 | 21-61-22 413/289/R034 | YN501 |
| D41431PQ | 1 | S280W557-1 MOUNTING TRACK | 81205 | 1 | 21-61-22 413/276/R055 | YN501 |
| D41432J | 1 | BACC45FN14-4P7 RCPT- | 81205 | 1 | 30-41-11 E002-01/ / | ALL |
| D41432P | 1 | BACC45FT14-4S7 PLUG- | 81205 | 1 | 30-41-11 E002-01/ / | ALL |
| D41432PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 30-41-11 */ */ * | ALL |
| D41436J | 1 | BACC65AK221P RCPT- | 81205 | 1 | 21-61-22 410/289/R034 | YN231-YN260 |
| D41436P | 1 | BACC65AJ121S PLUG- | 81205 | 1 | 21-61-22 409/289/R034 | YN231-YN260 |
| D41440J | 1 | MTCPQKT1R2PGBC RCPT- | 06090 | 1 | 30-41-12 E004-02/ / | ALL |
| D41440P | 1 | MTCPQKT1P2SGBC PLUG- | 06090 | 1 | 30-41-12 E004-02/ / | YC051-YL999, YR301-YR328 |
| D41440P | 1 | MTCPQKT1P2SGBC PLUG-CONDUCTIVE | 06090 | 1 | 30-41-12 E004-02/ / | YN231-YN501 |
| D41453J | 1 | BACC63CC22-55S8 RCPT-CONDUCTIVE | 81205 | 1 | 34-31-21 E001-04/ / | ALL |

EQUIPMENT LIST

D280A108

Section D41400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| D41453JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-31-21 E001-04/*/* | YC051-YD157 |
| D41453JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-31-21 */** | YD158-YR328 |
| D41453P | 1 | BACC63CB22-55P8 PLUG - CONDUCTIVE | 81205 | 1 | 34-31-21 E001-04/ / | ALL |
| D41453PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 34-31-21 E001-04/ / | YC051-YD170 |
| D41453PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 34-31-21 */** | YL951-YR328 |
| D41463J | 1 | BACC63CC22-55P6 RCPT | 81205 | 1 | 22-31-52 E001-04/ / | ALL |
| D41463JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 22-31-52 / / | YC051-YD155 |
| D41463JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 22-31-52 */** | YD157-YR328 |
| D41463P | 1 | BACC63CB22-55S6 PLUG - CONDUCTIVE | 81205 | 1 | 31-31-15 E001-04/ / | ALL |
| D41463PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 31-31-15 E001-04/ / | YC051-YD170 |
| D41463PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 31-31-15 */** | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D41400
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D41500 | 1 | BACC63BP22C39P10 PLUG-CONDUCTIVE | 81205 | 1 | 21-51-11 542/163/L009 | ALL |
| D41500 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 21-51-11 */*/ | ALL |
| D41502 | 1 | BACC63BP22C39S10 PLUG- | 81205 | 1 | 21-42-11 536/163/L009 | ALL |
| D41507J | 1 | BACC63CC22-55P7 RCPT - CONDUCTIVE | 81205 | 1 | 34-53-21 E1-5 307/162/L23 | YC051-YD157 |
| D41507J | 1 | BACC63CC22-55P7 RCPT - CONDUCTIVE | 81205 | 1 | 34-53-21 AE0105A/ / | YD158-YR328 |
| D41507JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-53-21 */*/ | ALL |
| D41507P | 1 | BACC63CB22-55S7 PLUG-CONDUCTIVE | 81205 | 1 | 34-53-21 E001-05/ / | YC051-YC052 |
| D41507P | 1 | BACC63CB22-55S7 PLUG-CONDUCTIVE | 81205 | 1 | 34-53-21 AE0105A/ / | YC053-YR328 |
| D41507PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-53-21 / / | YC051-YD170 |
| D41507PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-53-21 */*/ | YL951-YR328 |
| D41509J | 1 | BACC63CC22-55S8 RCPT-CONDUCTIVE | 81205 | 1 | 23-31-06 E001-03/ / | ALL |
| D41509P | 1 | BACC63CB22-55P8 PLUG-CONDUCTIVE | 81205 | 1 | 31-31-17 E001-03/ / | ALL |
| D41509PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-45-02 / / | YC051-YD157 |
| D41509PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-45-02 */*/ | YD158-YR328 |
| D41511J | 1 | 2431-84-11 JACK-COAX | 91836 | 1 | 34-53-31 AE0105A/ / | ALL |
| D41511P | 1 | 2435-81-11 PLUG-COAX | 91836 | 1 | 34-53-31 E001-05/ / | ALL |
| D41515J | 1 | 2431-88-1 JACK-DME 2 | 91836 | 1 | 34-55-21 E001-05/ / | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D41500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D41515J | 1 | 2431-88-1 JACK-DME 2 | 91836 | 1 | 34-55-21 AE0105A/ / | YN231-YN501 |
| D41515P | 1 | 2435-83-1 PLUG-COAX | 91836 | 1 | 34-55-21 E001-05/ / | ALL |
| D41517J | 1 | BACC63CC22-55PN RCPT-CONDUCTIVE | 81205 | 1 | 34-53-21 E001-05/ / | YC051-YN236, YN501-YR328 |
| D41517JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-53-21 */ / | YC051-YD170 |
| D41517JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-53-21 / / | YL951-YN236, YN501-YR328 |
| D41517P | 1 | BACC63CB22-55SN PLUG-CONDUCTIVE | 81205 | 1 | 34-53-21 E001-05/ / | YC051-YC052 |
| D41517P | 1 | BACC63CB22-55SN PLUG-CONDUCTIVE | 81205 | 1 | 34-53-21 AE0105A/ / | YC053-YR328 |
| D41517PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-53-21 / / | YC051-YD170 |
| D41517PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-53-21 */ */ | YL951-YR328 |
| D41557J | 1 | BACC63CC20-39P9 RCPT-CONDUCTIVE | 81205 | 1 | 34-61-14 E001-05/ / | ALL |
| D41557JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 34-61-14 */ */ | ALL |
| D41557P | 1 | BACC63CB20-39S9 PLUG-CONDUCTIVE | 81205 | 1 | 34-51-41 E001-05/ / | YC051-YC052 |
| D41557P | 1 | BACC63CB20-39S9 PLUG-CONDUCTIVE | 81205 | 1 | 34-51-41 AE0105A/ / | YC053-YR328 |
| D41557PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 34-51-41 / / | YC051-YD170 |
| D41557PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 34-51-41 */ */ | YL951-YR328 |
| D41561J | 1 | MTCPQKT2R22SGDC RCPT-CONDUCTIVE | 06090 | 1 | 34-21-13 E005-02/ / | ALL |
| D41561P | 1 | MTCPQKT2P22PGDC PLUG- | 06090 | 1 | 34-21-14 E005-02/ / | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D41500

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| D41561P | 1 | MTCPQKT2P22PGDC PLUG- | 06090 | 1 | 34-21-14 AE0502A/ / | YD158-YR328 |
| D41563J | 1 | MTCPQKT1R2PGAA RECPT-CONDUCTIVE | 06090 | 1 | 27-28-11 E001-01/ / | ALL |
| D41563P | 1 | MTCPQKT1P2SGAA PLUG-CONDUCTIVE | 06090 | 1 | 27-28-11 E001-01/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D41500

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D41600 | 1 | BACC63BP22C39P10 PLUG-CONDUCTIVE | 81205 | 1 | 21-51-11 542/163/R009 | ALL |
| D41600 T | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 21-51-11 */*/ | ALL |
| D41601J | 1 | BACC45FN12-12P6 RCPT | 81205 | 1 | 23-15-11 E006-01/ / | YC051-YD157 |
| D41601P | 1 | BACC45FT12-12S6 PLUG- | 81205 | 1 | 23-15-11 E006-01/ / | YC051-YD157 |
| D41601PQ | 1 | BACC10KC12 CLAMP, 45 DEG | 81205 | 1 | 23-15-11 E006-01/ / | YC051-YC052 |
| D41601PQ | 1 | 450EB001C12-347 BACKSHELL-CONDUCTIVE | 81205 | 1 | 23-15-11 E006-01/ / | YC053-YD157 |
| D41602 | 1 | BACC63BP22C39S10 PLUG- | 81205 | 1 | 21-42-11 536/163/R009 | ALL |
| D41613J | 1 | BACC45FN12-12P7 RCPT | 81205 | 1 | 23-15-11 E006-01/ / | YC051-YD157 |
| D41613JQ | 1 | 450EB001C12-347 BACKSHELL | 81205 | 1 | 23-15-11 E006-01/ / | YC051-YD157 |
| D41613P | 1 | BACC45FT12-12S7 PLUG- | 81205 | 1 | 23-15-11 E006-01/ / | YC051-YD157 |
| D41613PQ | 1 | BACC10KC12 CLAMP, 45 DEG | 81205 | 1 | 23-15-11 E006-01/ / | YC051-YC052 |
| D41613PQ | 1 | 450EB001C12-347 BACKSHELL-CONDUCTIVE | 81205 | 1 | 23-15-11 E006-01/ / | YC053-YD157 |
| D41617J | 1 | KN-19-195-M06 PLUG- (COAX) | 91836 | 1 | 23-15-12 E006-01/ / | YC051-YD157 |
| D41617P | 1 | 1205-61-9 PLUG- E6-1 SHELF | 91836 | 1 | 23-15-12 E006-01/ / | YC051-YD157 |
| D41619J | 1 | BACC63CC16-24S8 RCPT | 81205 | 1 | 23-15-12 E006-01/ / | YC051-YD157 |
| D41619JQ | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 23-15-12 E006-01/ / | YC051-YD157 |
| D41619P | 1 | BACC63CB16-24P8 PLUG - CONDUCTIVE | 81205 | 1 | 23-15-12 E006-01/ / | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D41600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D41619PQ | 1 | BACC10KC16 CLAMP, 45 DEG | 81205 | 1 | 23-15-12 E006-01/ / | YC051-YD157 |
| D41621J | 1 | 121-44-9 RCPT | 91836 | 1 | 23-15-13 E006-01/ / | YC051-YD157 |
| D41621P | 1 | 125-88-9 PLUG E6-1 SHELF | 91836 | 1 | 23-15-13 E006-01/ / | YC051-YD157 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D41600

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D41800J | 1 | MTCPQKT1R2SFBA RCPT- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41800P | 1 | MTCPQKT1P2PFBA PLUG- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41801J | 1 | BACC45FN16-24S8 RCPT | 81205 | 1 | 34-45-11 P018-00/ / | ALL |
| D41801P | 1 | BACC45FT16-24P8 PLUG- | 81205 | 1 | 34-45-11 P018-00/ / | ALL |
| D41802J | 1 | MTCPQKT1R2SFBC RCPT- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41802P | 1 | MTCPQKT1P2PFBC PLUG- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41803J | 1 | BACC45FN20-25S6 RCPT | 81205 | 1 | 22-11-12 P018-00/ / | ALL |
| D41803P | 1 | BACC45FT20-25P6 PLUG- | 81205 | 1 | 22-11-12 P018-00/ / | ALL |
| D41804J | 1 | MTCPQKT1R2SFCA RCPT- | 06090 | 1 | 21-51-22 E004-01/ / | YC051-YL999, YR301-YR328 |
| D41804P | 1 | MTCPQKT1P2PFCA PLUG- | 06090 | 1 | 21-51-22 E004-01/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41805J | 1 | BACC45FN20-28S6 RCPT | 81205 | 1 | 34-33-11 P018-00/ / | ALL |
| D41805P | 1 | BACC45FT20-28P6 PLUG- | 81205 | 1 | 34-33-11 P018-00/ / | ALL |
| D41806J | 1 | MTCPQKT2R22SFAB RCPT- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41806P | 1 | MTCPQKT2P22PFAB PLUG-CONDUCTIVE | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |

EQUIPMENT LIST

D280A108

Section D41800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|---|
| D41807J | 1 | BACC45FN22-32S8 RCPT | 81205 | 1 | 34-51-11 P018-00/ / | ALL |
| D41807JK | 1 | BACC10JC22 CLAMP, 90 DEG | 81205 | 1 | 34-51-11 P018-00/ / | YC051-YC059 |
| D41807JK | 1 | BACC10JC22 CLAMP, 90 DEG | 81205 | 1 | 34-51-11 */*/ | YC060-YR328 |
| D41807P | 1 | BACC45FT22-32P8 PLUG- | 81205 | 1 | 34-51-11 P018-00/ / | ALL |
| D41808J | 1 | MTCPQKT1R2SFDB RCPT- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41808P | 1 | MTCPQKT1P2PFDB PLUG- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41809J | 1 | BACC45FN20-28S9 RCPT | 81205 | 1 | 31-62-11 P018-00/ / | ALL |
| D41809JK | 1 | BACC10JC20 CLAMP, 90 DEG | 81205 | 1 | 34-51-11 P018-00/ / | YC051-YC059 |
| D41809JK | 1 | BACC10JC20 CLAMP, 90 DEG | 81205 | 1 | 34-51-11 */*/ | YC060-YR328 |
| D41809P | 1 | BACC45FT20-28P9 PLUG- | 81205 | 1 | 31-62-11 P018-00/ / | ALL |
| D41810J | 1 | MTCPQKT1R2SFCB RCPT- | 06090 | 1 | 21-51-22 E004-01/ / | YC051-YL999, YR301-YR328 |
| D41810P | 1 | MTCPQKT1P2PFCB PLUG- | 06090 | 1 | 21-51-22 E004-01/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41811J | 1 | MTCPQKT1R2PFDA RCPT- | 06090 | 1 | 34-45-11 E001-01/ / | ALL |
| D41811P | 1 | MTCPQKT1P2SFDA PLUG - CONDUCTIVE | 06090 | 1 | 34-45-11 E001-01/ / | ALL |
| D41812J | 1 | MTCPQKT2R2SFAA RCPT- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |

EQUIPMENT LIST

D280A108

Section D41800

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D41812P | 1 | MTCPQKT2P22PFAA PLUG- | 06090 | 1 | 21-51-12 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41814J | 1 | MTCPQKT1R2SFBB RCPT- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41814P | 1 | MTCPQKT1P2PFBB PLUG- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41816J | 1 | MTCPQKT1R2SFCC RCPT- | 06090 | 1 | 21-51-22 E004-01/ / | YC051-YL999, YR301-YR328 |
| D41816P | 1 | MTCPQKT1P2PFCC PLUG- | 06090 | 1 | 21-51-22 E004-01/ / | YC051-YL999, YR301-YR328 |
| D41817J | 1 | BACC45FN14-12P RCPT - POWER | 81205 | 1 | 34-33-11 E003-01/ / | ALL |
| D41817P | 1 | BACC45FT14-12S PLUG E3-1 SHELF | 81205 | 1 | 34-33-11 E003-01/ / | ALL |
| D41817PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 34-33-11 */*/ | ALL |
| D41818J | 1 | MTCPQKT1R2SFCA RCPT- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41818P | 1 | MTCPQKT1P2PFCA PLUG- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR328 |
| D41819J | 1 | BACC45FN20-28P7 RCPT | 81205 | 1 | 22-23-12 E003-02/ / | ALL |
| D41819P | 1 | BACC45FT20-28S7 PLUG E3-2 SHELF | 81205 | 1 | 22-23-12 E003-02/ / | ALL |
| D41819PQ | 1 | BACC10JS20 CLAMP, STRAIGHT | 81205 | 1 | 22-23-11 */*/ | ALL |
| D41820J | 1 | S280W557-241 RCPT- | 81205 | 1 | 21-61-13 409/289/R033 | YC051-YD151 |
| D41820J | 1 | BACC65AK241P RCPT- | 81205 | 1 | 21-61-13 409/289/R033 | YD152-YL999 |

EQUIPMENT LIST

D280A108

Section D41800

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|---|
| D41820P | 1 | S280W557-141 PLUG- | 81205 | 1 | 21-61-13 410/289/R034 | YC051-YD151 |
| D41820P | 1 | BACC65AJ141S PLUG- | 81205 | 1 | 21-61-13 410/289/R034 | YD152-YL999 |
| D41821J | 1 | MTCPQKT2R26PFAD RCPT- | 06090 | 1 | 22-11-12 E001-01/ / | ALL |
| D41821P | 1 | MTCPQKT2P26SFAD PLUG E1-1 SHELF | 06090 | 1 | 22-11-12 E001-01/ / | ALL |
| D41822J | 1 | MTCPQKT1R2SFCD RCPT- | 06090 | 1 | 21-51-21 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41822P | 1 | MTCPQKT1P2PFCD PLUG- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41823J | 1 | BACC63CC14-12P6 RCPT - CONDUCTIVE | 81205 | 1 | 31-62-11 P009-00/ / | YC051-YC052 |
| D41823JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 31-62-11 */ */ | YC051-YC052 |
| D41823P | 1 | BACC63CB14-12S6 PLUG P9 PANEL | 81205 | 1 | 31-62-11 P009-00/ / | ALL |
| D41823PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 31-62-11 P001-00/ / | ALL |
| D41824J | 1 | BACC45FN14-4S7 RCPT- | 81205 | 1 | 21-25-11 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41824P | 1 | BACC45FT14-4P7 PLUG- | 81205 | 1 | 21-25-11 E003-03/ / | YC051-YD158, YL951-YL999, YR301-YR328 |
| D41824PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 21-25-11 / / | YC051-YC065 |
| D41824PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 21-25-11 */ */ | YC067-YD158, YL951-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D41800

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D41826J | 1 | MTCPQKT1R2SFDA RCPT- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41826P | 1 | MTCPQKT1P2PFDA PLUG- | 06090 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR328 |
| D41827J | 1 | BACC45FN14-15S RECPT- | 81205 | 1 | 34-51-11 E001-02/ / | ALL |
| D41827P | 1 | BACC45FT14-15P PLUG- | 81205 | 1 | 34-51-11 E001-02/ / | ALL |
| D41827PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 34-51-11 / / | YC051-YD170 |
| D41827PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 34-51-11 */ */ | YL951-YR328 |
| D41828J | 1 | MTCPQKT1R2SFCD RCPT- | 06090 | 1 | 21-51-22 E004-01/ / | YC051-YL999, YR301-YR328 |
| D41828P | 1 | MTCPQKT1P2PFCD PLUG-CONDUCTIVE | 06090 | 1 | 21-51-22 E004-01/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41830J | 1 | MTCPQKT1R2SFDA RCPT- | 06090 | 1 | 21-51-22 E004-01/ / | YC051-YC055 |
| D41830J | 1 | MTCPQKT2R22SFDA RCPT- | 06090 | 1 | 21-51-22 E004-01/ / | YC056-YC065 |
| D41830J | 1 | MTCPQKT2R22SFDA RCPT- | 06090 | 1 | 21-31-23 E004-01/ / | YC067-YR328 |
| D41830P | 1 | MTCPQKT1P2PFDA PLUG- | 06090 | 1 | 21-51-22 E004-01/ / | YC051-YC055 |
| D41830P | 1 | MTCPQKT2P22PFDA PLUG- | 06090 | 1 | 21-51-22 E004-01/ / | YC056-YL999, YR301-YR323, YR325-YR328 |
| D41830P | 1 | MTCPQKT2P22PFDA PLUG- | 06090 | 1 | 21-31-23 E004-01/ / | YN231-YN236, YN501 |
| D41831J | 1 | BACC45FN16-10P6 RCPT | 81205 | 1 | 23-12-11 E001-03/ / | ALL |
| D41831P | 1 | BACC45FT16-10S6 PLUG E1-3 SHELF | 81205 | 1 | 23-12-11 E001-03/ / | ALL |

EQUIPMENT LIST

D280A108

Section D41800

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|---|
| D41832J | 1 | BACC45FN18-31S9 RCPT- | 81205 | 1 | 21-51-22 P006-00/ / | YC051-YL999, YR301-YR328 |
| D41832P | 1 | BACC45FT18-31P9 PLUG- | 81205 | 1 | 21-51-22 P006-00/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41833J | 1 | BACC63CC14-12P8 RCPT - CONDUCTIVE | 81205 | 1 | 31-62-11 P009-00/ / | YC051-YD158, YL951-YR328 |
| D41833JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 31-62-11 */ */ | YC051-YC052, YD158 |
| D41833JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 31-62-11 */ / | YC053-YD157, YL951-YR328 |
| D41833P | 1 | BACC63CB14-12S8 PLUG | 81205 | 1 | 31-62-11 P009-00/ / | ALL |
| D41833PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 31-62-11 P001-00/ / | YC051-YD157, YN231-YN501 |
| D41833PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 31-62-11 */ */ | YD158-YL999, YR301-YR328 |
| D41834J | 1 | S280W557-241 RCPT- | 81205 | 1 | 21-61-14 MULTI/ / | YC051-YD151 |
| D41834J | 1 | BACC65AK241P RCPT- | 81205 | 1 | 21-61-14 MULTI/ / | YD152-YL999 |
| D41834P | 1 | S280W557-141 PLUG- | 81205 | 1 | 21-61-13 727G+17/289/R036 | YC051-YD151 |
| D41834P | 1 | BACC65AJ141S PLUG- | 81205 | 1 | 21-61-13 727G+17/289/R036 | YD152-YL999 |
| D41836J | 1 | BACC45FN14-4S8 RCPT- | 81205 | 1 | 21-25-11 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41836P | 1 | BACC45FT14-4P8 PLUG- | 81205 | 1 | 21-25-11 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41836PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 21-25-11 */ */ | YC051-YL999, YR301-YR323, YR325-YR328 |

EQUIPMENT LIST

D280A108

Section D41800

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D41837J | 1 | BACC45FN14-12P6 RCPT - POWER | 81205 | 1 | 31-62-11 E003-01/ / | ALL |
| D41837P | 1 | BACC45FT14-12S6 PLUG E3-1 SHELF | 81205 | 1 | 31-62-11 E003-01/ / | ALL |
| D41837PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 31-62-11 */*/ | ALL |
| D41838J | 1 | BACC45FN10-5P7 RCPT- | 81205 | 1 | 21-61-51 AB0340B/ / | YC051-YL999, YR301-YR328 |
| D41838P | 1 | BACC45FT10-5S7 PLUG- | 81205 | 1 | 21-61-51 AB0340B/ / | YC051-YL999, YR301-YR328 |
| D41839J | 1 | BACC45FN12-12P6 RCPT- | 81205 | 1 | 27-32-11 E003-02/ / | ALL |
| D41839P | 1 | BACC45FT12-12S6 PLUG E3-2 SHELF | 81205 | 1 | 27-32-11 E003-02/ / | ALL |
| D41839PQ | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-32-11 */*/ | ALL |
| D41840J | 1 | MTCPQKT1R2SFCD RCPT- | 06090 | 1 | 26-16-21 E002-02/ / | YC053-YD158, YL951-YR328 |
| D41840P | 1 | MTCPQKT1P2PFCD PLUG- | 06090 | 1 | 26-16-22 E002-02/ / | YC053-YC055, YN231-YN501 |
| D41840P | 1 | MTCPQKT1P2PFCD PLUG- | 06090 | 1 | 26-16-22 AE0202A/ / | YC056-YL999, YR301-YR328 |
| D41842J | 1 | MTCPQKT1R2SFBD RCPT- | 06090 | 1 | 21-61-11 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| D41842P | 1 | MTCPQKT1P2PFBD PLUG- | 06090 | 1 | 21-61-11 E003-03/ / | YC051-YL999, YR301-YR328 |
| D41850J | 1 | BACC45FN14-7P6 RECP- | 81205 | 1 | 28-22-11 AB0500DR/ / | ALL |
| D41850P | 1 | BACC45FT14-7S6 PLUG- | 81205 | 1 | 28-22-11 AB0500DR/ / | YC051-YD158, YL951-YR328 |
| D41852J | 1 | BACC45FN14-15S RECP- | 81205 | 1 | 28-43-11 AB0500DL/ / | YC051-YN236, YN501-YR313 |

EQUIPMENT LIST

D280A108

Section D41800

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D41852J | 1 | BACC45FN14-15S6 RECP- | 81205 | 1 | 28-43-11 AB0500DL/ / | YR314-YR328 |
| D41852P | 1 | BACC45FT14-15P PLUG | 81205 | 1 | 28-43-11 AB0500DL/ / | YC051-YD158, YL951-YN236, YN501-YR313 |
| D41852P | 1 | BACC45FT14-15P6 PLUG | 81205 | 1 | 28-43-11 AB0500DL/ / | YR314-YR328 |
| D41854J | 1 | BACC45FN14-7S RECP- | 81205 | 1 | 28-43-11 AB0500DL/ / | YC051-YN236, YN501-YR328 |
| D41854P | 1 | BACC45FT14-7P PLUG- | 81205 | 1 | 28-43-11 AB0500DL/ / | YC051-YD158, YL951-YN236, YN501-YR328 |
| D41854PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 28-43-11 / / | YC051-YD152 |
| D41854PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 28-43-11 */ */ | YD153-YD158, YL951-YN236, YN501-YR328 |
| D41856J | 1 | BACC45FN14-7S RECP- | 81205 | 1 | 28-22-11 AB0500DR/ / | ALL |
| D41856P | 1 | BACC45FT14-7P PLUG- | 81205 | 1 | 28-43-11 AB0500DR/ / | ALL |

EQUIPMENT LIST

D280A108

Section D41800

Page 8 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D42002J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-22-31 427/296/L019 | YC051-YN260 |
| D42002P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-21 427/296/L019 | YC051-YD151 |
| D42002P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-31 427/296/L019 | YD152-YN260 |
| D42004J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-22-31 713/296/R020 | YC051-YN260 |
| D42004P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-21 711/296/R020 | YC051-YD151 |
| D42004P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-31 711/296/R020 | YD152-YN260 |
| D42005J | 1 | MTCPQKT1R2PGCB RCPT - CONDUCTIVE | 06090 | 1 | 34-57-11 E003-01/ / | ALL |
| D42005P | 1 | MTCPQKT1P2SGCB PLUG E3-1 SHELF | 06090 | 1 | 34-57-11 E003-01/ / | ALL |
| D42006J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-22-32 865/299/R020 | YC051-YD157, YL951-YN260 |
| D42006P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-22 865/299/R020 | YC051-YD151 |
| D42006P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-32 865/299/R020 | YD152-YD157, YL951-YN260 |
| D42007J | 1 | MTCPQKT1R2PGAC RCPT - CONDUCTIVE | 06090 | 1 | 34-57-21 E003-01/ / | ALL |
| D42007P | 1 | MTCPQKT1P2SGAC PLUG E3-1 SHELF | 06090 | 1 | 34-57-21 E003-01/ / | ALL |
| D42008J | 1 | BACC45FN14-12P6 RCPT- | 81205 | 1 | 33-22-31 AB0340B/ / | YC051-YN260 |
| D42008P | 1 | BACC45FT14-12S6 PLUG- | 81205 | 1 | 33-22-11 AB0340B/ / | YC051-YD158, YL951-YN260 |
| D42008PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 33-22-11 */ */* | YC051-YD158, YL951-YN260 |
| D42010J | 1 | AMC02RA03W RCPT- | 05574 | 1 | 33-22-21 500C/295/L024 | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D42000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D42010P | 1 | AMC02PA03W PLUG- | 05574 | 1 | 33-22-21 500C/295/L024 | YD158-YD170 |
| D42014J | 1 | MTCPQKT1R2SFCC RCPT- | 06090 | 1 | 26-16-22 E002-02/ / | YC053-YD158, YL951-YR328 |
| D42014P | 1 | MTCPQKT1P2PFCC PLUG- | 06090 | 1 | 26-16-21 E002-02/ / | YC053-YR328 |
| D42053J | 1 | MTCPQKT1R2PGCA RCPT-CONDUCTIVE | 06090 | 1 | 27-18-11 E003-02/ / | ALL |
| D42053P | 1 | MTCPQKT1P2SGCA PLUG-CONDUCTIVE | 06090 | 1 | 27-18-11 E003-02/ / | YC051-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D42000

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|---------------------------------------|
| D42100J | 1 | BACC63BV20F28S7 RECPT-CONDUCTIVE | 81205 | 1 | 22-11-31 722/202/L033 | YC051-YD158 |
| D42100J | 1 | BACC63BV20B28S7 RECPT-CONDUCTIVE | 81205 | 1 | 22-11-31 722/202/L033 | YD160-YL952, YN231-YN236, YN501 |
| D42100J | 1 | BACC63BV20B39S7 RECPT-CONDUCTIVE | 81205 | 1 | 22-11-31 722/202/L033 | YL953-YL999, YR301-YR328 |
| D42100JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 / / | YC051-YC055 |
| D42100JK | 1 | BACC10KD20 BACKSHELL-CONDUCTIVE | 81205 | 1 | 22-11-31 / / | YC056-YD152 |
| D42100JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 */*/ | YD153-YD158 |
| D42100JK | 1 | BACC10KA20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 */*/ | YD160-YN236, YN501-YR328 |
| D42100P | 1 | BACC63BP20C28P7 PLUG-CONDUCTIVE | 81205 | 1 | 27-18-11 722/201/L35 | YC051-YD152 |
| D42100P | 1 | BACC63BP20C28P7 PLUG-CONDUCTIVE | 81205 | 1 | 27-18-11 722/201/L035 | YD153-YD158 |
| D42100P | 1 | BACC63BP20D28P7 PLUG-CONDUCTIVE | 81205 | 1 | 27-18-11 722/201/L035 | YD160-YL952, YN231-YN236, YN501 |
| D42100P | 1 | BACC63BP20D39P7 PLUG-CONDUCTIVE | 81205 | 1 | 27-18-11 722/201/L035 | YL953-YL999, YR301-YR328 |
| D42100PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 27-18-11 / / | YC051-YD152 |
| D42100PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 27-18-11 */*/ | YD153-YD158 |
| D42100PQ | 1 | BACC10KA20 CLAMP, STRAIGHT | 81205 | 1 | 27-18-11 */*/ | YD160-YN236, YN501-YR328 |
| D42102J | 1 | BACC63BV20F28S6 RECPT-CONDUCTIVE | 81205 | 1 | 22-11-31 718/201/L033 | YC051-YD158 |
| D42102J | 1 | BACC63BV20B28S6 RECPT-CONDUCTIVE | 81205 | 1 | 22-11-31 718/201/L033 | YD160-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D42100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D42102JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 718/201/L033 | YC051-YD152 |
| D42102JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 */*/ | YD153-YD158 |
| D42102JK | 1 | BACC10KA20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 */*/ | YD160-YL999, YR301-YR328 |
| D42102JK | 1 | BACC10KA20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 718/201/L033 | YN231-YN236, YN501 |
| D42102P | 1 | BACC63BP20C28P6 PLUG-CONDUCTIVE | 81205 | 1 | 22-11-31 720/201/L34 | YC051-YD152 |
| D42102P | 1 | BACC63BP20C28P6 PLUG-CONDUCTIVE | 81205 | 1 | 22-11-31 720/201/L034 | YD153-YD158 |
| D42102P | 1 | BACC63BP20D28P6 PLUG-CONDUCTIVE | 81205 | 1 | 22-11-31 720/201/L034 | YD160-YN236, YN501-YR328 |
| D42102PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 / / | YC051-YD152 |
| D42102PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 */*/ | YD153-YD158 |
| D42102PQ | 1 | BACC10KA20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 */*/ | YD160-YN236, YN501-YR328 |
| D42104J | 1 | BACC63BV20F28SN RCPT-CONDUCTIVE | 81205 | 1 | 27-52-11 AB0727L/189/L039 | YC051-YC055 |
| D42104J | 1 | BACC63BV20F28SN RCPT-CONDUCTIVE | 81205 | 1 | 27-52-11 AB0727L/ / | YC056-YR328 |
| D42104JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 27-52-11 / / | ALL |
| D42104P | 1 | BACC63BP20C28PN PLUG-CONDUCTIVE | 81205 | 1 | 27-52-11 AB0727L/ / | YC051-YN236, YN501-YR328 |
| D42104PQ | 1 | BACC10KE20 CLAMP, 90 DEG | 81205 | 1 | 27-32-21 / / | YC051-YD152 |
| D42104PQ | 1 | BACC10KE20 CLAMP, 90 DEG | 81205 | 1 | 27-32-21 */*/ | YD153-YN236, YN501-YR328 |
| D42111J | 1 | MTCPQKT1R2PFAA RCPT-CONDUCTIVE | 06090 | 1 | 22-11-12 E004-02/ / | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section D42100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|-------------|
| D42111J | 1 | MTCPQKT1R2PFAA RCPT | 06090 | 1 | 22-11-12 E004-02/ / | YC056-YR328 |
| D42111P | 1 | MTCPQKT1P2SFAA PLUG- | 06090 | 1 | 22-11-12 E004-02/ / | ALL |
| D42163J | 1 | MTCPQKT1R2PGAB RCPT - CONDUCTIVE | 06090 | 1 | 34-57-11 E003-01/ / | ALL |
| D42163P | 1 | MTCPQKT1P2SGAB PLUG E3-1 SHELF | 06090 | 1 | 34-57-11 E003-01/ / | ALL |
| D42165J | 1 | MTCPQKT1R2PGDD RCPT - CONDUCTIVE | 06090 | 1 | 34-57-21 E003-01/ / | ALL |
| D42165P | 1 | MTCPQKT1P2SGDD PLUG E3-1 SHELF | 06090 | 1 | 34-57-21 E003-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D42100
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| D42261J | 1 | MTCPQKT2R22PGAC RCPT-CONDUCTIVE | 06090 | 1 | 34-61-18 E003-02/ / | ALL |
| D42261P | 1 | MTCPQKT2P22SGAC PLUG-CONDUCTIVE | 06090 | 1 | 34-61-18 E003-02/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D42200

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| D42311J | 1 | MTCPQKT1R2PGBB RECPT-CONDUCTIVE | 06090 | 1 | 31-31-14 E001-01/ / | ALL |
| D42311P | 1 | MTCPQKT1P2SGBB PLUG-CONDUCTIVE | 06090 | 1 | 31-31-14 E001-01/ / | ALL |
| D42361J | 1 | MTCPQKT2R22PGBA RCPT-CONDUCTIVE | 06090 | 1 | 31-31-15 E003-02/ / | ALL |
| D42361P | 1 | MTCPQKT2P22SGBA PLUG-CONDUCTIVE | 06090 | 1 | 31-31-15 E003-02/ / | ALL |
| D42363J | 1 | MTCPQKT1R2PGDC RCPT-CONDUCTIVE | 06090 | 1 | 27-18-11 E003-02/ / | ALL |
| D42363P | 1 | MTCPQKT1P2SGDC PLUG-CONDUCTIVE | 06090 | 1 | 27-18-11 E003-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D42300
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D42400J | 1 | BACC45FN14-4S8 RCPT- | 81205 | 1 | 30-41-12 E004-02/ / | ALL |
| D42400P | 1 | BACC45FT14-4P8 PLUG- | 81205 | 1 | 30-41-12 E004-02/ / | YC051-YN236, YN501-YR323, YR325-YR328 |
| D42400PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 30-41-12 / / | YC051-YC065 |
| D42400PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 30-41-12 */ */ | YC067-YN236, YN501-YR323, YR325-YR328 |

EQUIPMENT LIST

D280A108

Section D42400

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-----------------------------------|-----------------------|-----|------------------------------|-------------|
| D42941J | 1 | 121-44-9 RECP - (C) STRAIGHT | 91836 | 1 | 34-58-11 E001-02/ / | ALL |
| D42941P | 1 | 125-88-9 PLUG-COAX | 91836 | 1 | 34-58-11 E001-02/ / | ALL |
| D42943J | 1 | 121-44-9 RECP - (C) STRAIGHT | 91836 | 1 | 34-58-21 E001-02/ / | ALL |
| D42943P | 1 | 125-88-9 PLUG - (TNC) STRAIGHT | 91836 | 1 | 34-58-21 E001-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D42900
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D43008J | 1 | MTCPQKT1R2SFDB RCPT- | 06090 | 1 | 27-53-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D43008P | 1 | MTCPQKT1P2PFDB PLUG | 06090 | 1 | 27-53-11 E2-2 391/186/L33 | YC051-YC055 |
| D43008P | 1 | MTCPQKT1P2PFDB PLUG | 06090 | 1 | 27-53-11 AE0202A/ / | YC056-YD157 |
| D43008P | 1 | MTCPQKT1P2PFDB PLUG | 06090 | 1 | 27-53-11 E002-02/ / | YD158-YR328 |
| D43010J | 1 | BACC45FN20-25S8 RCPT | 81205 | 1 | 32-64-12 E001-03/ / | ALL |
| D43010P | 1 | BACC45FT20-25P8 PLUG | 81205 | 1 | 32-42-11 E001-03/ / | ALL |
| D43016J | 1 | BACC63CC16-24P7 RCPT-CONDUCTIVE | 81205 | 1 | 32-44-11 E001-04/ / | ALL |
| D43016JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 32-44-11 */ */ | ALL |
| D43016P | 1 | BACC63CB16-24S7 PLUG - CONDUCTIVE | 81205 | 1 | 32-44-11 E001-04/ / | ALL |
| D43016PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 E001-04/ / | YC051-YD170 |
| D43016PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 */ */ | YL951-YR328 |
| D43018J | 1 | MTCPQKT2R22SFBD RCPT- | 06090 | 1 | 21-51-11 E004-01/ / | YC051-YC055 |
| D43018J | 1 | MTCPQKT1R2SFBD RCPT- | 06090 | 1 | 21-51-11 E004-01/ / | YC056-YR328 |
| D43018P | 1 | MTCPQKT2P22PFBD PLUG- | 06090 | 1 | 21-51-11 E004-01/ / | YC051-YC055 |
| D43018P | 1 | MTCPQKT1P2PFBD PLUG- | 06090 | 1 | 21-51-11 E004-01/ / | YC056-YR328 |
| D43022J | 1 | MTCPQKT2R22SGBD RCPT-CONDUCTIVE | 06090 | 1 | 32-41-11 E003-02/ / | ALL |
| D43022P | 1 | MTCPQKT2P22PGBD PLUG | 06090 | 1 | 32-41-11 E003-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D43000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D43024J | 1 | MTCPQKT2R22SFBD RCPT- | 06090 | 1 | 32-41-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D43024P | 1 | MTCPQKT2P22PFBD PLUG | 06090 | 1 | 32-41-11 E002-02/ / | ALL |
| D43028J | 1 | MTCPQKT2R26SFAD RCPT | 06090 | 1 | 27-41-12 E004-02/ / | ALL |
| D43028P | 1 | MTCPQKT2P26PFAD PLUG | 06090 | 1 | 27-41-12 E004-02/ / | ALL |
| D43030J | 1 | MTCPQKT1R2PFDA RCPT- | 06090 | 1 | 31-53-11 E003-02/ / | ALL |
| D43030P | 1 | MTCPQKT1P2SFDA PLUG | 06090 | 1 | 31-53-11 E003-02/ / | ALL |
| D43038J | 1 | MTCPQKT2R22SFDA RCPT- | 06090 | 1 | 21-25-11 E004-01/ / | ALL |
| D43038P | 1 | MTCPQKT2P22PFDA PLUG-CONDUCTIVE | 06090 | 1 | 21-25-11 E004-01/ / | YC051-YR323, YR325-YR328 |
| D43040J | 1 | BACC63CC16-24SN RCPT | 81205 | 1 | 32-64-12 E001-03/ / | ALL |
| D43040P | 1 | BACC63CB16-24PN PLUG-CONDUCTIVE | 81205 | 1 | 74-11-11 E001-03/ / | ALL |
| D43040PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 74-11-11 */ */ | ALL |
| D43044J | 1 | MTCPQKT1R2SGAA RCPT- | 06090 | 1 | 21-51-21 E004-01/ / | ALL |
| D43044P | 1 | MTCPQKT1P2PGAA PLUG | 06090 | 1 | 21-51-21 E004-01/ / | ALL |
| D43046J | 1 | MTCPQKT1R2SGCB RCPT-CONDUCTIVE | 06090 | 1 | 29-33-11 E003-02/ / | ALL |
| D43046P | 1 | MTCPQKT1P2PGCB PLUG- | 06090 | 1 | 29-33-11 E003-02/ / | ALL |
| D43048J | 1 | BACC45FN14-15S7 RCPT | 81205 | 1 | 29-32-11 E001-03/ / | ALL |
| D43048P | 1 | BACC45FT14-15P7 PLUG | 81205 | 1 | 32-41-11 E001-03/ / | ALL |

EQUIPMENT LIST

D280A108

Section D43000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|---|
| D43049J | 1 | MTCPQKT1R2PGAC RECPT - CONDUCTIVE | 06090 | 1 | 31-35-03 E003-03/ / | YN236-YR328 |
| D43049P | | MTCPQKT1P2SGAC PLUG-CONDUCTIVE | 06090 | 1 | 31-35-03 E003-03/ / | YN236-YR328 |
| D43050J | 1 | MTCPQKT1R2SFBB RCPT- | 06090 | 1 | 49-62-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D43050P | 1 | MTCPQKT1P2PFBB PLUG | 06090 | 1 | 49-62-11 E002-02/ / | ALL |
| D43054J | 1 | MTCPQKT2R22SFBB RCPT- | 06090 | 1 | 78-34-21 E003-02/ / | ALL |
| D43054P | 1 | MTCPQKT2P22PFBB PLUG | 06090 | 1 | 78-34-21 E003-02/ / | ALL |
| D43060J | 1 | BACC63CC14-12S8 RCPT-CONDUCTIVE | 81205 | 1 | 33-42-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D43060P | 1 | BACC63CB14-12P8 PLUG-CONDUCTIVE | 81205 | 1 | 33-42-11 / / | YC051-YC055 |
| D43060P | 1 | BACC63CB14-12P8 PLUG-CONDUCTIVE | 81205 | 1 | 33-42-11 391/186/L035 | YC056-YL968, YN231-YN236, YN501-YR323, YR325-YR328 |
| D43060PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 33-42-11 / / | YC051-YD158 |
| D43060PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 33-42-11 */ */ | YD160-YL968, YN231-YN236, YN501-YR323, YR325-YR328 |
| D43062J | 1 | MTCPQKT2R26SFCA RCPT- | 06090 | 1 | 33-42-11 E004-01/ / | ALL |
| D43062P | 1 | MTCPQKT2P26PFCA PLUG-CONDUCTIVE | 06090 | 1 | 33-42-11 E004-01/ / | YC051-YL968, YN231-YN236, YN501-YR323, YR325-YR328 |
| D43080J | 1 | MTCPQKT1R2SFDD RCPT- | 06090 | 1 | 77-31-21 E003-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D43000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D43080P | 1 | MTCPQKT1P2PFDD PLUG- | 06090 | 1 | 77-31-21 E003-02/ / | YC051-YN236, YN501-YR323, YR325-YR328 |
| D43084J | 1 | BACC45FN18-8P9 RECP- | 81205 | 1 | 49-41-11 E002-02/ / | YC051-YD158, YL951-YR328 |
| D43084P | 1 | BACC45FT18-8S9 PLUG- | 81205 | 1 | 49-11-11 E2-2 391/187/L41 | YC051-YD157, YN231-YN236, YN501 |
| D43084P | 1 | BACC45FT18-8S9 PLUG- | 81205 | 1 | 49-11-11 AE0202A/ / | YD158-YL968, YR301-YR323, YR325-YR328 |
| D43084PQ | 1 | BACC10GH18 BACKSHELL- | 81205 | 1 | 49-11-11 / / | YC051-YD158 |
| D43084PQ | 1 | BACC10GH18 BACKSHELL- | 81205 | 1 | 49-11-11 */ */ | YD160-YL968, YR301-YR323, YR325-YR328 |
| D43084PQ | 1 | BACC10GH18 BACKSHELL- | 81205 | 1 | 49-11-11 E2-2 391/187/L41 | YN231-YN236, YN501 |

EQUIPMENT LIST

D280A108

Section D43000

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|---------------------------------------|
| D43100J | 1 | BACC63BV20F28SN RECPT-CONDUCTIVE | 81205 | 1 | 22-11-31 720/202/R033 | YC051-YD158 |
| D43100J | 1 | BACC63BV20B28SN RECPT-CONDUCTIVE | 81205 | 1 | 22-11-31 720/202/R033 | YD160-YL952, YN231-YN236, YN501 |
| D43100J | 1 | BACC63BV20B39SN RECPT-CONDUCTIVE | 81205 | 1 | 22-11-31 720/202/R033 | YL953-YL999, YR301-YR328 |
| D43100JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 / / | YC051-YD152 |
| D43100JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 */*/ | YD153-YD158 |
| D43100JK | 1 | BACC10KA20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 */*/ | YD160-YL999, YR301-YR328 |
| D43100JK | 1 | BACC10KA20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 / / | YN231-YN236, YN501 |
| D43100P | 1 | BACC63BP20C28PN PLUG-CONDUCTIVE | 81205 | 1 | 27-18-11 724/201/R33 | YC051-YD152 |
| D43100P | 1 | BACC63BP20C28PN PLUG-CONDUCTIVE | 81205 | 1 | 27-18-11 724/201/R033 | YD153-YD158 |
| D43100P | 1 | BACC63BP20D28PN PLUG-CONDUCTIVE | 81205 | 1 | 27-18-11 724/201/R033 | YD160-YL952, YN231-YN236, YN501 |
| D43100P | 1 | BACC63BP20D39PN PLUG-CONDUCTIVE | 81205 | 1 | 27-18-11 724/201/R033 | YL953-YL999, YR301-YR328 |
| D43100PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 27-18-11 / / | YC051-YD152 |
| D43100PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 27-18-11 */*/ | YD153-YD158 |
| D43100PQ | 1 | BACC10KA20 CLAMP, STRAIGHT | 81205 | 1 | 27-18-11 */*/ | YD160-YN236, YN501-YR328 |
| D43102J | 1 | BACC63BV20F16S6 RECPT-CONDUCTIVE | 81205 | 1 | 22-11-21 722/202/R033 | YC051-YD158 |
| D43102J | 1 | BACC63BV20B16S6 RECPT-CONDUCTIVE | 81205 | 1 | 22-11-21 722/202/R033 | YD160-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D43100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D43102JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 / / | YC051-YC055 |
| D43102JK | 1 | BACC10KD20 BACKSHELL-CONDUCTIVE | 81205 | 1 | 22-11-31 / / | YC056-YD152 |
| D43102JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 */*/ | YD153-YD158 |
| D43102JK | 1 | BACC10KA20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 */*/ | YD160-YN236, YN501-YR328 |
| D43102P | 1 | BACC63BP20C16P6 PLUG-CONDUCTIVE | 81205 | 1 | 22-11-31 720/201/R25 | YC051-YD152 |
| D43102P | 1 | BACC63BP20C16P6 PLUG-CONDUCTIVE | 81205 | 1 | 22-11-31 720/201/R025 | YD153-YD158 |
| D43102P | 1 | BACC63BP20D16P6 PLUG-CONDUCTIVE | 81205 | 1 | 22-11-31 720/201/R025 | YD160-YN236, YN501-YR328 |
| D43102PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 / / | YC051-YD152 |
| D43102PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 */*/ | YD153-YD158 |
| D43102PQ | 1 | BACC10KA20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-31 */*/ | YD160-YN236, YN501-YR328 |
| D43104J | 1 | BACC63BV20F28SN RCPT-CONDUCTIVE | 81205 | 1 | 27-52-11 727+2/193/R043 | ALL |
| D43104JK | 1 | BACC10KE20 CLAMP, 90 DEG | 81205 | 1 | 27-52-11 / / | ALL |
| D43104P | 1 | BACC63BP20C28PN PLUG-CONDUCTIVE | 81205 | 1 | 27-52-11 727+2/191/R043 | YC051-YN236, YN501-YR328 |
| D43104PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 27-32-11 / / | YC051-YD152 |
| D43104PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 27-32-11 */*/ | YD153-YN236, YN501-YR328 |
| D43145J | 1 | MTCPQKT2R22SGDA RCPT - CONDUCTIVE | 06090 | 1 | 34-61-12 E003-01/ / | ALL |
| D43145P | 1 | MTCPQKT2P22PGDA PLUG | 06090 | 1 | 34-61-12 E003-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D43100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| D43147J | 1 | MTCPQKT2R22SGBB RCPT - CONDUCTIVE | 06090 | 1 | 34-61-12 E003-01/ / | ALL |
| D43147P | 1 | MTCPQKT2P22PGBB PLUG | 06090 | 1 | 34-61-12 E003-01/ / | ALL |
| D43155J | 1 | MTCPQKT2R22SGDB RCPT - CONDUCTIVE | 06090 | 1 | 34-61-12 E003-01/ / | ALL |
| D43155P | 1 | MTCPQKT2P22PGDB PLUG | 06090 | 1 | 34-61-12 E003-01/ / | ALL |
| D43157J | 1 | MTCPQKT2R22SGBC RCPT - CONDUCTIVE | 06090 | 1 | 34-61-12 E003-01/ / | ALL |
| D43157P | 1 | MTCPQKT2P22PGBC PLUG | 06090 | 1 | 34-61-12 E003-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D43100

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|-------------|
| D43203J | 1 | MTCPQKT1R2PGCC RCPT-CONDUCTIVE | 06090 | 1 | 31-31-14 E003-02/ / | ALL |
| D43203P | 1 | MTCPQKT1P2SGCC PLUG-CONDUCTIVE | 06090 | 1 | 31-31-14 E003-02/ / | ALL |
| D43205J | 1 | MTCPQKT1R2PGDD RCPT-CONDUCTIVE | 06090 | 1 | 31-31-14 E003-02/ / | ALL |
| D43205P | 1 | MTCPQKT1P2SGDD PLUG-CONDUCTIVE | 06090 | 1 | 31-31-14 E003-02/ / | ALL |
| D43209J | 1 | MTCPQKT1R2SGCC RCPT-CONDUCTIVE | 06090 | 1 | 31-31-11 E003-02/ / | ALL |
| D43209P | 1 | MTCPQKT1P2PGCC PLUG-CONDUCTIVE | 06090 | 1 | 31-31-11 E003-02/ / | ALL |
| D43211J | 1 | MTCPQKT2R2PGAA RECPT-CONDUCTIVE | 06090 | 1 | 31-31-13 E001-01/ / | ALL |
| D43211P | 1 | MTCPQKT2P2SGAA PLUG-CONDUCTIVE | 06090 | 1 | 31-31-13 E001-01/ / | ALL |
| D43215J | 1 | MTCPQKT1R2SGCA RCPT-CONDUCTIVE | 06090 | 1 | 31-33-01 E003-02/ / | ALL |
| D43215P | 1 | MTCPQKT1P2PGCA PLUG - CONDUCTIVE | 06090 | 1 | 31-33-01 E003-02/ / | ALL |
| D43217J | 1 | MTCPQKT1R2PGCD RCPT-CONDUCTIVE | 06090 | 1 | 31-35-03 E003-02/ / | YN236-YR328 |
| D43217P | 1 | MTCPQKT1P2SGCD PLUG-CONDUCTIVE | 06090 | 1 | 31-35-03 E003-02/ / | YN236-YR328 |
| D43219J | 1 | MTCPQKT1R2PGDA RCPT-CONDUCTIVE | 06090 | 1 | 31-31-11 E003-02/ / | ALL |
| D43219P | 1 | MTCPQKT1P2SGDA PLUG-CONDUCTIVE | 06090 | 1 | 31-31-11 E003-02/ / | ALL |
| D43257J | 1 | MTCPQKT1R2SFCD RCPT- | 06090 | 1 | 31-31-14 E003-02/ / | ALL |
| D43257P | 1 | MTCPQKT1P2PFCD PLUG- | 06090 | 1 | 31-31-14 E003-02/ / | ALL |
| D43261J | 1 | MTCPQKT2R2PGAB RCPT-CONDUCTIVE | 06090 | 1 | 31-31-12 E003-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D43200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D43261P | 1 | MTCPQKT2P22SGAB PLUG-CONDUCTIVE | 06090 | 1 | 31-31-12 E003-02/ / | ALL |
| D43263J | 1 | MTCPQKT2R22PGBB RCPT-CONDUCTIVE | 06090 | 1 | 27-28-11 E003-02/ / | ALL |
| D43263P | 1 | MTCPQKT2P22SGBB PLUG-CONDUCTIVE | 06090 | 1 | 27-28-11 E003-02/ / | ALL |
| D43267J | 1 | BACC63CC14-15PN RCPT- | 81205 | 1 | 31-31-11 916/295/L003 | ALL |
| D43267P | 1 | BACC63CB14-15SN PLUG | 81205 | 1 | 31-31-11 916/295/L003 | ALL |
| D43267PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 31-31-11 / / | YC051-YL999, YR301-YR328 |
| D43267PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 31-31-11 */ */ | YN231-YN501 |
| D43277J | 1 | MTCPQKT1R2PGAA RCPT-CONDUCTIVE | 06090 | 1 | 23-32-21 E003-02/ / | YC051-YD170 |
| D43277P | 1 | MTCPQKT1P2SGAA PLUG | 06090 | 1 | 23-32-21 390/189/L014 | YC051-YD157 |
| D43277P | 1 | MTCPQKT1P2SGAA PLUG-CONDUCTIVE | 06090 | 1 | 23-32-21 E003-02/ / | YD158-YD170 |
| D43279J | 1 | 121-44-9 PLUG | 91836 | 1 | 23-32-21 E003-02/ / | YD158-YD170 |
| D43279P | 1 | 125-88-9 PLUG | 91836 | 1 | 23-32-21 E003-02/ / | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D43200

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D43301J | 1 | 2431-84-1 RECPT - COAX, VHF 3 ANTENNA | 91836 | 1 | 23-12-31 E003-03/ / | ALL |
| D43301P | 1 | 2435-84-1 PLUG E3-3 SHELF | 91836 | 1 | 23-12-31 E003-03/ / | YC051-YC055 |
| D43301P | 1 | 2435-84-1 PLUG | 91836 | 1 | 23-12-31 E003-03/ / | YC056-YR328 |
| D43305J | 1 | MTCPQKT1R2PGAA RECPT - CONDUCTIVE | 06090 | 1 | 31-62-15 E003-03/ / | ALL |
| D43305P | 1 | MTCPQKT1P2SGAA PLUG - CONDUCTIVE | 06090 | 1 | 23-27-11 E003-03/ / | ALL |
| D43306J | 1 | MTCPQKT1R2PGAB RECPT - CONDUCTIVE | 06090 | 1 | 23-27-37 E003-03/ / | YD158-YR328 |
| D43306P | 1 | MTCPQKT1P2SGAB PLUG - CONDUCTIVE | 06090 | 1 | 23-27-37 E003-03/ / | YD158-YR328 |
| D43307J | 1 | MTCPQKT2R2PGCA RECPT - CONDUCTIVE | 06090 | 1 | 23-27-11 E003-03/ / | YC051-YD157 |
| D43307J | 1 | MTCPQKT2R22PGCA RECPT - CONDUCTIVE | 06090 | 1 | 23-27-38 E003-03/ / | YD158-YR328 |
| D43307P | 1 | MTCPQKT2P22SGCA PLUG - CONDUCTIVE | 06090 | 1 | 23-27-11 E003-03/ / | ALL |
| D43309J | 1 | BACC45FN14-12P6 RECPT- | 81205 | 1 | 23-27-11 E003-03/ / | YC051-YD157 |
| D43309J | 1 | BACC45FN14-12P6 RECPT- | 81205 | 1 | 23-12-31 E003-03/ / | YD158-YR328 |
| D43309P | 1 | BACC45FT14-12S6 PLUG- | 81205 | 1 | 23-12-31 E003-03/ / | YC051-YL999, YN501-YR328 |
| D43309P | 1 | BACC45FT14-12S6 PLUG- | 81205 | 1 | 23-27-11 E003-03/ / | YN231-YN236 |
| D43309PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 23-12-31 */ */ | YC051-YL999, YN501 |
| D43309PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 23-27-11 */ */ | YN231-YN236 |
| D43313J | 1 | BACC45FN14-12P RECPT- | 81205 | 1 | 23-27-11 E003-03/ / | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section D43300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------------|-----------------------|-----|------------------------------|-------------|
| D43313J | 1 | BACC45FN14-12P RECPT- | 81205 | 1 | 23-27-31 E003-03/ / | YD158-YR328 |
| D43313P | 1 | BACC45FT14-12S PLUG- | 81205 | 1 | 23-27-11 E003-03/ / | YC051-YN501 |
| D43313P | 1 | BACC45FT14-12S PLUG- | 81205 | 1 | 23-27-31 E003-03/ / | YR301-YR328 |
| D43313PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 23-27-11 */*/ | ALL |
| D43314J | 1 | MTCPQKT1R2SGBA RECPT - CONDUCTIVE | 06090 | 1 | 23-12-11 E003-03/ / | YL951-YR328 |
| D43314P | 1 | MTCPQKT1P2PGBA PLUG - CONDUCTIVE | 06090 | 1 | 23-12-21 E003-03/ / | YL951-YR328 |
| D43315J | 1 | MTCPQKT1R2PGAC RECPT - CONDUCTIVE | 06090 | 1 | 23-27-11 E003-03/ / | YC051-YD157 |
| D43315J | 1 | MTCPQKT1R2PGAC RECPT - CONDUCTIVE | 06090 | 1 | 23-27-31 E003-03/ / | YD158-YD170 |
| D43315P | 1 | MTCPQKT1P2SGAC PLUG-CONDUCTIVE | 06090 | 1 | 23-34-01 E003-03/ / | YC051-YD170 |
| D43317J | 1 | MTCPQKT2R22SGCB RECPT-CONDUCTIVE | 06090 | 1 | 34-53-21 E001-01/ / | ALL |
| D43317P | 1 | MTCPQKT2P22PGCB PLUG - CONDUCTIVE | 06090 | 1 | 34-53-21 E001-01/ / | ALL |
| D43319J | 1 | MTCPQKT1R2PGAD RECPT - CONDUCTIVE | 06090 | 1 | 23-27-13 E003-03/ / | YC051-YD157 |
| D43319J | 1 | MTCPQKT1R2PGAD RECPT - CONDUCTIVE | 06090 | 1 | 23-27-33 E003-03/ / | YD158-YN260 |
| D43319P | 1 | MTCPQKT1P2SGAD PLUG - CONDUCTIVE | 06090 | 1 | 23-27-13 E003-03/ / | YC051-YD157 |
| D43319P | 1 | MTCPQKT1P2SGAD PLUG - CONDUCTIVE | 06090 | 1 | 23-27-33 E003-03/ / | YD158-YN260 |
| D43321J | 1 | MTCPQKT2R22PGCB RECPT - CONDUCTIVE | 06090 | 1 | 23-27-11 E003-03/ / | YC051-YD157 |
| D43321J | 1 | MTCPQKT2R22PGCB RECPT - CONDUCTIVE | 06090 | 1 | 23-27-31 E003-03/ / | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section D43300

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------------|-----------------------|-----|------------------------------|------------------------|
| D43321P | 1 | MTCPQKT2P22SGCB PLUG - CONDUCTIVE | 06090 | 1 | 23-27-11 E003-03/ / | ALL |
| D43323J | 1 | MTCPQKT1R2PGCB RECPT - CONDUCTIVE | 06090 | 1 | 34-61-21 E003-03/ / | YC051-YD157 |
| D43323J | 1 | MTCPQKT2R22PGAC RECPT - CONDUCTIVE | 06090 | 1 | 23-27-31 E003-03/ / | YD158-YR328 |
| D43323P | 1 | MTCPQKT1P2SGCB PLUG - CONDUCTIVE | 06090 | 1 | 34-61-21 E003-03/ / | YC051-YD157 |
| D43323P | 1 | MTCPQKT2P22SGAC PLUG - CONDUCTIVE | 06090 | 1 | 34-61-21 E003-03/ / | YD158, YL951- YR328 |
| D43329J | 1 | MTCPQKT2R26SGCD RECPT - CONDUCTIVE | 06090 | 1 | 23-12-31 E003-03/ / | YD158-YR328 |
| D43329P | 1 | MTCPQKT2P26PGCD PLUG-CONDUCTIVE | 06090 | 1 | 23-12-31 E003-03/ / | YD158-YR328 |
| D43331J | 1 | MTCPQKT2R22PGDC RECPT - CONDUCTIVE | 06090 | 1 | 23-12-31 E003-03/ / | YD158-YR328 |
| D43331P | 1 | MTCPQKT2P22SGDC PLUG- CONDUCTIVE | 06090 | 1 | 23-27-11 E003-03/ / | YD158-YD170 |
| D43331P | 1 | MTCPQKT2P22SGDC PLUG - CONDUCTIVE | 06090 | 1 | 23-27-11 E003-03/ / | YL951-YR328 |
| D43333J | 1 | MTCPQKT1R2PGBA RECPT - CONDUCTIVE | 06090 | 1 | 23-27-37 E003-03/ / | YD158-YR328 |
| D43333P | 1 | MTCPQKT1P2SGBA PLUG - CONDUCTIVE | 06090 | 1 | 23-27-37 E003-03/ / | YD158-YR328 |
| D43345J | 1 | MTCPQKT2R22SGDB RECPT - CONDUCTIVE | 06090 | 1 | 23-27-31 E003-03/ / | YD158-YR328 |
| D43345P | 1 | MTCPQKT2P22PGDB PLUG - CONDUCTIVE | 06090 | 1 | 23-27-31 E003-03/ / | YD158-YR328 |
| D43347J | 1 | MTCPQKT2R22SGDC RECPT - CONDUCTIVE | 06090 | 1 | 23-27-31 E003-03/ / | YD158-YR328 |
| D43347P | 1 | MTCPQKT2P22PGDC PLUG - CONDUCTIVE | 06090 | 1 | 23-27-31 E003-03/ / | YD158-YR328 |
| D43355J | 1 | MTCPQKT1R2SGAA RECPT - CONDUCTIVE | 06090 | 1 | 23-12-21 E003-03/ / | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section D43300

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D43355P | 1 | MTCPQKT1P2PGAA PLUG - RECEPTIVE | 06090 | 1 | 23-12-21 E003-03/ / | YD158-YD170 |
| D43355P | 1 | MTCPQKT1P2PGAA PLUG - CONDUCTIVE | 06090 | 1 | 23-12-21 E003-03/ / | YL951-YR328 |
| D43357J | 1 | MTCPQKT1R2SGAB RECPT - CONDUCTIVE | 06090 | 1 | 23-12-21 E003-03/ / | YD158-YR328 |
| D43357P | 1 | MTCPQKT1P2PGAB PLUG - CONDUCTIVE | 06090 | 1 | 23-12-21 E003-03/ / | YD158-YR328 |
| D43359J | 1 | MTCPQKT1R2SGAC RECPT - CONDUCTIVE | 06090 | 1 | 23-11-11 E003-03/ / | YD158-YR328 |
| D43359P | 1 | MTCPQKT1P2PGAC PLUG - CONDUCTIVE | 06090 | 1 | 23-11-11 E003-03/ / | YD158-YR328 |
| D43361J | 1 | MTCPQKT1R2SGBC RECPT - CONDUCTIVE | 06090 | 1 | 23-11-21 E003-03/ / | YD158-YR328 |
| D43361P | 1 | MTCPQKT1P2PGBC PLUG - CONDUCTIVE | 06090 | 1 | 23-11-21 E003-03/ / | YD158-YR328 |
| D43363J | 1 | MTCPQKT1R2SGBA RECPT - CONDUCTIVE | 06090 | 1 | 23-12-11 E003-03/ / | YD158-YR328 |
| D43363P | 1 | MTCPQKT1P2PGBA PLUG - CONDUCTIVE | 06090 | 1 | 23-12-11 E003-03/ / | YD158-YR328 |
| D43365J | 1 | MTCPQKT1R2SGBB RECPT - CONDUCTIVE | 06090 | 1 | 23-12-11 E003-03/ / | YD158-YR328 |
| D43365P | 1 | MTCPQKT1P2PGBB PLUG - CONDUCTIVE | 06090 | 1 | 23-12-11 E003-03/ / | YD158-YR328 |
| D43367J | 1 | MTCPQKT1R2SGBD RECPT - CONDUCTIVE | 06090 | 1 | 23-12-11 E003-03/ / | YD158-YR328 |
| D43367P | 1 | MTCPQKT1P2PGBD PLUG - CONDUCTIVE | 06090 | 1 | 23-12-11 E003-03/ / | YD158, YL951- YR328 |
| D43379J | 1 | MTCPQKT2R22PGAD RECPT - CONDUCTIVE | 06090 | 1 | 23-27-31 E003-03/ / | YD158-YR328 |
| D43379P | 1 | MTCPQKT2P22SGAD PLUG - CONDUCTIVE | 06090 | 1 | 23-27-31 E003-03/ / | YD158-YR328 |
| D43387J | 1 | BACC63BV14F15S6 RCPT-CONDUCTIVE | 81205 | 1 | 22-23-12 1080/297/L001 | YC051-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D43300

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D43387JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 22-23-12 / / | YC051-YC052 |
| D43387JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 22-23-12 */*/ | YC053-YN236, YN501-YR328 |
| D43387P | 1 | BACC63BP14C15P6 PLUG-CONDUCTIVE | 81205 | 1 | 22-23-12 AB1080/ / | YC051-YD158, YL951-YR328 |
| D43387PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 22-23-12 / / | YC051-YC070 |
| D43387PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 22-23-12 */*/ | YD151-YD155 |
| D43387PQ | 1 | BACC10KF14 CLAMP, 45 DEG | 81205 | 1 | 22-23-12 */*/ | YD157-YD158, YL951-YR328 |
| D43389J | 1 | BACC63BV14F15S7 RCPT-CONDUCTIVE | 81205 | 1 | 27-24-11 1080/297/L002 | YC051-YN236, YN501-YR328 |
| D43389JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-24-11 / / | YC051-YC052 |
| D43389JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-24-11 */*/ | YC053-YN236, YN501-YR328 |
| D43389P | 1 | BACC63BP14C15P7 PLUG-CONDUCTIVE | 81205 | 1 | 27-24-11 AB1080/ / | YC051-YC070 |
| D43389P | 1 | BACC63BP14C15P7 PLUG-CONDUCTIVE | 81205 | 1 | 27-24-11 1074/298/R2 | YD151-YD155 |
| D43389P | 1 | BACC63BP14C15P7 PLUG-CONDUCTIVE | 81205 | 1 | 27-24-11 AB1080/298/R001 | YD157-YD158, YL951-YR328 |
| D43389PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-24-11 / / | YC051-YC070 |
| D43389PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-24-11 */*/ | YD151-YD155 |
| D43389PQ | 1 | BACC10KF14 CLAMP, 45 DEG | 81205 | 1 | 27-24-11 */*/ | YD157-YD158, YL951-YR328 |
| D43391J | 1 | MTCPQKT1R2SGAD RECPT - CONDUCTIVE | 06090 | 1 | 23-12-31 E003-03/ / | YD158-YR328 |
| D43391P | 1 | MTCPQKT1P2PGAD PLUG- CONDUCTIVE | 06090 | 1 | 23-12-31 E003-03/ / | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section D43300

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|---|
| D43393J | 1 | BACC63CC16-24P6 RCPT - CONDUCTIVE | 81205 | 1 | 22-18-11 1046/296/L017 | YC053-YR328 |
| D43393JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 22-18-11 */*/ | YC053-YR328 |
| D43393P | 1 | BACC63CB16-24S6 PLUG - CONDUCTIVE | 81205 | 1 | 22-18-11 / / | YC053-YC055 |
| D43393P | 1 | BACC63CB16-24S6 PLUG - CONDUCTIVE | 81205 | 1 | 22-18-11 AB1050L/297/L013 | YC056-YR328 |
| D43393PQ | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 22-18-11 / / | YC053-YR328 |
| D43397J | 1 | BACC63CC22-55P7 RCPT - CONDUCTIVE | 81205 | 1 | 22-12-23 AB1050L/ / | YC053-YN236, YN501-YR328 |
| D43397JK | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 22-12-31 */*/ | YC053-YN236, YN501-YR328 |
| D43397P | 1 | BACC63CB22-55S7 PLUG - CONDUCTIVE | 81205 | 1 | 22-23-12 AB1050L/ / | YC053-YN236, YN501-YR328 |
| D43397PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 22-23-12 / / | YC053-YN236, YN501-YR328 |
| D43399J | 1 | BACC63CC22-55P8 RCPT - CONDUCTIVE | 81205 | 1 | 22-12-41 1052/298/R009 | YC053-YN236, YN501-YR328 |
| D43399JK | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 22-12-41 */*/ | YC053-YN236, YN501-YR328 |
| D43399P | 1 | BACC63CB22-55S8 PLUG - CONDUCTIVE | 81205 | 1 | 22-12-41 AB1050R/ / | YC053-YC055, YC058-YN236, YN501-YR328 |
| D43399P | 1 | BACC63CB22-55S8 PLUG - CONDUCTIVE | 81205 | 1 | 22-12-41 / / | YC056-YC057 |
| D43399PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 22-12-41 / / | YC053-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D43300

Page 6 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D43400J | 1 | BACC63CC16-24S6 RCPT- | 81205 | 1 | 27-53-11 727A+10/288/L044 | YN501-YR328 |
| D43400JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-53-11 / / | YN501-YR328 |
| D43400P | 1 | BACC63CB16-24P6 PLUG- | 81205 | 1 | 27-53-11 727A+10/288/L044 | YN501-YR328 |
| D43400PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-53-11 /*/* | YN501 |
| D43400PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-53-11 /*/* | YR301-YR328 |
| D43404J | 1 | BACC63CC16-10S8 RCPT- | 81205 | 1 | 27-41-12 727A+10/288/R044 | YN501-YR323, YR325-YR328 |
| D43404JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-41-12 / / | YN501-YR323, YR325-YR328 |
| D43404P | 1 | BACC63CB16-10P8 PLUG- | 81205 | 1 | 27-53-12 727A+4/288/R044 | YN501-YR328 |
| D43404PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-53-12 /*/* | YN501 |
| D43404PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 27-41-12 /*/* | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D43400

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|--|
| D43900J | 1 | BACI10AL17AP INSERT | 81205 | 1 | 27-62-11 J039-0A/ / | YL953-YL999, YR301-YR328 |
| D43900JT | 1 | BACC65AP2A01 RCPT | 81205 | 1 | 27-62-11 */*/ | YL953-YL999, YR301-YR328 |
| D43900P | 1 | BACI10AL17AS INSERT | 81205 | 1 | 27-62-11 J039-0A/ / | YL953-YL968, YR301-YR328 |
| D43900PT | 1 | BACC65AN2A01 PLUG | 81205 | 1 | 27-62-11 / / | YL953-YL968, YR315-YR317, YR319 |
| D43900PT | 1 | BACC65AN2A01 PLUG | 81205 | 1 | 27-62-11 */*/ | YR301-YR314, YR318, YR320- YR328 |
| D43906J | 1 | BACI10AL30AP INSERT | 81205 | 1 | 23-27-39 J039-0A/ / | YL951-YL952, YN231-YN235 |
| D43906J | 1 | BACI10AL30AP INSERT | 81205 | 1 | 27-62-11 J039-0A/ / | YL953-YL999, YR301-YR328 |
| D43906JT | 1 | BACC65AP2A04 RCPT | 81205 | 1 | 23-27-39 */*/ | YL951-YL952, YN231-YN235 |
| D43906JT | 1 | BACC65AP2A04 RCPT | 81205 | 1 | 27-62-11 */*/ | YL953-YL999, YR301-YR328 |
| D43906P | 1 | BACI10AL30AS INSERT | 81205 | 1 | 23-27-31 J039-0A/ / | YL951-YL952, YN232-YN235 |
| D43906P | 1 | BACI10AL30AS INSERT | 81205 | 1 | 27-62-11 J039-0A/ / | YL953-YL999, YR301-YR328 |
| D43906P | 1 | BACI10AL30AS INSERT | 81205 | 1 | 23-27-39 J039-0A/ / | YN231 |
| D43906PT | 1 | BACC65AN2A04 PLUG- | 81205 | 1 | 23-27-31 J039-0A/ / | YL951-YL952, YN232-YN235 |
| D43906PT | 1 | BACC65AN2A04 PLUG- | 81205 | 1 | 27-62-11 */*/ | YL953-YL999, YR301-YR328 |
| D43906PT | 1 | BACC65AN2A04 PLUG- | 81205 | 1 | 23-27-39 J039-0A/ / | YN231 |
| D43908J | 1 | BACI10AL30AP INSERT | 81205 | 1 | 27-62-11 J039-0A/ / | YL953-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D43900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D43908JT | 1 | BACC65AP2B05 RCPT | 81205 | 1 | 27-62-11 */*/ | YL953-YL999, YR301-YR328 |
| D43908P | 1 | BACI10AL30AS INSERT | 81205 | 1 | 27-62-11 J039-0A/ / | YL953-YL999, YR301-YR328 |
| D43908PT | 1 | BACC65AN2B05 PLUG | 81205 | 1 | 27-62-11 */*/ | YL953-YL999, YR301-YR328 |
| D43910J | 1 | BACI10AL30AP INSERT | 81205 | 1 | 27-62-11 J039-0A/ / | YL953-YL999, YR301-YR328 |
| D43910JT | 1 | BACC65AP2B06 RCPT | 81205 | 1 | 27-62-11 */*/ | YL953-YL999, YR301-YR328 |
| D43910P | 1 | BACI10AL30AS INSERT | 81205 | 1 | 27-62-11 J039-0A/ / | YL953-YL999, YR301-YR328 |
| D43910PT | 1 | BACC65AN2B06 PLUG | 81205 | 1 | 27-62-11 J039-0A/ */ | YL953-YL999, YR301-YR328 |
| D43922J | 1 | MTCPQKT1R2PGAC CONNECTOR RECEPTACLE | 06090 | 1 | 23-42-14 365/165/L018 | YN501-YR328 |
| D43922P | 1 | MTCPQKT1P2SGAC CONNECTOR PLUG | 06090 | 1 | 23-42-14 AJ0039B/ / | YN501-YR328 |
| D43924J | 1 | MTCPQKT1R2SGAB CONNECTOR RECEPTACLE | 06090 | 1 | 23-42-14 365/165/L018 | YN501-YR328 |
| D43924P | 1 | MTCPQKT1P2PGAB CONNECTOR PLUG | 06090 | 1 | 23-42-14 AJ0039B/ / | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D43900

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D44139J | 1 | MTCPQKT1R2SFCC RCPT- | 06090 | 1 | 23-31-04 E004-01/ / | YC051-YR317 |
| D44139J | 1 | MTCPQKT1R2SGCC RCPT- | 06090 | 1 | 23-31-04 E004-01/ / | YR318-YR328 |
| D44139JK | 1 | CHA-0321 BACKSHELL | 06090 | 1 | 23-31-04 / / | YL951-YL958, YN231-YN260 |
| D44139P | 1 | MTCPQKT1P2PFCC PLUG | 06090 | 1 | 23-31-04 E004-01/ / | YC051-YR317 |
| D44139P | 1 | MTCPQKT1P2PGCC PLUG | 06090 | 1 | 23-31-04 E004-01/ / | YR318-YR328 |
| D44139PQ | 1 | CHA-0321 BACKSHELL | 06090 | 1 | 23-31-04 / / | YL951-YL954, YN231-YN235 |
| D44145J | 1 | MTCPQKT1R2SGBC RECPT. - CONDUCTIVE | 06090 | 1 | 23-29-11 E004-01/ / | YC051-YC055 |
| D44145J | 1 | MTCPQKT2R22SGDB RECPT. - CONDUCTIVE | 06090 | 1 | 23-29-11 E004-01/ / | YC056-YD157 |
| D44145P | 1 | MTCPQKT1P2PGBC PLUG - CONDUCTIVE | 06090 | 1 | 23-29-11 E004-01/ / | YC051-YC055 |
| D44145P | 1 | MTCPQKT2P22PGDB PLUG - CONDUCTIVE | 06090 | 1 | 23-29-11 E004-01/ / | YC056-YD157 |
| D44161J | 1 | MTCPQKT2R22PGDB RCPT- | 06090 | 1 | 34-61-17 E004-01/ / | ALL |
| D44161P | 1 | MTCPQKT2P22SGDB PLUG-CONDUCTIVE | 06090 | 1 | 34-61-17 E004-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D44100

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D44252J | 1 | BACC63BV14B15PN RECP-P19 PNL | 81205 | 1 | 24-41-11 P019-00/ / | YC051-YL954, YN231-YN235 |
| D44252P | 1 | BACC63BP14D15SN PLUG-P19 PNL | 81205 | 1 | 24-41-11 231/186/R034 | YC051-YL954, YN231-YN235 |
| D44252PQ | 1 | BACC10KA14 CLAMP, STRAIGHT | 81205 | 1 | 24-41-11 */*/ | YC051-YL954, YN231-YN235 |
| D44276 | 1 | 48-7191-1 RECPT | 02660 | 1 | 27-62-11 192/200/L007 | YL953-YL968, YR301-YR328 |
| D44278 | 1 | 48-7190 PLUG- | 82660 | 1 | 27-62-11 192/200/L007 | YL953-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D44200
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| D44381J | 1 | BACC63CC20-28P8 RCPT - CONDUCTIVE | 81205 | 1 | 22-13-11 AB1050L/297/L014 | YC053-YD154 |
| D44381J | 1 | BACC63BV22F19P7 RCPT - CONDUCTIVE | 81205 | 1 | 22-13-11 AB1050L/297/L014 | YD155-YR328 |
| D44381JK | 1 | BACC10KE20 CLAMP, 90 DEG | 81205 | 1 | 22-13-11 */*/ | YC053-YD154 |
| D44381JK | 1 | BACC10KE22 CLAMP, 90 DEG | 81205 | 1 | 22-13-11 */*/ | YD155-YR328 |
| D44381P | 1 | BACC63CB20-28S8 PLUG - CONDUCTIVE | 81205 | 1 | 22-13-11 / / | YC053-YD154 |
| D44381P | 1 | BACC63BP22C19S7 PLUG - CONDUCTIVE | 81205 | 1 | 22-13-11 AB1050L/ / | YD155-YR328 |
| D44381PQ | 1 | BACC10KF20 CLAMP, 45 DEG | 81205 | 1 | 22-13-11 / / | YC053-YD154 |
| D44381PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 22-13-11 / / | YD155-YR328 |

EQUIPMENT LIST

D280A108

Section D44300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-----------------------------------|-----------------------|-----|------------------------------|---|
| D44582J | 1 | BACC63BV10F5PN RCPT-CONDUCTIVE | 81205 | 1 | 33-44-12 1158/280/R020 | YL969-YL999, YN236, YN501- YR328 |
| D44582JK | 1 | BACC10MP10 BACKSHELL, SWINGARM | 81205 | 1 | 33-44-12 */*/ | YL969-YL999, YN236, YN501- YR328 |
| D44582P | 1 | BACC63BP10C5SN PLUG-CONDUCTIVE | 81205 | 1 | 33-44-12 1156/280/R020 | YN236, YN501- YR328 |
| D44582PQ | 1 | BACC10KE10 CLAMP, 90 DEG | 81205 | 1 | 33-44-12 */*/ | YN236, YN501- YR328 |
| D44584J | 1 | BACC63BV14F7PN RCPT-CONDUCTIVE | 81205 | 1 | 33-35-11 1166/244/R014 | YC051-YL968, YN231-YR328 |
| D44584JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 33-35-11 */*/ | YC051-YL968, YN231-YR328 |
| D44584P | 1 | BACC63BP14C7SN PLUG-CONDUCTIVE | 81205 | 1 | 33-35-11 1166/243/R014 | YC051-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D44584PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 33-35-11 */*/ | YC051-YD158, YL951-YL968, YN231-YN235 |
| D44584PQ | 1 | BACC10KF14 CLAMP, 45 DEGREE | 81205 | 1 | 33-35-11 */*/ | YN236, YN501- YR328 |

EQUIPMENT LIST

D280A108

Section D44500
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D45001J | 1 | MTCPQKT2R22PGDD RCPT-CONDUCTIVE | 06090 | 1 | 23-15-15 E005-02/ / | YC051-YD157 |
| D45001P | 1 | MTCPQKT2P22SGDD PLUG- | 06090 | 1 | 23-15-15 E005-02/ / | YC051-YD157 |
| D45002J | 1 | BACC63CC20-41PN RCPT- | 81205 | 1 | 31-31-13 E001-02/ / | YL963-YL999, YN236-YR328 |
| D45002JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-62-25 / / | YL963-YL999, YN236-YR328 |
| D45002P | 1 | BACC63CB20-41SN PLUG- | | 1 | 31-31-13 E001-02/ / | YL963-YL999, YN236-YR328 |
| D45002PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-31-13 E001-02/ / | YL963-YL999, YN236-YR328 |
| D45023J | 1 | MTCPQKT1R2PGCA RCPT-CONDUCTIVE | 06090 | 1 | 34-61-14 E008-01/ / | YD158-YD170 |
| D45023P | 1 | MTCPQKT1P2SGCA PLUG | 06090 | 1 | 34-61-14 E8-1 313/185/16 | YD158-YD170 |
| D45025J | 1 | MTCPQKT1R2PGCB RCPT-CONDUCTIVE | 06090 | 1 | 34-61-14 E008-01/ / | YD158-YD170 |
| D45025P | 1 | MTCPQKT1P2SGCB PLUG | 06090 | 1 | 34-61-14 E008-01/ / | YD158-YD170 |
| D45067J | 1 | MTCPQKT2R22PGBB RCPT-CONDUCTIVE | 06090 | 1 | 34-61-18 E005-02/ / | YC059-YR328 |
| D45067P | 1 | MTCPQKT2P22SGBB PLUG- | 06090 | 1 | 34-61-11 E005-02/ / | YC059-YD157, YL951-YR328 |
| D45067P | 1 | MTCPQKT2P22SGBB PLUG- | 06090 | 1 | 34-61-11 AE0502A/ / | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section D45000

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D45102J | 1 | BACC63CC18-31PN RCPT- | | 1 | 31-31-13 E003-02/ / | YL963-YL999, YN236-YR328 |
| D45102JK | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 31-31-13 E003-02/ / | YL963-YL999, YN236-YR328 |
| D45102P | 1 | BACC63CB18-31SN PLUG- | 81205 | 1 | 31-31-13 E003-02/ / | YL963-YL999, YN236-YR328 |
| D45102PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 31-31-13 / / | YL963-YL999, YN236-YR328 |
| D45111J | 1 | MTCPQKT2R22SGBA RCPT - CONDUCTIVE | 06090 | 1 | 34-31-11 E003-01/ / | ALL |
| D45111P | 1 | MTCPQKT2P22PGBA PLUG - CONDUCTIVE | 06090 | 1 | 34-31-11 E003-01/ / | ALL |
| D45113J | 1 | MTCPQKT2R22SGDC RECPT-CONDUCTIVE | 06090 | 1 | 34-31-11 E001-01/ / | ALL |
| D45113P | 1 | MTCPQKT2P22PGDC PLUG - CONDUCTIVE | 06090 | 1 | 34-31-11 E001-01/ / | ALL |
| D45115J | 1 | BACC63CC22-55P6 RECPT - CONDUCTIVE | 81205 | 1 | 34-31-11 E001-02/ / | ALL |
| D45115JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-31-11 E001-02/ / | YC051-YD157 |
| D45115JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-31-11 */ */ | YD158-YR328 |
| D45115P | 1 | BACC63CB22-55S6 PLUG-CONDUCTIVE | 81205 | 1 | 22-11-51 E001-02/ / | ALL |
| D45115PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 34-45-02 E001-02/ / | YC051-YD170 |
| D45115PQ | 1 | BACC10KF22 CLAMP, 45 DEG | 81205 | 1 | 34-45-02 */ */ | YL951-YR328 |
| D45117J | 1 | MTCPQKT2R22SGAD RCPT-CONDUCTIVE | 06090 | 1 | 34-31-11 E003-02/ / | ALL |
| D45117P | 1 | MTCPQKT2P22PGAD PLUG - CONDUCTIVE | 06090 | 1 | 34-31-11 E003-02/ / | ALL |
| D45121J | 1 | MTCPQKT2R22SGCB RCPT - CONDUCTIVE | 06090 | 1 | 34-51-21 E003-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D45100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D45121P | 1 | MTCPQKT2P22PGCB PLUG - CONDUCTIVE | 06090 | 1 | 34-51-21 E003-01/ / | YC051-YD158, YL951-YR328 |
| D45123J | 1 | BACC63CC22-55P7 RECP - CONDUCTIVE | 81205 | 1 | 34-31-11 E001-04/ / | YC051-YD158, YL951-YR328 |
| D45123JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-31-21 */ */ | YC051-YD158, YL951-YR328 |
| D45123P | 1 | BACC63CB22-55S7 PLUG - CONDUCTIVE | 81205 | 1 | 34-31-21 E001-04/ / | ALL |
| D45123PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-31-21 E001-04/ / | YC051-YD170 |
| D45123PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-31-21 */ */ | YL951-YR328 |
| D45125J | 1 | BACC63CC22-55S6 RECP - CONDUCTIVE | 81205 | 1 | 34-31-11 E001-05/ / | YC051-YD158, YL951-YR328 |
| D45125JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-31-21 */ */ | YC051-YD158, YL951-YR328 |
| D45125P | 1 | BACC63CB22-55P6 PLUG-CONDUCTIVE | 81205 | 1 | 34-31-11 E001-05/ / | ALL |
| D45125PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-31-11 / / | YC051-YD170 |
| D45125PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 34-31-11 */ */ | YL951-YR328 |
| D45127J | 1 | MTCPQKT2R22SGBD RCPT-CONDUCTIVE | 06090 | 1 | 34-31-11 E003-02/ / | ALL |
| D45127P | 1 | MTCPQKT2P22PGBD PLUG - CONDUCTIVE | 06090 | 1 | 34-31-11 E003-02/ / | YC051-YD158, YL951-YR328 |
| D45129J | 1 | BACC45FN22-55P7 RCPT | 81205 | 1 | 23-32-12 913/290/R038 | YN231-YN260 |
| D45129P | 1 | BACC45FT22-55S7 PLUG | 81205 | 1 | 23-32-12 913/290/R038 | YN231-YN260 |
| D45129PQ | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 23-32-12 */ */ | YN231-YN260 |
| D45131J | 1 | MTCPQKT2R22SGBB RCPT - CONDUCTIVE | 06090 | 1 | 31-62-15 E003-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D45100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D45131P | 1 | MTCPQKT2P22PGBB PLUG - CONDUCTIVE | 06090 | 1 | 31-62-15 E003-01/ / | ALL |
| D45133J | 1 | MTCPQKT1R2SGAC RECPT-CONDUCTIVE | 06090 | 1 | 3434XX E001-01/ / | ALL |
| D45133P | 1 | MTCPQKT1P2PGAC PLUG - CONDUCTIVE | 06090 | 1 | 34-36-05 E001-01/ / | ALL |
| D45137J | 1 | MTCPQKT2R22SGAC RCPT-CONDUCTIVE | 06090 | 1 | 34-36-06 E003-02/ / | ALL |
| D45137P | 1 | MTCPQKT2P22PGAC PLUG - CONDUCTIVE | 06090 | 1 | 34-36-06 E003-02/ / | ALL |
| D45139J | | BACC45FN22-55S RCPT | 81205 | 1 | 23-32-11 913/290/R038 | YN231-YN260 |
| D45139P | 1 | BACC45FT22-55P PLUG- | 81205 | 1 | 23-32-11 913/290/R038 | YN231-YN260 |
| D45139PQ | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 23-32-12 */*/ | YN231-YN260 |
| D45141J | 1 | MTCPQKT2R22SGCC RCPT - CONDUCTIVE | 06090 | 1 | 34-31-21 E003-01/ / | ALL |
| D45141P | 1 | MTCPQKT2P22PGCC PLUG - CONDUCTIVE | 06090 | 1 | 34-31-21 E003-01/ / | YC051-YD158, YL951-YR328 |
| D45143J | 1 | BACC63CC20-41P9 RECP - CONDUCTIVE | 81205 | 1 | 22-11-51 E001-04/ / | YC051-YD158, YL951-YR328 |
| D45143JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-51 */*/ | YC051-YD158, YL951-YR328 |
| D45143P | 1 | BACC63CB20-41S9 PLUG - CONDUCTIVE | 81205 | 1 | 22-11-51 E001-04/ / | ALL |
| D45143PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-51 E001-04/ / | YC051-YD170 |
| D45143PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 22-11-51 */*/ | YL951-YR328 |
| D45145J | 1 | 280T1000-151 RCPT-MOA PER DWG 280T1000 BACC45FN20-28S | 81205 | 1 | 23-32-21 AB0913/290/R038 | YN231-YN260 |
| D45145P | 1 | 280T1000-152 PLUG-MOA BY DWG 280T1000 BACC45FT20-28P6 | 81205 | 1 | 23-32-11 AB0913/290/R038 | YN231-YN260 |

EQUIPMENT LIST

D280A108

Section D45100

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D45147J | 1 | MTCPQKT2R2SGAB RCPT-CONDUCTIVE | 06090 | 1 | 27-32-22 E003-02/ / | ALL |
| D45147P | 1 | MTCPQKT2P22PGAB PLUG - CONDUCTIVE | 06090 | 1 | 34-51-11 E003-02/ / | YC051-YD158, YL951-YR328 |
| D45151J | 1 | MTCPQKT2R22SGBC RCPT - CONDUCTIVE | 06090 | 1 | 3436XX E003-01/ / | ALL |
| D45151P | 1 | MTCPQKT2P22PGBC PLUG - CONDUCTIVE | 06090 | 1 | 31-62-15 E003-01/ / | ALL |
| D45157J | 1 | MTCPQKT1R2SGAB RCPT-CONDUCTIVE | 06090 | 1 | 34-36-06 E003-02/ / | YC051-YD170, YN231-YN260 |
| D45157J | 1 | MTCPQKT1R2SGAB RCPT-CONDUCTIVE | 06090 | 1 | 23-27-38 E003-02/ / | YL951-YL952 |
| D45157J | 1 | MTCPQKT1R2SFAB RCPT- | 06090 | 1 | 31-31-17 E003-02/ / | YL953-YL999, YN501 |
| D45157J | 1 | MTCPQKT1R2SGAB RCPT-CONDUCTIVE | 06090 | 1 | 23-27-12 E003-02/ / | YR301-YR328 |
| D45157P | 1 | MTCPQKT1P2PGAB PLUG - CONDUCTIVE | 06090 | 1 | 23-27-12 E003-02/ / | ALL |
| D45167J | 1 | BACC63CU21-84SA RCPT- | 81205 | 1 | 44-21-12 E008-01/ / | YN501-YR328 |
| D45167P | 1 | BACC63CT21-84PA PLUG | 81205 | 1 | 44-21-14 E008-01/ / | YN501-YR328 |
| D45169P | 1 | BACC63CT21-84PA PLUG | 81205 | 1 | 44-21-14 E008-01/ / | YN501-YR328 |
| D45177J | 1 | MTCPQKT1R2SGAA RCPT-CONDUCTIVE | 06090 | 1 | 34-36-06 E003-02/ / | YC051-YD170, YN231-YN260 |
| D45177J | 1 | MTCPQKT1R2SGAA RCPT-CONDUCTIVE | 06090 | 1 | 31-33-01 E003-02/ / | YL951-YL999, YN501 |
| D45177J | 1 | MTCPQKT1R2SGAA RCPT-CONDUCTIVE | 06090 | 1 | 23-27-14 E003-02/ / | YR301-YR328 |
| D45177P | 1 | MTCPQKT1P2PGAA PLUG - CONDUCTIVE | 06090 | 1 | 31-31-12 E003-02/ / | ALL |
| D45195J | 1 | BACC63CU21-78SC RCPT- | 81205 | 1 | 44-21-36 E008-01/ / | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D45100

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D45195P | 1 | BACC63CT21-78PC PLUG | 81205 | 1 | 44-21-36 E008-01/ / | YN501-YR328 |
| D45195PT | | 10-452952 SEAL BOOT | 77820 | 1 | 44-21-36 / / | YN501 |
| D45195PT | | 10-452952 SEAL BOOT | 77820 | 1 | 44-21-36 */*/ | YR301-YR328 |
| D45199J | 1 | BACC63CU21-78SD RCPT- | 81205 | 1 | 44-21-46 E008-01/ / | YN501-YR328 |
| D45199P | 1 | BACC63CT21-78PD PLUG | 81205 | 1 | 44-21-46 E008-01/ / | YN501-YR328 |
| D45199PT | | 10-452952 SEAL BOOT | 77820 | 1 | 44-21-46 / / | YN501 |
| D45199PT | | 10-452952 SEAL BOOT | 77820 | 1 | 44-21-46 */*/ | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D45100
Page 5 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D45201J | 1 | BACC63CC18-31S6 RECPT - CONDUCTIVE | 81205 | 1 | 34-51-41 E001-02/ / | YC051-YD158, YL951-YR328 |
| D45201JK | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 34-51-41 E001-02/ / | YC051-YD158, YL951-YR328 |
| D45201P | 1 | BACC63CB18-31P6 PLUG- | 81205 | 1 | 34-51-41 E001-02/ / | ALL |
| D45201PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 34-51-41 E001-02/ / | YC051-YD170 |
| D45201PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 34-51-41 */ */ | YL951-YR328 |
| D45203J | 1 | MTCPQKT2R26SGCC RCPT-CONDUCTIVE | 06090 | 1 | 34-51-41 E001-01/ / | ALL |
| D45203P | 1 | MTCPQKT2P26PGCC PLUG - CONDUCTIVE | 06090 | 1 | 34-51-41 E001-01/ / | YC051-YD158, YL951-YR328 |
| D45205J | 1 | MTCPQKT1R2SGDD RCPT - CONDUCTIVE | 06090 | 1 | 34-51-41 E003-01/ / | ALL |
| D45205P | 1 | MTCPQKT1P2PGDD PLUG - CONDUCTIVE | 06090 | 1 | 34-51-41 E003-01/ / | YC051-YD158, YL951-YR328 |
| D45207J | 1 | MTCPQKT1R2SGDB RCPT-CONDUCTIVE | 06090 | 1 | 34-51-41 E003-02/ / | ALL |
| D45207P | 1 | MTCPQKT1P2PGDB PLUG - CONDUCTIVE | 06090 | 1 | 34-51-41 E003-02/ / | YC051-YD158, YL951-YR328 |
| D45209J | 1 | MTCPQKT2R26PGAA RCPT-CONDUCTIVE | 06090 | 1 | 34-51-41 E005-02/ / | YC051-YD158, YL951-YR328 |
| D45209P | 1 | MTCPQKT2P26SGAA PLUG- | 06090 | 1 | 34-51-41 E005-02/ / | YC051-YD157 |
| D45209P | 1 | MTCPQKT2P26SGAA PLUG- | 06090 | 1 | 34-51-41 AE0502A/ / | YD158-YR328 |
| D45211J | 1 | MTCPQKT2R22PGCB RCPT-CONDUCTIVE | 06090 | 1 | 34-61-21 E005-02/ / | ALL |
| D45211P | 1 | MTCPQKT2P22SGCB PLUG- | 06090 | 1 | 34-61-21 E005-02/ / | YC051-YD157 |
| D45211P | 1 | MTCPQKT2P22SGCB PLUG- | 06090 | 1 | 34-61-21 AE0502A/ / | YD158-YN260 |

EQUIPMENT LIST

D280A108

Section D45200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D45211P | 1 | MTCPQKT2P22SGCB PLUG | 06090 | 1 | 34-61-21 E005-02/ / | YN501-YR328 |
| D45213J | 1 | MTCPQKT2R22PGCA RCPT-CONDUCTIVE | 06090 | 1 | 34-61-21 E005-02/ / | YC051-YD157, YL951-YR328 |
| D45213J | 1 | MTCPQKT2R22PGCA RCPT - CONDUCTIVE | 06090 | 1 | 34-61-21 E005-02/ / | YD158 |
| D45213P | 1 | MTCPQKT2P22SGCA PLUG- | 06090 | 1 | 34-61-21 E005-02/ / | YC051-YD157, YL951-YR328 |
| D45213P | 1 | MTCPQKT2P22SGCA PLUG- | 06090 | 1 | 34-61-21 AE0502A/ / | YD158-YD170 |
| D45221J | 1 | MTCPQKT2R22PFDC RCPT- | 06090 | 1 | 34-61-19 E005-02/ / | ALL |
| D45221P | 1 | MTCPQKT2P22SFDC PLUG- | 06090 | 1 | 34-61-12 E005-02/ / | YC051-YD157 |
| D45221P | 1 | MTCPQKT2P22SFDC PLUG- | 06090 | 1 | 34-61-12 AE0502A/ / | YD158-YR328 |
| D45225J | 1 | MTCPQKT2R22SGAC RCPT-CONDUCTIVE | 06090 | 1 | 34-61-18 E005-02/ / | ALL |
| D45225P | 1 | MTCPQKT2P22PGAC PLUG- | 06090 | 1 | 34-61-18 E005-02/ / | YC051-YD157 |
| D45225P | 1 | MTCPQKT2P22PGAC PLUG- | 06090 | 1 | 34-61-18 AE0502A/ / | YD158-YR328 |
| D45227J | 1 | BACC45FN20-41P RCPT | 81205 | 1 | 23-31-06 E001-03/ / | YC051-YD170 |
| D45227J | 1 | BACC45FN20-41P RCPT | 81205 | 1 | 44-21-22 E001-03/ / | YL951-YL999, YN501-YR328 |
| D45227J | 1 | BACC45FN20-41P RCPT | 81205 | 1 | 23-34-02 E001-03/ / | YN231-YN260 |
| D45227P | 1 | BACC45FT20-41S PLUG | 81205 | 1 | 23-32-12 E001-03/ / | YC051-YN260 |
| D45227P | 1 | BACC45FT20-41S PLUG | 81205 | 1 | 44-21-22 E001-03/ / | YN501-YR328 |
| D45227PQ | | BACC10GH20 BACKSHELL | 81205 | 1 | 23-32-12 */ */ | YC051-YN260 |

EQUIPMENT LIST

D280A108

Section D45200

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D45227PQ | | BACC10GH20 BACKSHELL | 81205 | 1 | 44-21-22 */*/ | YN501-YR328 |
| D45231J | 1 | BACC45FN22-55S RECP | 81205 | 1 | 23-32-12 AB0340B/ / | YC051-YD170 |
| D45231J | 1 | BACC45FN22-55S RCPT | 81205 | 1 | 23-32-12 AB0340B/ / | YL951-YN260 |
| D45231P | 1 | BACC45FT22-55P PLUG | 81205 | 1 | 23-32-12 AB0340B/ / | YC051-YN260 |
| D45231PQ | | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 23-32-12 */*/ | YC051-YN260 |
| D45233J | 1 | BACC45FN14-15S7 RCPT- | 81205 | 1 | 23-32-11 P006-00/ / | YC051-YN260 |
| D45233J | 1 | BACC45FN14-15S7 RCPT- | 81205 | 1 | 44-21-36 P006-00/ / | YN501-YR324 |
| D45233P | 1 | BACC45FT14-15P7 PLUG | 81205 | 1 | 23-32-11 P006-00/ / | YC051-YN260 |
| D45233P | 1 | BACC45FT14-15P7 PLUG | 81205 | 1 | 44-21-36 P006-00/ / | YN501-YR328 |
| D45235J | 1 | MTCPQKT2R22PGAA RCPT-CONDUCTIVE | 06090 | 1 | 34-21-11 E005-02/ / | ALL |
| D45235P | 1 | MTCPQKT2P22SGAA PLUG- | 06090 | 1 | 34-21-12 E005-02/ / | YC051-YD157 |
| D45235P | 1 | MTCPQKT2P22SGAA PLUG- | 06090 | 1 | 34-21-12 AE0502A/ / | YD158-YR328 |
| D45237J | 1 | MTCPQKT2R22PGBA RCPT-CONDUCTIVE | 06090 | 1 | 34-21-21 E005-02/ / | ALL |
| D45237P | 1 | MTCPQKT2P22SGBA PLUG- | 06090 | 1 | 34-21-21 E005-02/ / | YC051-YD157, YL951-YR328 |
| D45237P | 1 | MTCPQKT2P22SGBA PLUG- | 06090 | 1 | 34-21-21 AE0502A/ / | YD158-YD170 |
| D45239J | 1 | MTCPQKT2R22PGAB RCPT-CONDUCTIVE | 06090 | 1 | 34-21-12 337/169/R24 | YC051-YC052 |
| D45239J | 1 | MTCPQKT2R22PGAB RCPT-CONDUCTIVE | 06090 | 1 | 34-21-12 E005-02/ / | YC053-YR328 |

EQUIPMENT LIST

D280A108

Section D45200

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D45239P | 1 | MTCPQKT2P22SGAB PLUG- | 06090 | 1 | 34-21-12 E005-02/ / | YC051-YD157 |
| D45239P | 1 | MTCPQKT2P22SGAB PLUG- | 06090 | 1 | 34-21-12 AE0502A/ / | YD158-YR328 |
| D45241J | 1 | MTCPQKT2R22SGBD RCPT-CONDUCTIVE | 06090 | 1 | 34-21-22 E005-02/ / | ALL |
| D45241P | 1 | MTCPQKT2P22PGBD PLUG- | 06090 | 1 | 34-21-22 E005-02/ / | YC051-YD157, YL951-YR328 |
| D45241P | 1 | MTCPQKT2P22PGBD PLUG- | 06090 | 1 | 34-21-22 AE0502A/ / | YD158-YD170 |
| D45245J | 1 | MTCPQKT2R22PGCD RCPT-CONDUCTIVE | 06090 | 1 | 31-62-15 E005-02/ / | ALL |
| D45245P | 1 | MTCPQKT2P22SGCD PLUG- | 06090 | 1 | 31-62-15 E005-02/ / | YC051-YD157 |
| D45245P | 1 | MTCPQKT2P22SGCD PLUG- | 06090 | 1 | 31-62-15 AE0502A/ / | YD158-YR328 |
| D45247J | 1 | MTCPQKT2R22PGAB RCPT-CONDUCTIVE | 06090 | 1 | 31-62-25 E005-02/ / | ALL |
| D45247P | 1 | MTCPQKT2P22SGAB PLUG- | 06090 | 1 | 31-62-25 E005-02/ / | YC051-YD157, YL951-YR328 |
| D45247P | 1 | MTCPQKT2P22SGAB PLUG- | 06090 | 1 | 31-62-25 AE0502A/ / | YD158-YD170 |
| D45253J | 1 | AMC02RA03W RECP | 05574 | 1 | 23-32-11 387/292/R022 | YC051-YD170 |
| D45253P | 1 | AMC02PA03W PLUG | 05547 | 1 | 23-32-11 386/292/R022 | YC051-YD170 |
| D45255J | 1 | MTCPQKT2R22PGDA RCPT-CONDUCTIVE | 06090 | 1 | 34-61-12 E005-02/ / | ALL |
| D45255P | 1 | MTCPQKT2P22SGDA PLUG- | 06090 | 1 | 34-21-13 E005-02/ / | YC051-YD157 |
| D45255P | 1 | MTCPQKT2P22SGDA PLUG- | 06090 | 1 | 34-21-13 AE0502A/ / | YD158-YR328 |
| D45257J | 1 | MTCPQKT2R22PGAC RCPT-CONDUCTIVE | 06090 | 1 | 34-61-12 E005-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section D45200

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D45257P | 1 | MTCPQKT2P22SGAC PLUG- | 06090 | 1 | 34-61-12 E005-02/ / | YC051-YD157, YL951-YR328 |
| D45257P | 1 | MTCPQKT2P22SGAC PLUG- | 06090 | 1 | 34-61-12 AE0502A/ / | YD158-YD170 |
| D45259J | 1 | AMC02RA03W RECP | 05574 | 1 | 23-32-31 451/294/L023 | YC051-YD170 |
| D45259P | 1 | AMC02PA03W PLUG | 05547 | 1 | 23-32-31 452/294/L023 | YC051-YD170 |
| D45261J | 1 | MTCPQKT2R22SGDD RCPT-CONDUCTIVE | 06090 | 1 | 31-31-12 E005-02/ / | ALL |
| D45261P | 1 | MTCPQKT2P22PGDD PLUG- | 06090 | 1 | 31-31-15 E005-02/ / | YC051-YD157 |
| D45261P | 1 | MTCPQKT2P22PGDD PLUG- | 06090 | 1 | 31-31-15 AE0502A/ / | YD158-YR328 |
| D45263J | 1 | MTCPQKT2R22SGAD RCPT-CONDUCTIVE | 06090 | 1 | 27-32-21 E005-02/ / | ALL |
| D45263P | 1 | MTCPQKT2P22PGAD PLUG- | 06090 | 1 | 31-31-13 E005-02/ / | YC051-YD157, YL951-YR328 |
| D45263P | 1 | MTCPQKT2P22PGAD PLUG- | 06090 | 1 | 31-31-13 AE0502A/ / | YD158-YD170 |
| D45265J | 1 | MTCPQKT2R22PGDB RCPT-CONDUCTIVE | 06090 | 1 | 73-21-31 E005-02/ / | ALL |
| D45265P | 1 | MTCPQKT2P22SGDB PLUG- | 06090 | 1 | 73-21-31 E005-02/ / | YC051-YD157 |
| D45265P | 1 | MTCPQKT2P22SGDB PLUG- | 06090 | 1 | 73-21-31 AE0502A/ / | YD158-YR328 |
| D45269J | 1 | AMC02RA03W RECP | 05574 | 1 | 23-32-41 500G+7/295/L023 | YC051-YD170 |
| D45269P | 1 | AMC02PA03W PLUG | 05547 | 1 | 23-32-41 500G+8/295/L023 | YC051-YD170 |
| D45271J | 1 | AMC02RA03W RECP | 05574 | 1 | 23-32-51 698/295/L23 | YC051-YD153 |
| D45271J | 1 | AMC02RA03W RECP | 05574 | 1 | 23-32-51 698/294/L023 | YD154-YD170 |

EQUIPMENT LIST

D280A108

Section D45200

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D45271P | 1 | AMC02PA03W PLUG | 05574 | 1 | 23-32-51 697/294/L23 | YC051-YD153 |
| D45271P | 1 | AMC02PA03W PLUG | 05574 | 1 | 23-32-51 699/296/L023 | YD154-YD170 |
| D45273J | 1 | AMC02RA03W RECP | 05574 | 1 | 23-32-61 727I+11/294/L024 | YC051-YD170 |
| D45273P | 1 | AMC02PA03W PLUG | 05574 | 1 | 23-32-61 727I+11/294/L024 | YC051-YD170 |
| D45275J | 1 | BACC45FN18-31P RECP | 81205 | 1 | 23-32-31 691/297/L018 | YC051-YD153 |
| D45275J | 1 | BACC45FN18-31P RECP | 81205 | 1 | 23-32-31 701/301/L019 | YD154-YD170 |
| D45275J | 1 | BACC45FN18-31P RCPT | 81205 | 1 | 23-32-31 701/301/L019 | YL951-YL999 |
| D45275J | 1 | BACC45FN18-31P RCPT | 81205 | 1 | 23-32-31 691/297/L018 | YN231-YN260 |
| D45275P | 1 | BACC45FT18-31S PLUG | 81205 | 1 | 23-32-31 698/301/L019 | YC051-YC058, YD158-YL999 |
| D45275P | 1 | BACC45FT18-31S PLUG | 81205 | 1 | 23-32-31 691/298/L018 | YC059-YD157, YN231-YN260 |
| D45279J | 1 | MTCPQKT2R22PFBA RCPT- | 06090 | 1 | 23-34-01 E008-01/ / | YC051-YD170 |
| D45279P | 1 | MTCPQKT2P22SFBA PLUG | 06090 | 1 | 23-32-12 E008-01/ / | YC051-YD170 |
| D45281J | 1 | BACC45FN22-55S RECP | 81205 | 1 | 23-32-12 AB0373/ / | YC051-YL999 |
| D45281P | 1 | BACC45FT22-55P PLUG | 81205 | 1 | 23-32-11 AB0373/ / | YC051-YL999 |
| D45281PQ | 1 | BACC10GH22 BACKSHELL | 81205 | 1 | 23-32-11 */ */ | YL951-YL999 |
| D45283J | 1 | BACC45FN22-55P7 RECP | 81205 | 1 | 23-32-12 AB0373/ / | YC051-YL999 |
| D45283P | 1 | BACC45FT22-55S7 PLUG | 81205 | 1 | 23-32-11 AB0373/ / | YC051-YD170 |

EQUIPMENT LIST

D280A108

Section D45200

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D45283P | 1 | BACC45FT22-55S7 PLUG | 81205 | 1 | 23-32-12 AB0373/ / | YL951-YL999 |
| D45283PQ | | S280W603-113 BACKSHELL - STRAIGHT | 81205 | 1 | 23-32-12 */*/ | YL951-YL999 |
| D45285J | 1 | BACC45FN22-55P7 RCPT | 81205 | 1 | 23-32-12 858/217/R068 | YL951-YN260 |
| D45285P | 1 | BACC45FT22-55S7 PLUG | 81205 | 1 | 23-32-12 858/217/R068 | YN231-YN260 |
| D45285PQ | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 23-32-12 */*/ | YN231-YN260 |
| D45287J | 1 | BACC45FN20-41P6 RCPT | 81205 | 1 | 23-32-21 AB0373/ / | YC051-YD157 |
| D45287J | 1 | 280T1000-151 RCPT- MOA PER 280T1000 BACC45FN20-28S6 | 81205 | 1 | 23-32-21 AB0373/ / | YD158-YD170 |
| D45287J | 1 | 280T1000-151 RCPT-MOA PER 280T1000 BACC45FN20-28S6 | 81205 | 1 | 23-32-21 AB0373/ / | YL951-YL999 |
| D45287P | 1 | BACC45FT20-41S6 PLUG | 81205 | 1 | 23-32-21 AB0373/ / | YC051-YD157 |
| D45287P | 1 | 280T1000-152 PLUG- MOA PER DWG REF BACC45FT20-28P6 | 81205 | 1 | 23-32-21 AB0373/ / | YD158-YD170 |
| D45287P | 1 | 280T1000-152 PLUG - MOA PER DWG REF BACC45FT20-28P6 | 81205 | 1 | 23-32-21 AB0373/ / | YL951-YL999 |
| D45287PQ | 1 | BACC10GH20 BACKSHELL | 81205 | 1 | 23-32-21 372/296/L012 | YD158-YD170 |
| D45287PQ | 1 | BACC10GH20 BACKSHELL | 81205 | 1 | 23-32-21 */*/ | YL951-YL999 |
| D45289J | 1 | BACC45FN22-55S RCPT | 81205 | 1 | 23-32-11 858/222/R070 | YL951-YN260 |
| D45289P | 1 | BACC45FT22-55P PLUG | 81205 | 1 | 23-32-11 858/222/R070 | YN231-YN260 |
| D45289PQ | 1 | BACC10JS22 CLAMP, STRAIGHT | 81205 | 1 | 23-32-11 */*/ | YN231-YN260 |
| D45293J | 1 | MTCPQKT1R2SGBA RCPT-CONDUCTIVE | 06090 | 1 | 34-61-18 E005-02/ / | YC059-YR328 |

EQUIPMENT LIST

D280A108

Section D45200

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| D45293P | 1 | MTCPQKT1P2PGBA PLUG- | 06090 | 1 | 34-61-18 E005-02/ / | YC059-YD157 |
| D45293P | 1 | MTCPQKT1P2PGBA PLUG- | 06090 | 1 | 34-61-18 AE0502A/ / | YD158-YR328 |
| D45297J | 1 | 280T1000-151 RCPT-MOA PER DWG 280T1000 BACC45FN20-28S | 81205 | 1 | 23-32-21 AB0858/ / | YN231-YN260 |
| D45297P | 1 | 280T1000-152 PLUG-MOA BY DWG 280T1000 BACC45FT20-28P6 | 81205 | 1 | 23-32-11 AB0858/ / | YN231-YN260 |

EQUIPMENT LIST

D280A108

Section D45200
Page 8 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| D45319J | 1 | MTCPQKT2R22SGCC RCPT-CONDUCTIVE | 06090 | 1 | 44-21-20 E005-02/ / | YN501-YR328 |
| D45319P | 1 | MTCPQKT2P22PGCC PLUG | 06090 | 1 | 34-61-15 E005-02/ / | YN501-YR328 |
| D45367J | 1 | MTCPQKT2R22SGCC RCPT-CONDUCTIVE | 06090 | 1 | 23-32-21 E005-02/ / | YL951-YN260 |
| D45367P | 1 | MTCPQKT2P22PGCC PLUG- | 06090 | 1 | 23-32-21 E005-02/ / | YL951-YN260 |

EQUIPMENT LIST

D280A108

Section D45300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D45421J | 1 | BACC45FN12-12S RCPT- | 81205 | 1 | 44-21-36 AB0369L/ / | YN501-YR328 |
| D45421P | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-36 369/280/L047 | YN501-YR328 |
| D45425J | 1 | BACC45FN12-12S RCPT | 81205 | 1 | 44-21-37 654/295/L034 | YN501-YR328 |
| D45425P | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-37 654/295/L034 | YN501-YR328 |
| D45427J | 1 | BACC63CU21-84SC RCPT- | 91836 | 1 | 44-21-36 AB0369L/ / | YN501-YR328 |
| D45427JK | 1 | 10-452952 SEAL BOOT FOR COAX (001CX & 002CX) | 81205 | 2 | 44-21-36 / / | YN501 |
| D45427JK | 1 | 10-452952 SEAL BOOT FOR COAX (001CX & 002CX) | 81205 | 2 | 44-21-36 */*/ | YR301-YR328 |
| D45427P | 1 | BACC63CT21-84PC PLUG | 81205 | 1 | 44-21-36 369/280/L047 | YN501-YR328 |
| D45429J | 1 | BACC45FN12-12S RCPT- | 81205 | 1 | 44-21-46 AB0376R/ / | YN501-YR328 |
| D45429P | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-46 376/270/R069 | YN501-YR328 |
| D45433J | 1 | BACC45FN12-12S RCPT | 81205 | 1 | 44-21-47 652/295/R036 | YN501-YR328 |
| D45433P | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 44-21-47 652/295/R036 | YN501-YR328 |
| D45435J | 1 | BACC63CU21-84SC RCPT- | 91836 | 1 | 44-21-46 AB0376R/ / | YN501-YR328 |
| D45435JK | 1 | 10-452952 SEAL BOOT FOR COAX (004CX & 005CX) | 81205 | 2 | 44-21-36 / / | YN501 |
| D45435JK | 1 | 10-452952 SEAL BOOT FOR COAX (004CX & 005CX) | 81205 | 2 | 44-21-36 */*/ | YR301-YR328 |
| D45435P | 1 | BACC63CT21-84PC PLUG | 81205 | 1 | 44-21-46 376/270/R069 | YN501-YR328 |
| D45439P | 1 | 2435-81-1 PLUG | 81205 | 1 | 44-21-36 E008-01/ / | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D45400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D45441P | 1 | 2435-81-2 PLUG | 81205 | 1 | 44-21-46 E008-01/ / | YN501-YR328 |
| D45449J | 1 | BACC63CU17-82SA RCPT | 81205 | 1 | 44-21-12 AB0366/ / | YN501-YR328 |
| D45449P | 1 | BACC63CT17-82PA PLUG | 812054 | 1 | 44-21-12 366/ / | YR303-YR328 |
| D45451J | 1 | BACC63CC12-12PN RCPT- | 81205 | 1 | 44-21-47 844/303/L011 | YN501-YR328 |
| D45451JK | 1 | S280W603-103 BACKSHELL | 81205 | 1 | 44-21-47 */ */ | YN501-YR328 |
| D45451P | 1 | BACC63CB12-12SN PLUG | 81205 | 1 | 44-21-37 844/303/L011 | YN501-YR328 |
| D45451PQ | 1 | S280W603-103 BACKSHELL | 81205 | 1 | 44-21-37 */ */ | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D45400

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|---|
| D45501J | 1 | BACC63CC16-24P9 RCPT - CONDUCTIVE | 81205 | 1 | 22-11-81 AB1050L/ / | YC064, YD157- YL965, YN231- YN235 |
| D45501J | 1 | BACC63CC16-24P9 RCPT - CONDUCTIVE | 81205 | 1 | 22-11-81 AB1050L/296/R013 | YC065-YD155 |
| D45501J | 1 | BACC63BV16F24P9 RCPT - CONDUCTIVE | 81205 | 1 | 22-11-81 AB1050L/ / | YL966-YL999, YN236-YR328 |
| D45501JK | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 22-11-81 */*/ | YC064 |
| D45501JK | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 22-11-81 */*/ | YC065-YR328 |
| D45501P | 1 | BACC63CB16-24S9 PLUG - CONDUCTIVE | 81205 | 1 | 22-11-81 AB1050L/296/R013 | YC064 |
| D45501P | 1 | BACC63CB16-24S9 PLUG - CONDUCTIVE | 81205 | 1 | 22-11-81 AB1050L/ / | YC065-YD158, YL951-YL965, YN231-YN235 |
| D45501P | 1 | BACC63BP16C24S9 PLUG - CONDUCTIVE | 81205 | 1 | 22-11-81 AB1050L/ / | YL966-YL999, YN236-YR328 |
| D45501PQ | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 22-11-81 / / | YC064 |
| D45501PQ | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 22-11-81 / / | YC065-YD158, YL951-YR328 |
| D45503J | 1 | BACC63CC16-24PN RCPT - CONDUCTIVE | 81205 | 1 | 22-11-81 AB1050R/ / | YC064-YL965, YN231-YN235 |
| D45503J | 1 | BACC63BV16F24PN RCPT - CONDUCTIVE | 81205 | 1 | 22-11-81 AB1050R/ / | YL966-YL999, YN236-YR328 |
| D45503JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 22-11-81 */*/ | YC064 |
| D45503JK | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 22-11-81 */*/ | YC065-YR328 |
| D45503P | 1 | BACC63CB16-24SN PLUG - CONDUCTIVE | 81205 | 1 | 22-11-81 AB1050R/298/L009 | YC064 |
| D45503P | 1 | BACC63CB16-24SN PLUG - CONDUCTIVE | 81205 | 1 | 22-11-81 AB1050R/ / | YC065-YD158, YL951-YL965, YN231-YN235 |

EQUIPMENT LIST

D280A108

Section D45500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D45503P | 1 | BACC63BP16C24SN PLUG - CONDUCTIVE | 81205 | 1 | 22-11-81 AB1050R/ / | YL966-YL999, YN236-YR328 |
| D45503PQ | 1 | BACC10KE16 CLAMP, 90 DEG | 81205 | 1 | 22-11-81 / / | YC064 |
| D45503PQ | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 22-11-81 / / | YC065-YC070 |
| D45503PQ | 1 | BACC10KF16 CLAMP, 45 DEG | 81205 | 1 | 22-11-81 */*/ | YD151-YD158, YL951-YR328 |
| D45515J | 1 | MTCPQKT2R22PFCD RECPT | 06090 | 1 | 22-11-75 E001-01/ / | YD157-YR328 |
| D45515P | 1 | MTCPQKT2P22SFCD PLUG- | 06090 | 1 | 22-11-75 E001-01/ / | YD157-YR328 |
| D45517J | 1 | BACC45FN14-15S6 RCPT- | 81205 | 1 | 22-11-75 E001-04/ / | YD157-YR328 |
| D45517P | 1 | BACC45FT14-15P6 PLUG- | 81205 | 1 | 22-11-75 E001-04/ / | YD157-YR328 |
| D45517PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-11-75 E001-04/ / | YD157-YD170 |
| D45517PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-11-75 */*/ | YL951-YR328 |
| D45551J | 1 | MTCPQKT2R26SGDA RECPT-CONDUCTIVE | 06090 | 1 | 22-11-81 E001-01/ / | YD157-YR328 |
| D45551P | 1 | MTCPQKT2P26PGAA PLUG - CONDUCTIVE | 06090 | 1 | 22-11-81 E001-01/ / | YC064-YD155 |
| D45551P | 1 | MTCPQKT2P26PGDA PLUG - CONDUCTIVE | 06090 | 1 | 22-11-81 E001-01/ / | YD157-YR328 |
| D45553J | 1 | BACC63CC16-24P8 RCPT - CONDUCTIVE | 81205 | 1 | 22-11-81 E001-04/ / | YC064-YR328 |
| D45553JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 22-11-81 */*/ | YC064-YL999, YR301-YR328 |
| D45553JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 22-11-81 / / | YN231-YN501 |
| D45553P | 1 | BACC63CB16-24S8 PLUG - CONDUCTIVE | 81205 | 1 | 22-11-81 E001-04/ / | YD157-YR328 |

EQUIPMENT LIST

D280A108

Section D45500

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D45553PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 22-11-81 E001-04/ / | YD157-YD170 |
| D45553PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 22-11-81 */*/ | YL951-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D45500
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-----------------------------------|-----------------------|-----|------------------------------|-------------|
| D45905J | 1 | BACC63CC22-55P10 RCPT- | 81205 | 1 | 44-21-22 E008-01/ / | YN501-YR328 |
| D45905JK | 1 | S280W603-114 BACKSHELL | 81205 | 1 | 44-21-22 E008-01/ / | YN501-YR328 |
| D45905P | 1 | BACC63CB22-55S10 PLUG | 81205 | 1 | 44-21-22 AE0801A/ / | YN501-YR328 |
| D45905PQ | 1 | S280W603-114 BACKSHELL | 81205 | 1 | 44-21-22 */ */ | YN501-YR328 |
| D45907J | 1 | BACC63CC16-24S8 RCPT- | 81205 | 1 | 44-21-20 E008-01/ / | YN501-YR328 |
| D45907JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 44-21-20 / / | YN501-YR328 |
| D45907P | 1 | BACC63CB16-24P8 PLUG | 81205 | 1 | 44-21-20 E008-01/ / | YN501-YR328 |
| D45907PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 44-21-20 */ */ | YN501-YR328 |
| D45912J | 1 | BACC63CC16-24SN RCPT- | 81205 | 1 | 44-21-12 E008-01/ / | YN501-YR328 |
| D45912JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 44-21-12 E008-01/ / | YN501-YR328 |
| D45912P | 1 | BACC63CB16-24PN PLUG | 81205 | 1 | 44-21-12 E008-01/ / | YN501-YR328 |
| D45912PQ | | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 44-21-12 */ */ | YN501-YR328 |
| D45920J | 1 | BACC63CC22-55P9 RCPT- | 81205 | 1 | 44-21-26 E008-01/ / | YN501-YR328 |
| D45920JK | 1 | S280W603-113 BACKSHELL | 81205 | 1 | 44-21-22 E008-01/ / | YN501-YR328 |
| D45920P | 1 | BACC63CB22-55S9 PLUG | 81205 | 1 | 44-21-26 E008-01/ / | YN501-YR328 |
| D45920PQ | 1 | BACC10MP22 BACKSHELL, SWINGARM | 81205 | 1 | 44-21-26 */ */ | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D45900

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| D46002J | 1 | BACC63BV14B7S6 RCPT-CONDUCTIVE | 81205 | 1 | 32-64-11 IRSS/179/ | YC051-YR323, YR325-YR328 |
| D46002JK | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 32-64-11 ORSS/179/ | YC051-YR323, YR325-YR328 |
| D46002P | 1 | BACC63BP14D7P6 PLUG, CONDUCTIVE CONNECTOR | 81205 | 1 | 32-64-11 693/191/L97 | ALL |
| D46004J | 1 | BACC63BV14B7SN RCPT-CONDUCTIVE | 81205 | 1 | 32-41-11 IRSS/178/ | YC051-YR323, YR325-YR328 |
| D46004JK | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 ORSS/178/ | YC051-YR323, YR325-YR328 |
| D46004P | 1 | BACC63BP14D7PN PLUG, CONDUCTIVE CONNECTOR | 81205 | 1 | 32-31-11 694/192/L102 | ALL |
| D46006J | 1 | BACC63BV14B7SN RCPT-CONDUCTIVE | 81205 | 1 | 32-41-11 ORSS/217/ | YC051-YL968, YN231-YN236, YN501-YR328 |
| D46006JK | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 / / | YC051-YD152 |
| D46006JK | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 */ */ | YD153-YL968, YN231-YN236, YN501-YR328 |
| D46006P | 1 | BACC63BP14D7PN PLUG, CONDUCTIVE CONNECTOR | 81205 | 1 | 32-31-12 706/192/L137 | ALL |
| D46008J | 1 | BACC63BV14B7SN RCPT-CONDUCTIVE | 81205 | 1 | 32-64-12 ORSS/169/ | YC051-YL968, YN231-YN236, YN501-YR328 |
| D46008JK | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 32-64-12 / / | YC051-YD152 |
| D46008JK | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 32-64-12 */ */ | YD153-YL968, YN231-YN236, YN501-YR328 |
| D46008P | 1 | BACC63BP14D7PN PLUG, CONDUCTIVE CONNECTOR | 81205 | 1 | 32-64-12 711/180/L86 | ALL |
| D46010J | 1 | BACC63BV18F14S8 RCPT-CONDUCTIVE | 81205 | 1 | 27-61-11 675/198/L040 | YC051-YC064 |

EQUIPMENT LIST

D280A108

Section D46000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D46010J | 1 | BACC63BV18F14S8 RCPT-CONDUCTIVE | 81205 | 1 | 27-61-11 AL0675A/202/L037 | YC065-YD158 |
| D46010J | 1 | BACC63BV18H14S8 RCPT-CONDUCTIVE | 81205 | 1 | 27-61-11 AL0675A/202/L037 | YD160-YR328 |
| D46010JK | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-61-11 / / | YC051-YD158 |
| D46010JK | 1 | M85049-52S18A BACKSHELL-CONDUCTIVE | 81205 | 1 | 27-61-11 / / | YD160-YL999, YR301-YR328 |
| D46010JK | 1 | M85049-52S18A BACKSHELL-CONDUCTIVE | 81205 | 1 | 27-61-11 */*/ | YN231-YN501 |
| D46010P | 1 | BACC63BP18C14P8 PLUG-CONDUCTIVE | 81205 | 1 | 27-61-11 675/198/L042 | YC051-YD152 |
| D46010P | 1 | BACC63BP18C14P8 PLUG-CONDUCTIVE | 81205 | 1 | 27-61-11 AL0675A/202/L040 | YD153-YD158 |
| D46010P | 1 | BACC63BP18H14P8 PLUG-CONDUCTIVE | 81205 | 1 | 27-61-11 AL0675A/202/L040 | YD160-YR323, YR325-YR328 |
| D46010PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-61-11 TBD/ / | YC051-YC055 |
| D46010PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-61-11 682/201/L38 | YC056-YD152 |
| D46010PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-61-11 682/201/L038 | YD153-YD158 |
| D46010PQ | 1 | M85049-52S18A BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-61-11 */*/ | YD160-YR323, YR325-YR328 |
| D46011J | 1 | BACC45FN14-15S9 RCPT- | 81205 | 1 | 34-51-21 E001-04/ / | YC051-YD158, YL951-YR328 |
| D46011P | 1 | BACC45FT14-15P9 PLUG | 81205 | 1 | 34-51-21 E001-04/ / | ALL |
| D46011PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 34-51-21 E001-04/ / | YC051-YD170 |
| D46011PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 34-51-21 */*/ | YL951-YR328 |
| D46012J | 1 | BACC63BV14B7SN RCPT-CONDUCTIVE | 81205 | 1 | 32-64-11 IRSS 179/ / | ALL |

EQUIPMENT LIST

D280A108

Section D46000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D46012JK | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 32-64-11 ORSS 179/ / | ALL |
| D46012P | 1 | BACC63BP14D7PN PLUG, CONDUCTIVE CONNECTOR | 81205 | 1 | 32-64-11 IRSS 178/ / | ALL |
| D46013J | 1 | MTCPQKT2R26PFDA RCPT- | 06090 | 1 | 22-11-11 E001-01/ / | ALL |
| D46013P | 1 | MTCPQKT2P26SFDA PLUG - CONDUCTIVE | 06090 | 1 | 22-11-11 E001-01/ / | YC051-YD158, YL951-YR328 |
| D46014J | 1 | BACC63BV14B7S6 RCPT-CONDUCTIVE | 81205 | 1 | 32-41-11 IRSS 178/ / | ALL |
| D46014JK | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 ORSS 178/ / | ALL |
| D46014P | 1 | BACC63BP14D7P6 PLUG, CONDUCTIVE CONNECTOR | 81205 | 1 | 32-31-11 IRSS 178/ / | ALL |
| D46016J | 1 | BACC63BV14B7SN RCPT-CONDUCTIVE | 81205 | 1 | 32-41-11 IRSS 217/ / | YC051-YC058 |
| D46016J | 1 | BACC63BV14B7SN RCPT-CONDUCTIVE | 81205 | 1 | 32-41-11 IRSS 215/ / | YC059-YR328 |
| D46016JK | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 32-41-11 TBD/ / | ALL |
| D46016P | 1 | BACC63BP14D7PN PLUG, CONDUCTIVE CONNECTOR | 81205 | 1 | 32-31-12 IRSS 215/ / | ALL |
| D46017J | 1 | BACC45FN14-12P7 RCPT - POWER | 81205 | 1 | 34-57-21 E003-01/ / | ALL |
| D46017P | 1 | BACC45FT14-12S7 PLUG E3-1 SHELF | 81205 | 1 | 34-57-21 E003-01/ / | YC051-YN236, YN501-YR328 |
| D46017PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 34-57-21 */ */ | YC051-YN236, YN501-YR328 |
| D46018J | 1 | BACC63BV14B7SN RCPT-CONDUCTIVE | 81205 | 1 | 32-64-12 IRSS 170/ / | YC051-YC058 |
| D46018J | 1 | BACC63BV14B7SN RCPT-CONDUCTIVE | 81205 | 1 | 32-64-12 IRSS 168/ / | YC059-YR328 |
| D46018JK | 1 | BACC10KC14 CLAMP, 45 DEG | 81205 | 1 | 32-64-12 TBD/ / | ALL |

EQUIPMENT LIST

D280A108

Section D46000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D46018P | 1 | BACC63BP14D7PN PLUG, CONDUCTIVE CONNECTOR | 81205 | 1 | 32-64-12 IRSS 168/ / | ALL |
| D46020J | | BACC63BV14F7S8 RCPT-CONDUCTIVE | 81205 | 1 | 27-53-11 718/202/L026 | YC051-YD152 |
| D46020J | 1 | BACC63BV14F7S8 RCPT-CONDUCTIVE | 81205 | 1 | 27-53-11 718/202/L026 | YD153 |
| D46020J | 1 | CN0967C14A07S8-000 RCPT-CONDUCTIVE | 81205 | 1 | 27-53-11 718/202/L026 | YD154-YD158 |
| D46020J | 1 | BACC63BV14H12S8 RCPT-CONDUCTIVE | 81205 | 1 | 27-53-11 718/202/L026 | YD160-YR328 |
| D46020JK | | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-53-11 */*/ | YC051-YD152 |
| D46020JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-53-11 */*/ | YD153-YD158 |
| D46020JK | 1 | M85049-52S14A BACKSHELL-CONDUCTIVE | 81205 | 1 | 27-53-11 */*/ | YD160-YR328 |
| D46020P | | BACC63BP14C7P8 PLUG- CONDUCTIVE | 81205 | 1 | 27-53-11 718/201/L25 | YC051-YD152 |
| D46020P | 1 | BACC63BP14C7P8 PLUG- CONDUCTIVE | 81205 | 1 | 27-53-11 718/201/L25 | YD153 |
| D46020P | 1 | CN0966A14A07P8-000 PLUG- CONDUCTIVE | 81205 | 1 | 27-53-11 718/201/L25 | YD154-YD158 |
| D46020P | 1 | BACC63BP14D12P8 PLUG- CONDUCTIVE | 81205 | 1 | 27-53-11 718/201/L025 | YD160-YN236, YN501-YR328 |
| D46020PQ | | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-53-11 TBD/ / | YC051-YD152 |
| D46020PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-53-11 */*/ | YD153-YD158 |
| D46020PQ | 1 | M85049-52S14A BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-53-11 */*/ | YD160-YN236, YN501-YR328 |
| D46021J | 1 | BACC45FN12-12P RCPT | 81205 | 1 | 34-33-21 E003-02/ / | ALL |
| D46021P | 1 | BACC45FT12-12S PLUG E3-2 SHELF | 81205 | 1 | 34-33-21 E003-02/ / | YC051-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D46000

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| D46021PQ | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 34-33-21 */*/ | YC051-YN236, YN501-YR328 |
| D46022J | 1 | MTCPQKT1R2SFCB RCPT- | 06090 | 1 | 26-16-22 E002-02/ / | YC053-YD158, YL951-YR328 |
| D46022P | 1 | MTCPQKT1P2PFCB PLUG- | 06090 | 1 | 26-16-21 E002-02/ / | YC053-YR328 |
| D46023J | 1 | MTCPQKT2R26PFCA RCPT- | 06090 | 1 | 22-18-11 E001-01/ / | ALL |
| D46023P | 1 | MTCPQKT2P26SFCA PLUG | 06090 | 1 | 22-18-11 E001-01/ / | ALL |
| D46024J | 1 | BACC63BV22B19SN RCPT-CONDUCTIVE | 81205 | 1 | 32-41-11 718/202/L034 | ALL |
| D46024JK | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 / / | YC051-YL999, YR301-YR328 |
| D46024JK | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 718/L34/202 | YN231-YN501 |
| D46024P | 1 | BACC63BP22D19PN PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 718/201/L34 | YC051-YL968, YN231-YN236, YN501-YR328 |
| D46024PQ | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 TBD/ / | YC051-YD152 |
| D46024PQ | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 */*/ | YD153-YL968, YN231-YN236, YN501-YR328 |
| D46026J | 1 | BACC63BV18F14SN RCPT-CONDUCTIVE | 81205 | 1 | 32-41-11 675/198/L036 | YC051-YC055 |
| D46026J | 1 | BACC63BV18F14SN RCPT-CONDUCTIVE | 81205 | 1 | 32-41-11 AL0675B/202/L032 | YC056-YD158 |
| D46026J | 1 | BACC63BV18B14SN RCPT-CONDUCTIVE | 81205 | 1 | 32-41-11 AL0675B/202/L032 | YD160-YL999, YR301-YR328 |
| D46026J | 1 | BACC63BV18B14SN RCPT-CONDUCTIVE | 81205 | 1 | 32-41-11 675/198/L036 | YN231-YN501 |
| D46026JK | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 / / | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section D46000

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D46026JK | 1 | BACC10KA18 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 / / | YD160-YR328 |
| D46026P | 1 | BACC63BP18C14PN PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 675/198/L038 | YC051-YD157 |
| D46026P | 1 | BACC63BP18C14PN PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 AL0675B/202/L030 | YD158 |
| D46026P | 1 | BACC63BP18D14PN PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 AL0675B/202/L030 | YD160-YR323, YR325-YR328 |
| D46026PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 TBD/ / | YC051-YD158 |
| D46026PQ | 1 | BACC10KA18 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 TBD/ / | YD160-YR323, YR325-YR328 |
| D46028J | 1 | BACC63BV22B19S8 RCPT-CONDUCTIVE | 81205 | 1 | 32-41-11 675/198/L036 | ALL |
| D46028JK | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 / / | ALL |
| D46028P | 1 | BACC63BP22D19P8 PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 669/198/L038 | YC051-YD157 |
| D46028P | 1 | BACC63BP22D19P8 PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 AL0675B/202/L030 | YD158-YR323, YR325-YR328 |
| D46028PQ | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 TBD/ / | YC051-YR323, YR325-YR328 |
| D46030J | 1 | BACC63BV22F19S7 RCPT-CONDUCTIVE | 81205 | 1 | 29-33-11 675/198/L036 | YC051-YD158 |
| D46030J | 1 | BACC63BV22B19S7 RCPT-CONDUCTIVE | 81205 | 1 | 29-33-11 675/198/L036 | YD160-YR328 |
| D46030JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 29-33-11 / / | YC051-YD158 |
| D46030JK | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 29-33-11 / / | YD160-YR328 |
| D46030P | 1 | BACC63BP22C19P7 PLUG - CONDUCTIVE | 81205 | 1 | 29-33-11 671/198/L038 | YC051-YD157 |
| D46030P | 1 | BACC63BP22C19P7 PLUG - CONDUCTIVE | 81205 | 1 | 29-33-11 AL0675B/202/L030 | YD158 |

EQUIPMENT LIST

D280A108

Section D46000

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D46030P | 1 | BACC63BP22D19P7 PLUG - CONDUCTIVE | 81205 | 1 | 29-33-11 AL0675B/202/L030 | YL951-YR323, YR325-YR328 |
| D46030PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 29-33-11 */*/ | YC051-YD158 |
| D46030PQ | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 29-33-11 */*/ | YL951-YR323, YR325-YR328 |
| D46031J | 1 | BACC45FN12-12S RCPT- | 81205 | 1 | 22-11-12 E001-04/ / | YC051-YD155 |
| D46031J | 1 | BACC45FN14-12S RCPT- | 81205 | 1 | 22-11-12 E001-04/ / | YD157-YR328 |
| D46031P | 1 | BACC45FT12-12P PLUG | 81205 | 1 | 22-11-12 E001-04/ / | YC051-YD155 |
| D46031P | 1 | BACC45FT14-12P PLUG | 81205 | 1 | 22-11-12 E001-04/ / | YD157-YR328 |
| D46031PQ | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 22-11-12 E001-04/ / | YC051-YD155 |
| D46031PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-11-12 E001-04/ / | YD157-YD170 |
| D46031PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 22-11-12 */*/ | YL951-YR328 |
| D46032J | 1 | BACC63BV18F14S6 RCPT-CONDUCTIVE | 81205 | 1 | 32-44-11 721/201/L026 | YC051-YD158 |
| D46032J | 1 | BACC63BV18B14S6 RCPT-CONDUCTIVE | 81205 | 1 | 32-44-11 721/201/L026 | YD160-YR328 |
| D46032JK | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-44-11 */*/ | YC051-YD158 |
| D46032JK | 1 | BACC10KA18 CLAMP, STRAIGHT | 81205 | 1 | 32-44-11 */*/ | YD160-YR328 |
| D46032P | 1 | BACC63BP18C14P6 PLUG- CONDUCTIVE | 81205 | 1 | 32-44-11 721/201/L26 | YC051-YD152 |
| D46032P | 1 | BACC63BP18C14P6 PLUG- CONDUCTIVE | 81205 | 1 | 32-44-11 721/201/L026 | YD153-YD158 |
| D46032P | 1 | BACC63BP18D14P6 PLUG- CONDUCTIVE | 81205 | 1 | 32-44-11 721/201/L026 | YD160-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section D46000

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D46032PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-44-11 TBD/ / | YC051-YD152 |
| D46032PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 32-44-11 */*/ | YD153-YD158 |
| D46032PQ | 1 | BACC10KA18 CLAMP, STRAIGHT | 81205 | 1 | 32-44-11 */*/ | YD160-YN236, YN501-YR328 |
| D46033J | 1 | BACC63CC20-28PN RCPT - CONDUCTIVE | 81205 | 1 | 31-62-21 P009-00/ / | YC051-YD158, YL951-YR328 |
| D46033JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-62-21 */ / | YC051-YD158 |
| D46033JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-62-21 */*/ | YL951-YR328 |
| D46033P | 1 | BACC63CB20-28SN PLUG - CONDUCTIVE | 81205 | 1 | 31-62-21 190/214/R008 | ALL |
| D46033PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-62-21 P003-00/ / | YC051-YD155, YD158-YD170 |
| D46033PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 31-62-21 */*/ | YD157, YL951- YR328 |
| D46035J | 1 | BACC45FN14-12P8 RCPT - POWER | 81205 | 1 | 31-62-21 E003-01/ / | ALL |
| D46035P | 1 | BACC45FT14-12S8 PLUG E3-1 SHELF | 81205 | 1 | 31-62-21 E003-01/ / | ALL |
| D46035PQ | 1 | BACC10JS14 CLAMP, STRAIGHT | 81205 | 1 | 31-62-21 */*/ | ALL |
| D46036J | 1 | BACC63BV14F7S7 RCPT-CONDUCTIVE | 81205 | 1 | 27-53-12 720/201/L025 | YC051-YD158 |
| D46036J | 1 | BACC63BV14H7S7 RCPT-CONDUCTIVE | 81205 | 1 | 27-53-12 720/201/L025 | YD160-YR328 |
| D46036JK | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-53-12 720/201/L025 | YC051-YD158 |
| D46036JK | 1 | M85049-52S14A BACKSHELL-CONDUCTIVE | 81205 | 1 | 27-53-12 720/201/L025 | YD160-YL999, YR301-YR328 |
| D46036JK | 1 | M85049-52S14A BACKSHELL-CONDUCTIVE | 81205 | 1 | 27-53-12 */*/ | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D46000

Page 8

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D46036P | 1 | BACC63BP14C7P7 PLUG- CONDUCTIVE | 81205 | 1 | 27-53-12 719/201/L26 | YC051-YD153 |
| D46036P | 1 | BACC63BP14C7P7 PLUG- CONDUCTIVE | 81205 | 1 | 27-53-12 719/201/L026 | YD154-YD158 |
| D46036P | 1 | BACC63BP14D7P7 PLUG- CONDUCTIVE | 81205 | 1 | 27-53-12 719/201/L026 | YD160-YN236, YN501-YR328 |
| D46036PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-53-12 TBD/ / | YC051-YD153 |
| D46036PQ | 1 | BACC10KD14 CLAMP, STRAIGHT | 81205 | 1 | 27-53-12 */ */ * | YD154-YD158 |
| D46036PQ | 1 | M85049-52S14A BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-53-12 */ */ * | YD160-YN236, YN501-YR328 |
| D46038J | | BACC63BV20F28S7 RCPT-CONDUCTIVE | 81205 | 1 | 27-51-11 675/198/R036 | YC051-YD152 |
| D46038J | 1 | BACC63BV20F28S7 RCPT-CONDUCTIVE | 81205 | 1 | 27-51-11 675/198/R036 | YD153 |
| D46038J | 1 | CN0967C20A28S7Y000 RCPT-CONDUCTIVE | 81205 | 1 | 27-51-11 675/198/R036 | YD154-YD158 |
| D46038J | 1 | BACC63BV20H28S7 RCPT-CONDUCTIVE | 81205 | 1 | 27-51-11 675/198/R036 | YD160-YR328 |
| D46038JK | | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 27-51-11 */ */ * | YC051-YD152 |
| D46038JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 27-51-11 */ */ * | YD153-YD158 |
| D46038JK | 1 | M85049-52S20A BACKSHELL-CONDUCTIVE | 81205 | 1 | 27-51-11 */ */ * | YD160-YR328 |
| D46038P | | BACC63BP20C28P7 PLUG-CONDUCTIVE | 81205 | 1 | 27-51-11 671/198/R038 | YC051-YD152 |
| D46038P | 1 | BACC63BP20C28P7 PLUG-CONDUCTIVE | 81205 | 1 | 27-51-11 671/198/R038 | YD153 |
| D46038P | 1 | CN0966A20A28P7Y000 PLUG-CONDUCTIVE | 81205 | 1 | 27-51-11 671/198/R038 | YD154-YD158 |
| D46038P | 1 | BACC63BP20H28P7 PLUG-CONDUCTIVE | 81205 | 1 | 27-51-11 671/198/R038 | YL951-YR323, YR325-YR328 |

EQUIPMENT LIST

D280A108

Section D46000

Page 9

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D46038PQ | | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 27-51-11 TBD/ / | YC051-YD152 |
| D46038PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 27-51-11 TBD/ / | YD153-YD158 |
| D46038PQ | 1 | M85049-52S20A BACKSHELL-CONDUCTIVE | 81205 | 1 | 27-51-11 */*/ | YL951-YR323, YR325-YR328 |
| D46040J | 1 | BACC63BV22F19SN RCPT-CONDUCTIVE | 81205 | 1 | 29-25-11 718/201/R026 | YC051-YD158 |
| D46040J | 1 | BACC63BV22B19SN RCPT-CONDUCTIVE | 81205 | 1 | 29-25-11 718/201/R026 | YD160-YR328 |
| D46040JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 29-25-11 */*/ | YC051-YD158 |
| D46040JK | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 29-25-11 */*/ | YD160-YR328 |
| D46040P | 1 | BACC63BP22C19PN PLUG- CONDUCTIVE | 81205 | 1 | 29-25-11 718/201/R25 | YC051-YD158 |
| D46040P | 1 | BACC63BP22D19PN PLUG- CONDUCTIVE | 81205 | 1 | 29-25-11 718/201/R25 | YL951-YR328 |
| D46040PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 27-31-37 */*/ | YC051-YD158 |
| D46040PQ | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 27-31-37 */*/ | YL951-YR328 |
| D46042J | 1 | BACC63BV16F10S6 RCPT-CONDUCTIVE | 81205 | 1 | 29-33-11 675/198/R036 | YC051-YD158 |
| D46042J | 1 | BACC63BV16H10S6 RCPT-CONDUCTIVE | 81205 | 1 | 29-33-11 675/198/R036 | YD160-YR328 |
| D46042JK | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 29-33-11 */*/ | YC051-YD158 |
| D46042JK | 1 | M85049-52S16A BACKSHELL-CONDUCTIVE | 81205 | 1 | 29-33-11 */*/ | YD160-YR328 |
| D46042P | 1 | BACC63BP16C10P6 PLUG-CONDUCTIVE | 81205 | 1 | 29-33-11 673/198/R038 | YC051-YD158 |
| D46042P | 1 | BACC63BP16H10P6 PLUG-CONDUCTIVE | 81205 | 1 | 29-33-11 673/198/R038 | YL951-YL968, YN231-YR328 |

EQUIPMENT LIST

D280A108

Section D46000

Page 10

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| D46042PQ | 1 | BACC10KD16 CLAMP, STRAIGHT | 81205 | 1 | 29-33-11 */*/ | YC051-YD158 |
| D46042PQ | 1 | M85049-52S16A BACKSHELL-CONDUCTIVE | 81205 | 1 | 29-33-11 */*/ | YL951-YL968, YN231-YR328 |
| D46043J | 1 | BACC45FN12-12P9 RCPT | 81205 | 1 | 27-32-21 E003-02/ / | ALL |
| D46043P | 1 | BACC45FT12-12S9 PLUG E3-2 SHELF | 81205 | 1 | 27-32-21 E003-02/ / | ALL |
| D46043PQ | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 27-32-21 */*/ | ALL |
| D46044J | 1 | BACC63BV18F14S7 RCPT-CONDUCTIVE | 81205 | 1 | 27-54-11 720/201/R033 | YC051-YD158 |
| D46044J | 1 | BACC63BV18H14S7 RCPT-CONDUCTIVE | 81205 | 1 | 27-54-11 720/201/R033 | YD160-YR328 |
| D46044JK | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-54-11 */*/ | YC051-YD158 |
| D46044JK | 1 | M85049-52S18A BACKSHELL-CONDUCTIVE | 81205 | 1 | 27-54-11 */*/ | YD160-YR328 |
| D46044P | 1 | BACC63BP18C14P7 PLUG- CONDUCTIVE | 81205 | 1 | 27-54-11 720/201/R34 | YC051-YD158 |
| D46044P | 1 | BACC63BP18H14P7 PLUG- CONDUCTIVE | 81205 | 1 | 27-54-11 720/201/R34 | YD160-YL999, YR301-YR328 |
| D46044P | 1 | BACC63BP18H14P7 PLUG- CONDUCTIVE | 81205 | 1 | 27-54-11 720/201/R034 | YN231-YN501 |
| D46044PQ | 1 | BACC10KD18 CLAMP, STRAIGHT | 81205 | 1 | 27-54-11 TBD/ / | YC051-YD158 |
| D46044PQ | 1 | M85049-52S18A BACKSHELL- CONDUCTIVE | 81205 | 1 | 27-54-11 TBD/ / | YD160-YR328 |
| D46046J | 1 | BACC63BV22B55SN RCPT-CONDUCTIVE | 81205 | 1 | 78-34-21 675/198/R036 | ALL |
| D46046JK | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 78-34-21 / / | YC051-YC055 |
| D46046JK | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 78-34-21 */*/ | YC056-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D46000

Page 11

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-------------|
| D46046JK | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 78-34-21 */*/ | YN231-YN501 |
| D46046P | 1 | BACC63BP22D55PN PLUG-CONDUCTIVE | 81205 | 1 | 32-41-11 675/198/R038 | ALL |
| D46046PQ | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 TBD/ / | YC051-YD152 |
| D46046PQ | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 */*/ | YD153-YR328 |
| D46048J | 1 | BACC63BV20F16S7 RCPT-CONDUCTIVE | 81205 | 1 | 32-42-11 722/201/R026 | YC051-YD158 |
| D46048J | 1 | BACC63BV20B16S7 RCPT-CONDUCTIVE | 81205 | 1 | 32-42-11 722/201/R026 | YD160-YR328 |
| D46048JK | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 / / | YC051-YD158 |
| D46048JK | 1 | BACC10KA20 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 / / | YD160-YR328 |
| D46048P | 1 | BACC63BP20C16P7 PLUG- CONDUCTIVE | 81205 | 1 | 32-42-11 722/201/R024 | YC051-YD158 |
| D46048P | 1 | BACC63BP20D16P7 PLUG- CONDUCTIVE | 81205 | 1 | 32-42-11 722/201/R024 | YD160-YR328 |
| D46048PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 722/201/R024 | YC051-YD152 |
| D46048PQ | 1 | BACC10KD20 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 */*/ | YD153-YD158 |
| D46048PQ | 1 | BACC10KA20 CLAMP, STRAIGHT | 81205 | 1 | 32-42-11 */*/ | YD160-YR328 |
| D46050J | 1 | BACC63BV22F19S8 RCPT | 81205 | 1 | 26-11-31 724/202/R025 | YC051-YD158 |
| D46050J | 1 | BACC63BV22B19S8 RCPT | 81205 | 1 | 26-11-31 724/202/R025 | YD160-YR328 |
| D46050JK | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 26-11-31 / / | YC051-YD158 |
| D46050JK | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 26-11-31 / / | YD160-YR328 |

EQUIPMENT LIST

D280A108

Section D46000

Page 12

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|---|
| D46050P | 1 | BACC63BP22C19P8 PLUG- CONDUCTIVE | 81205 | 1 | 32-41-11 724/201/R25 | YC051-YD158 |
| D46050P | 1 | BACC63BP22D19P8 PLUG- CONDUCTIVE | 81205 | 1 | 32-41-11 724/201/R025 | YD160-YR328 |
| D46050PQ | 1 | BACC10KD22 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 TBD/ / | YC051-YD158 |
| D46050PQ | 1 | BACC10KA22 CLAMP, STRAIGHT | 81205 | 1 | 32-41-11 TBD/ / | YD160-YR328 |
| D46051J | 1 | BACC45FN18-14P6 RCPT | 81205 | 1 | 23-31-01 E001-03/ / | ALL |
| D46051P | 1 | BACC45FT18-14S6 PLUG E1-3 SHELF | 81205 | 1 | 23-31-01 E001-03/ / | ALL |
| D46052J | 1 | BACC45FN20-39S7 RCPT- | 81205 | 1 | 33-11-11 P006-00/ / | ALL |
| D46052P | 1 | BACC45FT20-39P7 PLUG- | 81205 | 1 | 33-11-11 P006-00/ / | ALL |
| D46061J | 1 | BACC45FN20-39S6 RCPT- | 81205 | 1 | 34-51-21 P006-00/ / | ALL |
| D46061P | 1 | BACC45FT20-39P6 PLUG- | 81205 | 1 | 34-51-21 P006-00/ / | YC051-YD158, YL951-YR328 |
| D46063J | 1 | BACC45FN20-28S8 RCPT- | 81205 | 1 | 31-62-21 P006-00/ / | ALL |
| D46063P | 1 | BACC45FT20-28P8 PLUG- | 81205 | 1 | 31-62-21 P006-00/ / | ALL |
| D46065J | 1 | BACC45FN22-32S RCPT- | 81205 | 1 | 22-11-12 P006-00/ / | ALL |
| D46065P | 1 | BACC45FT22-32P PLUG- | 81205 | 1 | 22-11-12 P006-00/ / | ALL |
| D46067J | 1 | BACC45FN20-28S8 RCPT- | 81205 | 1 | 34-57-21 P006-00/ / | ALL |
| D46067P | 1 | BACC45FT20-28P8 PLUG- | 81205 | 1 | 34-57-21 P006-00/ / | YC051-YC055, YN231-YN236, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D46000

Page 13

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------|
| D46067P | 1 | BACC45FT20-28P8 PLUG- | 81205 | 1 | 34-57-21 AP0600B/ / | YC056-YL999, YN501 |
| D46069J | 1 | BACC45FN14-12S7 RCPT- | 81205 | 1 | 22-14-11 P006-00/ / | ALL |
| D46069P | 1 | BACC45FT14-12P7 PLUG- | 81205 | 1 | 22-14-11 P006-00/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D46000

Page 14 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D46100J | 1 | BACC45FN20-39P6 RCPT- | 81205 | 1 | 32-44-11 J046-00/ / | ALL |
| D46100P | 1 | BACC45FT20-39S6 PLUG- | 81205 | 1 | 32-44-11 J046-00/ / | ALL |
| D46102J | 1 | BACC45FN20-39S9 RCPT- | 81205 | 1 | 32-64-12 J046-00/ / | ALL |
| D46102P | 1 | BACC45FT20-39P9 PLUG- | 81205 | 1 | 32-64-12 J046-00/ / | YC051-YD157, YN501-YR328 |
| D46102P | 1 | BACC45FT20-39P9 PLUG- | 81205 | 1 | 32-64-12 AJ0046A/ / | YD158, YL951- YN260 |
| D46104J | 1 | BACC45FN20-39S RCPT- | 81205 | 1 | 31-52-31 J046-00/ / | ALL |
| D46104P | 1 | BACC45FT20-39P PLUG- | 81205 | 1 | 21-37-31 J046-00/ / | YC051-YD157, YL951-YR328 |
| D46104P | 1 | BACC45FT20-39P PLUG- | 81205 | 1 | 21-37-31 AJ0046A/ / | YD158 |
| D46106J | 1 | BACC45FN20-39S RCPT- | 81205 | 1 | 76-21-21 J046-00/ / | ALL |
| D46106P | 1 | BACC45FT20-39P PLUG- | 81205 | 1 | 76-21-21 J046-00/ / | YC051-YC065 |
| D46106P | 1 | BACC45FT20-39P PLUG- | 81205 | 1 | 76-21-21 AJ0046B/ / | YC067-YR328 |
| D46106PQ | 1 | BACC10JS20 CLAMP, STRAIGHT | 81205 | 1 | 76-21-21 */ */* | ALL |
| D46108J | 1 | BACC45FN20-39S6 RCPT- | 81205 | 1 | 31-52-21 J046-00/ / | ALL |
| D46108P | 1 | BACC45FT20-39P6 PLUG- | 81205 | 1 | 21-25-11 J046-00/ / | YC051-YD158, YL951-YR328 |
| D46110J | 1 | MTCPQKT1R2PFAD RCPT- | 06090 | 1 | 32-42-11 J046-00/ / | ALL |
| D46110P | 1 | MTCPQKT1P2SFAD PLUG- | 06090 | 1 | 27-62-21 / / | YC051-YC055 |
| D46110P | 1 | MTCPQKT1P2SFAD PLUG- | 06090 | 1 | 27-62-21 264/178/R026 | YC056-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D46100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D46112J | 1 | BACC45FN20-39S7 RCPT- | 81205 | 1 | 30-31-12 J046-00/ / | ALL |
| D46112P | 1 | BACC45FT20-39P7 PLUG- | 81205 | 1 | 21-27-31 J046-00/ / | YC051-YR323, YR325-YR328 |
| D46114J | 1 | BACC45FN20-39S RCPT- | 81205 | 1 | 21-27-21 J046-00/ / | ALL |
| D46114P | 1 | BACC45FT20-39P PLUG- | 81205 | 1 | 21-27-21 J046-00/ / | ALL |
| D46116J | 1 | BACC45FN18-31S8 RCPT- | 81205 | 1 | 21-27-31 J046-00/ / | YC051-YD158 |
| D46116J | 1 | BACC45FN20-41S8 RCPT- | 81205 | 1 | 21-27-31 J046-00/ / | YL951-YR328 |
| D46116P | 1 | BACC45FT18-31P8 PLUG- | 81205 | 1 | 27-62-11 J046-00/ / | YC051-YD158 |
| D46116P | 1 | BACC45FT20-41P8 PLUG- | 81205 | 1 | 27-62-11 J046-00/ / | YL951-YR328 |
| D46118J | 1 | MTCPQKT1R2SGCA RCPT- | 06090 | 1 | 73-21-11 J046-00/ / | ALL |
| D46118P | 1 | MTCPQKT1P2PGCA PLUG- | 06090 | 1 | 73-21-11 J046-00/ / | YC051-YD158, YL951-YR328 |
| D46120J | 1 | MTCPQKT1R2SFAC RCPT- | 06090 | 1 | 21-43-21 J046-00/ / | ALL |
| D46120P | 1 | MTCPQKT1P2PFAC PLUG- | 06090 | 1 | 29-11-11 J046-00/ / | ALL |
| D46122J | 1 | BACC45FN20-39S7 RCPT- | 81205 | 1 | 52-71-11 J046-00/ / | ALL |
| D46122P | 1 | BACC45FT20-39P7 PLUG- | 81205 | 1 | 27-62-11 J046-00/ / | YC051-YD157, YN501-YR328 |
| D46122P | 1 | BACC45FT20-39P7 PLUG- | 81205 | 1 | 27-62-11 AJ0046A/ / | YD158, YL951- YN260 |
| D46124J | 1 | MTCPQKT1R2SFAA RCPT- | 06090 | 1 | 29-11-12 J046-00/ / | ALL |
| D46124P | 1 | MTCPQKT1P2PFAA PLUG-CONDUCTIVE | 06090 | 1 | 29-11-12 J046-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section D46100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-----------------------------------|-----------------------|-----|------------------------------|---|
| D46126J | 1 | BACC45FN20-39S8 RCPT- | 81205 | 1 | 76-21-21 J046-00/ / | ALL |
| D46126P | 1 | BACC45FT20-39P8 PLUG- | 81205 | 1 | 21-43-21 J046-00/ / | ALL |
| D46128J | 1 | MTCPQKT1R2SFBA RCPT- | 06090 | 1 | 36-11-11 J046-00/ / | ALL |
| D46128P | 1 | MTCPQKT1P2PFBA PLUG- | 06090 | 1 | 36-21-11 J046-00/ / | YC051-YD157, YL951-YL968, YN231-YN236, YN501-YR328 |
| D46128P | 1 | MTCPQKT1P2PFBA PLUG- | 06090 | 1 | 36-21-11 AJ0046A/ / | YD158 |
| D46130J | 1 | MTCPQKT1R2SFAA RCPT- | 06090 | 1 | 21-27-21 J046-00/ / | ALL |
| D46130P | 1 | MTCPQKT1P2PFAA PLUG- | 06090 | 1 | 21-27-31 J046-00/ / | YC051-YD157 |
| D46130P | 1 | MTCPQKT1P2PFAA PLUG- | 06090 | 1 | 21-27-31 AJ0046A/ / | YD158-YR328 |
| D46132J | 1 | MTCPQKT1R2SGAD RCPT- | 06090 | 1 | 78-34-21 J046-00/ / | ALL |
| D46132P | 1 | MTCPQKT1P2PGAD PLUG- | 06090 | 1 | 78-34-21 J046-00/*/* | YC051-YC065 |
| D46132P | 1 | MTCPQKT1P2PGAD PLUG- | 06090 | 1 | 78-34-21 AJ0046B/ / | YC067-YR328 |
| D46136J | 1 | MTCPQKT1R2SGBA RCPT- | 06090 | 1 | 32-31-12 J046-00/ / | ALL |
| D46136P | 1 | MTCPQKT1P2PGBA PLUG-CONDUCTIVE | 06090 | 1 | 32-31-12 J046-00/ / | ALL |
| D46138J | 1 | MTCPQKT1R2SFAB RCPT- | 06090 | 1 | 21-27-21 J046-00/ / | YC051-YC052 |
| D46138J | 1 | MTCPQKT1R2SFAB RCPT- | 06090 | 1 | 21-27-31 J046-00/ / | YC053-YR328 |
| D46138P | 1 | MTCPQKT1P2PFAB PLUG- | 06090 | 1 | 21-27-31 J046-00/ / | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section D46100

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D46138P | 1 | MTCPQKT1P2PFAB PLUG- | 06090 | 1 | 21-27-21 J046-00/ / | YN231-YN501 |
| D46142J | 1 | MTCPQKT1R2SFBD RCPT- | 06090 | 1 | 21-27-21 J046-00/ / | ALL |
| D46142P | 1 | MTCPQKT1P2PFBD PLUG- | 06090 | 1 | 21-27-21 J046-00/ / | ALL |
| D46144J | 1 | MTCPQKT1R2SGBC RCPT- | 06090 | 1 | 30-21-21 J046-00/ / | ALL |
| D46144P | 1 | MTCPQKT1P2PGBC PLUG- | 06090 | 1 | 30-21-21 J046-00/ / | YC051-YD153, YN231-YN501 |
| D46144P | 1 | MTCPQKT1P2PGBC PLUG- | 06090 | 1 | 30-21-21 AJ0046A/ / | YD154-YL999, YR301-YR328 |
| D46146J | 1 | MTCPQKT1R2SGBD RCPT- | 06090 | 1 | 73-21-11 J046-00/ / | ALL |
| D46146P | 1 | MTCPQKT1P2PGBD PLUG- | 06090 | 1 | 73-21-11 J046-00/ / | YC051-YC054 |
| D46146P | 1 | MTCPQKT1P2PGBD PLUG- | 06090 | 1 | 73-21-11 AJ0046A/ / | YC055-YR328 |
| D46150J | 1 | BACC45FN20-39P6 RCPT- | 81205 | 1 | 27-62-11 J046-00/ / | ALL |
| D46150P | 1 | BACC45FT20-39S6 PLUG- | 81205 | 1 | 27-62-11 AJ0046A/ / | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D46100

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D46438J | 1 | AMC02RA03B RCPT- | 05574 | 1 | 52-71-13 616/298/L015 | YC051-YL999, YR301-YR328 |
| D46438P | 1 | AMC02PA03B PLUG- | 05574 | 1 | 52-71-13 616/298/L015 | YC051-YL999, YR301-YR328 |
| D46440J | 1 | AMC02RA03B RCPT- | 05574 | 1 | 52-71-13 616/303/R010 | YC051-YL999, YR301-YR328 |
| D46440J | 1 | AMC02RA03B RCPT- | 05574 | 1 | 52-71-13 640/303/L010 | YN231-YN501 |
| D46440P | 1 | AMC02PA03B PLUG- | 05574 | 1 | 52-71-14 616/303/R010 | YC051-YL999, YR301-YR328 |
| D46440P | 1 | AMC02PA03B PLUG- | 05574 | 1 | 52-71-13 640/303/L008 | YN231-YN501 |
| D46461J | 1 | MTCPQKT2R22PGAB RECPT-CONDUCTIVE | 06090 | 1 | 27-53-11 E001-01/ / | ALL |
| D46461P | 1 | MTCPQKT2P22SGAB PLUG-CONDUCTIVE | 06090 | 1 | 27-53-11 E001-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D46400
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D46602J | 1 | BACC45FN18-14P6 RCPT- | 81205 | 1 | 29-25-11 727+2/192/R044 | ALL |
| D46602JK | 1 | BACC10GH18 BACKSHELL-STRAIGHT | 81205 | 1 | 29-25-11 / / | ALL |
| D46602P | 1 | BACC45FT18-14S6 PLUG- | 81205 | 1 | 29-25-11 727+2/192/R044 | ALL |
| D46602PQ | 1 | BACC10GH18 BACKSHELL- | 81205 | 1 | 29-25-11 */*/ | ALL |
| D46606J | 1 | BACC45FN18-31S6 RCPT- | 81205 | 1 | 26-16-22 AB0500DL / / | YC053-YR328 |
| D46606P | 1 | BACC45FT18-31P6 PLUG- | 81205 | 1 | 26-16-22 AB0500DL / / | YC053-YR328 |
| D46606PQ | 1 | BACC10JS18 CLAMP, STRAIGHT | 81205 | 1 | 26-16-22 */*/ | YC053-YR328 |
| D46608J | 1 | BACC45FN12-12S RCPT- | 81205 | 1 | 26-23-11 AB0500DL / / | YC053-YR328 |
| D46608P | 1 | BACC45FT12-12P PLUG- | 81205 | 1 | 26-23-11 AB0500DL / / | YC053-YR328 |
| D46608PQ | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 26-23-11 */*/ | YC053-YR328 |
| D46616J | 1 | BACC45FN20-25P7 RCPT- | 81205 | 1 | 29-25-11 J011-00/ / | ALL |
| D46616P | 1 | BACC45FT20-25S7 PLUG- | 81205 | 1 | 29-25-11 J011-00/ / | YC051-YC053 |
| D46616P | 1 | BACC45FT20-25S7 PLUG- | 81205 | 1 | 29-25-11 907/184/R030 | YC054-YC058, YN231-YN501 |
| D46616P | 1 | BACC45FT20-25S7 PLUG- | 81205 | 1 | 29-25-11 905/185/R031 | YC059-YL999, YR301-YR328 |
| D46616PQ | 1 | BACC10JC20 CLAMP, 90 DEG | 81205 | 1 | 29-25-11 / / | ALL |
| D46618J | 1 | BACC45FN20-16P RCPT- | 81205 | 1 | 29-25-11 J011-00/ / | ALL |
| D46618P | 1 | BACC45FT20-16S PLUG- | 81205 | 1 | 29-25-11 907/186/R030 | YC051-YC058, YN231-YN501 |

EQUIPMENT LIST

D280A108

Section D46600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D46618P | 1 | BACC45FT20-16S PLUG- | 81205 | 1 | 29-25-11 905/187/R031 | YC059-YL999, YR301-YR328 |
| D46618PQ | 1 | BACC10JC20 CLAMP, 90 DEG | 81205 | 1 | 29-25-11 / / | ALL |
| D46623J | 1 | BACC45FN20-25P8 RCPT- | 81205 | 1 | 23-71-01 904.5/ / | YL963-YL999, YN236-YR328 |
| D46623P | 1 | BACC45FT20-25S8 PLUG | | 1 | 23-71-01 907/187/R030 | YL963-YL999, YN236-YR328 |
| D46623PQ | 1 | BACC10JC20 CLAMP, 90 DEG | | 1 | 23-71-01 / / | YL964-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section D46600

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| D48080J | 1 | BACC63BV20F16PN RCPT-CONDUCTIVE | 81205 | 1 | 26-11-31 P028-00/ / | YC051-YD158 |
| D48080P | 1 | BACC63BP20C16SN PLUG-CONDUCTIVE | 81205 | 1 | 26-11-31 724/171/R018 | YC051-YD158 |
| D48080P | 1 | BACC63BP20H16SN PLUG-CONDUCTIVE | 81205 | 1 | 26-11-31 724/171/R018 | YD160-YR328 |
| D48080PQ | 1 | BACC10KE20 CLAMP, 90 DEG | 81205 | 1 | 26-11-31 TBD/ / | YC051-YD158 |
| D48080PQ | 1 | M85049-51S20A BACKSHELL- CONDUCTIVE | 81205 | 1 | 26-11-31 TBD/ / | YD160-YR328 |

EQUIPMENT LIST

D280A108

Section D48000

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| D48100J | 1 | MTCPQKT1R2SFAA RCPT- | 06090 | 1 | 27-53-11 J048-00/ / | ALL |
| D48100P | 1 | MTCPQKT1P2PFAA PLUG-CONDUCTIVE | 06090 | 1 | 30-42-11 J048-00/ / | YC051-YD158, YL951-YR328 |
| D48102J | 1 | MTCPQKT1R2SGBA RCPT- | 06090 | 1 | 21-27-21 J048-00/ / | ALL |
| D48102P | 1 | MTCPQKT1P2PGBA PLUG-CONDUCTIVE | 06090 | 1 | 21-27-21 J048-00/ / | YC053-YR328 |
| D48104J | 1 | MTCPQKT1R2SFAD RCPT- | 06090 | 1 | 30-31-11 J048-00/ / | ALL |
| D48104P | 1 | MTCPQKT1P2PFAD PLUG- | 06090 | 1 | 21-27-21 J048-00/ / | ALL |
| D48106J | 1 | MTCPQKT1R2SFDB RCPT- | 06090 | 1 | 21-43-21 J048-00/ / | ALL |
| D48106P | 1 | MTCPQKT1P2PFDB PLUG-CONDUCTIVE | 06090 | 1 | 21-43-21 J048-00/ / | YC051-YD158, YL951-YR328 |
| D48108J | 1 | MTCPQKT1R2SFDC RCPT- | 06090 | 1 | 24-31-11 J048-00/ / | ALL |
| D48108P | 1 | MTCPQKT1P2PFDC PLUG- | 06090 | 1 | 24-31-11 J048-00/ / | ALL |
| D48110J | 1 | MTCPQKT1R2SGBC RCPT- | 06090 | 1 | 30-21-11 J048-00/ / | ALL |
| D48110P | 1 | MTCPQKT1P2PGBC PLUG- | 06090 | 1 | 30-21-11 J048-00/ / | ALL |
| D48112J | 1 | MTCPQKT1R2SFDD RCPT- | 06090 | 1 | 21-27-21 J048-00/ / | ALL |
| D48112P | 1 | MTCPQKT1P2PFDD PLUG- | 06090 | 1 | 21-27-21 J048-00/ / | YC051-YD158, YL951-YR328 |
| D48114J | 1 | MTCPQKT1R2SGAA RCPT- | 06090 | 1 | 21-27-31 J048-00/ / | ALL |
| D48114P | 1 | MTCPQKT1P2PGAA PLUG- | 06090 | 1 | 32-64-21 J048-00/ / | YC051-YD158, YL951-YR328 |
| D48116J | 1 | MTCPQKT1R2SGDA RCPT- | 06090 | 1 | 21-25-11 J048-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section D48100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|---|
| D48116P | 1 | MTCPQKT1P2PGDA PLUG- | 06090 | 1 | 21-27-31 J048-00/ / | ALL |
| D48118J | 1 | MTCPQKT1R2SFBB RCPT- | 06090 | 1 | 26-21-11 J048-00/ / | ALL |
| D48118P | 1 | MTCPQKT1P2PFBB PLUG- | 06090 | 1 | 26-21-11 J048-00/ / | YC051-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D48120J | 1 | MTCPQKT1R2SFCA RCPT- | 06090 | 1 | 21-27-31 J048-00/ / | ALL |
| D48120P | 1 | MTCPQKT1P2PFCA PLUG- | 06090 | 1 | 76-21-11 J048-00/ / | YC051-YD158, YL951-YL968, YN231-YN236, YN501-YR328 |
| D48122J | 1 | MTCPQKT1R2SGAC RCPT- | 06090 | 1 | 21-27-21 J048-00/ / | ALL |
| D48122P | 1 | MTCPQKT1P2PGAC PLUG- | 06090 | 1 | 76-21-11 J048-00/ / | ALL |
| D48124J | 1 | MTCPQKT1R2SFAB RCPT- | 06090 | 1 | 21-27-21 J048-00/ / | ALL |
| D48124P | 1 | MTCPQKT1P2PFAB PLUG- | 06090 | 1 | 21-27-21 J048-00/ / | ALL |
| D48126J | 1 | MTCPQKT1R2SFAB RCPT- | 06090 | 1 | 21-27-31 J048-00/ / | ALL |
| D48126P | 1 | MTCPQKT1P2PFAB PLUG- | 06090 | 1 | 21-27-31 J048-00/ / | ALL |
| D48128J | 1 | MTCPQKT1R2SGBD RCPT- | 06090 | 1 | 28-41-11 J048-00/ / | ALL |
| D48128P | 1 | MTCPQKT1P2PGBD PLUG- | 06090 | 1 | 28-41-11 J048-00/ / | ALL |
| D48130J | 1 | MTCPQKT1R2SFBC RCPT- | 06090 | 1 | 21-27-21 J048-00/ / | ALL |
| D48130P | 1 | MTCPQKT1P2PFBC PLUG- | 06090 | 1 | 21-27-21 J048-00/ / | YC051-YC059, YC065-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section D48100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D48130P | 1 | MTCPQKT1P2PFBC PLUG- | 06090 | 1 | 21-27-21 AJ0048A/ / | YC060-YC064 |
| D48132J | 1 | MTCPQKT1R2SFCB RCPT- | 06090 | 1 | 24-22-31 J048-00/ / | ALL |
| D48132P | 1 | MTCPQKT1P2PFBC PLUG- | 06090 | 1 | 24-22-31 J048-00/ / | ALL |
| D48134J | 1 | MTCPQKT1R2SGBA RCPT- | 06090 | 1 | 30-11-11 J048-00/ / | ALL |
| D48134P | 1 | MTCPQKT1P2PGBA PLUG- | 06090 | 1 | 73-21-12 J048-00/ / | ALL |
| D48136J | 1 | MTCPQKT1R2SGAC RCPT- | 06090 | 1 | 73-21-11 J048-00/ / | ALL |
| D48136P | 1 | MTCPQKT1P2PGAC PLUG- | 06090 | 1 | 78-32-51 J048-00/ / | ALL |
| D48138J | 1 | MTCPQKT1R2SFCA RCPT- | 06090 | 1 | 26-21-11 J048-00/ / | ALL |
| D48138P | 1 | MTCPQKT1P2PFCA PLUG- | 06090 | 1 | 26-21-11 J048-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section D48100
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D48323J | 1 | BACC45FN12-12P RCPT- | 81205 | 1 | 23-31-06 E008-01/ / | YC053-YD157 |
| D48323J | 1 | BACC45FN12-12P RCPT- | 81205 | 1 | 23-11-21 E008-01/ / | YD158-YD170 |
| D48323JK | 1 | BACC10JS12 CLAMP, STRAIGHT | 81205 | 1 | 23-31-06 E008-01/ / | YC053-YD157 |
| D48323P | 1 | BACC45FT12A12S PLUG- | 81205 | 1 | 23-31-06 E008-01/ / | YC053-YD158 |
| D48333J | 1 | MTCPQKT1R2SGBC RCPT-CONDUCTIVE | 81205 | 1 | 23-34-02 E008-01/ / | YD158-YD170 |
| D48333P | 1 | MTCPQKT1P2PGBC PLUG-CONDUCTIVE | 81205 | 1 | 23-34-02 E008-01/ / | YD158-YD170 |
| D48335J | 1 | BACC63CC16-24S8 RCPT-CONDUCTIVE | 81205 | 1 | 23-34-02 E008-01/ / | YC051-YD170 |
| D48335JK | | S280W604-13 BACKSHELL - STRAIGHT - FOR D48335J | 81205 | 1 | 23-34-02 E008-01/ / | YC051-YC070 |
| D48335JK | | S280W604-13 BACKSHELL - STRAIGHT - FOR D48335J | 81205 | 1 | 23-34-02 */ */ * | YD151-YD170 |
| D48335P | 1 | BACC63CB16-24P8 RCPT-CONDUCTIVE | 81205 | 1 | 23-34-02 313/186/R10 | YC051-YD157 |
| D48335P | 1 | BACC63CB16-24P8 RCPT-CONDUCTIVE | 81205 | 1 | 23-34-02 AE0801B/ / | YD158-YD170 |
| D48335PQ | | S280W604-13 BACKSHELL - STRAIGHT - FOR D48335P | 81205 | 1 | 23-34-02 E008-01/ / | YC051-YD157 |
| D48335PQ | | S280W604-13 BACKSHELL - STRAIGHT | 81205 | 1 | 23-34-02 */ */ * | YD158-YD170 |
| D48337J | 1 | MTCPQKT1R2SGAA RCPT - CONDUCTIVE | 81205 | 1 | 23-31-06 E008-01/ / | YC051-YC052 |
| D48337J | 1 | MTCPQKT1R2SGBB RCPT-CONDUCTIVE | 06090 | 1 | 23-31-06 E008-01/ / | YC053-YD157 |
| D48337P | 1 | MTCPQKT1P2PGAA PLUG - CONDUCTIVE | 06090 | 1 | 23-31-06 E008-01/ / | YC051-YC052 |
| D48337P | 1 | MTCPQKT1P2PGBB PLUG - CONDUCTIVE | 06090 | 1 | 23-31-06 E008-01/ / | YC053-YD157 |

EQUIPMENT LIST

D280A108

Section D48300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| D48339J | 1 | BACC63CC16-24S9 RCPT-CONDUCTIVE | 81205 | 1 | 23-34-02 E008-01/ / | YC051-YD170 |
| D48339JK | | S280W604-13 BACKSHELL - STRAIGHT - FOR D48339J | 81205 | 1 | 23-34-02 E008-01/ / | YC051-YC070 |
| D48339JK | | S280W604-13 BACKSHELL - STRAIGHT - FOR D48339J | 81205 | 1 | 23-34-02 */*/ | YD151-YD170 |
| D48339P | 1 | BACC63CB16-24P9 PLUG-CONDUCTIVE | 81205 | 1 | 23-34-02 313/184/R11 | YC051-YD157 |
| D48339P | 1 | BACC63CB16-24P9 RCPT-CONDUCTIVE | 81205 | 1 | 23-34-02 E008-01/ / | YD158-YD170 |
| D48339PQ | | S280W604-13 BACKSHELL - STRAIGHT - FOR D48339P | 81205 | 1 | 23-34-02 E008-01/ / | YC051-YD157 |
| D48339PQ | | S280W604-13 BACKSHELL | 81205 | 1 | 23-34-02 */*/ | YD158-YD170 |
| D48389J | 1 | MTCPQKT2R26PFBB RCPT- | 06090 | 1 | 23-34-01 E008-01/ / | YC051-YC052 |
| D48389J | 1 | MTCPQKT2R26PFAD RCPT- | 06090 | 1 | 23-34-01 E008-01/ / | YC053-YD170 |
| D48389P | 1 | MTCPQKT2P26SGBB PLUG-CONDUCTIVE | 06090 | 1 | 23-34-01 E008-01/ / | YC051-YC052 |
| D48389P | 1 | MTCPQKT2P26SGAD PLUG-CONDUCTIVE | 06090 | 1 | 23-34-01 E008-01/ / | YC053-YD170 |

EQUIPMENT LIST

D280A108

Section D48300

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| D48901J | 1 | BACC45FN14-4S6 RECP | 81205 | 1 | 22-13-11 P018-00/ / | ALL |
| D48901P | 1 | BACC45FT14-4P6 PLUG | 81205 | 1 | 22-13-11 P018-00/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section D48900

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|-------------|
| D49994J | 1 | MTCPQKT1R2PGCD RCPT - CONDUCTIVE | 06090 | 1 | 79-31-11 E003-01/ / | ALL |
| D49994P | 1 | MTCPQKT1P2SGCD PLUG- | 06090 | 1 | 79-31-11 E003-01/ / | ALL |
| D49996J | 1 | MTCPQKT2R26PFAA RCPT- | 06090 | 1 | 28-23-11 E002-01/ / | ALL |
| D49996P | 1 | MTCPQKT2P26SFAA PLUG- | 06090 | 1 | 28-23-11 E002-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section D49900
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| DA13357 | 1 | 617610465 PLUG - EPX SHELL AND QUADRAX | | 1 | 44-21-12 350/ / | YR303-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section DA1300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| DB13357 | 1 | BACI10AL22BS INSERT B | | 1 | 44-21-12 350/ / | YR303-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section DB1300
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| DM0001 | | BACC63CP22G398 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 27-81-12 520/ / | ALL |
| DM0002 | | BACC63CP22G398 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 27-81-22 520/ / | ALL |
| DM0003 | | BACC63CP22G396 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 33-44-12 520/ / | ALL |
| DM0004 | | BACC63CP22G396 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 33-44-12 520/ / | ALL |
| DM0005 | | BACC63CP18G117 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 76-21-11 520/ / | ALL |
| DM0006 | | BACC63CP18G117 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 76-21-21 520/ / | ALL |
| DM0007 | | BACC63CP22G398 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 28-41-11 520/ / | ALL |
| DM0008 | | BACC63CP22G398 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 28-41-12 520/ / | ALL |
| DM0009 | | BACC63CP22G39N CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 78-36-11 520/ / | ALL |
| DM0010 | | BACC63CP22G39N CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 73-21-21 520/ / | ALL |
| DM0011 | | BACC63CP22G3910 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 73-21-21 520/ / | ALL |
| DM0012 | | BACC63CP22G3910 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 73-21-21 520/ / | ALL |
| DM0013 | | BACC63CP22G397 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 73-22-11 520/ / | ALL |
| DM0014 | | BACC63CP22G397 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 30-21-21 520/ / | ALL |
| DM0015 | | BACC63CP18G11N CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 26-11-11 520/ / | ALL |
| DM0016 | | BACC63CP18G11N CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 26-12-12 520/ / | ALL |
| DM0017 | | BACC63CP22G399 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 77-12-21 520/ / | ALL |

EQUIPMENT LIST

D280A108

Section DM0000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| DM0018 | | BACC63CP22G399 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 24-21-21 520/ / | ALL |
| DM0019 | | BACC63CR16G24N CONNECTOR-FEED THROUGH | 288A1671 81205 | 1 | 74-11-11 AW0258L/ / | ALL |
| DM0020 | | BACC63CR16G24N CONNECTOR-FEED THROUGH | 288A1681 81205 | 1 | 74-11-11 AW0258R/ / | ALL |
| DM0021 | | BACC63CP22G39N CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 28-23-11 520/ / | ALL |
| DM0022 | | BACC63CP22G39N CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 28-23-11 520/ / | ALL |
| DM0023 | | BACC63CR22G399 CONNECTOR-FEED THROUGH | 288A1671 81205 | 1 | 24-21-11 AW0258L/ / | YC051-YN501 |
| DM0023 | | BACC63CP22G399 CONNECTOR-FEED THROUGH | 288A1671 81205 | 1 | 24-21-21 AW0258L/ / | YR301-YR328 |
| DM0024 | | BACC63CR22G399 CONNECTOR-FEED THROUGH | 288A1681 81205 | 1 | 24-21-21 AW0258R/ / | ALL |
| DM0025 | | BACC63CR22G39N CONNECTOR-FEED THROUGH | 288A1671 81205 | 1 | 73-21-21 AW0258L/ / | ALL |
| DM0026 | | BACC63CR22G39N CONNECTOR-FEED THROUGH | 288A1681 81205 | 1 | 73-21-21 AW0258R/ / | ALL |
| DM0027 | | BACC63CR22G396 CONNECTOR-FEED THROUGH | 288A1671 81205 | 1 | 73-21-21 AW0258L/ / | ALL |
| DM0028 | | BACC63CR22G396 CONNECTOR-FEED THROUGH | 288A1681 81205 | 1 | 73-21-11 AW0258R/ / | ALL |
| DM0032 | | BACC63CP22S39N CONNECTOR FEED-THRU ASSY | 287A4304 81205 | 1 | 47-30-11 536/164/L036 | ALL |
| DM0035 | | BACC63CP22G39N CONNECTOR-FEED THROUGH | 284A0807 81205 | 1 | 24-41-11 230/187/R034 | YL955-YL999, YN236-YR328 |
| DM0044 | | BACC63CP22S39N CONNECTOR FEED-THRU ASSY | 287A4304 81205 | 1 | 47-30-11 536/166/R037 | ALL |
| DM0050 | | BACC63CP22G3910 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 21-51-11 536/163/L009 | ALL |
| DM0060 | | BACC63CP22G3910 CONNECTOR-FEED THROUGH | 287A4304 81205 | 1 | 21-51-21 536/159/R026 | ALL |

EQUIPMENT LIST

D280A108

Section DM0000

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| DP1204 | | MS3459KS-10SL-4 PLUG-PUMP DEP VLV | REFERENCE | 2 | 29-11-11 ENG/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section DP1200

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| E001-01 | | 284A0711 SHELF | 284A0710 81205 | 1 | 91-03-01 313/178/L04 | ALL |
| E001-02 | | 284A0712 SHELF | 284A0710 81205 | 1 | 91-03-01 314/168/R08 | ALL |
| E001-03 | | 284A0713 SHELF | 284A0710 81205 | 1 | 91-03-01 312/169/L14 | ALL |
| E001-04 | | 284A0714 SHELF | 284A0710 81205 | 1 | 91-03-01 313/159/R08 | ALL |
| E001-05 | | 284A0715 SHELF | 284A0710 81205 | 1 | 91-03-01 311/160/L10 | ALL |

EQUIPMENT LIST

D280A108

Section E001
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| E002-01 | | 284A0721 SHELF | 284A0720 81205 | 1 | 91-03-02 381/193/L36 | ALL |
| E002-02 | | 284A0722 SHELF | 284A0720 81205 | 1 | 91-03-02 381/185/L36 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section E002
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| E003-01 | | 284A0731 SHELF | 284A0730 81205 | 1 | 91-03-03 381/194/L02 | ALL |
| E003-02 | | 284A0732 SHELF | 284A0730 81205 | 1 | 91-03-03 381/185/L02 | ALL |
| E003-03 | | 284A0733 SHELF | 284A0730 81205 | 1 | 91-03-03 380/176/L002 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section E003
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| E004-01 | | 284A0741 SHELF | 284A0740 81205 | 1 | 91-03-04 381/195/R31 | ALL |
| E004-02 | | 284A0742 SHELF | 284A0740 81205 | 1 | 91-03-04 381/185/R31 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section E004
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| E005-01 | | 284A0751 SHELF | 284A0750 81205 | 1 | 91-03-05 338/191/R33 | ALL |
| E005-02 | | 284A0752 SHELF | 284A0750 81205 | 1 | 91-03-05 337/176/R34 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section E005
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| E006-01 | | 284A0761 SHELF | 284A0760 81205 | 1 | 91-03-06 883/195/R42 | ALL |
| E006-02 | | 284A0762 SHELF | 284A0760 81205 | 1 | 91-03-06 878/181/R38 | ALL |
| E006-03 | | 284A0763 SHELF | 284A0760 81205 | 1 | 91-03-06 877/177/R32 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section E006

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| E008-01 | | 284A0781 SHELF | 284A0780 81205 | 1 | 91-03-08 312/191/L06 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section E008
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| E020-00 | | 284A0402 SHELF-FLT DATA REC | 284A0402 | 0 | 9100XX 930/295/0000 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section E020
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| F00001C | | S345A001-205 TANK UNIT 1-CENTER TANK | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00001C | | 20200-213 TANK UNIT 1-CENTER TANK | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00001C | | 20200-313 TANK UNIT 1-CENTER TANK | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00001L | | S345A001-113 TANK UNIT 1-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00001L | | 20200-212 TANK UNIT 1-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00001L | | 20200-312 TANK UNIT 1-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00001R | | S345A001-113 TANK UNIT 1-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00001R | | 20200-212 TANK UNIT 1-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00001R | | 20200-312 TANK UNIT 1-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00002C | | S345A001-206 TANK UNIT 2-CENTER TANK | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00002C | | 20200-214 TANK UNIT 2-CENTER TANK | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00002C | | 20200-314 TANK UNIT 2-CENTER TANK | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00002L | | S345A001-114 TANK UNIT 2-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00002L | | 20200-210 TANK UNIT 2-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00002L | | 20200-310 TANK UNIT 2-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00002R | | S345A001-114 TANK UNIT 2-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00002R | | 20200-210 TANK UNIT 2-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |

EQUIPMENT LIST

D280A108

Section F00000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| F00002R | | 20200-310 TANK UNIT 2-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00003C | | S345A001-207 TANK UNIT 3-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00003C | | 20200-216 TANK UNIT 3-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00003C | | 20200-316 TANK UNIT 3-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00003L | | S345A001-115 TANK UNIT 3-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00003L | | 20200-211 TANK UNIT 3-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00003L | | 20200-311 TANK UNIT 3-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00003R | | S345A001-115 TANK UNIT 3-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00003R | | 20200-211 TANK UNIT 3-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00003R | | 20200-311 TANK UNIT 3-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00004C | | S345A001-204 TANK UNIT 4-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00004C | | 20200-115 TANK UNIT 4-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00004C | | 20200-315 TANK UNIT 4-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00004L | | S345A001-116 TANK UNIT 4-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00004L | | 20200-209 TANK UNIT 4-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00004L | | 20200-309 TANK UNIT 4-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00004R | | S345A001-116 TANK UNIT 4-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |

EQUIPMENT LIST

D280A108

Section F00000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| F00004R | | 20200-209 TANK UNIT 4-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00004R | | 20200-309 TANK UNIT 4-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00005C | | S345A001-204 TANK UNIT 5-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00005C | | 20200-115 TANK UNIT 5-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00005C | | 20200-315 TANK UNIT 5-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00005L | | S345A001-117 TANK UNIT 5-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00005L | | 20200-207 TANK UNIT 5-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00005L | | 20200-307 TANK UNIT 5-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00005R | | S345A001-117 TANK UNIT 5-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00005R | | 20200-207 TANK UNIT 5-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00005R | | 20200-307 TANK UNIT 5-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00006C | | S345A001-207 TANK UNIT 6-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00006C | | 20200-216 TANK UNIT 6-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00006C | | 20200-316 TANK UNIT 6-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00006L | | S345A001-118 TANK UNIT 6-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00006L | | 20200-208 TANK UNIT 6-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00006L | | 20200-308 TANK UNIT 6-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section F00000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| F00006R | | S345A001-118 TANK UNIT 6-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00006R | | 20200-208 TANK UNIT 6-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00006R | | 20200-308 TANK UNIT 6-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00007C | | S345A001-206 TANK UNIT 7-CENTER TANK | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00007C | | 20200-214 TANK UNIT 7-CENTER TANK | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00007C | | 20200-314 TANK UNIT 7-CENTER TANK | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00007L | | S345A001-119 TANK UNIT 7-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00007L | | 20200-206 TANK UNIT 7-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00007L | | 20200-306 TANK UNIT 7-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00007R | | S345A001-119 TANK UNIT 7-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00007R | | 20200-206 TANK UNIT 7-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00007R | | 20200-306 TANK UNIT 7-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00008C | | S345A001-205 TANK UNIT 8-CENTER TANK | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00008C | | 20200-213 TANK UNIT 8-CENTER TANK | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00008C | | 20200-313 TANK UNIT 8-CENTER TANK | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00008L | | S345A001-120 TANK UNIT 8-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00008L | | 20200-205 TANK UNIT 8-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |

EQUIPMENT LIST

D280A108

Section F00000

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| F00008L | | 20200-305 TANK UNIT 8-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00008R | | S345A001-120 TANK UNIT 8-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00008R | | 20200-205 TANK UNIT 8-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00008R | | 20200-305 TANK UNIT 8-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00009L | | S345A001-109 TANK UNIT 9-TANK 1 | 34543111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00009L | | 20200-104 TANK UNIT 9-TANK 1 | 34543111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00009L | | 20200-304 TANK UNIT 9-TANK 1 | 34543111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00009R | | S345A001-109 TANK UNIT 9-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00009R | | 20200-104 TANK UNIT 9-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00009R | | 20200-304 TANK UNIT 9-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00010L | | S345A001-110 TANK UNIT 10-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00010L | | 20200-103 TANK UNIT 10-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00010L | | 20200-303 TANK UNIT 10-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00010R | | S345A001-110 TANK UNIT 10-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00010R | | 20200-103 TANK UNIT 10-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00010R | | 20200-303 TANK UNIT 10-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00011L | | S345A001-121 TANK UNIT 11-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |

EQUIPMENT LIST

D280A108

Section F00000

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| F00011L | | 20200-202 TANK UNIT 11-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00011L | | 20200-302 TANK UNIT 11-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00011R | | S345A001-121 TANK UNIT 11-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00011R | | 20200-202 TANK UNIT 11-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00011R | | 20200-302 TANK UNIT 11-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00012L | | S345A001-121 TANK UNIT 12-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00012L | | 20200-202 TANK UNIT 12-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00012L | | 20200-302 TANK UNIT 12-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00012R | | S345A001-121 TANK UNIT 12-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00012R | | 20200-202 TANK UNIT 12-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00012R | | 20200-302 TANK UNIT 12-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00015C | | S345A001-020 COMP-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00015C | | 20202-01 COMP-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00015C | | 20202-02 COMP-CENTER TANK | 345A3101 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |
| F00015L | | S345A001-020 COMP-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00015L | | 20202-01 COMP-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00015L | | 20202-02 COMP-TANK 1 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section F00000

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| F00015R | | S345A001-020 COMP-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YC051-YL954, YN231-YN235 |
| F00015R | | 20202-01 COMP-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL955-YL968 |
| F00015R | | 20202-02 COMP-TANK 2 | 345A3111 81205 | 1 | 28-41-11 / / | YL969-YL999, YN236-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section F00000

Page 7 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| G00009 | | S281A001-101 GEN-INTEGRATED DRIVE | 332A2200 81205 | 2 | 24-11-11 ENG/ / | ALL |
| G00010 | | S281A001-201 CONTROL UNIT-GENERATOR 1 | 284A0420 81205 | 1 | 24-22-11 E002-01/ / | YC051-YC058 |
| G00010 | | S281A001-202 CONTROL UNIT-GENERATOR 1 | 284A0420 81205 | 1 | 24-22-11 E002-01/ / | YC059-YD151 |
| G00010 | | S281A001-204 CONTROL UNIT-GENERATOR 1 | 284A0420 81205 | 1 | 24-22-11 E002-01/ / | YD152-YN236, YN501-YR318 |
| G00010 | | S281A001-205 CONTROL UNIT-GENERATOR 1 | 284A0420 81205 | 1 | 24-22-11 E002-01/ / | YN237-YN260, YR319-YR328 |
| G00012 | | S281A001-201 CONTROL UNIT-GENERATOR 2 | 284A0440 81205 | 1 | 24-22-21 E004-02/ / | YC051-YC058 |
| G00012 | | S281A001-202 CONTROL UNIT-GENERATOR 2 | 284A0440 81205 | 1 | 24-22-21 E004-02/ / | YC059-YD151 |
| G00012 | | S281A001-204 CONTROL UNIT-GENERATOR 2 | 284A0440 81205 | 1 | 24-22-21 E004-02/ / | YD152-YN236, YN501-YR318 |
| G00012 | | S281A001-205 CONTROL UNIT-GENERATOR 2 | 284A0440 81205 | 1 | 24-22-21 E004-02/ / | YN237-YN260, YR319-YR328 |
| G00013 | | 28B545-7A STARTER/GENERATOR-AUXILIARY POWER UNIT | 351A1000 99193 | 1 | 24-21-31 1100/232/R010 | ALL |
| G00013 U | | 312W5220-3 WASHER COVER | 81205 | 2 | 24-21-31 / / | ALL |
| G00013 V | | 312W5220-9 SEAL | 81205 | 1 | 24-21-31 / / | ALL |
| G00013 W | | NAS6703U22 BOLT | 81205 | 1 | 24-21-31 / / | ALL |
| G00013 X | | NAS1149C0363R WASHER | 81205 | 1 | 24-21-31 / / | ALL |
| G00013 Y | | NAS1805-3 NUT | 81205 | 1 | 24-21-31 / / | ALL |
| G00013 Z | | 287T4817-5 FANNING STRIP | 81205 | 1 | 24-21-31 / / | ALL |
| G00014 | | S281A001-201 CONTROL UNIT-APU GENERATOR | 284A0420 81205 | 1 | 24-22-31 E002-01/ / | YC051-YC058 |

EQUIPMENT LIST

D280A108

Section G00000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| G00014 | | S281A001-202 CONTROL UNIT-APU GENERATOR | 284A0420 81205 | 1 | 24-22-31 E002-01/ / | YC059-YD151 |
| G00014 | | S281A001-204 CONTROL UNIT-APU GENERATOR | 284A0420 81205 | 1 | 24-22-31 E002-01/ / | YD152-YN236, YN501-YR318 |
| G00014 | | S281A001-205 CONTROL UNIT-APU GENERATOR | 284A0420 81205 | 1 | 24-22-31 E002-01/ / | YN237-YN260, YR319-YR328 |
| G00015 | | S281A001-301 CONTROL UNIT-BUS POWER | 284A0440 81205 | 1 | 24-41-11 E004-02/ / | YC051-YC058 |
| G00015 | | S281A001-302 CONTROL UNIT-BUS POWER | 284A0440 81205 | 1 | 24-41-11 E004-02/ / | YC059-YN236, YN501-YR318 |
| G00015 | | S281A001-303 CONTROL UNIT-BUS POWER | 284A0440 81205 | 1 | 24-41-11 E004-02/ / | YN237-YN260, YR319-YR328 |

EQUIPMENT LIST

D280A108

Section G00000

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| J00004 | | 284A1204-1 JUNCTION BOX | 284A1204 | 1 | MULTI 262/167/R025 | ALL |
| J00009 | | 284A0816 PNL-BATTERY | 284A0816 81205 | 1 | 24-31-11 344/155/L014 | ALL |
| J00011 | | 284A1214-E6RACK- MISC RLY & CKT BRKR PNL-AFT EQPT CTR | 284A0214 81205 | 1 | MULTI 904/186/R031 | YC051-YC070, YD158-YN260 |
| J00011 | | 284A1214-NONE6- MISC RLY & CKT BRKR PNL-AFT EQPT CTR | 284A0214 81205 | 1 | MULTI 901/198/R035 | YD151-YD157, YN501-YR328 |
| J00019 | | 284A0202-1 JUNCTION BOX | 284A0202 81205 | 1 | 31-52-11 254/207/L003 | ALL |
| J00020 | 9 | 284A9200-131 JUNCTION BOX (SB 21-1135) | 284A1203 81205 | 1 | 28-23-11 268/166/L025 | YC060-YC064 |
| J00020 | | 284A1203-1 JUNCTION BOX | 284A1203 81205 | 1 | MULTI 268/166/L025 | ALL |
| J00022 | 9 | 284A9200-122 JUNCTION BOX (SB 26-1122) | 284A1222 81205 | 1 | MULTI 259/180/L020 | YC060-YC064 |
| J00022 | | 284A1222-1 JUNCTION BOX | 284A1222 81205 | 1 | MULTI 259/180/L020 | ALL |
| J00023 | | 284A1223-1 JUNCTION BOX | 284A1223 | 1 | MULTI 345/160/L020 | ALL |
| J00024 | 9 | 284A9200-91 JUNCTION BOX (SB 26-1122) | 284A1224 | 1 | MULTI 259/180/R020 | YC060-YC064 |
| J00024 | | 284A1224-1 JUNCTION BOX | 284A1224 | 1 | MULTI 259/180/R020 | ALL |
| J00039 | | 284A1239 JUNCTION BOX | 284A1239 81205 | 0 | MULTI 359/166/L020 | YL951-YL999 |
| J00046 | | 287A4130501 INTEGRATION BOX ASSY | 287A4130 81205 | 1 | 21-25-11 263/177/R031 | ALL |
| J00048 | | 287A4140501 INTEGRATION BOX ASSY | 287A4140 81205 | 1 | 21-27-21 263/177/L033 | ALL |

EQUIPMENT LIST

D280A108

Section J00000

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| L00001 | | 10-61803-32 LT-EMERG EXIT UNARMED | 65-73709 81205 | 1 | 33-51-11 P005-00/ / | ALL |
| L00001 T | | 387 LAMP- | 65-73709 08806 | 2 | 33-51-11 P005-00/ / | ALL |
| L00006 | | S283A325-3 LT-OVERWING ESCAPE-L | 284A0121 81205 | 1 | 33-51-13 651/227/L074 | YC051-YD157 |
| L00006 | | 81000-37901 LT-OVERWING ESCAPE-L | 284A0121 S5006 | 1 | 33-51-13 651/227/L074 | YD158-YR328 |
| L00006 T | | 767 LAMP- | S283A325 08806 | 1 | 33-51-14 651/227/L074 | ALL |
| L00007 | | S283A325-3 LT-OVERWING ESCAPE-R | 284A0121 81205 | 1 | 33-51-13 651/226/R074 | YC051-YD157 |
| L00007 | | 81000-37901 LT-OVERWING ESCAPE-R | 284A0121 S5006 | 1 | 33-51-13 651/226/R074 | YD158-YR328 |
| L00007 T | | 767 LAMP- | S283A325 08806 | 1 | 33-51-13 651/226/R074 | ALL |
| L00008 | | 81000-17502 LT-MAP(CAPT) | 232A5112 72914 | 1 | 33-17-11 221/264/L015 | YC051-YD151 |
| L00008 T | | 1308 LAMP- | 232A5112 08806 | 1 | 33-17-11 221/264/L015 | YC051-YD151 |
| L00009 | | 81000-17502 LT-MAP (F/O) | 232A5112 72914 | 1 | 33-17-11 221/264/R015 | ALL |
| L00009 T | | 1308 LAMP- | 233A5112 08806 | 1 | 33-17-11 221/264/R015 | ALL |
| L00010 | | 34265-8 LT-FLIGHT K1T-CAPT | 232A5110 72914 | 1 | 33-17-11 219/224/L036 | ALL |
| L00010 T | | 1864 LAMP- | 232A5110 08806 | 1 | 33-17-11 219/224/L036 | ALL |
| L00011 | | 34265-8 LT-FLIGHT K1T-F/O | 232A5110 72914 | 1 | 33-17-11 265/243/R022 | ALL |
| L00011 T | | 1864 LAMP- | 232A5110 08806 | 1 | 33-17-11 265/243/R022 | ALL |
| L00012 | | 34265-8 LT-F/OBS READING | 232A5110 72914 | 1 | 33-17-11 265/243/R022 | ALL |

EQUIPMENT LIST

D280A108

Section L00000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| L00012 T | | 1864 LAMP- | 232A5110 08806 | 1 | 33-17-11 265/243/R022 | ALL |
| L00013 | | 34265-8 LT- S/OBS READING | 233A5100 72914 | 1 | 33-17-11 254/265/L029 | YC051-YD170 |
| L00013 T | | 1864 LAMP- | 232A5110 08806 | 1 | 33-17-11 254/265/L029 | YC051-YD170 |
| L00015 | | A-8985-16 LT-ACCESSORY LIGHT LEFT | 284A0152 72914 | 1 | 33-35-11 1064/285/L036 | ALL |
| L00015 T | | 1665 LAMP- | A008985 08806 | 1 | 33-35-11 1064/285/L038 | ALL |
| L00016 | | A-8985-16 LT-ACCESSORY LIGHT RIGHT | 284A0152 72914 | 1 | 33-35-11 1040/285/R038 | ALL |
| L00016 T | | 1665 LAMP- | A008985 08806 | 1 | 33-35-11 1040/285/R038 | ALL |
| L00019 | | 10-61803-72 LT-CAPT CALL | 233A3303 81205 | 1 | 23-42-11 P005-00/ / | YD158-YR328 |
| L00019 T | | 387 LAMP- | 65-73709 08806 | 2 | 23-42-01 P005-00/ / | ALL |
| L00023 | | S417N503-20 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 415A1104 81205 | 1 | 33-25-21 350/290/L023 | YC051-YD157 |
| L00023 | | BR9442-910 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 417A5601 81205 | 1 | 33-25-21 350/290/L023 | YD158-YD170 |
| L00023 | | BR9442-920 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 417A5601 81205 | 1 | 33-25-21 342/277/L027 | YL951-YL999 |
| L00023 | | BR9442-920 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 415A1104 81205 | 1 | 33-25-21 350/290/L023 | YN231 |
| L00023 | | BR9442-920 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 415A1104 81205 | 1 | 33-25-21 342/277/L027 | YN232-YN235 |
| L00023 | | BR9442-916 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 415A1104 81205 | 1 | 33-25-21 342/277/L027 | YN236-YN260 |
| L00023 | | BR9442-923 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 415A1104 81205 | 1 | 33-25-21 342/277/L027 | YN501 |
| L00023 | | BR9442-923 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 417A5601 81205 | 1 | 33-25-21 342/277/L027 | YR301-YR315 |

EQUIPMENT LIST

D280A108

Section L00000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| L00023 | | BR9442-916 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 417A5601 81205 | 1 | 33-25-21 342/277/L027 | YR316-YR328 |
| L00034 | | S283A309-3 LT-WING ILLUMINATION-LEFT | 284A0111 81205 | 1 | 33-41-11 500C+10/222/L074 | YC051-YL999, YR301-YR328 |
| L00034 | | S283A309-3 LT-WING ILLUMINATION-LEFT | 284A0111 81205 | 1 | 33-41-11 470/222/L074 | YN231-YN501 |
| L00034 T | | HLX64621 LAMP- | S283A309 08805 | 1 | 33-41-11 500C+11/222/L074 | YC051-YL999, YR301-YR328 |
| L00034 T | | HLX64621 LAMP- | S283A309 08805 | 1 | 33-41-11 470/222/L074 | YN231-YN501 |
| L00035 | | S283A309-4 LT-WING ILLUMINATION-RIGHT | 284A0111 81205 | 1 | 33-41-11 500C+10/222/R074 | YC051-YL999, YR301-YR328 |
| L00035 | | S283A309-4 LT-WING ILLUMINATION-RIGHT | 284A0111 81205 | 1 | 33-41-11 470/222/R074 | YN231-YN501 |
| L00035 T | | HLX64621 LAMP- | S283A309 08805 | 1 | 33-41-11 500C+11/222/R074 | YC051-YL999, YR301-YR328 |
| L00035 T | | HLX64621 LAMP- | S283A309 08805 | 1 | 33-41-11 470/222/R074 | YN231-YN501 |
| L00036 | | S283A305-1 LT-UPPER ANTI-COLLISION | 284A0122 81205 | 1 | 33-44-11 568/306/R007 | YC051-YL968, YN231-YN236, YN501-YR301 |
| L00036 | | S283A305-4 LT-UPPER ANTI-COLLISION | 284A0122 81205 | 1 | 33-44-11 568/306/R007 | YL969-YL999, YN237-YN260, YR303-YR328 |
| L00036 T | | 55-2211 FLASH TUBE | S283A305 72914 | 1 | 33-44-11 568/306/R007 | ALL |
| L00037 | | S283A305-2 LT-LOWER ANTI-COLLISION | 284A0161 81205 | 1 | 33-44-11 644/144/0000 | YC051-YL968, YN231-YN236, YN501-YR301 |
| L00037 | | S283A305-5 LT-LOWER ANTI-COLLISION | 284A0161 81205 | 1 | 33-44-11 644/144/0000 | YL969-YL999, YN237-YN260, YR303-YR328 |
| L00037 T | | 55-2211 FLASH TUBE | S283A305 72914 | 1 | 33-44-11 644/144/0000 | ALL |

EQUIPMENT LIST

D280A108

Section L00000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| L00038 | | S283A313-2 FWD WING TIP ASSY R | 284A1181 81205 | 1 | 33-43-11 727B/245/R663 | YC051-YC065, YD153-YD157 |
| L00038 T | | HLX64621 LAMP- | S283A313 08805 | 2 | 33-43-11 727B/245/R663 | YC051-YC065 |
| L00038 U | | 31-8138-1 STROBE SUB ASSY | S283A313 72914 | 1 | 33-44-12 727B/245/R663 | YC051-YC065 |
| L00040 | | S283A313-1 FWD WING TIP ASSY L | 284A1181 81205 | 1 | 33-43-11 727B/245/L663 | YC051-YC065, YD153-YD157 |
| L00040 T | | HLX64621 LAMP- | S283A313 08805 | 2 | 33-43-11 727B/245/L663 | YC051-YC065 |
| L00040 U | | 31-8138-1 STROBE SUB ASSY | S283A313 72914 | 1 | 33-44-12 727B/245/L663 | YC051-YC065 |
| L00042 | | S283A313-103 LT-AFT POSITION-R | 284A1183 81205 | 1 | 33-43-11 727E/245/R674 | YC051-YC065 |
| L00042 T | | HLX64621 LAMP- | S283A313 08805 | 2 | 33-43-11 727E/245/R674 | YC051-YC065 |
| L00043 | | S283A313-103 LT-AFT POSITION-L | 284A1183 81205 | 1 | 33-43-11 727E/245/L674 | YC051-YC065 |
| L00043 T | | HLX64621 LAMP- | S283A313 08805 | 2 | 33-43-11 727E/245/L674 | YC051-YC065 |
| L00046 | | 30-0909-201 LT-TAIL STROBE | 284A0162 72914 | 1 | 33-44-12 1216/284/0000 | ALL |
| L00047 | | 10-61803-12 LT-EQUIP COOLING EXHAUST OFF | 233A3101 81205 | 1 | 21-27-21 P005-00/ / | ALL |
| L00050 | | S233W810-4 FLOODLIGHT-MAIN PANEL, CTR | 233A8104 81205 | 1 | 33-14-11 P007-00/ / | YC051-YD158, YN231 |
| L00050 | | 800-010058-1 FLOODLIGHT-MAIN PANEL, CTR | 233A8104 81205 | 1 | 33-14-11 P007-00/ / | YD160-YL999, YN232-YR328 |

EQUIPMENT LIST

D280A108

Section L00000

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| L00170 | | 50-0199-13 LT-NOSE GEAR TAXI | 284A0101 72914 | 1 | 33-45-11 286/127/0000 | ALL |
| L00170 T | | 4551 LAMP- | 50-0199 08806 | 1 | 33-45-11 286/126/0000 | ALL |
| L00171 | | 10-0015-5 LT-NOSE WHEEL WELL FLOOD | 284A0104 72914 | 1 | 33-32-11 228/177/L004 | ALL |
| L00171 T | | 3011 LAMP- | 10-0015 08806 | 1 | 33-32-11 228/177/L004 | ALL |
| L00172 | | 10-0015-5 LT-LEFT MAIN WHEEL WELL | 284A0123 72914 | 1 | 33-32-11 725/194/L033 | ALL |
| L00172 T | | 3011 LAMP- | 10-0015 08806 | 1 | 33-32-11 725/194/L033 | ALL |
| L00173 | | 10-0015-5 LT-RIGHT MAIN WHL WELL | 284A0123 72914 | 1 | 33-32-11 698/200/R018 | ALL |
| L00173 T | | 3011 LAMP- | 10-0015 08806 | 1 | 33-32-11 698/200/R018 | ALL |
| L00174 | | A-8985-16 LT-MAIN GEAR INSPECTION LIGHT LEFT | 284A0123 72914 | 1 | 33-32-11 666/182/L072 | ALL |
| L00174 T | | 1665 LAMP- | A008985 08806 | 1 | 33-32-11 666/182/L072 | ALL |
| L00175 | | A-8985-16 LT-MAIN GEAR INSPECTION LIGHT RIGHT | 65-55495 72914 | 1 | 33-32-11 667/182/R072 | ALL |
| L00175 T | | 1665 LAMP- | A008985 08806 | 1 | 33-32-11 667/182/R072 | ALL |
| L00176 | | A-8985-16 LT-A/C COMPT LEFT | 284A0124 72914 | 1 | 33-33-11 538/152/L038 | ALL |
| L00176 T | | 1665 LAMP- | A008985 08806 | 1 | 33-33-11 538/152/L038 | ALL |
| L00177 | | A-8985-16 LT-A/C COMPT LEFT | 284A0124 72914 | 1 | 33-33-11 579/155/L038 | ALL |
| L00177 T | | 1665 LAMP- | A008985 08806 | 1 | 33-33-11 579/155/L038 | ALL |
| L00178 | | A-8985-16 LT-A/C COMPT LEFT | 284A0124 72914 | 1 | 33-33-11 654/152/L039 | ALL |

EQUIPMENT LIST

D280A108

Section L00100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| L00178 T | | 1665 LAMP- | A008985 08806 | 1 | 33-33-11 654/152/L039 | ALL |
| L00179 | | A-8985-16 LT-A/C COMPARTMENT RIGHT | 284A0124 72914 | 1 | 33-33-11 538/154/R039 | ALL |
| L00179 T | | 1665 LAMP- | A008985 08806 | 1 | 33-33-11 538/154/R039 | ALL |
| L00180 | | A-8985-16 LT-A/C COMPARTMENT RIGHT | 284A0124 72914 | 1 | 33-33-11 579/154/R038 | ALL |
| L00180 T | | 1665 LAMP- | A008985 08806 | 1 | 33-33-11 579/154/R038 | ALL |
| L00181 | | A-8985-16 LT-A/C COMPARTMENT RIGHT | 284A0124 72914 | 1 | 33-33-11 654/151/R039 | ALL |
| L00181 T | | 1665 LAMP- | A008985 08806 | 1 | 33-33-11 654/151/R038 | ALL |
| L00182 | | A-8985-16 LT-A/C COMPARTMENT KEEL BEAM | 284A0124 72914 | 1 | 33-33-11 554/158/L007 | ALL |
| L00182 T | | 1665 LAMP- | A008985 08806 | 1 | 33-33-11 554/158/L007 | ALL |
| L00183 | | A-8985-16 LT-A/C COMPARTMENT DOME LEFT | 284A0124 72914 | 1 | 33-33-11 614/158/L009 | ALL |
| L00183 T | | 1665 LAMP- | A008985 08806 | 1 | 33-33-11 614/158/L009 | ALL |
| L00184 | | A-8985-16 LT-A/C COMPARTMENT DOME RIGHT | 284A0124 72914 | 1 | 33-33-11 572/155/R008 | ALL |
| L00184 T | | 1665 LAMP- | A008985 08806 | 1 | 33-33-11 572/155/R008 | ALL |
| L00185 | | S453W071-6 LT-FWD CARGO CMPT | 284A0112 81205 | 1 | 33-36-11 435/203/L010 | YC051-YD158 |
| L00185 | | S453W071-11 LT-FWD CARGO CMPT | 284A0112 81205 | 1 | 33-36-11 435/203/L010 | YD160-YR328 |
| L00185 T | | 2233 LAMP- | 69-23695 08806 | 1 | 33-36-11 433/203/L010 | ALL |
| L00186 | | S453W07-6 LT-FWD CARGO CMPT | 284A0112 81205 | 1 | 33-36-11 469/203/L005 | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section L00100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-------------|
| L00186 | | S453W071-11 LT-FWD CARGO CMPT | 284A0112 81205 | 1 | 33-36-11 469/203/L005 | YD160-YR328 |
| L00186 T | | 2233 LAMP- | 69-23695 08806 | 1 | 33-36-11 473/203/L010 | ALL |
| L00187 | | S453W071-6 LT-FWD CARGO CMPT | 284A0112 81205 | 1 | 33-36-11 500/203/R010 | YC051-YD158 |
| L00187 | | S453W071-11 LT-FWD CARGO CMPT | 284A0112 81205 | 1 | 33-36-11 500/203/R010 | YD160-YR328 |
| L00187 T | | 2233 LAMP- | 69-23695 08806 | 1 | 33-36-11 513/203/L010 | ALL |
| L00188 | | S453W071-11 LT-FWD CARGO CMPT | 384A0112 81205 | 1 | 33-36-11 500A+13/203/R010 | YN231-YN501 |
| L00188 T | | 2233 LAMP- | 69-23695 08806 | 1 | 33-36-11 500A+13/203/R010 | YN231-YN501 |
| L00189 | | S453W071-6 LT-AFT CARGO CMPT | 284A0131 81205 | 1 | 33-36-12 727B+7/205/L011 | YC051-YD158 |
| L00189 | | S453W071-11 LT-AFT CARGO CMPT | 284A0131 81205 | 1 | 33-36-12 727B+7/205/L011 | YD160-YR328 |
| L00189 T | | 2233 LAMP- | 69-23695 08806 | 1 | 33-36-12 727B+7/205/L011 | ALL |
| L00190 | | S453W071-6 LT-AFT CARGO CMPT | 284A0131 81205 | 1 | 33-36-12 727A+10/205/R019 | YC051-YD158 |
| L00190 | | S453W071-11 LT-AFT CARGO CMPT | 284A0131 81205 | 1 | 33-36-12 727A+10/205/R019 | YD160-YR328 |
| L00190 T | | 2233 LAMP- | 69-23695 08806 | 1 | 33-36-12 727A+10/205/R019 | ALL |
| L00191 | | S453W071-6 LT-AFT CARGO CMPT | 284A0131 81205 | 1 | 33-36-12 754/205/L010 | YC051-YD158 |
| L00191 | | S453W071-11 LT-AFT CARGO CMPT | 284A0131 81205 | 1 | 33-36-12 754/205/L010 | YD160-YR328 |
| L00191 T | | 2233 LAMP- | 69-23695 08806 | 1 | 33-36-12 754/205/L010 | ALL |
| L00192 | | S453W071-6 LT-AFT CARGO CMPT | 284A0131 81205 | 1 | 33-36-12 774/205/R010 | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section L00100

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| L00192 | | S453W071-11 LT-AFT CARGO CMPT | 284A0131 81205 | 1 | 33-36-12 774/205/R010 | YD160-YR328 |
| L00192 T | | 2233 LAMP- | 69-23695 08806 | 1 | 33-36-12 774/205/R010 | ALL |
| L00193 | | S453W071-6 LT-AFT CARGO CMPT | 284A0131 81205 | 1 | 33-36-12 834/205/L019 | YC051-YD158 |
| L00193 | | S453W071-11 LT-AFT CARGO CMPT | 284A0131 81205 | 1 | 33-36-12 834/205/L019 | YD160-YR328 |
| L00193 T | | 2233 LAMP- | 69-23695 08806 | 1 | 33-36-12 834/205/L019 | ALL |
| L00194 | | 15-0093-5 LT-FWD CARGO DOOR SILL | 284A0112 72914 | 1 | 33-36-11 463/198/R064 | ALL |
| L00194 T | | 1665IF LAMP- | 15-0093 08806 | 1 | 33-36-11 463/198/R064 | ALL |
| L00195 | | 15-0093-5 LT-AFT CARGO DOOR SILL | 284A0131 72914 | 1 | 33-36-12 795/199/R064 | ALL |
| L00195 T | | 1665IF LAMP- | 15-0093 08806 | 1 | 33-36-12 795/199/R064 | ALL |
| L00199 | | 69-23695-7 LTS-FWD LWR SERV COMPT LTS. | 284A0103 81205 | 1 | 33-34-11 218/206/L005 | ALL |
| L00199 T | | 1665 LAMP- | 69-23695 08806 | 1 | 33-34-11 218/206/L005 | ALL |

EQUIPMENT LIST

D280A108

Section L00100

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| L00200 | | 69-23695-7 LTS-FWD LWR SERV COMPT LTS. | 284A0103 81205 | 1 | 33-34-11 218/206/R005 | ALL |
| L00200 T | | 1665 LAMP- | 69-23695 08806 | 1 | 33-34-11 218/206/R005 | ALL |
| L00201 | | 69-23695-7 LTS-FWD LWR SERV COMPT LTS | 284A0103 81205 | 1 | 33-34-11 201/204/R008 | ALL |
| L00201 T | | 1665 LAMP- | 69-23695 08806 | 1 | 33-34-11 201/204/R008 | ALL |
| L00202 | | 69-23695-7 LTS-E/E RACK | 284A0102 72914 | 1 | 33-34-11 354/200/L020 | ALL |
| L00202 T | | 1665 LAMP- | 69-23695 08806 | 1 | 33-34-11 354/200/L020 | ALL |
| L00203 | | 69-23695-7 LTS-E/E RACK | 284A0102 72914 | 1 | 33-34-11 354/200/R014 | ALL |
| L00203 T | | 1665 LAMP- | 69-23695 08806 | 1 | 33-34-11 354/200/R014 | ALL |
| L00205 | | 15-0103-1 LT-APU SERVICE LIGHT | 284A0151 72914 | 1 | 33-35-11 1089/220/L003 | ALL |
| L00205 T | | 1665 LAMP- | 15-0103 08806 | 1 | 33-35-11 1089/220/L003 | ALL |
| L00273 | | 10-1113-3 LIGHT-WHITEDOME, LEFT | 232A5110 72914 | 1 | 33-14-12 270/274/L017 | ALL |
| L00273 T | | 2233 LAMP- | 232A5110 08806 | 4 | 33-14-12 270/ / | ALL |
| L00273 U | | 1317 LAMP- | 65-45757 08806 | 1 | 33-51-11 / / | ALL |
| L00274 | | 15-0129 LIGHT-WHITEDOME, RIGHT | 232A5110 72914 | 1 | 33-14-12 254/274/R016 | ALL |
| L00274 T | | 2233 LAMP- | 232A5110 08806 | 1 | 33-14-12 254/ / | ALL |
| L00277 | | 15-0026-3 LIGHT-CONTROL STAND | 233A3303 72914 | 1 | 33-14-12 P005-00/ / | ALL |
| L00277 T | | 1665 LAMP- | 233A3303 08806 | 1 | 33-14-12 P005-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section L00200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| L00278 | | A-8985-16 LT-TAIL CONE | 284A0153 72914 | 1 | 33-35-11 1181/289/L009 | ALL |
| L00278 T | | 1665 LAMP- | A008985 08806 | 1 | 33-35-11 1181/289/L009 | ALL |
| L00279 | | A6850C-5 LT-OUTBOARD REFUEL PANEL FLOOD | 65C28094 72914 | 1 | 28-44-11 RW350/P04/RLE | ALL |
| L00280 | | A6850C-5 LT-OUTBOARD REFUEL NOZZLE FLOOD | 65C28094 72914 | 1 | 28-44-11 RW380/M03/RLE | ALL |
| L00282 | | 65-0028-11 LT-TANK 1 REFUEL VALVE OPEN | 69-73588 72914 | 1 | 28-44-11 P015-00/ / | ALL |
| L00283 | | 65-0028-11 LT-TANK 2 REFUEL VALVE OPEN | 69-73588 72914 | 1 | 28-44-11 P015-00/ / | ALL |
| L00284 | | 65-0028-11 LT-CENTER TANK REFUEL VALVE OPEN | 69-73588 72914 | 1 | 28-44-11 P015-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section L00200

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| L00315 | | A-8985-17 LT-APU REMOTE FIRE | 72914 | 1 | 26-11-31 P028-00/ / | YC051-YD158 |
| L00320 | | Q4559X LT-FIXED LANDING, L | 284A0173 08806 | 1 | 33-42-11 530/193/L091 | ALL |
| L00321 | | Q4559X LT-FIXED LANDING, R | 284A0173 08806 | 1 | 33-42-11 530/193/R091 | ALL |
| L00322 | | S283A321-1 LT-RETRACTABLE LANDING, L | 284A0171 81205 | 1 | 33-42-11 500A+10/150/L032 | YC051-YC068 |
| L00322 | | S283A321-3 LT-RETRACTABLE LANDING, L | 284A0171 81205 | 1 | 33-42-11 500A+10/150/L032 | YC070-YL968, YN231-YN236, YN501-YR305 |
| L00322 | | S283A321-5 LT-RETRACTABLE LANDING, L | 284A0171 81205 | 1 | 33-42-11 500A+10/150/L032 | YL969-YL999, YN237-YN260, YR306-YR328 |
| L00322 T | | Q4559X LAMP- | S283A321 08806 | 1 | 33-42-11 500A+10/150/L032 | ALL |
| L00323 | | S283A321-2 LT-RETRACTABLE LANDING, R | 284A0171 81205 | 1 | 33-42-11 500A+10/150/R032 | YC051-YC068 |
| L00323 | | S283A321-4 LT-RETRACTABLE LANDING, R | 284A0171 81205 | 1 | 33-42-11 500A+10/150/R032 | YC070-YL968, YN231-YN236, YN501-YR305 |
| L00323 | | S283A321-6 LT-RETRACTABLE LANDING, R | 284A0171 81205 | 1 | 33-42-11 500A+10/150/R032 | YL969-YL999, YN237-YN260, YR306-YR328 |
| L00323 T | | Q4559X LAMP- | S283A321 08806 | 1 | 33-42-11 500A+10/150/R032 | ALL |
| L00324 | | 10-0031-13 LT-THRESHOLD, FWD | 417A5800 81205 | 1 | 33-29-11 304/226/L061 | ALL |
| L00324 T | | 305IF LAMP- | 65-45208 08806 | 1 | 33-29-11 352/226/L061 | ALL |
| L00330 | | 4551 LT-TURNOFF LEFT | 284A0173 08806 | 1 | 33-45-11 528/193/L083 | ALL |
| L00331 | | 4551 LT-TURNOFF RIGHT | 284A0173 08806 | 1 | 33-45-11 528/193/R083 | ALL |

EQUIPMENT LIST

D280A108

Section L00300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| L00340 | | 088-1031-007 LT-LEFT FIRE WARN | 81590 | 1 | 26-11-21 P007-00/ / | YC051-YD158 |
| L00340 | | 088-515-1031-107 LT-LEFT FIRE WARN ASSY, CAPT | 233A8200 81590 | 1 | 26-11-21 P007-00/250/L012 | YD160-YR328 |
| L00340 T | | 1864 LAMP- | 69-37327 08806 | 1 | 26-11-21 200/250/L012 | ALL |
| L00340A | | 515-1031-007 CAP- | 69-37327 81590 | 1 | 26-11-21 200/250/L012 | YC051-YD158 |
| L00341 | | 088-1031-006 LT-MASTER CAUTION, LEFT | 81590 | 1 | 31-52-11 P007-00/ / | YC051-YD158 |
| L00341 | | 088-515-1031-106 LT- MASTER CAUTION ASSY, L | 233A8200 81590 | 1 | 31-52-11 P007-00/ / | YD160-YR328 |
| L00341 T | | 1864 LAMP- | 233A8200 08806 | 1 | 31-52-11 P007-00/ / | ALL |
| L00341A | | 515-1031-006 CAP- | 233A8200 81590 | 1 | 31-52-11 P007-00/ / | YC051-YD158 |
| L00342 | | 10-61330-60 LT-MASTER CAUTION DISPLAY,LEFT | 233A8200 81205 | 1 | 31-52-11 P007-00/ / | ALL |
| L00342 T | | 737 LAMP- | 233A8200 08806 | 12 | 31-52-11 P007-00/ / | ALL |
| L00343 | | 10-61330-61 LT-MASTER CAUTION DISPLAY,RIGHT | 233A8200 81205 | 1 | 31-52-11 P007-00/ / | ALL |
| L00343 T | | 737 LAMP- | 233A8200 08806 | 12 | 31-52-11 P007-00/ / | ALL |
| L00344 | | 088-1031-006 LT-MASTER CAUTION, RIGHT | 81590 | 1 | 31-52-11 P007-00/ / | YC051-YD158 |
| L00344 | | 088-515-1031-106 LT- MASTER CAUTION ASSY, R | 233A8200 81590 | 1 | 31-52-11 P007-00/ / | YD160-YR328 |
| L00344 T | | 1864 LAMP- | 233A8200 08806 | 2 | 31-52-11 P007-00/ / | ALL |
| L00344A | | 515-1031-006 CAP- | 233A8200 81590 | 1 | 31-52-11 /250/R012 | YC051-YD158 |
| L00345 | | 088-1031-007 LT-RIGHT FIRE WARN | 81590 | 1 | 26-11-21 P007-00/ / | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section L00300

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| L00345 | | 088-515-1031-107 LT-RIGHT FIRE WARN ASSY, F/O | 233A8200 81590 | 1 | 26-11-21 P007-00/250/R012 | YD160-YR328 |
| L00345 T | | 1864 LAMP- | 69-37327 08806 | 1 | 26-11-21 200/250/R012 | ALL |
| L00345A | | 515-1031-007 CAP- | 69-37327 81590 | 1 | 26-11-21 200/250/R012 | YC051-YD158 |
| L00348 | | LH76-2LC14YN3 LT-EXT PWR CONN | 284A1807 96906 | 1 | 24-41-11 P019-00/ / | ALL |
| L00348 T | | NE51H LAMP- | 284A1807 08806 | 1 | 24-41-12 P019-00/ / | ALL |
| L00349 | | LH76-3LC15WT3 LT-EXT PWR NOT IN USE | 284A1807 96906 | 1 | 24-41-11 P019-00/ / | ALL |
| L00349 T | | MS25231-313 LAMP- | 284A1807 96906 | 1 | 24-41-12 P019-00/ / | ALL |
| L00382 | | STB130-4ARP LT-PARKING BRAKE | 254A1220 81590 | 1 | 32-44-11 222/226/L002 | ALL |
| L00382 T | | 1864 LAMP- | 254A1220 08806 | 1 | 32-44-11 222/226/L002 | ALL |
| L00383 | | 10-61800-1718 LT PLT-P5 MISC, HORIZONTAL | 233A3101 81205 | 1 | 33-12-12 P005-00/ / | ALL |
| L00383 T | | 90-42301-1 LT PLT CONN-P5 MISC, HORIZONTAL | 233A3303 51074 | 1 | 33-12-12 P005-00/ / | ALL |
| L00384 | | 10-61800-1717 LT PLT-P5 MISC, VERTICAL | 233A3101 81205 | 1 | 33-12-12 P005-00/ / | YC051-YD157 |
| L00384 | | 10-61800-1665 LT PLT-P5 MISC, VERTICAL | 233A3101 81205 | 1 | 33-12-12 P005-00/ / | YD158-YD170 |
| L00384 | | 800-010250-1 LT PLT-P5 MISC, VERTICAL | 233A3101 81205 | 1 | 33-12-12 P005-00/ / | YL951-YR328 |
| L00384 T | | 90-42301-1 LT PLT CONN-P5 MISC, VERTICAL | 233A3101 51074 | 1 | 33-12-12 P005-00/ / | ALL |
| L00385 | | 10-61800-1568 LT PLT-P5 DOME LTS | 233A3103 81205 | 1 | 33-12-12 P005-00/ / | ALL |
| L00385 T | | 90-42301-1 LT PLT CONN-P5 DOME LTS | 233A3306 51074 | 1 | 33-12-12 P005-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section L00300

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| L00399 | | 10-61800-654 LT PLT-FLAP POS P10 PNL | 254A1200 81205 | 1 | 33-11-41 P010-00/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section L00300

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| L00400 | | 10-61800-731 LT PLT-STAB TRIM, CAPT | 254A1220 81205 | 1 | 33-11-41 P010-00/ / | YC051-YL999, YR301-YR328 |
| L00400 | | 10-61800-740 LT PLT-STAB TRIM, CAPT | 254A1220 81205 | 1 | 33-11-41 P010-00/ / | YN231-YN501 |
| L00401 | | 10-61800-730 LT PLT-STAB TRIM, F/O | 254A1220 81205 | 1 | 33-11-41 P010-00/ / | YC051-YL999, YR301-YR328 |
| L00401 | | 10-61800-741 LT PLT-STAB TRIM, F/O | 254A1220 81205 | 1 | 33-11-41 P010-00/ / | YN231-YN501 |
| L00404 | | 10-61800-536 LT PLT-LTG CONTROL PNL | 69-76435 81205 | 1 | 33-11-41 P008-50/ / | ALL |
| L00410 | | 15-0121-1 LIGHT- P18 CIRCUIT BREAKER PANEL | 232A5111 72914 | 1 | 33-14-12 243/237/L046 | ALL |
| L00410 T | | 1864 LAMP- | 232A5111 08806 | 1 | 33-14-12 243/ / | ALL |
| L00411 | | 69-43850-1 LIGHT-P18 CIRCUIT BREAKER PANEL | 232A5111 81205 | 1 | 33-14-12 245/257/L033 | ALL |
| L00411 T | | 1864 LAMP- | 232A5111 08806 | 1 | 33-14-12 246/ / | ALL |
| L00412 | | BACS16A-2 LIGHT-PG CIRCUIT BREAKER PANEL | 232A1401 81205 | 1 | 33-14-12 235/268/R013 | ALL |
| L00412 T | | 303 LAMP- | 232A1401 08806 | 1 | 33-14-12 253/ / | ALL |
| L00413 | | BACS16A-2 LIGHT-P6 CIRCUIT BREAKER PANEL | 232A5111 81205 | 1 | 33-14-12 250/207/R026 | ALL |
| L00413 T | | 1691 LAMP- | 232A5111 08806 | 1 | 33-14-12 250/ / | ALL |
| L00414 | | 15-0121-2 LIGHT-P6 CIRCUIT BREAKER PANEL | 232A5111 72914 | 1 | 33-14-12 243/237/R046 | ALL |
| L00414 T | | 1864 LAMP- | 232A5111 08806 | 1 | 33-14-12 243/ / | ALL |
| L00461 | | S453W071-6 LT-AFT CARGO COMPT | 284A0131 81205 | 1 | 33-36-12 894/205/R010 | YC051-YD158 |
| L00461 | | S453W071-11 LT-AFT CARGO COMPT | 284A0131 81205 | 1 | 33-36-12 894/205/R010 | YD160-YR328 |

EQUIPMENT LIST

D280A108

Section L00400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| L00461 T | | 2233 LAMP- | 69-23695 08806 | 1 | 33-36-12 894/205/R010 | ALL |
| L00462 | | 10-61800-723 LT PLT-SPEED BRAKE POS LTS | 254A1220 81205 | 1 | 33-11-41 P010-00/ / | ALL |
| L00481 | | 10-61803-50 LT-RIGHT MAIN GEAR SYS 2 | 65-73710 81205 | 1 | 32-64-12 P005-00/ / | ALL |
| L00482 | | 10-61803-49 LT-LEFT MAIN GEAR SYS 2 | 65-73710 81205 | 1 | 32-64-12 P005-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section L00400

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| L00505 | | BR9442-910 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 417A5601 81205 | 1 | 33-25-12 993R/ / | YD158-YD170 |
| L00505 | | BR9442-910 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 417A5601 81205 | 1 | 33-25-21 993R/ / | YL951-YL999 |
| L00505 | | BR9442-920 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 415A1104 81205 | 1 | 33-25-21 993R/ / | YN231-YN235 |
| L00505 | | BR9442-916 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 415A1104 81205 | 1 | 33-25-21 993R/ / | YN236-YN260, YR316-YR328 |
| L00505 | | BR9442-923 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 415A1104 81205 | 1 | 33-25-21 993R/ / | YN501-YR315 |
| L00547 | | S283A325-7 LT-OVERWING ESCAPE GROUND ILLUM-L | 284A0132 81205 | 1 | 33-51-13 727F+11/169/L051 | YC051-YD157 |
| L00547 | | 81000-38204 LT-OVERWING ESCAPE GROUND ILLUM-L | 284A0132 S5006 | 1 | 33-51-13 727F+11/169/L051 | YD158-YL999, YR301-YR328 |
| L00547 | | 81000-38202 LT-OVERWING ESCAPE GROUND ILLUM-L | 284A0132 S5006 | 1 | 33-51-13 757/171/L051 | YN231-YN501 |
| L00547 T | | 767 LAMP- | S283A325 08806 | 1 | 33-51-14 727F+11/169/L051 | YC051-YL999, YR301-YR328 |
| L00547 T | | 767 LAMP- | S283A325 08806 | 1 | 33-51-13 757/171/L051 | YN231-YN501 |
| L00548 | | S283A325-8 LT-OVERWING ESCAPE GROUND ILLUM-R | 284A0132 81205 | 1 | 33-51-14 727F+11/170/R052 | YC051-YD157 |
| L00548 | | 81000-38203 LT-OVERWING ESCAPE GROUND ILLUM-R | 284A0132 S5006 | 1 | 33-51-14 727F+11/170/R052 | YD158-YL999, YR301-YR328 |
| L00548 | | 81000-38201 LT-OVERWING ESCAPE GROUND ILLUM-R | 284A0132 S5006 | 1 | 33-51-13 757/171/R051 | YN231-YN501 |
| L00548 T | | 767 LAMP- | 284A0132 08806 | 1 | 33-51-14 727F+11/170/R052 | YC051-YL999, YR301-YR328 |
| L00548 T | | 767 LAMP- | 284A0132 08806 | 1 | 33-51-13 757/171/R051 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section L00500

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| L00728 | | 310-3 LT-MEMORY DEVICE | 65-45123 08806 | 1 | 33-11-11 P009-00/ / | ALL |
| L00729 | | 310-3 LT-MEMORY DEVICE | 65-45123 08806 | 1 | 33-11-21 P009-00/ / | ALL |
| L00730 | | S283A325-2 LT-ESCAPE SLIDE-R, FWD | 284A0106 81205 | 1 | 33-51-12 348/227/R068 | YC051-YD157 |
| L00730 | | 81000-37802 LT-ESCAPE SLIDE-R, FWD | 284A0106 S5006 | 1 | 33-51-12 348/227/R068 | YD158-YR328 |
| L00730 T | | 767 LAMP- | S283A325 08806 | 1 | 33-51-12 348/227/R068 | ALL |
| L00731 | | S283A325-1 LT-FWD ESCAPE SLIDE-L | 284A0106 81205 | 1 | 33-51-12 365/226/L072 | YC051-YD157 |
| L00731 | | 81000-37801 LT-FWD ESCAPE SLIDE-L | 284A0106 S5006 | 1 | 33-51-12 365/226/L072 | YD158-YL999, YR301-YR328 |
| L00731 | | 81000-37801 LT-FWD ESCAPE SLIDE-L | 284A0106 81205 | 1 | 33-51-12 365/226/L072 | YN231-YN501 |
| L00731 T | | 767 LAMP- | S283A325 08806 | 1 | 33-51-12 365/226/L072 | ALL |
| L00732 | | S283A325-6 LT-ESCAPE SLIDE-L, AFT | 284A0141 81205 | 1 | 33-51-14 1000/242/L060 | YC051-YD157 |
| L00732 | | 81000-38301 LT-ESCAPE SLIDE-L, AFT | 284A0141 S5006 | 1 | 33-51-14 1000/242/L060 | YD158-YL999, YR301-YR328 |
| L00732 | | 81000-38301 LT-ESCAPE SLIDE-L, AFT | 284A0141 81205 | 1 | 33-51-14 1000/242/L060 | YN231-YN501 |
| L00732 T | | 767 LAMP- | S283A325 08806 | 1 | 33-51-14 1000/242/L060 | ALL |
| L00733 | | S283A325-6 LT-ESCAPE SLIDE-R,AFT | 284A0141 81205 | 1 | 33-51-14 1000/242/R060 | YC051-YD157 |
| L00733 | | 81000-38301 LT-ESCAPE SLIDE-R, AFT | 284A0141 S5006 | 1 | 33-51-14 1000/242/R060 | YD158-YR328 |
| L00733 T | | 767 LAMP- | S283A325 08806 | 1 | 33-51-14 1000/242/R060 | ALL |
| L00751 | | S417N512-13 LT-HANDLE, EMERG HATCH | 417A5500 81205 | 4 | 33-51-13 MULTI/ / | YC051-YC068 |

EQUIPMENT LIST

D280A108

Section L00700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| L00751 | | 11-5833-21 LT-HANDLE, EMERG HATCH | 417A5500 81205 | 4 | 33-51-13 MULTI/ / | YC070-YL999 |
| L00751 | | 11-5833-21 LT-HANDLE, EMERG HATCH (LEFT AND RIGHT) | 417A5500 81205 | 2 | 33-51-13 628/270/0060 | YN231-YN260 |
| L00751 U | | 70-0366-5 BALLAST- | S417N512 81205 | 4 | 33-21-11 MULTI/ / | YC051-YL999 |
| L00751 U | | 70-0366-5 BALLAST- | S417N512 81205 | 2 | 33-21-11 MULTI/ / | YN231-YN260 |
| L00751 V | | 5106WW LAMP- | S417N512 08805 | 4 | 33-21-11 MULTI/ / | YC051-YL999 |
| L00751 V | | 5106WW LAMP- | S417N512 08805 | 2 | 33-21-11 MULTI/ / | YN231-YN260 |
| L00751 W | | 1317 LAMP- | S417N512 08806 | 8 | 33-51-13 MULTI/ / | YC051-YL999 |
| L00751 W | | 1317 LAMP- | S417N512 08806 | 4 | 33-51-13 628/270/0060 | YN231-YN260 |

EQUIPMENT LIST

D280A108

Section L00700
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| L00818 | | S283A317-1 LT-LOGO L | 284A0191 81205 | 1 | 33-49-11 1223/295/L190 | ALL |
| L00818 T | | HLX64621 LAMP- | S283A317 08805 | 1 | 33-49-11 1223/295/L190 | ALL |
| L00819 | | S283A317-2 LT-LOGO R | 284A0191 81205 | 1 | 33-49-11 1223/295/R190 | ALL |
| L00819 T | | HLX64621 LAMP- | S283A317 08805 | 1 | 33-49-11 1223/295/R190 | ALL |
| L00836 | | 10-61803-186 LT-INOP IND | 69-37369 81205 | 1 | 34-49-11 P003-07/ / | ALL |
| L00876 | | SCN-001 LT PLT- | 69-37334 95354 | 1 | 21-33-11 P005-16/ / | ALL |
| L00876 T | | 10-61800-1101 LAMP- | 69-37334 81205 | 1 | 21-33-11 P005-16/ / | ALL |

EQUIPMENT LIST

D280A108

Section L00800

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| L01001 | | 10-61803-48 LT-NOSE GEAR SYS 2 | 65-73710 81205 | 1 | 32-64-12 P005-00/ / | ALL |
| L01002 | | LH73-1 LT-REPEAT PARKING BRAKE | 284A1807 96906 | 1 | 32-44-11 P019-00/ / | YC051-YD157 |
| L01003 | | S232W500-6 LT- CHART, CAPT | 232A5114 72914 | 1 | 33-17-11 229/268/L016 | YC051-YD151 |
| L01004 | | S232W500-6 LT- CHART, F/O | 232A5114 72914 | 1 | 33-17-11 229/268/R016 | YC051-YL968, YN231-YN236, YN501-YR308 |
| L01004 | | S232W500-9 LT- CHART, F/O | 232A5114 72914 | 1 | 33-17-11 229/268/R016 | YL969-YL999, YN237-YN260, YR309-YR328 |
| L01013 | | S233W810-3 LT-FLOODLIGHT-GLARESHIELD | 233A8104 81205 | 1 | 33-14-11 P007-00/ / | YC051-YD158, YN231 |
| L01013 | | 800-010057-1 LT-FLOODLIGHT-GLARESHIELD | 233A8104 81205 | 1 | 33-14-11 P007-00/ / | YD160-YL999, YN232-YR328 |
| L01020 | | S453W071-11 LT-FWD CARGO COMP | 284A0112 81205 | 1 | 33-36-11 500B+13/203/L010 | YN231-YN501 |
| L01020 T | | 2233 LAMP- | 69-23695 08806 | 1 | 33-36-11 500B+13/203/L010 | YN231-YN501 |
| L01021 | | S453W071-6 LIGHT-AFT CARGO COMP | 284A0131 81205 | 1 | 33-36-12 727D+17/205/R011 | YC051-YD158 |
| L01021 | | S453W071-11 LIGHT-AFT CARGO COMP | 284A0131 81205 | 1 | 33-36-12 727D+17/205/R011 | YD160-YR328 |
| L01021 T | | 2233 LAMP- | 69-23695 08806 | 1 | 33-36-12 727D+17/205/R011 | ALL |
| L01063 | | S479W220-102 SIGN-OVERDOOR EXIT,FWD SERVICE | 411A2212 S5006 | 1 | 33-51-12 318/280/R038 | YC051-YD157 |
| L01063 | | 82000-48401 SIGN-OVERDOOR EXIT,FWD SERVICE | 411A2212 S5006 | 1 | 33-51-12 318/280/R038 | YD158-YN236, YN501-YR316 |
| L01063 | | 82000-48402 SIGN-OVERDOOR EXIT,FWD SERVICE | 411A2212 S5006 | 1 | 33-51-12 318/280/R038 | YN237-YN260, YR317-YR328 |
| L01063 T | | OL-3071BPE-GPL LAMP- | S479W220 53774 | 18 | 33-51-12 318/280/R038 | ALL |

EQUIPMENT LIST

D280A108

Section L01000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| L01065 | | S417N504-8 LT-AISLE | 412N1168 81205 | 23 | 33-51-11 MULTI/ / | YC051-YD157 |
| L01065 | | 10-1042-8 LT-AISLE | 412N1168 81205 | 23 | 33-51-11 MULTI/ / | YD158-YD170 |
| L01065 | | 10-1042-8 LT-AISLE | 412N1168 81205 | 19 | 33-51-11 MULTI/ / | YL951-YL999 |
| L01065 | | 10-1042-8 LT-AISLE | 412N1168 81205 | 13 | 33-51-11 MULTI/ / | YN231-YN260 |
| L01065 T | | 1317 LAMP- | S417N504 08806 | 23 | 33-51-11 MULTI/ / | YC051-YD170 |
| L01065 T | | 1317 LAMP- | S417N504 08806 | 19 | 33-51-11 MULTI/ / | YL951-YL999 |
| L01065 T | | 1317 LAMP- | S417N504 08806 | 13 | 33-51-11 MULTI/ / | YN231-YN260 |
| L01067 | | S479W220-102 SIGN-OVERDOOR EXIT,FWD ENTRY | 411A2211 S5006 | 1 | 33-51-12 329/285/L030 | YC051-YD157 |
| L01067 | | 82000-48401 SIGN-OVERDOOR EXIT,FWD ENTRY | 411A2211 S5006 | 1 | 33-51-12 329/285/L030 | YD158-YN236, YN501-YR316 |
| L01067 | | 82000-48402 SIGN-OVERDOOR EXIT,FWD ENTRY | 411A2211 S5006 | 1 | 33-51-12 329/285/L030 | YN237-YN260, YR317-YR328 |
| L01067 T | | OL-3071BPE-GPL LAMP- | S479W220 53774 | 18 | 33-51-12 329/285/L030 | ALL |
| L01070 | | S479W220-1002 SIGN-EXIT,MID AISLE | 417A5600 81205 | 1 | 33-51-13 612/293/L019 | YC051-YD157 |
| L01070 | | 82000-48501 SIGN-EXIT,MID AISLE | 417A5601 S5006 | 1 | 33-51-13 612/293/L019 | YD158-YL999 |
| L01070 | | 82000-48501 SIGN-EXIT,MID AISLE | 417A5601 S5006 | 1 | 33-51-13 628/293/L019 | YN231-YN235 |
| L01070 | | 82000-48601 SIGN-EXIT,MID AISLE | 417A5601 S5006 | 1 | 33-51-13 628/293/0000 | YN236 |
| L01070 | | 82000-48602 SIGN-EXIT, MID AISLE | 417A5601 S5006 | 1 | 33-51-13 620/288/0000 | YN501-YR314, YR317-YR318, YR320-YR328 |

EQUIPMENT LIST

D280A108

Section L01000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| L01070 | | 82000-79002 SIGN-EXIT, MID AISLE | 417A5601 S5006 | 1 | 33-51-13 620/288/0000 | YR315-YR316 |
| L01070 | | 82000-79004 SIGN-EXIT, MID AISLE | 417A5601 S5006 | 1 | 33-51-13 620/288/0000 | YR319 |
| L01070 T | | OL-3071BPE-GPL LAMP- | S479W220 53774 | 12 | 33-51-13 612/293/L019 | YC051-YL999 |
| L01070 T | | OL-3071BPE-GPL LAMP- | S479W220 53774 | 12 | 33-51-13 628/293/L019 | YN231-YN235 |
| L01070 T | | OL-3071BPE-GPL LAMP- | S479W220 53774 | 12 | 33-51-13 628/293/0000 | YN236-YN260 |
| L01070 T | | OL-3071BPE-GPL LAMP- | S479W220 53774 | 12 | 33-51-13 620/288/0000 | YN501-YR328 |
| L01076 | | S479W220-102 SIGN-OVERDOOR EXIT,AFT ENTRY | 411A2213 S5006 | 1 | 33-51-14 972/286/L037 | YC051-YD170 |
| L01076 | | 82000-48401 SIGN-OVERDOOR EXIT,AFT ENTRY | 411A2213 S5006 | 1 | 33-51-14 972/286/L037 | YL951-YN236, YN501-YR316 |
| L01076 | | 82000-48402 SIGN-OVERDOOR EXIT,AFT ENTRY | 411A2213 S5006 | 1 | 33-51-14 972/286/L037 | YN237-YN260, YR317-YR328 |
| L01076 T | | OL-3071BPE-GPL LAMP- | S479W220 53774 | 18 | 33-51-14 972/286/L037 | ALL |
| L01079 | | S479W220-102 SIGN-OVERDOOR EXIT,AFT SERVICE | 411A2214 S5006 | 1 | 33-51-14 972/279/R044 | YC051-YD170 |
| L01079 | | 82000-48401 SIGN-OVERDOOR EXIT,AFT SERVICE | 411A2214 S5006 | 1 | 33-51-14 972/279/R044 | YL951-YN236, YN501-YR316 |
| L01079 | | 82000-48402 SIGN-OVERDOOR EXIT,AFT SERVICE | 411A2214 S5006 | 1 | 33-51-14 972/279/R044 | YN237-YN260, YR317-YR328 |
| L01079 T | | OL-3071BPE-GPL LAMP- | S479W220 53774 | 18 | 33-51-14 972/279/R044 | ALL |
| L01086 | | S479W220-101 SIGN-EXIT LOCATOR | 411A3210 81205 | 1 | 33-51-12 304/288/R002 | YC051-YD170 |
| L01086 | | 82000-48301 SIGN-EXIT LOCATOR | 411A3210 S5006 | 1 | 33-51-12 304/288/R002 | YL951-YN236, YN501-YR316 |
| L01086 | | 82000-48302 SIGN-EXIT LOCATOR | 411A3210 S5006 | 1 | 33-51-12 304/288/R002 | YN237-YN260, YR317-YR328 |

EQUIPMENT LIST

D280A108

Section L01000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| L01086 T | | OL-3071BPE-GPL LAMP- | S479W220 53774 | 20 | 33-51-12 304/288/R002 | ALL |
| L01086 U | | 387BPL LAMP- | S417N505 08806 | 5 | 23-42-01 304/ / | ALL |
| L01099 | | S233W810-9 FLOODLIGHT-MAIN PANEL, CAPT | 233A8104 81205 | 1 | 33-14-11 P007-00/ / | YC051-YD158, YN231 |
| L01099 | | 800-010060-1 FLOODLIGHT-MAIN PANEL, CAPT | 233A8104 81205 | 1 | 33-14-11 P007-00/ / | YD160-YL999, YN232-YR328 |

EQUIPMENT LIST

D280A108

Section L01000

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| L01100 | | S233W810-10 FLOODLIGHT-MAIN PANEL, F/O | 233A8104 81205 | 1 | 33-14-11 P007-00/ / | YC051-YD158, YN231 |
| L01100 | | 800-010056-1 FLOODLIGHT-MAIN PANEL, F/O | 233A8104 81205 | 1 | 33-14-11 P007-00/ / | YD160-YL999, YN232-YR328 |
| L01103 | | S233W810-7 FLOODLIGHT-OXYGEN MASK STOW, CAPT | 232A5110 81205 | 1 | 33-14-11 224/223/L040 | YC051-YD158, YN231 |
| L01103 | | 800-010059-1 FLOODLIGHT-OXYGEN MASK STOW, CAPT | 232A5110 81205 | 1 | 33-14-11 224/223/L040 | YD160-YL999, YN232-YR328 |
| L01104 | | S233W810-7 FLOODLIGHT-OXYGEN MASK STOW, F/O | 232A5110 81205 | 1 | 33-14-11 224/223/R040 | YC051-YD158, YN231 |
| L01104 | | 800-010059-1 FLOODLIGHT-OXYGEN MASK STOW, F/O | 232A5110 81205 | 1 | 33-14-11 224/223/R040 | YD160-YL999, YN232-YR328 |
| L01105 | | BR9442-910 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 417A5601 81205 | 1 | 33-25-21 993L/ / | YD158-YL999 |
| L01105 | | BR9442-920 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 417A5601 81205 | 1 | 33-25-21 993L/ / | YN231-YN235 |
| L01105 | | BR9442-916 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 415A1104 81205 | 1 | 33-25-21 993L/ / | YN236-YN260, YR316-YR328 |
| L01105 | | BR9442-923 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 415A1104 81205 | 1 | 33-25-21 993L/ / | YN501, YR303- YR315 |
| L01105 | | BR9442-923 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 417A5601 81205 | 1 | 33-25-21 993L/ / | YR301 |
| L01141 | | 10-61803-12 LT-EQUIP COOLING SUPPLY OFF | 233A3101 81205 | 1 | 21-27-31 P005-00/ / | ALL |
| L01142 | | 10-61800-537 LIGHTPLATE | 233A6101 81205 | 1 | 52-51-11 P008-47/ / | YC051-YD154 |
| L01142 | | 425-3 LIGHTPLATE | 233A6101 81205 | 1 | 52-51-11 P008-47/ / | YD155-YR328 |
| L01146 | | S417A548-1 SIGN-LAV OCCUPY | 417A5800 81205 | 2 | 33-26-31 MULTI/ / | YC051-YN260 |
| L01146 | | 0204691-102 SIGN-LAV OCCUPIED | 417A5800 81205 | 2 | 33-26-31 MULTI/289/ | YN501-YR328 |
| L01186 | | S417N510-1001 LT-EXIT INDICATOR | 417A5700 81205 | 1 | 33-51-21 293/230/R051 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section L01100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| L01186 | | 702409-1001 LT-EXIT INDICATOR | 417A5755 81205 | 1 | 33-51-21 293/233/R051 | YD158-YD170 |
| L01186 | | 702409-1001 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-21 293/233/R051 | YL951-YL999, YN236-YN260, YR301-YR328 |
| L01186 | | 702409-1019 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-21 293/233/R051 | YN231-YN235, YN501 |
| L01186 T | | OL-3071BPEGPL LAMP- | S417N510 S3774 | 5 | 33-51-21 293/229/R051 | YC051-YD157 |
| L01186 T | | OL-3071BPEGPL LAMP- | S417N510 S3774 | 5 | 33-51-21 293/233/R051 | YD158-YR328 |
| L01187 | | S417N510-1001 LT-EXIT INDICATOR | 417A5700 81205 | 1 | 33-51-21 304/229/L047 | YC051-YD157 |
| L01187 | | 702409-1001 LT-EXIT INDICATOR | 417A5755 81205 | 1 | 33-51-21 304/229/L047 | YD158-YD170 |
| L01187 | | 702409-1001 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-21 304/230/L051 | YL951-YL999, YN236-YN260, YR301-YR328 |
| L01187 | | 702409-1019 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-21 304/230/L051 | YN231-YN235, YN501 |
| L01187 T | | OL-3071BPEGPL LAMP- | S417N510 S3774 | 5 | 33-51-21 304/230/L047 | YC051-YD157 |
| L01187 T | | OL-3071BPEGPL LAMP- | S417N510 S3774 | 5 | 33-51-21 304/230/L051 | YD158-YR328 |
| L01188 | | S417N510-1003 LT-EXIT INDICATOR | 417A5700 81205 | 1 | 33-51-21 614/223/R062 | YC051-YD157 |
| L01188 | | 702409-1003 LT-EXIT INDICATOR | 417A5755 81205 | 1 | 33-51-21 614/224/R062 | YD158-YD170 |
| L01188 | | 702409-1003 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-21 614/224/R062 | YL951-YL999, YR301-YR328 |
| L01188 | | 702409-1021 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-21 614/224/R070 | YN231-YN235, YN501 |
| L01188 | | 702409-1003 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-21 614/224/R070 | YN236-YN260 |

EQUIPMENT LIST

D280A108

Section L01100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|---|
| L01188 T | | OL-3071BPEGPL LAMP- | S417N510 S3774 | 5 | 33-51-21 614/224/R062 | YC051-YL999, YR301-YR328 |
| L01188 T | | OL-3071BPEGPL LAMP- | S417N510 S3774 | 5 | 33-51-21 614/224/R070 | YN231-YN501 |
| L01189 | | S417N510-1002 LT-EXIT INDICATOR | 417A5700 81205 | 1 | 33-51-21 615/223/L062 | YC051-YD157 |
| L01189 | | 702409-1002 LT-EXIT INDICATOR | 417A5755 81205 | 1 | 33-51-21 614/224/L062 | YD158-YD170 |
| L01189 | | 702409-1002 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-21 614/224/L062 | YL951-YL999, YR301-YR328 |
| L01189 | | 702409-1020 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-21 614/224/L070 | YN231-YN235, YN501 |
| L01189 | | 702409-1002 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-21 614/224/L070 | YN236-YN260 |
| L01189 T | | OL-3071BPEGPL LAMP- | S417N510 S3774 | 5 | 33-51-21 614/224/L062 | YC051-YL999, YR301-YR328 |
| L01189 T | | OL-3071BPEGPL LAMP- | S417N510 S3774 | 5 | 33-51-21 614/224/L070 | YN231-YN501 |
| L01190 | | S417N510-1001 LT-EXIT INDICATOR | 417A5700 81205 | 1 | 33-51-22 993/239/L053 | YC051-YD157 |
| L01190 | | 702409-1001 LT-EXIT INDICATOR | 417A5755 55438 | 1 | 33-51-22 993/244/L053 | YD158-YD170 |
| L01190 | | 702409-1001 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-22 993/244/L053 | YL951-YL999, YN236-YN260, YR301-YR328 |
| L01190 | | 702409-1019 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-22 993/244/L053 | YN231-YN235, YN501 |
| L01190 T | | OL-3071BPEGPL LAMP- | S417N510 S3774 | 5 | 33-51-22 993/239/L053 | YC051-YD157 |
| L01190 T | | OL-3071BPEGPL LAMP- | S417N510 S3774 | 5 | 33-51-22 993/244/L053 | YD158-YR328 |
| L01191 | | S417N510-1001 LT-EXIT INDICATOR | 417A5700 81205 | 1 | 33-51-21 993/239/R053 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section L01100

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| L01191 | | 702409-1001 LT-EXIT INDICATOR | 417A5755 55438 | 1 | 33-51-22 993/244/R053 | YD158-YD170 |
| L01191 | | 702409-1001 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-22 993/244/R053 | YL951-YL999, YR301-YR328 |
| L01191 | | 702409-1019 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-22 993/243/R053 | YN231-YN235 |
| L01191 | | 702409-1001 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-22 993/243/R053 | YN236-YN260 |
| L01191 | | 702409-1019 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-22 993/244/R053 | YN501 |
| L01191 T | | OL-3071BPEGPL LAMP- | S417N510 S3774 | 5 | 33-51-22 993/239/R053 | YC051-YD157 |
| L01191 T | | OL-3071BPEGPL LAMP- | S417N510 S3774 | 5 | 33-51-22 993/244/R053 | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section L01100

Page 4 End

Nov 12/2012

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|-------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| L01205 | | S453W071-6 LT-FWD CARGO CMPT | 284A0131 81205 | 1 | 33-36-11 500F+15/203/R010 | YC051-YD158 |
| L01205 | | S453W071-11 LT-FWD CARGO CMPT | 284A0131 81205 | 1 | 33-36-11 500F+15/203/R010 | YD160-YL999, YR301-YR328 |
| L01205 T | | 2233 LAMP- | 284A0131 08806 | 1 | 33-36-11 500F+15/203/L010 | YC051-YL999, YR301-YR328 |
| L01206 | | S453W071-6 LT-AFT CARGO COMPT | 284A0131 81205 | 1 | 33-36-12 727F+7/205/L010 | YC051-YD158 |
| L01206 | | S453W071-11 LT-AFT CARGO COMPT | 284A0131 81205 | 1 | 33-36-12 727F+7/205/L010 | YD160-YL999, YR301-YR328 |
| L01206 T | | 2233 LAMP- | 284A0131 08806 | 1 | 33-36-12 727+7/205/L010 | YC051-YL999, YR301-YR328 |
| L01207 | | S417N510-1003 LT-EXIT INDICATOR | 417A5700 81205 | 1 | 33-51-21 576/223/R062 | YC051-YD157 |
| L01207 | | 702409-1003 LT-EXIT INDICATOR | 417A5755 81205 | 1 | 33-51-21 576/224/R062 | YD158-YD170 |
| L01207 | | 702409-1003 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-21 576/224/R062 | YL951-YL999, YR301-YR328 |
| L01207 T | | OL-3071BPEGPL LAMP- | S417N510 S3774 | 5 | 33-51-21 576/224/R062 | YD158-YL999, YR301-YR328 |
| L01208 | | S417N510-1002 LT-EXIT INDICATOR | 417A5700 81205 | 1 | 33-51-21 576/224/L062 | YC051-YD157 |
| L01208 | | 702409-1002 LT-EXIT INDICATOR | 417A5755 81205 | 1 | 33-51-21 576/224/L062 | YD158-YD170 |
| L01208 | | 702409-1002 LT-EXIT INDICATOR | 417A5705 55438 | 1 | 33-51-21 576/224/L062 | YL951-YL999, YR301-YR328 |
| L01208 T | | OL-3071BPEGPL LAMP- | S417N510 S3774 | 5 | 33-51-21 576/224/L062 | YD158-YL999, YR301-YR328 |
| L01209 | | S283A325-3 LT-OVERWING ESCAPE-R | 284A0121 | 1 | 33-51-12 608/227/R074 | YC051-YD157 |
| L01209 | | 81000-37901 LT-OVERWING ESCAPE-R | 284A0121 S5006 | 1 | 33-51-12 608/227/R074 | YD158-YL999, YR301-YR328 |
| L01209 T | | 767 LAMP- | S283A325 08806 | 1 | 33-51-14 608/227/R074 | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section L01200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| L01210 | | S283A325-3 LT-OVERWING ESCAPE-L | 284A0121 | 1 | 33-51-13 608/227/L074 | YC051-YD157 |
| L01210 | | 81000-37901 LT-OVERWING ESCAPE-L | 284A0121 S5006 | 1 | 33-51-13 608/227/L074 | YD158-YL999, YR301-YR328 |
| L01210 T | | 767 LAMP- | S283A325 08806 | 1 | 33-51-14 608/227/L074 | YC051-YL999, YR301-YR328 |
| L01215 | | S417N503-20 LT-NO SMOKING FASTEN SEAT BELTS SIGN | 415A1104 81205 | 1 | 33-25-22 993/ / | YC051-YD170 |
| L01223 | | S479W220-105 SIGN-EXIT LOCATOR | 417A5600 81205 | 1 | 33-51-15 964/287/0000 | YC051-YD157 |
| L01223 | | 82000-48701 SIGN-EXIT LOCATOR | 417A5601 S5006 | 1 | 33-51-14 964/287/0000 | YD158-YL999 |
| L01223 | | 82000-48701 SIGN-EXIT LOCATOR | 417A5601 S5006 | 1 | 33-51-14 964/289/0000 | YN231-YN236 |
| L01223 | | 82000-48702 SIGN-EXIT LOCATOR | 417A5601 S5006 | 1 | 33-51-14 964/289/0000 | YN501 |
| L01223 | | 82000-48702 SIGN-EXIT LOCATOR | 417A5601 S5006 | 1 | 33-51-14 964/287/0000 | YR301-YR316 |
| L01223 | | 82000-48704 SIGN-EXIT LOCATOR | 417A5601 S5006 | 1 | 33-51-14 964/287/0000 | YR317-YR328 |
| L01223 T | | OL-3071BPE-GPL LAMP- | S479W220 53774 | 22 | 33-51-14 964/287/0000 | ALL |
| L01223 U | | 387 LAMP- | S417N505 08806 | 3 | 23-42-01 966/ / | ALL |
| L01240 | | 10-61800-751 LIGHT PLATE-REMOTE PTT SW, CAPT | 233A8200 81205 | 1 | 33-11-31 P007-00/ / | YL951-YR328 |
| L01241 | | 10-61800-750 LIGHT PLATE-REMOTE PTT SW, F/O | 233A8200 81205 | 1 | 33-11-21 P007-00/ / | YL951-YR328 |
| L01264 | | S479W220-106 SIGN-EXIT LOCATOR | 417A5600 81205 | 1 | 33-51-13 727A+8/290/0000 | YC051-YD157 |
| L01264 | | 82000-51801 SIGN-EXIT LOCATOR | 417A5601 S5006 | 1 | 33-51-13 727A+8/287/0000 | YD158-YD170 |
| L01264 T | | OL-3071BPE-GPL LAMP- | S479W220 53774 | 12 | 33-51-13 727A+10/290/0000 | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section L01200

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| L01287 | | BV04610 DIM ENTRY LT SOCKET | 417A5470 08806 | 1 | 33-29-11 321/291/0000 | YC051-YN260 |
| L01287T | | 1864 DIM ENTRY LAMP | 417A5470 08806 | 1 | 33-29-11 321/291/0000 | YC051-YN260 |
| L01288 | | FB024-830 FLUORESCENT LAMP | 417A5470 3E097 | 1 | 33-29-11 M1677/ / | YC051-YD170, YN231 |
| L01288 | | FB024-841 FLUORESCENT LAMP (COOL WHITE) | 417A5470 3E097 | 1 | 33-29-11 M1677/ / | YL951-YL999, YN232-YN260 |
| L01288 T | | BV03112N-20 LAMPHOLDER | 417A5470 17023 | 4 | 33-29-11 M1677/ / | YC051-YN260 |
| L01289 | | FB024-830 FLUORESCENT LAMP | 417A5470 3E097 | 1 | 33-29-11 M1677/ / | YC051-YD170, YN231 |
| L01289 | | FB024-841 FLUORESCENT LAMP (COOL WHITE) | 417A5470 3E097 | 1 | 33-29-11 M1677/ / | YL951-YL999, YN232-YN260 |
| L01289 T | | BV03112N-20 LAMPHOLDER | 417A5470 17023 | 2 | 33-29-11 M1677/ / | YC051-YN260 |

EQUIPMENT LIST

D280A108

Section L01200
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| L01300 | | FB016-830 FLUORESCENT LAMP (WARM WHITE) | 417A5800 3E097 | 1 | 33-26-21 323/289/R021 | YC051-YD170, YN231, YN501 |
| L01300 | | FB016-841 FLUORESCENT LAMP (COOL WHITE) | 417A5800 3E097 | 1 | 33-26-21 323/289/R021 | YL951-YL999, YN232-YN260, YR301-YR328 |
| L01300 T | | BV03112N-20 LAMPHOLDER | 417A5460 17023 | 2 | 33-26-21 323/289/R021 | ALL |
| L01301 | | 10-1037-3 LT-WORK | 411A3220 81205 | 1 | 33-26-11 331/289/L014 | ALL |
| L01301 T | | 1308 LAMP-WORK LT | S417N502 S5006 | 1 | 33-26-11 331/289/L014 | ALL |
| L01302 | | 10-1037-1 LT-WORK | 411A2213 81205 | 1 | 33-26-11 960/288/R032 | YC051-YN260 |
| L01302 | | 10-1037-1 LT-WORK | 411A2213 81205 | 1 | 33-26-11 971/288/R034 | YN501-YR328 |
| L01302 T | | 1308 LAMP-WORK LT | S417N502 S5006 | 1 | 33-26-11 971/288/R032 | YC051-YN260 |
| L01302 T | | 1308 LAMP-WORK LT | S417N502 S5006 | 1 | 33-26-11 971/288/R034 | YN501-YR328 |
| L01303 | | 10-1037-1 LT-WORK | 411A2214 81205 | 1 | 33-26-11 960/288/L032 | YC051-YN260 |
| L01303 | | 10-1037-1 LT-WORK | 411A2214 81205 | 1 | 33-26-11 971/288/L034 | YN501-YR328 |
| L01303 T | | 1308 LAMP-WORK LT | S417N502 S5006 | 1 | 33-26-11 971/288/L032 | YC051-YN260 |
| L01303 T | | 1308 LAMP-WORK LT | S417N502 S5006 | 1 | 33-26-11 971/288/L034 | YN501-YR328 |
| L01304 | | F032-BCAC-WW FLUORESCENT LAMP | 417A5475 08805 | 1 | 33-29-11 M01678/*/* | YC051-YD170, YN231 |
| L01304 | | F032-BCAC-CW FLUORESCENT LAMP (COOL WHITE) | 417A5475 08805 | 1 | 33-29-11 M01678/*/* | YL951-YL999, YN232-YN260 |
| L01304 T | | BV03112N LAMPHOLDER | 417A5475 71023 | 2 | 33-29-11 M01678/ / | YC051-YN260 |

EQUIPMENT LIST

D280A108

Section L01300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| L01305 | | F032-BCAC-WW FLUORESCENT LAMP | 417A5475 08805 | 1 | 33-29-11 M01678/*/* | YC051-YD170, YN231 |
| L01305 | | F032-BCAC-CW FLUORESCENT LAMP (COOL WHITE) | 417A5475 08805 | 1 | 33-29-11 M01678/*/* | YL951-YL999, YN232-YN260 |
| L01305 T | | BV03112N LAMPHOLDER | 417A5475 17023 | 2 | 33-29-11 M01678/ / | YC051-YN260 |
| L01306 | | BV04610 DIM ENTRY LT SOCKET | 417A5475 08806 | 1 | 33-29-11 M01678/*/* | YC051-YN260 |
| L01306T | | 1864 DIM ENTRY LAMP | 417A5475 08806 | 1 | 33-29-11 M01678/ / | YC051-YN260 |
| L01307 | | 15-0103-1 LT-E/E RACK | 284A0102 72914 | 1 | 33-34-11 350/181/R020 | ALL |
| L01307 T | | 1665 LAMP- | 15-0103 08806 | 1 | 33-34-11 350/181/R020 | ALL |
| L01308 | | 15-0103-1 LT-APU SERVICE | 284A0151 72914 | 1 | 33-35-11 1132/239/R017 | ALL |
| L01308 T | | 1665 LAMP- | 15-0103 08806 | 1 | 33-35-11 1132/239/R017 | ALL |
| L01313 | | 15-0103-1 LT-E/E RACK | 284A0102 72914 | 1 | 33-34-11 350/177/L028 | ALL |
| L01313 T | | 1665 LAMP- | 15-0103 08806 | 1 | 33-34-11 318/181/L024 | ALL |
| L01314 | | S453W071-6 LT-FWD CARGO CMPT | 284A0131 81205 | 1 | 33-36-11 500G+15/205/L010 | YC051-YD158 |
| L01314 | | S453W071-11 LT-FWD CARGO CMPT | 284A0131 81205 | 1 | 33-36-11 500G+15/205/L010 | YD160-YL999, YR301-YR328 |
| L01314 T | | 2233 LAMP- | 284A0131 08806 | 1 | 33-36-11 500G+15/205/L010 | YC051-YL999, YR301-YR328 |
| L01315 | | S453W071-6 LT-AFT CARGO COMPT | 284A0131 81205 | 1 | 33-36-12 727H+7/205/R010 | YC051-YD158 |
| L01315 | | S453W071-11 LT-AFT CARGO COMPT | 284A0131 81205 | 1 | 33-36-12 727H+7/205/R010 | YD160-YL999, YR301-YR328 |
| L01315 T | | 2233 LAMP- | 284A0131 08806 | 1 | 33-36-12 725H+7/205/R010 | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section L01300

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| L01319 | | 81000-33802 PROX LT-GALLEY G7 | 415A1117 S5006 | 1 | 33-51-21 342/224/L012 | YD158-YL999, YR301-YR328 |
| L01319 T | | OL-3071BPEGPL LAMP- | S479W230 S3774 | 1 | 33-51-21 MULTI/ / | YD158-YL999, YR301-YR328 |
| L01320 | | 81000-33802 PROX LT-GALLEY G7 | 415A1117 S5006 | 1 | 33-51-21 369/224/L012 | YD158-YL999, YR301-YR328 |
| L01320 T | | OL-3071BPEGPL LAMP- | S479W230 S3774 | 1 | 33-51-21 MULTI/ / | YD158-YL999, YR301-YR328 |
| L01321 | | S453W071-6 LT-FORWARD CARGO COMPARTMENT | 384A0112 81205 | 1 | 33-36-11 500B+13/203/R010 | YC051-YD158 |
| L01321 | | S453W071-11 LT-FORWARD CARGO COMPARTMENT | 384A0112 81205 | 1 | 33-36-11 500B+13/203/R010 | YD160-YL999, YR301-YR328 |
| L01321 T | | 2233 LAMP- | 384A0112 08806 | 1 | 33-36-11 500B+13/203/R010 | YC051-YL999, YR301-YR328 |
| L01322 | | S453W071-6 LT-FORWARD CARGO COMPARTMENT | 384A0112 81205 | 1 | 33-36-11 500D+15/203/R010 | YC051-YD158 |
| L01322 | | S453W071-11 LT-FORWARD CARGO COMPARTMENT | 384A0112 81205 | 1 | 33-36-11 500D+15/203/R010 | YD160-YL999, YR301-YR328 |
| L01322 T | | 2233 LAMP- | 384A0112 08806 | 1 | 33-36-11 500D+15/203/R010 | YC051-YL999, YR301-YR328 |
| L01329 | | S417N502-2 LT-WORK ROTATED -90 DEGREE | 411A3220 81205 | 1 | 33-26-11 349/289/L018 | YC051-YD170 |
| L01331 | | 10-61803-469 PSEU FAULT LIGHT | 233A3306 | 1 | 32-64-21 P005-00/ / | ALL |
| L01351 | | 81000-33802 PROX LIGHT-FWD LHS WINDSCREEN | 415A1119 S5006 | 1 | 33-51-21 350/224/L017 | YN231-YN501 |
| L01351 T | | OL-3071BPEGPL LAMP- | S479W230 S3774 | 1 | 33-51-21 350/224/L017 | YN231-YN501 |
| L01358 | | S417N510-1002 LT-EXIT INDICATOR | 417A5700 81205 | 1 | 33-51-21 642/224/R070 | YC051-YD157 |
| L01359 | | S417N510-1003 LT-EXIT INDICATOR | 417A5700 81205 | 1 | 33-51-21 642/224/L070 | YC051-YD157 |
| L01365 | | S479W220-3 SIGN-EXIT, OVERWING | 417A5600 81205 | 4 | 33-51-13 MULTI/ / | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section L01300

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| L01365 | | 82000-36101 SIGN-EXIT, OVERWING | 417A5601 S5006 | 4 | 33-51-13 MULTI/ / | YD158-YL999, YR301-YR328 |
| L01365 | | 82000-36101 SIGN-EXIT, OVERWING | 417A5601 S5006 | 2 | 33-51-13 628/270/ | YN231-YN501 |
| L01365 T | | OL-3071BPE-GPL LAMP- | S479W220 53774 | 48 | 33-51-13 MULTI/ / | YC051-YL999, YR301-YR328 |
| L01365 T | | OL-3071BPE-GPL LAMP- | S479W220 53774 | 24 | 33-51-13 628/270/ | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section L01300
Page 4 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| L01417 | | 0105924-005 EMERGENCY CEILING LIGHT | 411A3230 81205 | 1 | 33-51-12 382/293/0000 | YL951-YN260 |
| L01417 T | | 1317 EMERGENCY CEILING LIGHT | S417U006 81205 | 1 | 33-51-12 382/293/0000 | YL951-YN260 |
| L01419 | | 0105924-005 EMERGENCY CEILING LIGHT | 411A3430 81205 | 1 | 33-51-14 898/293/0000 | YL951-YN260 |
| L01419 T | | 1317 EMERGENCY CEILING LIGHT | S417U006 81205 | 1 | 33-51-14 898/293/0000 | YL951-YN260 |
| L01449 | | 737-0010-16 FWD WINGLET LIGHT ASSY-RIGHT | 119A0105 81205 | 1 | 33-43-11 727B/245/R663 | YC067-YD157 |
| L01449 | | 737-0010-34 FWD WINGLET LIGHT ASSY-RIGHT | 119A0105 81205 | 1 | 33-43-11 727B/245/R663 | YD158 |
| L01449 | | 737-0010-36 FWD WINGLET LIGHT ASSY-RIGHT | 119A0105 81205 | 1 | 33-43-11 727B/245/R663 | YD160-YR328 |
| L01449 T | 9 | 31-9289-4 FWD WINGLET LT ASSY - RT (APB 0802664) | 737-8353 72914 | 1 | 33-43-11 727B/245/R663 | YC051-YC065 |
| L01449 T | | HLX64621 LAMP- | 119A0105 08805 | 2 | 33-43-11 727B/245/R663 | YC067-YR328 |
| L01449 U | 9 | 30-9294-4 FWD WINGLET LT ASSY - RT (APB 0802664) | 737-8353 72914 | 1 | 33-44-12 727B/245/R663 | YC051-YC065 |
| L01449 U | | 30-2735-1 STROBE SUB ASSY | 119A0105 72914 | 1 | 33-44-12 727B/245/R663 | YC067-YR328 |
| L01449 X | 9 | 30-2481-5 AFT WINGLET LT ASSY - RT (APB 0802664) | 737-8800 72914 | 1 | 33-43-11 727E/245/R674 | YC051-YC065 |
| L01449 X | | 30-2481-5 AFT WINGLET LIGHT ASSY - RIGHT | 119A0105 81205 | 1 | 33-43-11 727E/245/R674 | YC067-YR328 |
| L01450 | | 737-0010-15 FWD WINGLET LIGHT ASSY-LEFT | 119A0105 81205 | 1 | 33-43-11 727B/245/L663 | YC067-YD157 |
| L01450 | | 737-0010-33 FWD WINGLET LIGHT ASSY-LEFT | 119A0105 81205 | 1 | 33-43-11 727B/245/L663 | YD158 |
| L01450 | | 737-0010-35 FWD WINGLET LIGHT ASSY-LEFT | 119A0105 81205 | 1 | 33-43-11 727B/245/L663 | YD160-YR328 |
| L01450 T | 9 | 31-9289-1 FWD WINGLET LT ASSY - LFT (APB 0802664) | 737-8353 72914 | 1 | 33-43-11 727B/245/L663 | YC051-YC065 |

EQUIPMENT LIST

D280A108

Section L01400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|---|
| L01450 T | | HLX64621 LAMP- | 119A0105 08805 | 2 | 33-43-11 727B/245/L663 | YC067-YR328 |
| L01450 U | 9 | 31-9294-3 FWD WINGLET LT ASSY - LFT (APB 0802664) | 737-8353 72914 | 1 | 33-44-12 727B/245/L663 | YC051-YC065 |
| L01450 U | | 30-2735-1 STROBE SUB ASSY | 119A0105 72914 | 1 | 33-44-12 727B/245/L663 | YC067-YR328 |
| L01450 X | 9 | 30-2481-5 AFT WINGLET LT ASSY - LFT (APB 0802664) | 737-8800 72914 | 1 | 33-43-11 727E/245/L674 | YC051-YC065 |
| L01450 X | | 30-2481-5 AFT WINGLET LIGHT ASSY - LEFT | 119A0105 81205 | 1 | 33-43-11 727E/245/L674 | YC067-YR328 |
| L01456 | | S232W500-6 LIGHT- CHART, CAPT | 232A5114 72914 | 1 | 33-17-11 234/260/L030 | YD152-YL968, YN231-YN236, YN501-YR308 |
| L01456 | | S232W500-9 LIGHT- CHART, CAPT | 232A5114 72914 | 1 | 33-17-11 234/260/L030 | YL969-YL999, YN237-YN260, YR309-YR328 |
| L01462 | | 125-1310-11-103 NGS - LED HOLDER (GREEN) | 284A0810 83330 | 1 | 47-30-11 723/171/R013 | YD160-YR328 |
| L01463 | | 125-1310-11-103 NGS - LED HOLDER (BLUE) | 284A0810 83330 | 1 | 47-30-11 723/169/R013 | YD160-YR328 |
| L01464 | | 125-1310-11-103 NGS - LED HOLDER (AMBER) | 284A0810 83330 | 1 | 47-30-11 723/167/R013 | YD160-YR328 |
| L01492 | | 318-630-1002-100 CABIN READY LIGHT | 233A3303 81205 | 1 | 23-42-11 P005-00/ / | YL951-YR328 |
| L01492 T | | 387 LAMP- | 233A3323 08806 | 2 | 23-42-01 P005-00/ / | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section L01400
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| L01505 | | 9125-00 LT-AISLE, CTR OVHD STWG | 412A4100 81205 | 1 | 33-51-12 403/289/R006 | YN501-YR328 |
| L01506 | | 9125-00 LT-AISLE, BULLNOSE PANEL | 411A3600 81205 | 1 | 33-51-12 465/289/L006 | YN501 |
| L01506 | | 9125-00 LT-AISLE, BULLNOSE PANEL | 411A3600 81205 | 1 | 33-51-12 462/289/L006 | YR301-YR328 |
| L01507 | | 9120-00 LT-AISLE, STOWAGE BIN VALANCE | 412A7070 81205 | 7 | 33-51-12 MULTI/ / | YN501 |
| L01507 | | 9120-00 LT-AISLE, STOWAGE BIN VALANCE | 412A7080 81205 | 11 | 33-51-12 MULTI/ / | YR301-YR314, YR317-YR318, YR320-YR328 |
| L01507 | | 9120-00 LT-AISLE, STOWAGE BIN VALANCE | 412A7080 81205 | 8 | 33-51-12 MULTI/ / | YR315-YR316, YR319 |
| L01513 | | 9125-00 LT-AISLE, BULLNOSE PANEL | 411A3600 81205 | 1 | 33-51-14 697/289/R006 | YR315-YR316, YR319 |
| L01515 | | 9125-00 LT-AISLE, CTR OVHD STWG | 412A4100 81205 | 1 | 33-51-13 727A+10/289/L006 | YR315-YR316, YR319 |
| L01517 | | 9125-00 LT-AISLE, BULLNOSE PANEL | 411A3600 81205 | 1 | 33-51-13 727D+8/289/R006 | YR315-YR316, YR319 |
| L01520 | | 9125-00 LT-AISLE, BULLNOSE PANEL | 411A3600 81205 | 1 | 33-51-14 815/289/L006 | YN501-YR328 |
| L01521 | | 9125-00 LT-AISLE, CTR OVHD STWG | 412A4100 81205 | 1 | 33-51-14 877/289/R006 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section L01500

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| L03014 | | 81000-17502 LT-MAP(CAPT) | 232A5112 72914 | 1 | 33-17-11 249/245/L026 | YD152-YR328 |
| L03014 T | | 1308 LAMP- | 232A5112 72914 | 1 | 33-17-11 234/265/L024 | YD152-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section L03000
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M00005 | | S282T003-3 BATTERY CHARGER | 284A0420 81205 | 1 | 24-31-11 E002-01/ / | YC051-YC058 |
| M00005 | | S282T003-3 BATTERY CHARGER | 284A0421 81205 | 1 | 24-31-11 E002-01/ / | YC059-YN260, YR301-YR328 |
| M00005 | | 60B40019-2 BATTERY CHARGER | 284A0421 81205 | 1 | 24-31-11 E002-01/ / | YN501 |
| M00006 | | S282T003-1 BATTERY | 284A0816 81205 | 1 | 24-31-11 390/158/L005 | YC051-YN260, YR301-YR328 |
| M00006 | | 60B40017-7 BATTERY | 284A0816 81205 | 1 | 24-31-11 390/158/L005 | YN501 |
| M00009 | | S282T004-10 STATIC INVERTER- | 284A0420 81205 | 1 | 24-34-11 E002-02/184/L040 | YC051-YC058 |
| M00009 | | S282T004-10 STATIC INVERTER- | 284A0421 81205 | 1 | 24-34-11 E002-02/184/L040 | YC059-YD157 |
| M00009 | | S282T004-20 STATIC INVERTER- | 284A0421 81205 | 1 | 24-34-11 E002-02/184/L040 | YD158 |
| M00009 | 1 | S282T004-30 STATIC INVERTER- | 284A0421 81205 | 1 | 24-34-11 E002-02/184/L040 | YD160-YR328 |
| M00009 | 2 | S282T004-20 STATIC INVERTER- | 284A0421 81205 | 1 | 24-34-11 E002-02/184/L040 | YD160-YL951, YN231 |
| M00009 | 3 | S282T004-10MODB STATIC INVERTER- | 284A0421 81205 | 1 | 24-34-11 E002-02/184/L040 | YD160-YL951, YN231 |
| M00009 | 4 | S282T004-10 STATIC INVERTER- | 284A0421 81205 | 1 | 24-34-11 E002-02/184/L040 | YD160-YL951, YN231 |
| M00021 | | 10-61329-31 MOTOR-LEFT WINDSHIELD WIPER | 232A6181 81205 | 1 | 30-42-11 191/241/L011 | YC051-YD153 |
| M00021 | | 10-61329-39 MOTOR-LEFT WINDSHIELD WIPER | 232A6181 81205 | 1 | 30-42-11 191/241/L011 | YD154-YD158 |
| M00021 | | 10-61329-41 MOTOR-LEFT WINDSHIELD WIPER | 232A6181 81205 | 1 | 30-42-11 191/241/L011 | YD160-YR328 |
| M00022 | | 10-61329-32 MOTOR-RIGHT WINDSHIELD WIPER | 232A6181 81205 | 1 | 30-42-11 191/241/R011 | YC051-YD153 |
| M00022 | | 10-61329-40 MOTOR-RIGHT WINDSHIELD WIPER | 232A6181 81205 | 1 | 30-42-11 191/241/R011 | YD154-YD158 |

EQUIPMENT LIST

D280A108

Section M00000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M00022 | | 10-61329-42 MOTOR-RIGHT WINDSHIELD WIPER | 232A6181 81205 | 1 | 30-42-11 191/241/R011 | YD160-YR328 |
| M00025 | | NA138-714B DECODER-SELCA | 284A0440 89507 | 1 | 23-22-11 E004-01/ / | YC051-YD157 |
| M00025 | | NA138-714C DECODER-SELCA | 284A0440 89507 | 1 | 23-22-11 E004-01/ / | YD158-YD170, YN231-YN260 |
| M00025 | | NA138-714C DECODER-SELCA | 284A0440 89057 | 1 | 23-22-11 E004-01/ / | YL951-YL999, YN501-YR328 |
| M00027 | | DMN27-2 ANT-MARKER BEACON | 284A0507 85226 | 1 | 34-32-11 610/143/0 | ALL |
| M00040 | | S41422 DUAL GLIDESLOPE ANTENNA (NOSE) | 284A0504 13691 | 1 | 34-31-11 178/237/000 | ALL |
| M00041 | | 10-61333-3 ANT-DUAL VOR/LOC (TAIL) | 284A0510 85226 | 1 | 34-51-11 FIN/274/0000 | ALL |
| M00042 | | 10-61311-4 ANT-DME-1 | 284A0502 81205 | 1 | 34-55-11 580/144/0000 | YC051-YD170 |
| M00042 | | S220T116-1 ANT-DME-1 | 284A0502 81205 | 1 | 34-55-11 580/144/0000 | YL951-YL952 |
| M00042 | | DMNI50-2-6 ANT-DME-1 | 284A0502 81205 | 1 | 34-55-11 580/144/0000 | YL953-YR328 |
| M00043 | | 10-61311-4 ANT-DME-2 | 284A0502 81205 | 1 | 34-55-21 641/143/0 | YC051-YD170 |
| M00043 | | S220T116-1 ANT-DME-2 | 284A0502 81205 | 1 | 34-55-21 641/143/0 | YL951-YL952 |
| M00043 | | DMNI50-2-6 ANT-DME-2 | 284A0502 81205 | 1 | 34-55-21 641/143/0 | YL953-YR328 |
| M00044 | | 10-61311-4 ANT-BOTTOM AIR TRAFFIC CONTROL | 284A0503 85526 | 1 | 34-53-31 355/ / | YC051-YL999 |
| M00044 | | 10-61311-4 ANT-BOTTOM AIR TRAFFIC CONTROL | 286A5181 81205 | 1 | 34-53-31 355/ / | YN231-YN260 |
| M00044 | | 10-61311-3 ANT-BOTTOM AIR TRAFFIC CONTROL | 286A5181 81205 | 1 | 34-53-31 355/ / | YN501 |
| M00044 | | S220T116-1 ANT-BOTTOM AIR TRAFFIC CONTROL | 284A0503 85526 | 1 | 34-53-31 355/ / | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section M00000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| M00046 | | 60B92404-6 BOOST PUMP-TANK 1 AFT | 343A3111 81205 | 1 | 28-23-11 WBL140/ / | YC051-YC057 |
| M00046 | | 60B92404-7 BOOST PUMP-TANK 1 AFT | 343A3111 81205 | 1 | 28-23-11 WBL140/ / | YC058-YD153 |
| M00046 | | 60B92404-8 BOOST PUMP-TANK 1 AFT | 343A3111 81205 | 1 | 28-23-11 WBL140/ / | YD154-YD158 |
| M00046 | | 60B92404-10 BOOST PUMP-TANK 1 AFT | 343A3111 81205 | 1 | 28-23-11 WBL140/ / | YD160-YR328 |
| M00047 | | 60B92404-6 BOOST PUMP-TANK 1 FWD | 343A3111 81205 | 1 | 28-23-11 102/FSS/L | YC051-YC057 |
| M00047 | | 60B92404-7 BOOST PUMP-TANK 1 FWD | 343A3111 81205 | 1 | 28-23-11 102/FSS/L | YC058-YD153 |
| M00047 | | 60B92404-8 BOOST PUMP-TANK 1 FWD | 343A3111 81205 | 1 | 28-23-11 102/FSS/L | YD154-YD158 |
| M00047 | | 60B92404-10 BOOST PUMP-TANK 1 FWD | 343A3111 81205 | 1 | 28-23-11 102/FSS/L | YD160-YR328 |
| M00048 | | 60B92404-6 BOOST PUMP-TANK 2 AFT | 343A3111 81205 | 1 | 28-23-11 WBL135/ / | YC051-YC057 |
| M00048 | | 60B92404-7 BOOST PUMP-TANK 2 AFT | 343A3111 81205 | 1 | 28-23-11 WBL135/ / | YC058-YD153 |
| M00048 | | 60B92404-8 BOOST PUMP-TANK 2 AFT | 343A3111 81205 | 1 | 28-23-11 WBL135/ / | YD154-YD158 |
| M00048 | | 60B92404-10 BOOST PUMP-TANK 2 AFT | 343A3111 81205 | 1 | 28-23-11 WBL135/ / | YD160-YR328 |
| M00049 | | 60B92404-6 BOOST PUMP-TANK 2 FWD | 343A3111 81205 | 1 | 28-23-11 FS104/ / | YC051-YC057 |
| M00049 | | 60B92404-7 BOOST PUMP-TANK 2 FWD | 343A3111 81205 | 1 | 28-23-11 FS104/ / | YC058-YD153 |
| M00049 | | 60B92404-8 BOOST PUMP-TANK 2 FWD | 343A3111 81205 | 1 | 28-23-11 FS104/ / | YD154-YD158 |
| M00049 | | 60B92404-10 BOOST PUMP-TANK 2 FWD | 343A3111 81205 | 1 | 28-23-11 FS104/ / | YD160-YR328 |
| M00053 | | 10-62239-1 HORN-GRD CREW CALL | 284A0806 10402 | 1 | 23-43-11 231/185/R001 | ALL |

EQUIPMENT LIST

D280A108

Section M00000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| M00057 | | DMC50-17 ANT-VHF 2 COMM | 233A5202 85226 | 1 | 23-12-21 630/305/R005 | YC051-YC060 |
| M00057 | | DMC50-17 ANT-VHF 1 COMM | 233A5202 85226 | 1 | 23-12-11 630/305/R005 | YC061-YR328 |
| M00058 | | DMC50-17-2 ANT-VHF 2 COMM | 284A0501 85226 | 1 | 23-12-21 727D+11/148/0000 | ALL |
| M00062 | | 2041446-0401 ANT-WEATHER RADAR | 284A0506 97896 | 1 | 34-41-11 178/200/R005 | YC051-YD170 |
| M00062 | | 622-5137-601 ANT-WEATHER RADAR | 284A0506 13499 | 1 | 34-41-11 178/200/R005 | YL951-YR328 |
| M00063 | | 622-5342-101 AMPL-PASS ADDRESS | 284A0410 13499 | 1 | 23-31-01 E001-03/ / | ALL |
| M00074 | | 285W0024-1B HANDSET-FWD ATTND PNL | 417A6500 81205 | 1 | 23-42-12 P013-00/ / | YC051-YN260 |
| M00074 | | 285W0024-1M HANDSET-FWD ATTND PNL | 417A6500 81205 | 1 | 23-42-12 P013-00/ / | YN501 |
| M00074 | | 285W0024-1M HANDSET-FWD ATTND PNL | 417A6501 81205 | 1 | 23-42-12 / / | YR301-YR328 |
| M00075 | | 285W0024-1B HANDSET-AFT ATTND PNL | 417A6500 81205 | 1 | 23-42-12 P014-00/ / | YC051-YN260 |
| M00075 | | 285W0024-1M HANDSET-AFT ATTND PNL | 417A6500 81205 | 1 | 23-42-12 P014-00/ / | YN501 |
| M00075 | | 285W0024-1M HANDSET-AFT ATTND PNL | 417A6501 81205 | 1 | 23-42-12 / / | YR301-YR328 |
| M00077 | | 10-62090-30 SPKR-COCKPIT INPH-CAPT | 232A1400 81205 | 1 | 23-51-01 226/268/L015 | ALL |
| M00078 | | 10-62090-30 SPKR-COCKPIT INPH-FO | 232A1401 81205 | 1 | 23-51-02 226/268/R020 | ALL |
| M00096 | | 980-4700-042 FLIGHT DATA RECORDER-SOLID STATE | 284A0402 97896 | 1 | 31-31-11 942/290/0 | ALL |
| M00098 | | S210N701-38 FAN-NORMAL EXHAUST | 217A1003 81205 | 1 | 21-27-21 362/164/R027 | ALL |
| M00099 | | S210N701-38 FAN-ALTERNATE EXHAUST | 217A1003 81205 | 1 | 21-27-21 370/164/R027 | ALL |

EQUIPMENT LIST

D280A108

Section M00000

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M00100 | | S210N701-43 DETECTOR-AIRFLOW | 217A1002 54813 | 1 | 21-27-21 200/193/R020 | ALL |
| M00101 | | 066-50008-0102 RT-WEATHER RADAR | 284A0804 97896 | 1 | 34-41-11 188/ / | YC051-YC052 |
| M00101 | | 066-50008-0405 RT-WEATHER RADAR | 284A0804 97896 | 1 | 34-41-11 188/ / | YC053-YC058 |
| M00101 | | 066-50008-0406 RT-WEATHER RADAR | 284A0804 97896 | 1 | 34-41-11 188/ / | YC059-YD170 |
| M00101 | | 822-1710-002 RT-WEATHER RADAR | 284A0804 13499 | 1 | 34-41-11 188/ / | YL951-YL999, YN232-YR328 |
| M00101 | | 822-1710-001 RT-WEATHER RADAR | 284A0804 13499 | 1 | 34-41-11 188/ / | YN231 |
| M00102 | | 10-60897 WAVEGUIDE-WEATHER RADAR | 65C16133 81205 | 1 | 34-41-11 195/170/L005 | ALL |
| M00103 | | 2041213-0413 MOUNT-WEATHER RADAR | 284A0804 97896 | 1 | 34-41-11 188/170/R008 | YC051-YD170 |
| M00103 | | 622-5133-007 MOUNT-WEATHER RADAR | 284A0804 13499 | 1 | 34-41-11 188/170/R008 | YL951-YR328 |
| M00110 | 1 | 69-34728-1 CIT BOARD-RADIO NOISE SUPPRES | 284A1204 81205 | 1 | 27-41-11 J004-00/ / | ALL |
| M00110 | 2 | 69-34728-2 CIT BOARD-RADIO NOISE SUPPRES | 284A1204 81205 | 1 | 27-41-11 J004-00/ / | ALL |
| M00111 | | 1N4385 DIODE-ENG START 1 | 233A3323 07688 | 1 | 80-11-11 P005-00/ / | ALL |
| M00112 | | 1N4385 DIODE-ENG START 2 | 233A3323 07688 | 1 | 80-11-11 P005-00/ / | ALL |
| M00117 | | 65C36813-1 STRIKE-ELECTRIC | 65C36804 80477 | 1 | 52-51-11 280/246/R010 | YC051-YD154 |
| M00118 | | VENDORSUPPLIEDSEEIPCFORP-NINFO RIGHT IGNITION EXCITER | 332A2000 1Z812 | 2 | 74-11-11 ENG/ / | ALL |
| M00149 | | 064-50000-0110 XCVR-VHF 1 | 284A0410 27914 | 1 | 23-12-11 E001-03/ / | YC051-YD157 |
| M00149 | | 064-50000-2000 XCVR-VHF 1 | 284A0410 27914 | 1 | 23-12-11 E001-03/ / | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section M00100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| M00150 | | 064-50000-0110 XCVR-VHF 2 | 284A0410 27914 | 1 | 23-12-21 E001-05/ / | YC051-YD157 |
| M00150 | | 064-50000-2000 XCVR-VHF 2 | 284A0410 27914 | 1 | 23-12-21 E001-05/ / | YD158-YR328 |
| M00157 | | 10-62232-01 SPEAKER-FWD ATTD | 411A2211 80331 | 1 | 23-31-04 310/290/L030 | ALL |
| M00162 | 1 | S283A301-3 CONTROL UNIT-ANTISKID/AUTOBRAKE | 284A0410 81205 | 1 | 32-41-11 E001-03/ / | ALL |
| M00162 | 2 | S283A301-1 CONTROL UNIT-ANTISKID/AUTOBRAKE | 284A0410 81205 | 1 | 32-41-11 E001-03/ / | ALL |
| M00163 | | 7517800-10002 XPDR-AIR TRAFFIC CONTROL 1 | 284A0410 58960 | 1 | 34-53-11 E001-02/ / | YC051-YD153 |
| M00163 | | 7517800-10004 XPDR-AIR TRAFFIC CONTROL 1 | 284A0410 58960 | 1 | 34-53-11 E001-02/ / | YD154-YD157 |
| M00163 | | 066-01127-1602 XPDR-AIR TRAFFIC CONTROL 1 | 284A0410 22373 | 1 | 34-53-11 E001-02/ / | YD158-YD170 |
| M00163 | | 7517800-11006 XPDR-AIR TRAFFIC CONTROL 1 | 284A0410 58960 | 1 | 34-53-11 E001-02/ / | YL951-YR328 |
| M00164 | | 822-0329-001 INTERROGATOR DME-1 | 284A0410 13499 | 1 | 34-55-11 E001-02/ / | YC051-YD157 |
| M00164 | | 066-50013-0101 INTERROGATOR DME-1 | 284A0410 13499 | 1 | 34-55-11 E001-02/ / | YD158-YR314 |
| M00164 | | 066-50013-0111 INTERROGATOR DME-1 | 284A0410 13499 | 1 | 34-55-11 E001-02/ / | YR315-YR328 |
| M00165 | | 066-50013-0101 INTERROGATOR DME-2 | 284A0410 13499 | 1 | 34-55-21 E001-05/ / | YC051-YD170 |
| M00165 | | 066-50013-0101 INTERROGATOR DME-2 | 284A0410 13499 | 1 | 34-55-21 E001-05/ / | YL951-YR314 |
| M00165 | | 066-50013-0111 INTERROGATOR DME-2 | 284A0410 13499 | 1 | 34-55-21 E001-05/ / | YR315-YR328 |
| M00171 | | 102AH2AG SNSR-TOTAL AIR TEMPERATURE | 65-20986 04274 | 1 | 30-31-11 268/191/L050 | ALL |
| M00175 | | S251A301-1 PCU UNIT-RUDDER | 65-45160 81205 | 1 | 22-23-12 1087/ / | ALL |

EQUIPMENT LIST

D280A108

Section M00100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| M00194 | | 10-3275-32 BOTTLE-L EXT | 65-56291 81205 | 1 | 26-21-11 727/190/L070 | ALL |
| M00195 | | 10-3275-32 BOTTLE-R EXT | 65-56291 81205 | 1 | 26-21-11 727/190/L070 | ALL |
| M00198 | | 10-62038-237 CONT PNL-A/P | 233A8103 81205 | 1 | 22-11-11 P007-00/ / | YC051-YD155 |
| M00198 | | 822-1567-101 CONT PNL-A/P | 233A8103 81205 | 1 | 22-11-11 P007-00/ / | YD157-YD170 |
| M00198 | | 822-1567-102 CONT PNL-A/P | 233A8103 81205 | 1 | 22-11-11 P007-00/ / | YL951-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section M00100

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| M00200 | | 90234-5 HTR ASSY-AFT DRAIN MAST | 417A2360 81205 | 1 | 30-71-11 995/186/L019 | ALL |
| M00207 | | 1N3311B DIODE-MASTER DIM | 65C25703 80131 | 1 | 33-18-11 P006-00/ / | ALL |
| M00208 | | 1N3311B DIODE-MASTER DIM | 69-45109 80131 | 1 | 33-18-11 P006-00/ / | ALL |
| M00209 | | 1N3311B DIODE-MASTER DIM | 69-45109 81031 | 1 | 33-18-11 P006-00/ / | ALL |
| M00210 | | 1N3311B DIODE-MASTER DIM | 69-45109 81031 | 1 | 33-18-11 P006-00/ / | ALL |
| M00213 | | VENDORSUPPLIEDSEEIPCFORP-NINFO XMTR-OIL QTY | 332A2000 12812 | 2 | 79-31-11 ENG/ / | ALL |
| M00219 | 1 | 10-61072-7 XDCR-A/P CWS FORCE (PITCH CAPT) | 251A2109 81205 | 1 | 22-11-11 223/202/L014 | YC051-YC064 |
| M00219 | 1 | GM10503 XDCR-A/P CWS FORCE (PITCH CAPT) | 251A2109 81205 | 1 | 22-11-11 223/202/L014 | YC065-YR328 |
| M00219 | 2 | 10-61072-8 XDCR-A/P CWS FORCE (PITCH CAPT) | 251A2109 81205 | 1 | 22-11-11 223/202/L014 | YC051-YC064 |
| M00219 | 2 | GM10603 XDCR-A/P CWS FORCE (PITCH CAPT) | 251A2109 81205 | 1 | 22-11-11 223/202/L014 | YC065-YR328 |
| M00220 | 1 | 10-61072-7 XDCR-A/P CWS FORCE (PITCH F/O) | 251A1814 81205 | 1 | 22-11-11 215/190/R015 | YC051-YC064 |
| M00220 | 1 | GM10503 XDCR-A/P CWS FORCE (PITCH F/O) | 251A1814 81205 | 1 | 22-11-11 215/190/R015 | YC065-YR328 |
| M00220 | 2 | 10-61072-8 XDCR-A/P CWS FORCE (PITCH F/O) | 251A1814 81205 | 1 | 22-11-11 215/190/R015 | YC051-YC064 |
| M00220 | 2 | GM10603 XDCR-A/P CWS FORCE (PITCH F/O) | 251A2109 81205 | 1 | 22-11-11 215/190/R015 | YC065-YR328 |
| M00221 | 1 | 10-61072-7 XDCR-A/P CWS FORCE (ROLL) | 65-55731 81205 | 1 | 22-11-11 215/196/L024 | YC051-YC064 |
| M00221 | 1 | GM10603 XDCR-A/P CWS FORCE (ROLL) | 65-55731 81205 | 1 | 22-11-11 215/196/L024 | YC065-YR328 |
| M00221 | 2 | 10-61072-8 XDCR-A/P CWS FORCE (ROLL) | 65-55731 81205 | 1 | 22-11-11 215/196/L024 | ALL |

EQUIPMENT LIST

D280A108

Section M00200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M00223 | | 607510-3 MDL-LEFT 35 DEG F CONTROL | 213A1002 70210 | 1 | 21-51-16 566/164/L032 | YN231-YN501 |
| M00224 | | 607510-3 MDL-RIGHT 35 DEG F CONTROL | 213A1002 70210 | 1 | 21-51-26 566/164/R032 | YN231-YN501 |
| M00225 | | DMC50-17-2 ANT-VHF 3 COMM | 284A0501 85266 | 1 | 23-12-31 471/150/0000 | ALL |
| M00226 | | 964-0452-011 XCVR-HF 1 | 284A0480 27914 | 1 | 23-11-11 E008-01/ / | YC051-YD157 |
| M00226 | | 964-0452-012 XCVR-HF 1 | 284A0480 27914 | 1 | 23-11-11 E008-01/ / | YD158-YD170 |
| M00226 | | 964-0452-011 XCVR-HF 1 | 284A0460 27914 | 1 | 23-11-11 E006-02/ / | YL951-YL999 |
| M00226 | | 822-0990-004 XCVR-HF 1 | 284A0440 13499 | 1 | 23-11-11 E006-02/ / | YN231-YN235 |
| M00226 | | 964-0452-011 XCVR-HF 1 | 284A0440 27914 | 1 | 23-11-11 E006-02/ / | YN236-YR328 |
| M00227 | | 964-0453-011 COUPLER-HF 1 ANT | 284A0519 27914 | 1 | 23-11-11 / / | YC051-YL999, YN236-YR328 |
| M00227 | | 822-0987-004 COUPLER-HF 1 ANT | 284A0519 13499 | 1 | 23-11-11 / / | YN231-YN235 |
| M00228 | | 176A1001-1 ANT ASSY-HF | 284A0519 81205 | 1 | 23-11-11 P010-04/ / | ALL |
| M00232 | | C-07202-2 SHAKER-CAPT CONTROL COLUMN | 65-46352 83326 | 1 | 27-32-11 210/220/L020 | ALL |
| M00234 | | 60B89004-10 BOOST PUMP CTR TANK LEFT | 343A3101 81205 | 1 | 28-23-11 WBL95/ / | YC051-YC057 |
| M00234 | | 60B89004-12 BOOST PUMP CTR TANK LEFT | 343A3101 81205 | 1 | 28-23-11 WBL95/ / | YC058-YD153 |
| M00234 | | 60B89004-14 BOOST PUMP CTR TANK LEFT | 343A3101 81205 | 1 | 28-23-11 WBL95/ / | YD154-YD158 |
| M00234 | | 60B89004-16 BOOST PUMP CTR TANK LEFT | 343A3101 81205 | 1 | 28-23-11 WBL95/ / | YD160-YL999, YR301-YR328 |
| M00234 | | 60B89004-16 BOOST PUMP CTR TANK-LEFT | 343A3101 81205 | 1 | 28-23-11 WBL95/ / | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section M00200

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M00235 | | 60B89004-10 BOOST PUMP CTR TANK RIGHT | 343A3101 81205 | 1 | 28-23-11 WBL095/ / | YC051-YC057 |
| M00235 | | 60B89004-12 BOOST PUMP CTR TANK RIGHT | 343A3101 81205 | 1 | 28-23-11 WBL095/ / | YC058-YD153 |
| M00235 | | 60B89004-14 BOOST PUMP CTR TANK RIGHT | 343A3101 81205 | 1 | 28-23-11 WBL095/ / | YD154-YD158 |
| M00235 | | 60B89004-16 BOOST PUMP CTR TANK RIGHT | 343A3101 81205 | 1 | 28-23-11 WBL095/ / | YD160-YL999, YR301-YR328 |
| M00235 | | 60B89004-16 BOOST PUMP CTR TANK-RIGHT | 343A3101 81205 | 1 | 28-23-11 WBL095/ / | YN231-YN501 |
| M00237 | | 10-62187-1 MODULE-C0MPT 0VHT DET CONT | 284A0410 81205 | 1 | 26-12-11 E001-04/ / | YC051-YC055 |
| M00237 | | 10-62187-2 MODULE-C0MPT 0VHT DET CONT | 284A0410 81205 | 1 | 26-12-11 E001-04/ / | YC056-YR328 |
| M00241 | | 10-3087-4 SOLENOID-LND GR LEVER LATCH | 65-54219 81205 | 1 | 32-31-11 200/238/0000 | ALL |
| M00242 | | 10-61292-5 PUMP-HYDRAULIC STANDBY | 271A1442 81205 | 1 | 29-22-11 727+18/150/R027 | ALL |
| M00243 | | 85-13-06011 HANDMIC-CAPT | TBD-0000 D9240 | 1 | 23-51-01 / / | YC051-YC064, YC067-YC068 |
| M00243 | | 63999-000 HANDMIC-CAPT | TBD-0000 22711 | 1 | 23-51-01 / / | YC065, YC070- YD155 |
| M00243 | | 903-1341 HANDMIC-CAPT | 65-39526 81134 | 1 | 23-51-01 / / | YD157-YR328 |
| M00244 | | 85-13-06011 HANDMIC-F/O | TBD-0000 D9240 | 1 | 23-51-02 / / | YC051-YC064, YC067-YC068 |
| M00244 | | 63999-000 HANDMIC-F/O | TBD-0000 22711 | 1 | 23-51-02 / / | YC065, YC070- YD155 |
| M00244 | | 903-1341 HANDMIC-F/O | 65-39526 81134 | 1 | 23-51-02 / / | YD157-YR328 |
| M00245 | | 85-13-06011 HANDMIC-1 OBS | TBD-0000 D9240 | 1 | 23-51-03 P006-00/ / | YC051-YC064, YC067-YC068 |
| M00245 | | 63999-000 HANDMIC-1 OBS | TBD-0000 22711 | 1 | 23-51-03 P006-00/ / | YC065 |

EQUIPMENT LIST

D280A108

Section M00200

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| M00245 | | 63999-000 HANDMIC-1 OBS | TBD-0000 28856 | 1 | 23-51-03 P006-00/ / | YC070-YD155 |
| M00245 | | 903-1341 HANDMIC-1 OBS | TBD-0000 28856 | 1 | 23-51-03 P006-00/ / | YD157-YR328 |
| M00268 | | 35599-2-255 DETECTOR-L WING OVHT OUTBD | 218A3210 73168 | 1 | 26-12-11 FS198/ / | ALL |
| M00269 | | 35599-2-255 DETECTOR-R WING OVHT OUTBD | 218A3210 73168 | 1 | 26-12-11 FS195/ / | ALL |
| M00270 | | 35614-4-400 DETECTOR-MAIN WHEEL WELL FIRE | 284A0821 73168 | 1 | 26-12-11 684/200/MULT | YC051-YC052 |
| M00270 | | 35610-4-400 DETECTOR-MAIN WHEEL WELL FIRE | 284A0821 73168 | 1 | 26-12-11 684/200/MULT | YC053-YD158 |
| M00270 | | 04-90010-110D DETECTOR-MAIN WHEEL WELL FIRE | 284A0821 73168 | 1 | 26-12-11 684/200/MULT | YD160-YR328 |
| M00272 | | 35626-4-255 DETECTOR-FWD KEEL BEAM OVHT | 218A3410 73168 | 1 | 26-12-11 545/160/ | ALL |
| M00273 | | 35555-4-255 DETECTOR-AFT KEEL BEAM OVHT | 218A3420 73168 | 1 | 26-12-11 722/151/R004 | ALL |
| M00275 | | 35575-2-255 DETECTOR-AFT OVHT SEC 56 | 218A3610 73168 | 1 | 26-12-11 1016/202/L011 | ALL |
| M00276 | | 35555-4-255 DETECTOR-AFT OVHT SEC 58 | 218A3810 73168 | 1 | 26-12-11 1045/ / | ALL |
| M00277 | | 10-62239-2 HORN-APU FIRE WARN | 355A5400 81205 | 1 | 26-11-31 726/172/R023 | ALL |
| M00279 | | S332A250-1 MDL-ENG/APU FIRE OVHT DET CONT-WHITTAKER | 284A0420 81205 | 1 | 26-11-11 E002-02/ / | YC051-YC052 |
| M00279 | | S332A250-2 MDL-ENG/APU FIRE OVHT DET CONT-WHITTAKER | 284A0420 81205 | 1 | 26-11-11 E002-02/ / | YC053-YR328 |
| M00296 | | 8501B4 HEADSET-1/OBS | TBD-0000 D9240 | 1 | 23-51-03 209/223/R011 | YC051-YD153 |
| M00296 | | 64400-200 HEADSET-1/OBS | TBD-0000 78711 | 1 | 23-51-03 209/223/R011 | YD154-YD170 |
| M00296 | | 045-260-011 HEADSET-1/OBS | TBD-0000 78711 | 1 | 23-51-03 209/223/R011 | YN231-YN232 |

EQUIPMENT LIST

D280A108

Section M00200

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|-----------------------------------|-----------------------|-----|------------------------------|-------------|
| M00299 | | R620M3-12 ACTR-AIR INLET DOOR | 65-50925 81039 | 1 | 49-62-11 1055/240/R037 | YC051-YD170 |
| M00299 | | R6200M3-13 ACTR-AIR INLET DOOR | 65-50925 81039 | 1 | 49-62-11 1055/240/R037 | YL951-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section M00200

Page 5 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M00315 | 9 | 69-78214-4 AURAL WARNING MODULE (SB 21-1165) | 232A4101 81205 | 1 | 31-51-11 205/209/R006 | YC060-YC064 |
| M00315 | | 69-78214-3 AURAL WARNING MODULE | 232A4101 81205 | 1 | 31-51-11 205/209/R006 | YC051-YL952, YN231-YN232 |
| M00315 | | 69-78214-4 AURAL WARNING MODULE | 232A4101 81205 | 1 | 31-51-11 205/209/R006 | YL953-YL999, YN233-YR328 |
| M00320 | | 10-61833-4 WINDOW HEAT CONTROL UNIT RIGHT SIDE | 284A0420 532752 | 1 | 30-41-11 E002-01/ / | YC051-YC052 |
| M00320 | | 10-61833-6 WINDOW HEAT CONTROL UNIT RIGHT SIDE | 284A0420 532752 | 1 | 30-41-11 E002-01/ / | YC053-YR328 |
| M00321 | | 10-61833-4 WINDOW HEAT CONTROL UNIT LEFT FRONT | 284A0420 532752 | 1 | 30-41-11 E002-01/ / | YC051-YC052 |
| M00321 | | 10-61833-6 WINDOW HEAT CONTROL UNIT LEFT FRONT | 284A0420 532752 | 1 | 30-41-11 E002-01/ / | YC053-YR328 |
| M00322 | | 10-61833-4 WINDOW HEAT CONTROL UNIT LEFT SIDE | 284A0440 532752 | 1 | 30-41-12 E004-02/ / | YC051-YC052 |
| M00322 | | 10-61833-6 WINDOW HEAT CONTROL UNIT LEFT SIDE | 284A0440 532752 | 1 | 30-41-12 E004-02/ / | YC053-YR328 |
| M00323 | | 10-61833-4 WINDOW HEAT CONTROL UNIT RIGHT FRONT | 284A0440 532752 | 1 | 30-41-12 E004-02/ / | YC051-YC052 |
| M00323 | | 10-61833-6 WINDOW HEAT CONTROL UNIT RIGHT FRONT | 284A0440 532752 | 1 | 30-41-12 E004-02/ / | YC053-YR328 |
| M00324 | 9 | 65-52810-64 MDL-AIR COND RELAYS (SB 21-1133) | 284A0440 81205 | 1 | 21-51-11 E004-01/ / | YC053-YC059 |
| M00324 | | 65-52810-46 MDL-AIR COND RELAYS | 284A0440 81205 | 1 | 21-51-11 E004-01/ / | YC051-YC064 |
| M00324 | | 65-52810-64 MDL-AIR COND RELAYS | 284A0440 81205 | 1 | 21-51-11 E004-01/ / | YC065-YL999, YR301-YR328 |
| M00324 | | 65-52810-57 MDL-AIR COND RELAYS | 284A0440 81205 | 1 | 21-51-11 E004-01/ / | YN231-YN501 |
| M00326 | | 541674-4 ACTR-LEFT RAM AIR | 213A3004 70210 | 1 | 21-51-14 519/166/L057 | YC051-YR323, YR325-YR328 |
| M00327 | | 541674-4 ACTR-RIGHT RAM AIR | 213A3004 70210 | 1 | 21-51-24 519/166/R057 | YC051-YR323, YR325-YR328 |

EQUIPMENT LIST

D280A108

Section M00300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| M00328 | | 607518-2 CONTROLLER-LEFT RAM AIR | 213A1002 70210 | 1 | 21-51-14 567/164/L032 | YN231-YN501 |
| M00329 | | 607518-2 CONTROLLER-RIGHT RAM AIR | 213A1002 70210 | 1 | 21-51-24 567/164/R032 | YN231-YN501 |
| M00339 | | S256T011-6 MOT-TRAILING EDGE ALTERNATE FLAP DRIVE | 256A3510 81205 | 1 | 27-53-12 727/195/0000 | ALL |
| M00345 | | 10-60498-13 MDL CABIN TEMP CONTROL | 284A0440 81205 | 1 | 21-61-21 E004-01/ / | YN231-YN501 |
| M00347 | | 35646-2-255 DET-AFT CARGO COMPT OVHT | 218A3610 73168 | 1 | 26-12-11 947/ / | ALL |
| M00348 | | 35658-4-255 DET-AFT CARGO COMPT OVHT | 218A3610 73168 | 1 | 26-12-11 727/201/L009 | ALL |
| M00355 | | 35594-4-255 DET-L FWD A/C PACKBAY OVHT | 218A3110 73168 | 1 | 26-12-11 540/ / | ALL |
| M00356 | | 35594-4-255 DET-R FWD A/C PACKBAY OVHT | 218A3112 73168 | 1 | 26-12-11 580/155/R040 | ALL |
| M00359 | | 10-61359-3 ACTR-SPEED BRAKE HAND | 251A1910 81205 | 1 | 27-62-11 199/205/L006 | YC051-YL968, YN231-YN236, YN501-YR306 |
| M00359 | | 10-61359-4 ACTR-SPEED BRAKE HAND | 251A1910 81205 | 1 | 27-62-11 199/205/L006 | YL969-YL999, YN237-YN260, YR307-YR328 |
| M00370 | | 35574-4-255 DET-LEFT WING OVHT INBD | 218A3910 73168 | 1 | 26-12-11 540/170/L025 | ALL |
| M00371 | | 35574-4-255 DET-RIGHT WING OVHT INBD | 218A3910 73168 | 1 | 26-12-11 540/170/R025 | ALL |
| M00381 | | 7517800-10002 XPDR-AIR TRAFFIC CONTROL 2 | 824A0410 58960 | 1 | 34-53-21 E001-05/ / | YC051-YD153 |
| M00381 | | 7517800-10004 XPDR-AIR TRAFFIC CONTROL 2 | 824A0410 58960 | 1 | 34-53-21 E001-05/ / | YD154-YD157 |
| M00381 | | 066-01127-1602 XPDR-AIR TRAFFIC CONTROL 2 | 824A0410 22373 | 1 | 34-53-21 E001-05/ / | YD158-YD170 |
| M00381 | | 7517800-11006 XPDR-AIR TRAFFIC CONTROL 2 | 824A0410 58960 | 1 | 34-53-21 E001-05/ / | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section M00300

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M00383 | | 980-6022-001 MDL-VOICE RECORDER | 284A0460 97896 | 1 | 23-71-01 E006-01/ / | YC051-YD170, YN501 |
| M00383 | | 980-6020-001 MDL-VOICE RECORDER | 284A0460 97896 | 1 | 23-71-01 E006-01/195/R045 | YL951-YL999 |
| M00383 | | 980-6022-001 MDL-VOICE RECORDER | 284A0460 97896 | 1 | 23-71-01 E006-01/195/R045 | YN231-YN260, YR301-YR328 |
| M00392 | | 607400-1-1 SELECTOR-CONTROL CABIN TEMP | 233A3101 70210 | 1 | 21-61-21 P005-17/ / | YN231-YN501 |
| M00393 | | 607400-1-1 SELECTOR-PASSENGER CABIN TEMP | 233A3101 70210 | 1 | 21-61-22 P005-17/ / | YN231-YN501 |
| M00394 | | 1N2976B DIODE-MASTER DIM | 69-45109 80131 | 1 | 33-18-21 P006-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section M00300

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M00404 | | 10-3275-32 BOTTLE-APU EXT | 65-62582 81205 | 1 | 26-21-11 1025/ / | YC051-YL999, YN236-YR328 |
| M00404 | | S355A001-1 BOTTLE-APU EXT | 65-62582 81205 | 1 | 26-21-11 1025/ / | YN231-YN235 |
| M00411 | | 064-50000-0110 XCVR-VHF-3 | 284A0430 27914 | 1 | 23-12-31 E003-03/ / | YC051-YD157 |
| M00411 | | 064-50000-2000 XCVR-VHF-3 | 284A0430 27914 | 1 | 23-12-31 E003-03/ / | YD158-YR328 |
| M00414 | | 10-61369-9 ACTR-MACH TRIM | 65-45134 81205 | 1 | 22-18-11 1164/276/ | ALL |
| M00416 | | 1N4385 DIODE-LEVER LATCH SOLENOID | 65-54219 80131 | 1 | 32-31-11 197/236/R009 | ALL |
| M00421 | | VENDORSUPPLIEDSEEIPCFORP-NINFO LEFT IGNITION EXCITER | 332A2000 1Z812 | 2 | 74-11-11 ENG/ / | ALL |
| M00424 | | C-07202-2 SHAKER-F/O CONTROL COLUMN | 65-46353 83326 | 1 | 27-32-21 210/220/R020 | ALL |
| M00428 | | MS50-T30-1 BOOM HEADSET-CAPT | TBD-0000 28856 | 1 | 23-51-01 254/ / | YC051-YD155 |
| M00428 | | 64300-200 BOOM HEADSET-CAPT | TBD-0000 28856 | 1 | 23-51-01 254/ / | YD157-YD170 |
| M00428 | | 045-250-015 BOOM HEADSET-CAPT | TBD-0000 28856 | 1 | 23-51-01 254/ / | YN231-YN232 |
| M00429 | | MS50-T30-1 BOOM HEADSET-F/O | TBD-0000 28856 | 1 | 23-51-02 254/ / | YC051-YD155 |
| M00429 | | 64300-200 BOOM HEADSET-F/O | TBD-0000 28856 | 1 | 23-51-02 254/ / | YD157-YD170 |
| M00429 | | 045-250-015 BOOM HEADSET-F/O | TBD-0000 28856 | 1 | 23-51-02 254/ / | YN231-YN232 |
| M00439 | | 964-0452-012 XCVR-HF 2 | 284A0460 27914 | 1 | 23-11-21 E008-01/ / | YD158-YD170 |
| M00439 | | 964-0452-011 XCVR-HF 2 | 284A0440 27914 | 1 | 23-11-21 E006-02/ / | YL955-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section M00400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|---|
| M00440 | | 964-0453-011 COUPLER-HF 2 ANT | 284A0519 27914 | 1 | 23-11-21 / / | YD158-YD170, YL955-YL999, YN236-YR328 |
| M00469 | | 69-55179-78 MDL-DIMMING & ANNUNCIATION | 284A0202 81205 | 1 | 31-52-11 J019-00/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section M00400

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| M00516 | | 1N4385 DIODE-PASS SIGN | 65-73709 80131 | 1 | 33-25-11 P005-00/ / | ALL |
| M00517 | | 971-4193-001 ACCELEROMETER-FLIGHT RECORDER | 284A0819 97896 | 1 | 31-31-14 666/193/R048 | YC051-YD170 |
| M00517 | | 18-3001-3 ACCELEROMETER-FLIGHT RECORDER | 284A0819 97896 | 1 | 31-31-14 666/193/R048 | YL951-YR328 |
| M00520 | | 253T4015-7 SNSR-CAPT CONTROL WHEEL POSITION | 251A1806 81205 | 1 | 31-31-14 215/180/L020 | ALL |
| M00522 | | S250N104-4 SNSR-RUDDER PEDAL QUADRANT POSITION | 251A3480 81205 | 1 | 31-31-14 227/194/L020 | ALL |
| M00524 | | MF10-02-11 OXY MASK-CAPT | 232A8100 F5341 | 1 | 23-51-01 P021-00/ / | YC051-YD170 |
| M00524 | | MF20-003 OXY MASK-CAPT | 232A8100 F5341 | 1 | 23-51-01 P021-00/ / | YL951-YR328 |
| M00525 | | MF10-02-11 OXY MASK-F/O | 232A8100 F5341 | 1 | 23-51-02 P023-00/ / | YC051-YD170 |
| M00525 | | MF20-003 OXY MASK-F/O | 232A8100 F5341 | 1 | 23-51-02 P023-00/ / | YL951-YR328 |
| M00526 | | MC10-25-104 OXY MASK-1 OBS | 232A8100 F5341 | 1 | 23-51-03 P061-00/ / | YC051-YD157 |
| M00526 | | MC10-08-109 OXY MASK-FIRST OBS | 232A8100 F5341 | 1 | 23-51-03 P061-00/ / | YD158-YL999 |
| M00526 | | MC10-08-109 OXY MASK-1 OBS | 232A8100 F5341 | 1 | 23-51-03 P061-00/ / | YN231-YR328 |
| M00527 | | 1N4754A DIODE-GROUND HORN | 65-73709 80131 | 0 | 23-43-11 P005-00/ / | ALL |
| M00528 | | 285A1300-1 ENGINE ACCESSORY UNIT | 284A0430 81205 | 1 | 78-34-11 E003-02/ / | ALL |
| M00542 | | 69-76658-7 DIODE ASSY-CAPT INPH-2 BUS | 233A5201 81205 | 1 | 23-51-51 P006-02/ / | ALL |
| M00543 | | 69-76658-7 DIODE ASSY-CAPT INPH-2 BUS | 233A5201 81205 | 1 | 23-51-51 P006-02/ / | ALL |
| M00544 | | 69-76658-7 DIODE ASSY-F/O INPH-2 BUS | 233A5201 81205 | 1 | 23-51-51 P006-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section M00500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| M00545 | | 69-76658-7 DIODE ASSY-F/O INPH BATT BUS | 233A5201 81205 | 1 | 23-51-51 P006-02/ / | ALL |
| M00564 | | 69-60764-3 MDL-MASTER DIM | 233A5201 81205 | 1 | 33-18-11 265/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section M00500

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M00652 | | S220T102-213 COMPTR-GROUND PROXIMITY WARNING | 284A0410 97896 | 1 | 34-49-11 E001-01/ / | YC051-YC052 |
| M00652 | | 965-0976-003-204-204 COMPTR-GROUND PROXIMITY WARNING | 284A0410 97896 | 1 | 34-49-11 E001-01/ / | YC053-YC064 |
| M00652 | | 965-0976-003-212-212 COMPTR-GROUND PROXIMITY WARNING | 284A0410 97896 | 1 | 34-49-11 E001-01/ / | YC065-YD155 |
| M00652 | | 965-1690-050 COMPTR-GROUND PROXIMITY WARNING | 284A0410 97896 | 1 | 34-49-11 E001-01/ / | YD157-YD158 |
| M00652 | | 965-1690-052 COMPTR-GROUND PROXIMITY WARNING | 284A0410 97896 | 1 | 34-49-11 E001-01/ / | YD160-YL959, YN231-YN235 |
| M00652 | | 965-1690-055 COMPTR-GROUND PROXIMITY WARNING | 284A0410 97896 | 1 | 34-49-11 E001-01/ / | YL963-YL999, YN236-YR328 |
| M00675 | | 967-0212-002 DIGITAL FLIGHT DATA ACQUISITION UNIT | 284A0430 97896 | 1 | 31-31-11 E003-02/ / | YC051-YD170 |
| M00675 | | ED47B110 DIGITAL FLIGHT DATA ACQUISITION UNIT | 284A0430 13983 | 1 | 31-31-11 E003-02/ / | YL951-YL999, YN501-YR328 |
| M00675 | | 967-0212-050 DIGITAL FLIGHT DATA ACQUISITION UNIT | 284A0430 97896 | 1 | 31-31-11 E003-02/ / | YN231-YN260 |

EQUIPMENT LIST

D280A108

Section M00600

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M00753 | | 28823-7 COMPRESSOR-POTABLE WTR,AIR | 417A2610 81205 | 1 | 38-41-13 855/179/L049 | YC051-YN236, YN501-YR314 |
| M00753 | 1 | 28823-7 COMPRESSOR-POTABLE WTR,AIR | 417A2610 81205 | 1 | 38-41-13 855/179/L049 | YN237-YN260, YR315-YR328 |
| M00753 | 2 | 28823-17 COMPRESSOR-POTABLE WTR,AIR | 417A2610 81205 | 1 | 38-41-13 855/179/L049 | YN237-YN260, YR315-YR328 |

EQUIPMENT LIST

D280A108

Section M00700

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|-----------------------------------|-----------------------|-----|------------------------------|-------------|
| M00805 | | 1N5061 DIODE-BLOCKING | 69-37369 80131 | 1 | 34-49-11 P003-07/ / | ALL |
| M00818 | | 1N4384 DIODE-P5-16 | 69-37334 80131 | 1 | 21-33-11 P005-16/ / | ALL |
| M00819 | | 1N4384 DIODE-P5-16 | 69-37334 80131 | 1 | 21-33-11 P005-16/ / | ALL |
| M00820 | | 79326-001 HEATED HOSE FWD MAST | 417A2140 81205 | 1 | 30-71-11 526/150/R028 | ALL |

EQUIPMENT LIST

D280A108

Section M00800
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M00916 | | 2243800-73 WIRELESS RECORDER-QUICK ACCESS RECORDER | 284W0441 98571 | 1 | 31-35-03 E003-03/ / | YN236-YR328 |
| M00917 | | 760SUE2-2 CMPTR-AT/SC | 284A0410 81205 | 1 | 22-31-11 E001-01/ / | YC051-YC058, YC061-YC065 |
| M00917 | | 760SUE1-1 CMPTR-AT/SC | 284A0410 81205 | 1 | 22-31-11 E001-01/ / | YC059-YC060 |
| M00917 | | 760SUE2-4 CMPTR-AT/SC | 284A0410 81205 | 1 | 22-31-11 E001-01/ / | YC067-YD155 |
| M00929 | 1 | S250N104-5 XMTR-CONT SURF POSN (ELEV POSN,DUAL) | 251A2105 81205 | 1 | 22-12-31 1158/258/R010 | ALL |
| M00929 | 2 | 60B40042-6 XMTR-CONT SURF POSN (ELEV POSN,DUAL) | 65C21846 81205 | 1 | 22-12-31 1158/258/R010 | ALL |
| M00930 | 1 | H504B XMTR-CONT SURF POSN (SPOILER 9) | 251A1230 81205 | 1 | 22-11-31 W355/P05/RRS | ALL |
| M00930 | 2 | H504C XMTR-CONT SURF POSN (SPOILER 9) | 251A1230 81205 | 1 | 22-11-31 W355/P05/RRS | ALL |
| M00931 | 1 | H504B XMTR-CONT SURF POSN (SPOILER 4) | 251A1230 81205 | 1 | 22-11-31 W355/P05/LRS | ALL |
| M00931 | 2 | H504C XMTR-CONT SURF POSN (SPOILER 4) | 251A1230 81205 | 1 | 22-11-31 W355/P05/LRS | ALL |
| M00937 | 1 | S250N104-5 XMTR-CONT SURF POSN (AILERON DUAL) | 251A1680 81205 | 1 | 22-11-31 666/187/L020 | ALL |
| M00937 | 2 | 60B40042-6 XMTR-CONT SURF POSN (AILERON DUAL) | 65C19776 81205 | 1 | 22-11-31 666/187/L020 | ALL |
| M00943 | | 10-61985-5 ACTR-HYD A/P (AILERON 'A') | 65C19731 81205 | 1 | 22-11-31 670/193/L040 | ALL |
| M00958 | | S250N104-5 SENSOR-NEUT SHIFT | 251A2101 81205 | 1 | 22-12-31 1160/274/R005 | ALL |
| M00980 | | 65-84209-21 MDL-AUTO SP BK ACCESS | 284A0440 81205 | 1 | 27-62-11 E004-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section M00900

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| M01020 | | 10-61985-5 ACTR-HYD A/P (ELEVATOR 'A') | 65C19732 81205 | 1 | 22-12-31 1165/278/L007 | ALL |
| M01022 | | 10-61985-5 ACTR-HYD A/P (ELEVATOR 'B') | 65C19732 81205 | 1 | 22-12-41 1161/287/L007 | ALL |
| M01024 | | 10-61985-5 ACTR-HYD A/P (AILERON 'B') | 65C19731 81205 | 1 | 22-11-31 670/193/L050 | ALL |

EQUIPMENT LIST

D280A108

Section M01000
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M01102 | | DMN4-26 DUAL LOCALIZER ANTENNA (NOSE) | 284A0505 85226 | 1 | 34-31-11 178/187/ | ALL |
| M01103 | | 10-60556-32 PUMP-SYSTEM A ELEC 2 HYDRAULIC | 65C26850 81205 | 1 | 29-11-12 672/171/L019 | YC051-YL999, YN236-YR328 |
| M01103 | | 10-60556-30 PUMP-SYSTEM A ELEC 2 HYDRAULIC | 65C26850 81205 | 1 | 29-11-12 672/171/L019 | YN231-YN235 |
| M01104 | | 10-60556-32 PUMP-SYSTEM B ELEC 1 HYDRAULIC | 65C26850 81205 | 1 | 29-11-12 674/171/R004 | YC051-YL999, YN236-YR328 |
| M01104 | | 10-60556-30 PUMP-SYSTEM B ELEC 1 HYDRAULIC | 65C26850 81205 | 1 | 29-11-12 674/171/R004 | YN231-YN235 |
| M01105 | | 436-2 DET-GND FAULT SYS A ELEC 2 HYD PUMP | 65C25703 16340 | 1 | 29-11-12 P092-00/ / | ALL |
| M01106 | | 436-2 DET-GND FAULT SYS B ELEC 1 HYD PUMP | 65C25703 16340 | 1 | 29-11-12 P091-00/ / | ALL |
| M01109 | | 965-0758-001 MANAGEMENT UNIT-ACARS | 284A0430 97896 | 1 | 23-27-11 E003-03/ / | YC051-YD157 |
| M01124 | | 10-62026-1 ACTR-AILERON TRIM | 65C25400 81205 | 1 | 27-11-11 669/179/L035 | ALL |
| M01125 | | 10-62025-3 ACTR-RUDDER TRIM | 251A3450 81205 | 1 | 27-21-11 RUD STA/51./4 | ALL |
| M01126 | | 10-62220-2 SWITCH+RUDDER TRIM CONTROL | 69-73703 81205 | 1 | 27-21-11 P008-43/ / | YC051-YD153 |
| M01126 | | 10-62220-3 SWITCH+RUDDER TRIM CONTROL | 69-73703 81205 | 1 | 27-21-11 P008-43/ / | YD154-YR328 |
| M01142 | | 30903872 SQUIB NO. 2 FOR BOTTLE M194 | 65-56291 81205 | 1 | 26-21-11 713/ / | ALL |
| M01143 | | 30903871 SQUIB NO. 1 FOR BOTTLE M194 | 65-56291 81205 | 1 | 26-21-11 713/ / | ALL |
| M01144 | | 30903871 SQUIB NO. 1 FOR BOTTLE M195 | 65-56291 81205 | 1 | 26-21-11 713/ / | ALL |
| M01145 | | 30903872 SQUIB NO. 2 FOR BOTTLE M195 | 65-56291 81205 | 1 | 26-21-11 713/ / | ALL |
| M01146 | | 30903872 SQUIB FOR BOTTLE M404 | 65-56291 81205 | 1 | 26-21-11 713/ / | ALL |

EQUIPMENT LIST

D280A108

Section M01100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M01147 | | 35675-2-255 DET-AFT CARGO COMPT OVHT | 218A3610 73168 | 1 | 26-12-11 727/ / | YC051-YL999, YR301-YR328 |
| M01147 | | 35560-2-255 DET-AFT CARGO COMPT OVHT | 218A3610 73168 | 1 | 26-12-11 727/ / | YN231-YN501 |
| M01148 | | 10-62009-1 FAN-CABIN AIR RECIRCULATION | 214A3001 81205 | 1 | 21-25-10 500D+9/164/R016 | YN231-YN501 |
| M01173 | | 10-62018-8 MDL-T/R 1 CONTROL VALVE | 271A6442 02689 | 1 | 78-34-11 / / | YC051-YD158 |
| M01173 | | 10-62018-12 MDL-T/R 1 CONTROL VALVE | 271A6442 02689 | 1 | 78-34-11 / / | YD160-YR328 |
| M01174 | | 10-62018-8 MDL-T/R 2 CONTROL VALVE | 271A6442 02689 | 1 | 78-34-21 / / | YC051-YD158 |
| M01174 | | 10-62018-12 MDL-T/R 2 CONTROL VALVE | 271A6442 02689 | 1 | 78-34-21 / / | YD160-YR328 |
| M01175 | | 10-62225-003 COMPUTER-FLIGHT MANAGEMENT NO.1 | 284A0450 81205 | 1 | 34-61-11 E005-02/ / | YC051-YC068 |
| M01175 | | 176200-01-01 COMPUTER-FLIGHT MANAGEMENT NO.1 | 284A0452 35351 | 1 | 34-61-11 E005-02/ / | YC070-YR328 |
| M01177 | | W92C ACTR-NOSE STEERING | 275A5200 81205 | 1 | 32-51-11 253/202/L036 | ALL |
| M01180 | | 10-62008-37 REGULATOR-BLEED AIR | 332A1034 81205 | 2 | 36-11-11 210/80/L020 | YC051-YD158 |
| M01180 | | 10-62008-41 REGULATOR-BLEED AIR | 332A1034 81205 | 2 | 36-11-11 210/80/L020 | YD160-YR328 |
| M01192 | 1 | S250N104-5 XMTR-CONT SURF POSN (STAB 'A') | 251A2101 81205 | 1 | 22-12-31 1164/268/L008 | ALL |
| M01192 | 2 | 60B40042-6 XMTR-CONT SURF POSN (STAB 'A') | 65-45134 81205 | 1 | 22-12-31 1164/268/L008 | ALL |
| M01193 | 1 | S250N104-4 XMTR-CONT SURF POSN (STAB 'B') | 251A2101 81205 | 1 | 22-12-41 1164/268/R008 | ALL |
| M01193 | 2 | 60B40042-3 XMTR-CONT SURF POSN (STAB 'B') | 65-45134 81205 | 1 | 22-12-41 1164/268/R008 | ALL |

EQUIPMENT LIST

D280A108

Section M01100

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M01201 | | 251A4430-1 MDL-COLUMN SWITCHING | 251A4400 81205 | 1 | 22-13-11 206/200/R015 | ALL |
| M01206 | | 69-37399-7 UNIT-MASTER CAUTION | 233A7101 81205 | 1 | 34-21-11 P061-00/ / | YC051-YC052 |
| M01206 | | 69-37399-12 UNIT-MASTER CAUTION | 233A7101 81205 | 1 | 34-21-11 P061-00/ / | YC053-YD158 |
| M01206 | | 69-37399-13 UNIT-MASTER CAUTION | 233A7103 81205 | 1 | 34-21-11 P061-00/ / | YD160-YR328 |
| M01209 | | 2041444-0401 DRIVE UNIT-WEATHER RADAR ANTENNA | 284A0506 97896 | 1 | 34-41-11 178/200/R005 | YC051-YD170 |
| M01209 | | 622-5135-802 DRIVE UNIT-WEATHER RADAR ANTENNA | 284A0506 13499 | 1 | 34-41-11 178/200/R005 | YL951-YR328 |
| M01212 | | 10-62232-01 SPEAKER-AFT ATTD LH | 411A2213 80331 | 1 | 23-31-04 973/287/L032 | ALL |
| M01213 | | 10-62232-01 SPEAKER-AFT ATTD RH | 411A2214 80331 | 1 | 23-31-04 980/287/R032 | ALL |
| M01219 | | 287A4123-7 RESISTOR ASSY | 287A4106 81205 | 1 | 33-51-12 264/284/R006 | ALL |
| M01220 | | 284A1844-1 DIODE TR3 | 284A0430 81483 | 1 | 24-32-11 387/181/R048 | YC051-YC058, YD151-YD170 |
| M01220 | | 284A1844-2 DIODE TR3 | 284A0844 81483 | 1 | 24-32-11 387/181/R048 | YC059-YC070 |
| M01220 | | 284A1844-3 DIODE TR3 | 284A0844 81483 | 1 | 24-32-11 387/181/R048 | YL951-YR328 |
| M01236 | | 10-62008-22 SOLENOID-LOW FLOW (ENG. 1) | 332A2300 59364 | 1 | 30-11-11 551/177/L192 | ALL |
| M01237 | | 10-62008-22 SOLENOID-LOW FLOW (ENG. 2) | 332A2300 59364 | 1 | 30-11-11 551/177/R192 | ALL |
| M01240 | 9 | 241-298-002-015 ENG VIB SIGNAL COND (SB 77-1069) | 284A0430 S3960 | 1 | 77-31-11 E003-02/ / | YC051-YC064 |
| M01240 | 9 | 241-298-002-015 ENG VIB SIGNAL COND (-800) (SB 77-1069) | 284A0430 S3960 | 1 | 77-31-11 E003-02/ / | YC065-YD158, YL951 |
| M01240 | 9 | 241-298-002-015 ENG VIB SIGNAL COND (-800) (SB 77-1069) | 284A0430 51057 | 1 | 77-31-11 E003-02/ / | YD160-YD170, YL952-YL999 |

EQUIPMENT LIST

D280A108

Section M01200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M01240 | 9 | 241-298-002-015 ENG VIB SIGNAL COND (-700) (SB 77-1069) | 284A0430 S3960 | 1 | 77-31-11 E003-02/ / | YN231 |
| M01240 | 9 | 241-298-002-015 ENG VIB SIGNAL COND (-700) (SB 77-1069) | 284A0430 51057 | 1 | 77-31-11 E003-02/ / | YN232-YN235 |
| M01240 | 8 | 241-298-002-011 ENG VIB SIGNAL COND (SB 77-1069) | 284A0430 S3960 | 1 | 77-31-11 E003-02/ / | YC051-YC064 |
| M01240 | 8 | 241-298-002-011 ENG VIB SIGNAL COND (-800) (SB 77-1069) | 284A0430 51057 | 1 | 77-31-11 E003-02/ / | YC065-YD170 |
| M01240 | 8 | 241-298-002-011 ENG VIB SIGNAL COND (-800) (SB 77-1069) | 284A0430 S3960 | 1 | 77-31-11 E003-02/ / | YL951 |
| M01240 | 8 | 241-298-002-011 ENG VIB SIGNAL COND (-700) (SB 77-1069) | 284A0430 S3960 | 1 | 77-31-11 E003-02/ / | YN231 |
| M01240 | 7 | S362A001-1 ENG VIB SIGNAL CONDITIONER (SB 77-1056) | 284A0430 81205 | 1 | 77-31-11 E003-02/ / | YC051-YC058 |
| M01240 | 7 | S362A001-1 ENG VIB SIGNAL CONDITIONER (SB 77-1056) | 284A0430 81205 | 1 | 77-31-11 E003-02/ / | YC059-YC064 |
| M01240 | | 241-280-051-012 ENG VIBRATION SIGNAL CONDITIONER | 284A0430 51057 | 1 | 77-31-11 E003-02/ / | YC065-YC068 |
| M01240 | | 241-280-053-013 ENG VIBRATION SIGNAL CONDITIONER | 284A0430 51057 | 1 | 77-31-11 E003-02/ / | YC070-YD157 |
| M01240 | | 241-280-056-014 ENG VIBRATION SIGNAL CONDITIONER | 284A0430 51057 | 1 | 77-31-11 E003-02/ / | YD158-YL951, YN231 |
| M01240 | | 241-298-002-011 ENG VIBRATION SIGNAL CONDITIONER | 284A0430 51057 | 1 | 77-31-11 E003-02/ / | YL952-YL999, YR301-YR328 |
| M01240 | | 241-298-002-015 ENG VIB SIGNAL COND (SB 77-1069) | 284A0430 51057 | 1 | 77-31-11 E003-02/ / | YN232-YN260 |
| M01240 | | 241-298-002-015 ENG VIBRATION SIGNAL CONDITIONER | 284A0430 51057 | 1 | 77-31-11 E003-02/ / | YN501 |
| M01252 | | 280T1004-8 PLUG-SYSTEM TEST | 232A4230 81205 | 1 | 31-31-11 P018-02/ / | ALL |
| M01276 | | RD-AX7360-01 TAPE REPRODUCER-PRE-REC ANNOUNCEMENT | 65C14967 54473 | 1 | 23-31-06 300/ / | YD158-YN260 |

EQUIPMENT LIST

D280A108

Section M01200

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M01322 | | S210N701-38 FAN-EQUIP COOLING NORMAL SUPPLY | 217A1001 81205 | 1 | 21-27-31 368/191/R049 | ALL |
| M01323 | | S210N701-38 FAN-EQUIP COOLING ALTERNATE SUPPLY | 217A1004 81205 | 1 | 21-27-31 368/184/R049 | ALL |
| M01346 | | 129-6-M06 COAX CONN TEE | 284A0410 91836 | 1 | 34-55-11 E001-02/ / | ALL |
| M01347 | | 129-6-M06 COAX CONN TEE | 65-63844 91836 | 1 | 34-55-21 E003-03/ / | ALL |
| M01353 | | 10-62090-12 REMOTE ELECTRONICS UNIT | 284A0440 81205 | 1 | 23-51-01 E004-01/ / | YC051-YC052 |
| M01353 | | 10-62090-112 REMOTE ELECTRONICS UNIT | 284A0440 81205 | 1 | 23-51-01 E004-01/ / | YC053-YC061 |
| M01353 | | 10-62090-113 REMOTE ELECTRONICS UNIT | 284A0440 81205 | 1 | 23-51-01 E004-01/ / | YC062-YC064 |
| M01353 | | 10-62090-120 REMOTE ELECTRONICS UNIT | 284A0440 81205 | 1 | 23-51-01 E004-01/ / | YC065, YC070 |
| M01353 | | 10-62090-121 REMOTE ELECTRONICS UNIT | 284A0440 81205 | 1 | 23-51-01 E004-01/ / | YC067-YC068, YD151-YR328 |
| M01386 | | 417A5700 MDL-AISLE INDICATOR LT | 417A5700 81205 | 1 | 33-51-21 490/208/L068 | YC051-YD157 |
| M01387 | | 417A5700 MDL-AISLE INDICATOR LT | 417A5700 81205 | 1 | 33-51-21 500H/208/L068 | YC051-YD157 |
| M01388 | | 417A5700 MDL-AISLE INDICATOR LT | 417A5700 81205 | 1 | 33-51-22 723B/208/L068 | YC051-YD157 |
| M01389 | | 417A5700 MDL-AISLE INDICATOR LT | 417A5700 81205 | 1 | 33-51-21 783/208/L068 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section M01300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| M01406 | | S220T116-1 ANT-TOP AIR TRAFFIC CONTROL | 284A0503 85526 | 1 | 34-53-31 430/ / | YC051-YL999, YR301-YR328 |
| M01406 | | S220T116-1 ANT-TOP AIR TRAFFIC CONTROL | TBD-0000 81205 | 1 | 34-53-31 430/ / | YN231-YN501 |
| M01415 | | S417A101 MDL-LAV A (SEE Y004++++) | 65C31601 81205 | 1 | 33-26-31 / / | YC051-YN260 |
| M01415 | | S417A180 MDL-LAV A (SEE Y004+++) | 65C31601 81205 | 1 | 33-26-31 / / | YN501-YR328 |
| M01418 | | S417A101 AFT-LAV D (SEE Y007+++) | 417A1140 81205 | 1 | 33-26-31 948/236/L014 | YC051-YN260 |
| M01418 | | S417A180 AFT-LAV D (SEE Y007+++) | 417A1140 81205 | 1 | 33-26-31 948/236/L014 | YN501-YR328 |
| M01419 | | S417A101 MDL-LAV E (SEE Y008+++) | 65C31601 81205 | 1 | 33-26-31 / / | YC051-YL999 |
| M01419 | | S417A180 MDL-LAV E (SEE Y008+++) | 65C31601 81205 | 1 | 33-26-31 / / | YR301-YR328 |
| M01439 | | S250N104-1 XMTR-SPEEDBRAKE HANDLE POSITION | 65-52881 81205 | 1 | 27-62-13 186/203/L005 | ALL |
| M01440 | | 10-62009-1 FAN-CABIN AIR RECIRCULATION-L | 214A3001 81205 | 1 | 21-25-11 TBD/ / | YC051-YL999, YR301-YR328 |
| M01441 | | 10-62009-1 FAN-CABIN AIR RECIRCULATION-R | 214A3001 81205 | 1 | 21-25-11 525/171/R012 | YC051-YL999, YR301-YR328 |
| M01442 | | 10-62091-17 MDL-ZONE TEMP CONT 1 | 284A0430 81205 | 1 | 21-51-12 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| M01443 | | 10-62091-17 MDL-ZONE TEMP CONT 2 | 284A0430 81205 | 1 | 21-51-22 E003-03/ / | YC051-YL999, YR301-YR323, YR325-YR328 |
| M01445 | | 213A4101-2 MDL-FWD PASS CABIN TEMP SENSOR | 412A1150 81205 | 1 | 21-61-13 416/274/R031 | YC051-YL999 |
| M01446 | | 213A4101-2 MDL-AFT CABIN TEMP SENSOR | 412A1100 81205 | 1 | 21-61-14 727G+13/274/R031 | YC051-YL999 |
| M01455 | 9 | 65-52810-64 MDL-AIR COND RELAYS NO 2 (SB 21-1133) | 284A0440 81205 | 1 | 21-51-21 E004-01/ / | YC053-YC059 |

EQUIPMENT LIST

D280A108

Section M01400

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| M01455 | | 65-52810-46 MDL-AIR COND RELAYS NO 2 | 284A0440 81205 | 1 | 21-51-21 E004-01/ / | YC051-YC064 |
| M01455 | | 65-52810-64 MDL-AIR COND RELAYS NO 2 | 284A0440 81205 | 1 | 21-51-21 E004-01/ / | YC065-YL999, YR301-YR328 |
| M01456 | | 65C33409-1 MDL-AUX DIM/TEST | 69-73627 81205 | 1 | 33-18-62 P006-00/ / | YC051-YD157 |
| M01456 | | 65C33409-3 MDL-AUX DIM/TEST | 69-73627 81205 | 1 | 33-18-62 P006-00/ / | YD158-YR328 |
| M01464 | | 10-62232-01 SPEAKER-FWD ATTD | 411A2212 80331 | 1 | 23-31-04 310/290/ | ALL |
| M01474 | | 65-52820-2 UNIT-INTEGRATED FLIGHT SYSTEMS ACCESSORY | 284A0410 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| M01485 | 9 | 7517900-10020 TCAS COMPUTER (SB 34-2406 R01) | 284A0410 58960 | 1 | 34-45-11 E001-01/ / | YL954-YL956 |
| M01485 | | 066-50000-2220 TCAS COMPUTER | 284A0410 22373 | 1 | 34-45-11 E001-01/ / | YC051-YC059 |
| M01485 | | 7517900-10003 TCAS COMPUTER | 284A0410 58960 | 1 | 34-45-11 E001-01/ / | YC060, YC062- YD154 |
| M01485 | | 7517900-10001 TCAS COMPUTER | 284A0410 58960 | 1 | 34-45-11 E001-01/ / | YC061 |
| M01485 | | 7517900-10004 TCAS COMPUTER | 284A0410 58960 | 1 | 34-45-11 E001-01/ / | YD155-YD157, YL951-YL959, YN231-YN234 |
| M01485 | | 066-50000-2221 TCAS COMPUTER | 284A0410 58960 | 1 | 34-45-11 E001-01/ / | YD158 |
| M01485 | | 9003500-10903 TCAS COMPUTER | 284A0410 58960 | 1 | 34-45-11 E001-01/ / | YL963-YL999, YR301-YR314 |
| M01485 | | 7517900-10004 SURVEILLANCE PROCESSOR COMPUTER | 284A0410 58960 | 1 | 34-45-11 E001-01/ / | YN235 |
| M01485 | | 9003500-10903 SURVEILLANCE PROCESSOR COMPUTER | 284A0410 58960 | 1 | 34-45-11 E001-01/ / | YN236-YN501 |
| M01485 | | 9003500-10905 TCAS COMPUTER | 284A0410 58960 | 1 | 34-45-11 E001-01/ / | YR315-YR328 |

EQUIPMENT LIST

D280A108

Section M01400

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| M01486 | | 071-50001-8102 TCAS ANTENNA-TOP | 286A4009 22373 | 1 | 34-45-21 385/ / | YC051-YD170 |
| M01486 | | 7514081-901 TCAS ANTENNA-TOP | 286A4009 58960 | 1 | 34-45-21 385/ / | YL951-YR328 |
| M01487 | | 7514081-901 TCAS ANTENNA-BOTTOM | 286A4009 22373 | 1 | 34-45-21 305/ / | YC051 |
| M01487 | | 071-50001-8102 TCAS ANTENNA-BOTTOM | 286A4009 22373 | 1 | 34-45-21 305/ / | YC052-YD170 |
| M01487 | | 7514081-901 TCAS ANTENNA-BOTTOM | 286A4009 58960 | 1 | 34-45-21 305/ / | YL951-YR328 |
| M01499 | | 921000 DIGITAL INTERFACE UNIT (420 SYSTEM) | 284A0430 70093 | 1 | 23-32-21 E003-02/ / | YC051-YC070 |
| M01499 | | 921006 DIGITAL INTERFACE UNIT (420 SYSTEM) | 284A0430 70093 | 1 | 23-32-21 E003-02/ / | YD151-YD170 |

EQUIPMENT LIST

D280A108

Section M01400
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| M01501 | | 921000 TRAY ASSEMBLY | 284A1732 | 1 | 23-32-21 E003-02/ / | YC051-YD170 |
| M01501 | | 914023-3 MOUNTING TRAY - DIU (420 SYSTEM) | 284A0480 70093 | 1 | 23-32-21 E004-01/ / | YL951-YL999 |
| M01501 | | 925042-100 MOUNTING TRAY - DMU (4200 SYSTEM) | 284A0480 70093 | 1 | 23-32-21 E004-01/ / | YN231-YN260 |
| M01522 | | 110-328-01 ANTENNA-EMERGENCY LOCATOR XMTR | 284A0513 60253 | 1 | 23-24-11 797/306/L005 | YC051-YD170 |
| M01522 | | 2624-82 ANTENNA-EMERGENCY LOCATOR XMTR | 284A0513 F6987 | 1 | 23-24-11 797/306/L005 | YL951-YR328 |
| M01523 | | 453-0004 XMTR-EMERGENCY LOCATOR | 284A0513 60253 | 1 | 23-24-11 794/301/L010 | YC051-YC064 |
| M01523 | | 453-5004 XMTR-EMERGENCY LOCATOR | 284A0513 60253 | 1 | 23-24-11 794/301/L010 | YC065-YD170 |
| M01523 | | 1152682-1 XMTR-EMERGENCY LOCATOR | 284A0513 07217 | 1 | 23-24-11 794/301/L010 | YL951-YL952, YN231-YN233, YN236-YN260 |
| M01523 | | 1152682-2 XMTR-EMERGENCY LOCATOR | 284A0513 07217 | 1 | 23-24-11 794/301/L010 | YL953-YL999, YN234-YN235, YN501-YR328 |
| M01524 | | 611-6013-04 COAX ASSY-ELT ANTENNA (121.5/243 MHZ) | 60253 | 1 | 23-24-11 797/300/L005 | YC051-YD170 |
| M01524 | | 611-6013-04 ASSY-COAX,ANT,ELT (121.5/243 MHZ) | 286A0000 60253 | 1 | 23-24-11 797/300/L005 | YD158 |

EQUIPMENT LIST

D280A108

Section M01500

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| M01632 | | 10-62225-003 COMPUTER-FLIGHT MANAGEMENT NO.2 | 284A0450 81205 | 1 | 34-61-11 E005-02/ / | YC051-YC068 |
| M01632 | | 176200-01-01 COMPUTER-FLIGHT MANAGEMENT NO.2 | 284A0452 35351 | 1 | 34-61-11 E005-02/ / | YC070-YR328 |
| M01653 | | 10-62231-12 MDL-CABIN PRESS CONT NO.1 | 284A0420 81205 | 1 | 21-31-22 E002-02/ / | YC051-YC058 |
| M01653 | | 10-62231-22 MDL-CABIN PRESS CONT NO.1 | 284A0420 81205 | 1 | 21-31-22 E002-02/ / | YC059-YD158 |
| M01653 | | 21933-01AC MDL-CABIN PRESS CONT NO.1 | 284A0420 81205 | 1 | 21-31-22 E002-02/ / | YD160-YR328 |
| M01654 | | 10-62231-12 MDL-CABIN PRESS CONT NO.2 | 284A0440 81205 | 1 | 21-31-23 E004-01/ / | YC051-YC058 |
| M01654 | | 10-62231-22 MDL-CABIN PRESS CONT NO.2 | 284A0440 81205 | 1 | 21-31-23 E004-01/ / | YC059-YD157 |
| M01654 | | 10-62231-22 MDL-CABIN PRESS CONT NO.2 | 284A0440 81205 | 1 | 21-31-23 E001-01/ / | YD158 |
| M01654 | | 21933-01AC MDL-CABIN PRESS CONT NO.2 | 284A0440 81205 | 1 | 21-31-23 E001-01/ / | YD160-YR328 |
| M01659 | | 10-62233-5 ACTR-COMBINED STAB TRIM | 251A4500 81205 | 1 | 27-41-11 1076/264/R005 | YC051-YC063 |
| M01659 | | 10-62233-6 ACTR-COMBINED STAB TRIM | 251A4500 81205 | 1 | 27-41-11 1076/264/R005 | YC064-YD157 |
| M01659 | | 10-62233-7 ACTR-COMBINED STAB TRIM | 251A4500 81205 | 1 | 27-41-11 1076/264/R005 | YD158-YR328 |
| M01666 | 1 | TD-1982-1000 MDL-T/R 1 TIME DELAY | 284A1222 08719 | 1 | 78-32-51 J022-00/ / | YC051-YD158 |
| M01666 | 1 | 530740-1000 MDL-T/R 1 TIME DELAY | 284A1222 35344 | 1 | 78-32-51 J022-00/ / | YD160-YR328 |
| M01666 | 2 | 10167-1000-BT MDL-T/R 1 TIME DELAY | 284A1222 35344 | 1 | 78-32-51 J022-00/ / | YC051-YD158 |
| M01666 | 2 | TD-1982-1000 MDL-T/R 1 TIME DELAY | 284A1222 08719 | 1 | 78-32-51 J022-00/ / | YD160-YR328 |
| M01666 | 3 | 530740-1000 MDL-T/R 1 TIME DELAY | 284A1222 35344 | 1 | 78-32-51 J022-00/ / | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section M01600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M01667 | 1 | TD-1982-1000 MDL-T/R 2 TIME DELAY | 284A1224 08719 | 1 | 78-32-61 J024-00/ / | YC051-YD158 |
| M01667 | 1 | 530740-1000 MDL-T/R 2 TIME DELAY | 284A1224 35344 | 1 | 78-32-61 J024-00/ / | YD160-YR328 |
| M01667 | 2 | 10167-1000-BT MDL-T/R 2 TIME DELAY | 284A1224 35344 | 1 | 78-32-61 J024-00/ / | YC051-YD158 |
| M01667 | 2 | TD-1982-1000 MDL-T/R 2 TIME DELAY | 284A1224 08719 | 1 | 78-32-61 J024-00/ / | YD160-YR328 |
| M01667 | 3 | 530740-1000 MDL-T/R 2 TIME DELAY | 284A1224 35344 | 1 | 78-32-61 J024-00/ / | YC051-YD158 |
| M01667 T | 1 | MS25171-1S NIPPLE- | 92906 | 2 | 78-32-61 J024-00/ / | ALL |
| M01668 | | D717-02-001 BATTERY PACK-EMERGENCY LIGHT | 417A5900 81205 | 1 | 33-51-13 603/212/L067 | YN231-YN501 |
| M01669 | | D717-02-001 BATTERY PACK-EMERGENCY LIGHT | 417A5900 81205 | 1 | 33-51-13 603/212/R067 | YN231-YN501 |
| M01670 | | D717-02-001 BATTERY PACK-EMERGENCY LIGHT | 417A5900 81205 | 1 | 33-51-13 727C+13/212/L068 | ALL |
| M01671 | | D717-02-001 BATTERY PACK-EMERGENCY LIGHT | 417A5900 81205 | 1 | 33-51-14 727C+13/212/R068 | YC051-YL999, YR301-YR328 |
| M01672 | | D717-02-001 BATTERY PACK-EMERGENCY LIGHT | 411A3420 81205 | 1 | 33-51-14 952/290/R014 | ALL |
| M01673 | | D717-02-001 BATTERY PACK-EMERGENCY LIGHT | 411A3420 81205 | 1 | 33-51-14 952/290/L014 | ALL |
| M01674 | | D717-02-001 BATTERY PACK-EMERGENCY LIGHT | 411A3220 81205 | 1 | 33-51-12 322/291/R007 | YC051-YN260 |
| M01675 | | D717-02-001 BATTERY PACK-EMERGENCY LIGHT | 411A3220 81205 | 1 | 33-51-12 322/291/L007 | YC051-YN260 |
| M01675 | | D717-02-001 BATTERY PACK-EMERGENCY LIGHT | 411A3220 81205 | 1 | 33-51-12 317/290/L010 | YN501-YR328 |
| M01676 | | D717-02-001 BATTERY PACK-EMERGENCY LIGHT | 417A5900 81205 | 1 | 33-51-12 500C+7/213/R067 | YC051-YL999, YR301-YR328 |
| M01677 | | 417A5470-1 FORWARD ENTRY LT ASSY | 417A5472 81205 | 1 | 33-29-11 314/293/R002 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section M01600

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M01677 | | 417A5470-8 FORWARD ENTRY LT ASSY | 417A5472 81205 | 1 | 33-29-11 314/293/R002 | YD158-YD170, YN231 |
| M01677 | | 417A5470-8 FORWARD ENTRY LT ASSY-COOL WHITE | 417A5472 81205 | 1 | 33-29-11 314/293/R002 | YL951-YL999 |
| M01677 | | 417A5470-8 FORWARD ENTRY LT ASSY (COOL WHITE) | 417A5472 81205 | 1 | 33-29-11 314/293/R002 | YN232-YN260 |
| M01678 | | 417A5475-1 AFT ENTRY LT ASSY | 411A3220 81205 | 1 | 33-29-11 968/293/R002 | YC051-YD157 |
| M01678 | | 417A5475-9B AFT ENTRY LT ASSY | 411A3220 81205 | 1 | 33-29-11 968/293/R002 | YD158-YD170, YN231 |
| M01678 | | 417A5475-10B AFT ENTRY LT ASSY-COOL WHITE | 411A3220 81205 | 1 | 33-29-11 968/293/R002 | YL951-YL999 |
| M01678 | | 417A5475-10B AFT ENTRY LT ASSY (COOL WHITE) | 411A3220 81205 | 1 | 33-29-11 968/293/R002 | YN232-YN260 |
| M01679 | | S283U008-16 BALLAST-FLUOR LT ASSY | 417A5470 81205 | 1 | 33-29-11 M1677/ / | YC051-YN260 |
| M01681 | | 116817-5 AFT DOOR AREA HEATER | 214A8002 85932 | 1 | 21-42-11 975/297/R010 | ALL |
| M01690 | | PU90-13000-241 CONTROL PANEL-FWD LAV SMOKE | 417A6110 55065 | 1 | 26-14-11 305/290/L016 | YC051-YD170 |
| M01694 | | D717-02-001 BATTERY PACK-EMERGENCY LIGHT | 417A5900 81205 | 1 | 33-51-13 565/213/L068 | YC051-YL999, YR301-YR328 |
| M01695 | | D717-02-001 BATTERY PACK-EMERGENCY LIGHT | 417A5900 81205 | 1 | 33-51-13 565/213/R068 | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section M01600
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| M01708 | | 116817-5 FWD DOOR AREA HEATER | 214A8001 85932 | 1 | 21-42-11 273/189/L022 | ALL |
| M01709 | | S351A401-221 MDL-APU ELECTRONIC CONTROL UNIT | 284A0460 81205 | 1 | 49-62-51 E6 880/177/R032 | YC051-YC058 |
| M01709 | | S351A401-222 MDL-APU ELECTRONIC CONTROL UNIT | 284A0460 81205 | 1 | 49-62-51 E6 880/177/R032 | YC059-YL968, YN231-YN236, YN501-YR316 |
| M01709 | | 70720860-1 MDL-APU ELECTRONIC CONTROL UNIT | 284A0460 64547 | 1 | 49-62-51 E6 880/177/R032 | YL969-YL999, YN237-YN260, YR317-YR328 |
| M01710 | 9 | S351A401-245 MDL-APU START CONVERTER UNIT | 284A0420 81205 | 1 | 49-41-11 E002-02/ / | YC051 |
| M01710 | | S351A401-245 MDL-APU START CONVERTER UNIT | 284A0420 81205 | 1 | 49-41-11 E002-02/ / | YC052-YC065 |
| M01710 | | S351A401-250 MDL-APU START CONVERTER UNIT | 284A0420 81205 | 1 | 49-41-11 E002-02/ / | YC067-YR328 |
| M01718 | | 213A6101 MDL-CONTROL CABIN TEMP SENSOR | 232A1411 81205 | 0 | 21-61-21 259/275/L006 | ALL |
| M01719 | | 213A4101 MDL-PASSENGER CABIN TEMP SENSOR | 412A1110 81205 | 0 | 21-61-22 416/274/R031 | YN231-YN260 |
| M01720 | 9 | S281A601-3001 CONTROL UNIT-STANDBY POWER (SB 24-1120) | 233A5201 07217 | 1 | 24-31-11 P006-00/ / | YC051-YC052 |
| M01720 | | S281A601-3001 CONTROL UNIT-STANDBY POWER | 233A5201 07217 | 1 | 24-31-11 P006-00/ / | YC053-YC055 |
| M01720 | | S281A601-3001 CONTROL UNIT-STANDBY POWER | 233A5220 07217 | 1 | 24-31-11 P006-00/ / | YC056-YC065 |
| M01720 | 1 | S281A601-3003 CONTROL UNIT-STANDBY POWER | 233A5220 07217 | 1 | 24-31-11 P006-00/ / | YC067-YD155 |
| M01720 | 1 | S281A601-3004 CONTROL UNIT-STANDBY POWER | 233A5220 07217 | 1 | 24-31-11 P006-00/ / | YD157-YD158 |
| M01720 | 1 | S281A601-3009 CONTROL UNIT-STANDBY POWER | 233A5220 07217 | 1 | 24-31-11 P006-00/ / | YD160-YR328 |
| M01720 | 2 | S281A601-3001 CONTROL UNIT-STANDBY POWER | 233A5220 07217 | 1 | 24-31-11 P006-00/ / | YC067-YD155 |

EQUIPMENT LIST

D280A108

Section M01700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| M01720 | 2 | S281A601-3003 CONTROL UNIT-STANDBY POWER | 233A5220 07217 | 1 | 24-31-11 P006-00/ / | YD157-YD158 |
| M01720 | 2 | S281A601-3004 CONTROL UNIT-STANDBY POWER | 233A5220 07217 | 1 | 24-31-11 P006-00/ / | YD160-YR328 |
| M01720 | 3 | S281A601-3001 CONTROL UNIT-STANDBY POWER | 233A5220 07217 | 1 | 24-31-11 P006-00/ / | YD157-YD158 |
| M01720 | 3 | S281A601-3003 CONTROL UNIT-STANDBY POWER | 233A5220 07217 | 1 | 24-31-11 P006-00/ / | YD160-YR328 |
| M01720 | 4 | S281A601-3001 CONTROL UNIT-STANDBY POWER | 233A5220 07217 | 1 | 24-31-11 P006-00/ / | YD160-YR328 |
| M01721 | | 606802-2 BLOWER-VACUUM | 417A8620 81205 | 1 | 38-32-12 857/196/L050 | YC051-YD157, YL951-YL999, YR301-YR328 |
| M01721 | 1 | 645172-1 BLOWER-VACUUM | 417A8620 81205 | 1 | 38-32-12 857/196/L050 | YD158-YD170, YN231-YN501 |
| M01721 | 2 | 606802-2 BLOWER-VACUUM | 417A8620 81205 | 1 | 38-32-12 857/196/L050 | YD158-YD170, YN231-YN501 |
| M01721 | 3 | 645172-2 BLOWER-VACUUM | 417A8620 81205 | 1 | 38-32-12 857/196/L050 | YD158-YD170, YN231-YN501 |
| M01722 | | 1742F8 MDL-VACUUM WASTE LOGIC CONTROL | 417A8680 81205 | 1 | 38-32-12 860/198/L013 | YC051-YC061 |
| M01722 | | 1742F9 MDL-VACUUM WASTE LOGIC CONTROL | 417A8680 59885 | 1 | 38-32-12 860/198/L013 | YC062-YR328 |
| M01724 | | 066-50012-0101 VOR/MARKER BEACON RECEIVER-1 | 284A0410 27914 | 1 | 34-51-11 E001-02/ / | YC051-YD170 |
| M01724 | | 066-50012-0101 VOR/MARKER BEACON RECEIVER-1 | 284A0410 13499 | 1 | 34-51-11 E001-02/ / | YL951-YL999, YN501-YR328 |
| M01724 | | 066-50012-0101 VOR/MARKER BEACON RECEIVER-1 | 284A0410 | 1 | 34-51-11 E001-02/ / | YN231-YN260 |
| M01725 | | 066-50012-0101 VOR RECEIVER-2 | 284A0410 27914 | 1 | 34-51-21 E001-04/ / | YC051-YD170 |
| M01725 | | 066-50012-0101 VOR RECEIVER-2 | 284A0410 13499 | 1 | 34-51-21 E001-04/ / | YL951-YL999, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section M01700

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M01725 | | 066-50012-0101 VOR RECEIVER-2 | 284A0410 | 1 | 34-51-21 E001-04/ / | YN231-YN260 |
| M01726 | | SSPD-113-7 RF POWER DIVIDER-1 | 284A0847 13691 | 1 | 34-31-11 309/180/R021 | ALL |
| M01727 | | SSPD-113-7 RF POWER DIVIDER-2 | 284A0847 13691 | 1 | 34-31-21 302/180/R020 | ALL |
| M01731 | | 066-50014-0101 RCVR-ADF 1 | 284A0430 27914 | 1 | 34-57-11 E003-01/ / | YC051-YD170 |
| M01731 | | 066-50014-0101 RCVR-ADF 1 | 284A0430 13499 | 1 | 34-57-11 E003-01/ / | YL951-YR328 |
| M01732 | 9 | 066-50014-0101 RCVR-ADF 2 (SB 34-2302) | 284A0430 27914 | 1 | 34-57-21 E003-01/ / | YL957 |
| M01733 | | 2041683-7507 ANT-ADF 1 | 284A0508 13499 | 1 | 34-57-11 694/ /R004 | ALL |
| M01734 | 9 | 2041683-7507 ANT-ADF 2 (SB 34-2302) | 284A0508 27914 | 1 | 34-57-21 / / | YL957 |
| M01735 | | 066-50007-0101 XCVR-RADIO ALTM-1 | 284A0430 27914 | 1 | 34-33-11 E003-01/ / | YC051-YD170 |
| M01735 | | 9599-607-19993 XCVR-RADIO ALTM-1 | 284A0430 4V792 | 1 | 34-33-11 E003-01/ / | YL951-YL999, YN501-YR314 |
| M01735 | | 9599-607-19993 XCVR-RADIO ALTM-1 | 284A0430 F0057 | 1 | 34-33-11 E003-01/ / | YN231-YN260 |
| M01735 | | 9599-607-19996 XCVR-RADIO ALTM-1 | 284A0430 4V792 | 1 | 34-33-11 E003-01/ / | YR315-YR328 |
| M01736 | | 066-50007-0101 XCVR-RADIO ALTM-2 | 284A0430 27914 | 1 | 34-33-21 E003-02/ / | YC051-YD170 |
| M01736 | | 9599-607-19993 XCVR-RADIO ALTM-2 | 284A0430 4V792 | 1 | 34-33-21 E003-02/ / | YL951-YL999, YN501-YR314 |
| M01736 | | 9599-607-19993 XCVR-RADIO ALTM-2 | 284A0430 F0057 | 1 | 34-33-21 E003-02/ / | YN231-YN260 |
| M01736 | | 9599-607-19996 XCVR-RADIO ALTM-2 | 284A0430 4V792 | 1 | 34-33-21 E003-02/ / | YR315-YR328 |
| M01737 | | S67-2002-18 ANT-RADIO ALTM XMTR-1 | 284A0509 13691 | 1 | 34-33-11 450/148/0000 | YC051-YR320 |

EQUIPMENT LIST

D280A108

Section M01700

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| M01737 | | S67-2002-28 ANT-RADIO ALTM XMTR-1 | 284A0509 13691 | 1 | 34-33-11 450/148/0000 | YR321-YR328 |
| M01738 | | S67-2002-18 ANT-RADIO ALTM XMTR-2 | 284A0509 13691 | 1 | 34-33-21 390/148/0000 | YC051-YR320 |
| M01738 | | S67-2002-28 ANT-RADIO ALTM XMTR-2 | 284A0509 13691 | 1 | 34-33-21 390/148/0000 | YR321-YR328 |
| M01739 | | S67-2002-18 ANT-RADIO ALTM RCVR-1 | 284A0509 13691 | 1 | 34-33-11 430/148/0000 | YC051-YR320 |
| M01739 | | S67-2002-28 ANT-RADIO ALTM RCVR-1 | 284A0509 13691 | 1 | 34-33-11 430/148/0000 | YR321-YR328 |
| M01740 | | S67-2002-18 ANT-RADIO ALTM RCVR-2 | 284A0509 13691 | 1 | 34-33-21 410/148/0000 | YC051-YR320 |
| M01740 | | S67-2002-28 ANT-RADIO ALTM RCVR-2 | 284A0509 13691 | 1 | 34-33-21 410/148/0000 | YR321-YR328 |
| M01742 | | S283A305-101 POWER SUPPLY-WING TIP STROBE LT-RIGHT | 284A0181 81205 | 1 | 33-44-12 727B/245/R634 | ALL |
| M01743 | | S283A305-101 POWER SUPPLY-WING TIP STROBE LT-LEFT | 284A0181 81205 | 1 | 33-44-12 727B/245/L634 | ALL |
| M01744 | 1 | 60-4983-3 POWER SUPPLY-ANTI-COLLISION LT-UPPER | 284A0122 81205 | 1 | 33-44-11 568/297/R031 | ALL |
| M01745 | | S283A305-101 POWER SUPPLY-ANTI-COLLISION LT-LOWER | 284A0161 81205 | 1 | 33-44-11 650/144/L027 | ALL |
| M01746 | | 285A1200-1 ELECTRONICS UNIT-FLAP/SLAT | 284A0410 81205 | 1 | 27-81-41 E001-01/ / | YC051-YD158 |
| M01746 | | 285A1200-2 ELECTRONICS UNIT-FLAP/SLAT | 284A0410 81205 | 1 | 27-81-41 E001-01/ / | YD160-YR328 |
| M01747 | | 285A1010-2 COMPUTER-STALL MANAGEMENT YAW DAMPER | 284A0430 81205 | 1 | 27-32-11 E003-02/ / | YC051-YC053 |
| M01747 | | 285A1010-3 COMPUTER-STALL MANAGEMENT YAW DAMPER | 284A0430 81205 | 1 | 27-32-11 E003-02/ / | YC054-YC057 |
| M01747 | | 285A1010-4 COMPUTER-STALL MANAGEMENT YAW DAMPER | 284A0430 81205 | 1 | 27-32-11 E003-02/ / | YC058-YC067 |
| M01747 | | 285A1010-6 COMPUTER-STALL MANAGEMENT YAW DAMPER | 284A0430 81205 | 1 | 27-32-11 E003-02/ / | YC068-YD158 |

EQUIPMENT LIST

D280A108

Section M01700

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|---|
| M01747 | | 285A1010-9 COMPUTER-STALL MANAGEMENT YAW DAMPER | 284A0430 89954 | 1 | 27-32-11 E003-02/ / | YD160-YL999, YR301-YR328 |
| M01747 | | 285A1010-107 COMPUTER-STALL MANAGEMENT YAW DAMPER | 284A0430 89954 | 1 | 27-32-11 E003-02/ / | YN231-YN260 |
| M01747 | | 285A1010-109 COMPUTER-STALL MANAGEMENT YAW DAMPER | 284A0430 89954 | 1 | 27-32-11 E003-02/ / | YN501 |
| M01748 | | 285A1010-2 COMPUTER-STALL MANAGEMENT YAW DAMPER | 284A0430 81205 | 1 | 27-32-21 E003-02/ / | YC051-YC053 |
| M01748 | | 285A1010-3 COMPUTER-STALL MANAGEMENT YAW DAMPER | 284A0732 81205 | 1 | 27-32-21 E003-02/ / | YC054-YC057 |
| M01748 | | 285A1010-4 COMPUTER-STALL MANAGEMENT YAW DAMPER | 284A0732 81205 | 1 | 27-32-21 E003-02/ / | YC058-YC067 |
| M01748 | | 285A1010-6 COMPUTER-STALL MANAGEMENT YAW DAMPER | 284A0732 81205 | 1 | 27-32-21 E003-02/ / | YC068-YD158 |
| M01748 | | 285A1010-9 COMPUTER-STALL MANAGEMENT YAW DAMPER | 284A0732 89954 | 1 | 27-32-21 E003-02/ / | YD160-YL999, YR301-YR328 |
| M01748 | | 285A1010-107 COMPUTER-STALL MANAGEMENT YAW DAMPER | 284A0732 89954 | 1 | 27-32-21 E003-02/ / | YN231-YN260 |
| M01748 | | 285A1010-109 COMPUTER-STALL MANAGEMENT YAW DAMPER | 284A0732 89954 | 1 | 27-32-21 E003-02/ / | YN501 |
| M01749 | | S242A101-004 UNIT-AIR DATA INERTIAL REFERENCE LEFT | 284A0450 65507 | 1 | 34-21-11 E005-02/ / | YC060-YC065 |
| M01749 | | S242A101-005 UNIT-AIR DATA INERTIAL REFERENCE LEFT | 284A0450 65507 | 1 | 34-21-11 E005-02/ / | YC067 |
| M01749 | | S242A101-006 UNIT-AIR DATA INERTIAL REFERENCE-LEFT | 284A0450 65507 | 1 | 34-21-11 E005-02/ / | YC068-YR328 |
| M01749 | 1 | S242A101-003 UNIT-AIR DATA INERTIAL REFERENCE LEFT | 284A0450 65507 | 1 | 34-21-11 E005-02/ / | YC051-YC059 |
| M01749 | 2 | S242A101-002 UNIT-AIR DATA INERTIAL REFERENCE LEFT | 284A0450 65507 | 1 | 34-21-11 E005-02/ / | YC051-YC059 |
| M01750 | | S242W601-100 MDL-AIR DATA-L-PITOT | 232A9103 81205 | 1 | 34-21-12 199.816/175/L013 | YC051-YL968, YN231-YN236, YN501-YR309 |

EQUIPMENT LIST

D280A108

Section M01700

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| M01750 | | S242W601-200 MDL-AIR DATA-L-PITOT | 232A9103 81205 | 1 | 34-21-12 199.816/175/L013 | YL969-YL999, YN237-YN260, YR312-YR328 |
| M01751 | | S242W601-100 MDL-AIR DATA-L-STATIC | 232A9402 81205 | 1 | 34-21-12 409/205/R002 | YC051-YL968, YN231-YN236, YN501-YR309 |
| M01751 | | S242W601-200 MDL-AIR DATA-L-STATIC | 232A9402 81205 | 1 | 34-21-12 409/205/R002 | YL969-YL999, YR312-YR328 |
| M01752 | | S242A101-004 UNIT-AIR DATA INERTIAL REFERENCE RIGHT | 284A0450 65507 | 1 | 34-21-11 E005-02/ / | YC060-YC065 |
| M01752 | | S242A101-005 UNIT-AIR DATA INERTIAL REFERENCE RIGHT | 284A0450 65507 | 1 | 34-21-11 E005-02/ / | YC067 |
| M01752 | | S242A101-006 UNIT-AIR DATA INERTIAL REFERENCE-RIGHT | 284A0450 65507 | 1 | 34-21-21 E005-02/ / | YC068-YR328 |
| M01752 | 1 | S242A101-003 UNIT-AIR DATA INERTIAL REFERENCE RIGHT | 284A0450 65507 | 1 | 34-21-11 E005-02/ / | YC051-YC059 |
| M01752 | 2 | S242A101-002 UNIT-AIR DATA INERTIAL REFERENCE RIGHT | 284A0450 65507 | 1 | 34-21-11 E005-02/ / | YC051-YC059 |
| M01753 | | S242W601-100 MDL-AIR DATA-R-PITOT | 232A9103 81205 | 1 | 34-21-22 200.618/177/R018 | YC051-YL968, YN231-YN236, YN501-YR309 |
| M01753 | | S242W601-200 MDL-AIR DATA-R-PITOT | 232A9103 81205 | 1 | 34-21-22 200.618/177/R018 | YL969-YL999, YN237-YN260, YR312-YR328 |
| M01754 | | S242W601-100 MDL-AIR DATA-R-STATIC | 232A9402 81205 | 1 | 34-21-22 430.415/205/R035 | YC051-YL968, YN231-YN236, YN501-YR309 |
| M01754 | | S242W601-200 MDL-AIR DATA-R-STATIC | 232A9402 81205 | 1 | 34-21-22 430.415/205/R035 | YL969-YL999, YN237-YN260, YR312-YR328 |
| M01755 | 1 | S332T100-27 APU UPPER FIRE DETECTOR ASSY | 355A5200 81205 | 1 | 26-11-31 1095/246/L001 | ALL |
| M01755 | 2 | S332T100-45 APU UPPER FIRE DETECTOR ASSY | 355A5200 81205 | 1 | 26-11-31 1095/246/L001 | ALL |

EQUIPMENT LIST

D280A108

Section M01700

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| M01756 | 1 | S332T100-28 APU LOWER FIRE DETECTOR ASSY | 355A5200 81205 | 1 | 26-11-31 1145/231/L013 | ALL |
| M01756 | 2 | S332T100-46 APU LOWER FIRE DETECTOR ASSY | 355A5200 81205 | 1 | 26-11-31 1145/231/L013 | ALL |
| M01757 | | S332T100-44 ENGINE FAN UPPER FIRE DETECTOR ASSY | 332A2500 81205 | 2 | 26-11-11 / / | ALL |
| M01758 | | S332T100-30 ENGINE FAN LOWER FIRE DETECTOR ASSY | 332A2500 81205 | 2 | 26-11-11 / / | ALL |
| M01759 | | S332T100-43 ENGINE CORE AFT FIRE DETECTOR ASSY | 332A2500 81205 | 2 | 26-11-11 / / | ALL |
| M01760 | | S332T100-38 ENGINE CORE RIGHT DETECTOR ASSY | 332A2500 81205 | 2 | 26-11-11 / / | ALL |
| M01761 | | 35712-79 L ENG STRUT CAVITY FWD OVHT DET | 312A2531 73168 | 1 | 26-12-11 NSTA 188/ / | ALL |
| M01762 | | 35712-75 L ENG STRUT CAVITY AFT OVHT DET | 218A3630 73168 | 1 | 26-12-11 OFSS-260/ / | YC051-YL968, YN231-YN236, YN501 |
| M01762 | | 35712-79 L ENG STRUT CAVITY AFT OVHT DET | 218A3630 73168 | 1 | 26-12-11 OFSS-260/ / | YL969-YL999, YN237-YN260, YR301-YR328 |
| M01763 | | 35712-79 R ENG STRUT CAVITY FWD OVHT DET | 312A2531 73168 | 1 | 26-12-11 TBD/ / | ALL |
| M01764 | | 35712-75 R ENG STRUT CAVITY AFT OVHT DET | 218A3630 73168 | 1 | 26-12-11 OFSS 260/ / | YC051-YL968, YN231-YN236, YN501 |
| M01764 | | 35712-79 R ENG STRUT CAVITY AFT OVHT DET | 218A3630 73168 | 1 | 26-12-11 OFSS 260/ / | YL969-YL999, YN237-YN260, YR301-YR328 |
| M01766 | | 254A1150-7 AUTOTHROTTLE SW PACK #1-L ENG (SEE YWD) | 254A1110 81205 | 1 | 32-42-11 232/199/L001 | YC051-YC055 |
| M01766 | | 254A1150-9 AUTOTHROTTLE SW PACK #1-L ENG (SEE YWD) | 254A1110 81205 | 1 | 32-42-11 232/199/L001 | YC056-YL954, YN231-YN235 |
| M01766 | | 254A1150-13 AUTOTHROTTLE SW PACK #1-L ENG (SEE YWD) | 254A1110 81205 | 1 | 32-42-11 232/199/L001 | YL955-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section M01700

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M01767 | | 254A1150-8 AUTOTHROTTLE SW PACK #2-R ENG (SEE YWE) | 254A1110 81205 | 1 | 32-42-11 235/199/R004 | YC051-YC055 |
| M01767 | | 254A1150-10 AUTOTHROTTLE SW PACK #2-R ENG (SEE YWE) | 254A1110 81205 | 1 | 32-42-11 235/199/R004 | YC056-YL954, YN231-YN235 |
| M01767 | | 254A1150-14 AUTOTHROTTLE SW PACK #2-R ENG (SEE YWE) | 254A1110 81205 | 1 | 32-42-11 235/199/R004 | YL955-YL999, YN236-YR328 |
| M01792 | | 1800-11 ATTENUATOR -20DB | 284A0480 81205 | 1 | 23-15-11 E005-02/ / | YC051-YD157 |
| M01793 | | 280T1003-1 RCTP-SATCOM CODING | 288A2061 81205 | 1 | 23-15-21 E006-01/196/R048 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section M01700
Page 8 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M01808 | | S242A801-1100 CDS DEU 1 | 284A0430 58960 | 1 | 31-62-11 E003-01/ / | YC051-YD158 |
| M01808 | | 4081600-940 CDS DEU 1 | 284A0430 58960 | 1 | 31-62-11 E003-01/ / | YD160-YR328 |
| M01809 | | S242A801-1100 CDS DEU 2 | 284A0430 58960 | 1 | 31-62-21 E003-01/ / | YC051-YD158 |
| M01809 | | 4081600-940 CDS DEU 2 | 284A0430 58960 | 1 | 31-62-21 E003-01/ / | YD160-YR328 |
| M01810 | | PDM-60-500-72831 COAX SPLITTER 1-CDS | 287A4103 12457 | 1 | 31-62-12 193/219/L007 | ALL |
| M01811 | | PDM-60-500-72831 COAX SPLITTER 2-CDS | 287A4103 12457 | 1 | 31-62-22 197/218/R007 | ALL |
| M01812 | | PDM-60-500-72831 COAX SPLITTER 3-CDS | 287A4103 12457 | 1 | 31-62-12 193/218/L007 | ALL |
| M01813 | | PDM-60-500-72831 COAX SPLITTER 4-CDS | 287A4103 12457 | 1 | 31-62-22 197/216/R007 | ALL |
| M01818 | | VENDORSUPPLIEDSEEIPCFORP-NINFO ELECTRONIC ENGINE CONTROL | 332A2000 1Z812 | 2 | 73-24-11 ENG/ / | ALL |
| M01819 | | S254N101-4 THRUST-LEVER-ANGLE RESOLVE ENG 1 | 254A1100 05088 | 1 | 73-21-21 P008-00/ / | YC051-YL954, YN231-YN235 |
| M01819 | | S254N101-7 THRUST-LEVER-ANGLE RESOLVE ENG 1 | 254A1100 05088 | 1 | 73-21-21 P008-00/ / | YL955-YL999, YN236-YR328 |
| M01820 | | VENDORSUPPLIEDSEEIPCFORP-NINFO BSV SWITCH ENG-1-2 | 332A2000 1Z812 | 2 | 73-25-11 ENG/ / | ALL |
| M01822 | | S254N101-4 THRUST-LEVER-ANGLE RESOLVE ENG 2 | 254A1100 05088 | 1 | 73-21-21 P008-00/ / | YC051-YL954, YN231-YN235 |
| M01822 | | S254N101-7 THRUST-LEVER-ANGLE RESOLVE ENG 2 | 254A1100 05088 | 1 | 73-21-21 P008-00/ / | YL955-YL999, YN236-YR328 |
| M01823 | | VENDORSUPPLIEDSEEIPCFORP-NINFO HYDROMECHANICAL UNIT ENG-1-2 | 332A2000 1Z812 | 2 | 73-25-11 ENG/ / | ALL |
| M01824 | | 254A1290-1 ENG 1 START LEVER SWITCH MODULE | 254A1290 81205 | 1 | 76-21-11 P008-00/ / | ALL |
| M01825 | | 254A1290-2 ENG 2 START LEVER SWITCH MODULE | 254A1210 81205 | 1 | 76-21-21 P008-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section M01800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M01826 | | VENDORSUPPLIEDSEEIPCFORP-NINFO EEC ALTERNATOR | 332A2000 12812 | 2 | 73-22-11 ENG/ / | ALL |
| M01827 | | S345A001-010 PROCESSOR UNIT-FUEL QUANTITY | 284A0834 81205 | 1 | 28-41-11 228/182/R020 | YC051-YC058 |
| M01827 | | S345A001-012 PROCESSOR UNIT-FUEL QUANTITY | 284A0834 81205 | 1 | 28-41-11 228/182/R020 | YC059-YR328 |
| M01828 | | S283A202-101 CONNECTING ASSY-TANK 1 | 288A1176 81205 | 1 | 28-41-11 / / | ALL |
| M01829 | | S283A202-101 CONNECTING ASSY-TANK 2 | 288A1274 81205 | 1 | 28-41-11 / / | ALL |
| M01830 | | S283A202-102 CONNECTING ASSY-CENTER TANK | 288A1178 81205 | 1 | 28-41-11 666/185/L043 | ALL |
| M01831 | | S251A302-1 STANDBY RUDDER PCU | 251A3430 81205 | 0 | 27-24-11 / / | ALL |
| M01834 | | 417N3810-114 ATT OXYGEN MODULE | 411A3420 81205 | 4 | 35-21-12 MULTI/ / | YC051-YD170, YR301-YR328 |
| M01834 | | 417N3810-114 ATT OXYGEN MODULE | 411A3420 81205 | 3 | 35-21-12 MULTI/ / | YL951-YL999, YN501 |
| M01834 | | 417N3810-114 ATT OXYGEN MODULE | 411A3420 81205 | 2 | 35-21-12 MULTI/ / | YN231-YN260 |
| M01836 | | S254A114-1 MTR-A/T SERVO 1 | 254A1110 | 1 | 22-31-31 / / | ALL |
| M01837 | | S254A114-1 MTR-ATT SERVO 2 | 254A1110 | 1 | 22-31-41 / / | ALL |
| M01838 | | 8184-1 BALLAST-FLOUR LT ASSY | 417A5460 81205 | 1 | 33-26-21 324/291/R023 | ALL |
| M01839 | | 417A5460-1 MDL-GALLEY LT | 411A2212 81205 | 1 | 33-26-21 324/291/R023 | YC051-YD170, YN501 |
| M01839 | | 417A5460-9 MDL-GALLEY LT-COOL WHITE | 411A2212 81205 | 1 | 33-26-21 324/291/R023 | YL951-YL999 |
| M01839 | | 417A5460-9 MDL-GALLEY LT | 411A2212 81205 | 1 | 33-26-21 324/291/R023 | YN231-YN260, YR301-YR328 |
| M01840 | | 4042-10 MDL-FLUOR LAMP/BALLAST | 411A3220 81205 | 4 | 33-22-12 MULTI/ / | YC051-YD170, YN231 |

EQUIPMENT LIST

D280A108

Section M01800

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M01840 | | 4042-10 MDL-FLUOR LAMP/BALLAST-COOL WHITE | 411A3220 81205 | 4 | 33-22-12 MULTI/ / | YL951-YL999, YN232-YN260 |
| M01841 | | 4041-48 MDL-FLUOR LAMP/BALLAST | 417A5420 81205 | 6 | 33-22-12 MULTI/ / | YC051-YD170, YN231 |
| M01841 | | 4041-48 MDL-FLUOR LAMP/BALLAST-COOL WHITE | 417A5420 81205 | 6 | 33-22-12 MULTI/ / | YL951-YL999, YN232-YN260 |
| M01842 | | S417N514-70 MDL-FLUOR LAMP/BALLAST | 417A5420 81205 | 16 | 33-22-12 MULTI/ / | YC051-YD170 |
| M01842 | | 4041-70 MDL-FLUOR LAMP/BALLAST-COOL WHITE | 417A5420 81205 | 16 | 33-22-12 MULTI/ / | YL951-YL999 |
| M01842 | | 4041-70 MDL-FLUOR LAMP/BALLAST | 417A5420 81205 | 12 | 33-22-12 MULTI/ / | YN231 |
| M01842 | | 4041-70 MDL-FLUOR LAMP/BALLAST-COOL WHITE | 417A5420 81205 | 12 | 33-22-12 MULTI/ / | YN232-YN260 |
| M01843 | | S283U008-16 BALLAST-FLUOR LT ASSY | 417A5475 81205 | 1 | 33-29-11 M01678/ / | YC051-YN260 |
| M01848 | | HBC115 HTR BLANKET-BALL VALVE (60B44001-13) | 417A8660 81205 | 1 | 30-71-11 868/179/L043 | YD160-YR328 |
| M01848 | 1 | HB015 HTR BLANKET-BALL VALVE (60B44001-13) | 417A8660 81205 | 1 | 30-71-11 868/179/L043 | YC051-YD158 |
| M01848 | 2 | HB115 HTR BLANKET-BALL VALVE (60B44001-13) | 417A8660 81205 | 1 | 30-71-11 868/179/L043 | YC051-YD158 |
| M01849 | | 90234-7 HTR ASSY-FWD DRAIN MAST | 417A2160 81205 | 1 | 30-71-11 526/150/R028 | ALL |
| M01850 | | S351A401-261 MDL-APU START POWER UNIT | 284A0420 81205 | 1 | 49-41-11 E002-02/ / | YC051-YC065 |
| M01850 | | S351A401-265 MDL-APU START POWER UNIT | 284A0420 81205 | 1 | 49-41-11 E002-02/ / | YC067-YR328 |
| M01860 | | TA30700100 SPREADER CLAMP | 286A1062 81205 | 1 | 24-21-11 TBD/ / | ALL |
| M01875 | | 10-62038-7 FLIGHT CONTROL COMPUTER - A | 284A0410 81205 | 1 | 22-11-11 E001-01/ / | YC051-YC064 |
| M01875 | | 10-62038-8 FLIGHT CONTROL COMPUTER - A | 284A0410 81205 | 1 | 22-11-11 E001-01/ / | YC065-YD155 |

EQUIPMENT LIST

D280A108

Section M01800

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|---|
| M01875 | | 822-1604-101 FLIGHT CONTROL COMPUTER - A | 284A0410 81205 | 1 | 22-11-11 E001-01/ / | YD157-YD170 |
| M01875 | | 822-1604-151 FLIGHT CONTROL COMPUTER - A | 284A0410 81205 | 1 | 22-11-11 E001-01/ / | YL951-YL968, YN231-YN236, YN501-YR322 |
| M01875 | | 822-1604-152 FLIGHT CONTROL COMPUTER - A | 284A0410 81205 | 1 | 22-11-11 E001-01/ / | YL969-YL999, YN237-YN260, YR323-YR328 |
| M01876 | | 10-62038-7 FLIGHT CONTROL COMPUTER - B | 284A0410 81205 | 1 | 22-11-11 E001-04/ / | YC051-YC064 |
| M01876 | | 10-62038-8 FLIGHT CONTROL COMPUTER - B | 284A0410 81205 | 1 | 22-11-11 E001-04/ / | YC065-YD155 |
| M01876 | | 822-1604-101 FLIGHT CONTROL COMPUTER - B | 284A0410 81205 | 1 | 22-11-11 E001-04/ / | YD157-YD170 |
| M01876 | | 822-1604-151 FLIGHT CONTROL COMPUTER - B | 284A0410 81205 | 1 | 22-11-11 E001-04/ / | YL951-YL968, YN231-YN236, YN501-YR322 |
| M01876 | | 822-1604-152 FLIGHT CONTROL COMPUTER - B | 284A0410 81205 | 1 | 22-11-11 E001-04/ / | YL969-YL999, YN237-YN260, YR323-YR328 |
| M01883 | | 285A1780-5 INTEGRATED HANDSET CONTROL (FWD) | 417A6110 81205 | 1 | 23-42-12 LAV-A/ / | YC051-YC059 |
| M01883 | | 285A1780-10 INTEGRATED HANDSET CONTROL (FWD) | 417A6110 81205 | 1 | 23-42-12 LAV-A/ / | YC060-YN260 |
| M01884 | | 285A1780-10 INTEGRATED HANDSET CONTROL (AFT) | 417A6110 81205 | 1 | 23-42-12 LAV-D/ / | YC060-YN260 |
| M01885 | | S417A150-3 MDL-FWD LIGHTING (SEE YAD) | 417A6110 81205 | 1 | 33-29-11 P013-00/ / | YC051-YN260 |
| M01886 | | S417A150-4 MDL-AFT LIGHTING (SEE YAE) | 417A6110 81205 | 1 | 33-29-11 P014-00/ / | YC051-YN260 |
| M01887 | | 285A1720-1 MDL-POTABLE WATER | 417A6100 81205 | 1 | 38-41-11 P014-00/ / | YC051-YN260 |
| M01888 | | S417A150-6 MDL-VACUUM WASTE SYSTEM | 417A6100 81205 | 1 | 38-32-13 P014-00/ / | YC051-YN260 |

EQUIPMENT LIST

D280A108

Section M01800

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M01891 | | 285A1760-2 AUDIO ENTERTAINMENT MODULE | 417A6100 81205 | 1 | 23-34-01 P013-00/ / | YC051-YD157, YN231-YN260 |
| M01891 | | 285A1760-6 AUDIO ENTERTAINMENT MODULE | 417A6100 81205 | 1 | 23-34-01 P013-00/ / | YD158-YL999 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section M01800

Page 5 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M01904 | | IN5618 DIODE-FWD ATTENDANT | 233A3208 | 0 | 23-42-11 / / | YC051-YD157 |
| M01905 | | IN5618 DIODE-AFT ATTENDANT | 286ATBD | 0 | 23-42-11 / / | YC051-YD157 |
| M01906 | | 79290-0351 HTR-HEATED HOSE, POTABLE WATER FILL | 417A2515 81205 | 1 | 30-71-11 923/173/R014 | ALL |
| M01907 | | 4E3206-13 HTR-HEATED HOSE GRAY WATER DRAIN | 417A2521 81205 | 1 | 30-71-11 949/178/R002 | ALL |
| M01908 | | 129-6-M06 COAX CONN TEE | 284A0410 91836 | 1 | 34-53-31 / / | ALL |
| M01909 | | 35712-80 LEFT MID A/C PACK OVHT DET | 218A3112 73168 | 1 | 26-12-11 603/156/L007 | ALL |
| M01910 | | 35712-80 RIGHT MID A/C PACK OVHT DET | 218A3112 73168 | 1 | 26-12-11 604/158/R007 | YC051-YL999, YR301-YR328 |
| M01910 | | 35712-80 RIGHT MID A/C PACK OVHT DET | 218A3112 73168 | 1 | 26-12-11 604/156/R007 | YN231-YN501 |
| M01911 | | 35712-80 LEFT AFT A/C PACK OVHT DET | 218A3112 73168 | 1 | 26-12-11 660/159/L016 | ALL |
| M01912 | | 35712-80 RIGHT AFT A/C PACK OVHT DET | 218A3112 73168 | 1 | 26-12-11 660/159/R016 | ALL |
| M01915 | | S210N701-43 SENSOR-EQUIP COOLING LOW FLOW | 217A1001 54813 | 1 | 21-27-31 213/191/R025 | ALL |
| M01916 | | S283W802-2 UNIT-DIMMER CONTROL, CAPT/CTR PNL FLOOD | 233A2110 21862 | 1 | 33-14-11 P009-00/ / | ALL |
| M01917 | | S283W802-2 UNIT-DIMMER CONTROL, GLARSHIELD FLOOD | 233A2110 21862 | 1 | 33-14-11 P009-00/ / | ALL |
| M01918 | | 4E3205-12 HEATER CUFF, GRAY WATER DRAIN VALVE | 417A2521 81205 | 1 | 30-71-11 949/176/0000 | ALL |
| M01919 | | 300-007-566-MB HTR-POTABLE FILL FITTING | 417A2515 81205 | 1 | 30-71-11 920/172/R013 | ALL |
| M01920 | | S417A204-1051 HTR-HEATED HOSE, AFT WTR FRM TANK | 417A2410 81205 | 1 | 30-71-11 957/179/L001 | YC051-YC053, YC070 |

EQUIPMENT LIST

D280A108

Section M01900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| M01920 | | 79290-2051 HTR-HEATED HOSE, AFT WTR FRM TANK | 417A2410 81205 | 1 | 30-71-11 957/179/L001 | YC054-YC068, YD151-YL953, YN231-YN234 |
| M01922 | | CH017 HTR-WASTE SYSTEM RINSE FITTING LINE | 417A8640 81205 | 1 | 30-71-11 868/177/L010 | ALL |
| M01923 | | 4041-58 MDL-FLUOR LAMP/BALLAST | 417A5420 81205 | 2 | 33-22-12 MULTI/ / | YC051-YD170 |
| M01923 | | 4041-58 MDL-FLUOR LAMP/BALLAST-COOL WHITE | 417A5420 81205 | 2 | 33-22-12 MULTI/ / | YL951-YL999 |
| M01925 | 1 | S332T100-42 APU TAILPIPE OVERHEAT DETECTOR ASSY | 335A5200 81205 | 1 | 26-11-31 1156/250/R009 | YC051-YL952, YN231-YN235 |
| M01925 | 1 | S332T100-42 APU TAILPIPE OVERHEAT DETECTOR ASSY | 355A5200 81205 | 1 | 26-11-31 1156/250/R009 | YL953-YL999, YN236-YR328 |
| M01925 | 2 | S332T100-47 APU TAILPIPE OVERHEAT DETECTOR ASSY | 335A5200 81205 | 1 | 26-11-31 1156/250/R009 | YC051-YL952, YN231-YN235 |
| M01925 | 2 | S332T100-47 APU TAILPIPE OVERHEAT DETECTOR ASSY | 355A5200 81205 | 1 | 26-11-31 1156/250/R009 | YL953-YL999, YN236-YR328 |
| M01934 | | 700-2200-001 VDU-1 | 417N7380 97896 | 1 | 23-32-31 430/295/L035 | YC051-YD157 |
| M01934 | | RD-AV4002-10 VDU-1 | 417A7662 54473 | 1 | 23-32-31 430/295/L035 | YD158-YD170 |
| M01934 | | RD-AV4002-10 VDU-1 | 417A7662 54473 | 1 | 23-32-31 450/295/L035 | YL951-YN260 |
| M01935 | | 700-2200-001 VDU-2 | 417N7380 97896 | 1 | 23-32-32 430/295/L035 | YC051-YD157 |
| M01935 | | RD-AV4002-10 VDU-2 | 417A7662 54473 | 1 | 23-32-32 430/295/L035 | YD158-YD170 |
| M01935 | | RD-AV4002-10 VDU-2 | 417A7662 54473 | 1 | 23-32-32 450/295/L035 | YL951-YN260 |
| M01936 | | 700-2200-001 VDU-3 | 417N7380 97896 | 1 | 23-32-33 450/295/L035 | YC051-YD157 |
| M01936 | | RD-AV4002-10 VDU-3 (PROV) | 417A7662 54473 | 1 | 23-32-33 450/295/L035 | YL951-YN260 |

EQUIPMENT LIST

D280A108

Section M01900

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| M01937 | | RD-AV4002-10 VDU-4 (PROV) | 417A7662 54473 | 1 | 23-32-34 450/295/L035 | YL951-YL999 |
| M01938 | | 700-2200-001 VDU-5 | 417N7380 97896 | 1 | 23-32-41 550/295/L035 | YC051-YD157 |
| M01938 | | RD-AV4002-10 VDU-5 | 417A7662 54473 | 1 | 23-32-41 550/295/L035 | YD158-YD170, YN231-YN260 |
| M01938 | | RD-AV4002-10 VDU-5 | 417A7662 54473 | 1 | 23-32-41 500F+10/295/L035 | YL951-YL999 |
| M01939 | | 700-2200-001 VDU-6 | 417A7380 97896 | 1 | 23-32-42 550/295/L035 | YC051-YD157 |
| M01939 | | RD-AV4002-10 VDU-6 | 417A7662 54473 | 1 | 23-32-42 550/295/L035 | YD158-YD170, YN231-YN260 |
| M01939 | | RD-AV4002-10 VDU-6 | 417A7662 54473 | 1 | 23-32-42 500F+10/295/L035 | YL951-YL999 |
| M01940 | | 700-2200-001 VDU-7 | 417N7380 97896 | 1 | 23-32-43 550/295/L035 | YC051-YD157 |
| M01940 | | RD-AV4002-10 VDU-7 | 417A7662 54473 | 1 | 23-32-43 550/295/L035 | YD158-YD170 |
| M01940 | | RD-AV4002-10 VDU-7 | 417N7380 54473 | 1 | 23-32-43 500F+10/295/L035 | YL951-YL999 |
| M01942 | | 700-2200-001 VDU-9 | 417N7380 97896 | 1 | 23-32-51 710/295/L035 | YC051-YD157 |
| M01942 | | RD-AV4002-10 VDU-9 | 417A7662 54473 | 1 | 23-32-51 710/295/L035 | YD158-YD170, YN231-YN260 |
| M01942 | | RD-AV4002-10 VDU-9 | 417A7662 54473 | 1 | 23-32-51 695/295/L035 | YL951-YL999 |
| M01943 | | 700-2200-001 VDU-10 | 417N7380 97896 | 1 | 23-32-52 710/295/L035 | YC051-YD157 |
| M01943 | | RD-AV4002-10 VDU-10 | 417A7662 54473 | 1 | 23-32-52 710/295/L035 | YD158-YD170, YN231-YN260 |
| M01943 | | RD-AV4002-10 VDU-10 | 417A7662 54473 | 1 | 23-32-52 695/295/L035 | YL951-YL999 |
| M01944 | | 700-2200-001 VDU-11 | 417N7380 97896 | 1 | 23-32-53 710/295/L035 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section M01900

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M01944 | | RD-AV4002-10 VDU-11 | 417A7662 54473 | 1 | 23-32-53 695/295/L035 | YL951-YL999 |
| M01946 | | 700-2200-001 VDU-13 | 417N7380 97896 | 1 | 23-32-61 777/295/L035 | YC051-YD157 |
| M01946 | | RD-AV4002-10 VDU-13 | 417A7662 54473 | 1 | 23-32-61 777/295/L035 | YD158-YD170, YN231-YN260 |
| M01946 | | RD-AV4002-10 VDU-13 | 417A7662 54473 | 1 | 23-32-61 727J+10/295/L035 | YL951-YL999 |
| M01947 | | 700-2200-001 VDU-14 | 417N7380 97896 | 1 | 23-32-62 777/295/L035 | YC051-YD157 |
| M01947 | | RD-AV4002-10 VDU-14 | 417A7662 54473 | 1 | 23-32-62 777/295/L035 | YD158-YD170, YN231-YN260 |
| M01947 | | RD-AV4002-10 VDU-14 | 417A7662 54473 | 1 | 23-32-62 727J+10/295/L035 | YL951-YL999 |
| M01948 | | 700-2200-001 VDU-15 | 417N7380 97896 | 1 | 23-32-63 727J/295/L035 | YC051-YD157 |
| M01948 | | RD-AV4002-10 VDU-15 | 417A7662 54473 | 1 | 23-32-63 727J/295/L035 | YD158-YD170 |
| M01948 | | RD-AV4002-10 VDU-15 (PROV) | 417A7662 54473 | 1 | 23-32-63 727J+10/295/L035 | YL951-YL999 |
| M01951 | | 3100-101-6 THERMOSTAT-HEATED HOSE FWD-1 AMPERE | 417A2140 81205 | 1 | 30-71-11 527/151/R030 | ALL |
| M01952 | | 273A3301-1 MDL-LANDING GEAR CONTROL LEVER | 273A3300 81205 | 1 | 32-64-11 P002-03/ / | ALL |
| M01955 | | 980-9900-001 AUDIO ENTERTAINMENT PLAYER | 284A0430 97896 | 1 | 23-34-01 E003-02/ / | YC051-YD157 |
| M01955 | | RD-AX7095-01 AUDIO ENTERTAINMENT PLAYER | 284A0430 54473 | 1 | 23-34-01 E003-02/ / | YD158-YD170, YN231-YN260 |
| M01955 | | RD-AX7095-01 AUDIO ENTERTAINMENT PLAYER | 284A0430 97896 | 1 | 23-34-01 E003-02/ / | YL951-YL999 |
| M01956 | | 743-0288-001 MULTIPLEXER | 284A0440 97896 | 1 | 23-34-01 E004-02/ / | YC051-YC053 |
| M01956 | | 743-0288-001 MULTIPLEXER | 284A0440 97896 | 1 | 23-34-01 E008-01/ / | YC054-YD157 |

EQUIPMENT LIST

D280A108

Section M01900

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| M01956 | | RD-AX1302-13 MULTIPLEXER | 284A0440 54473 | 1 | 23-34-01 E008-01/ / | YD158-YD170 |
| M01956 | | RD-AX1302-13 MULTIPLEXER | 284A0431 97896 | 1 | 23-34-01 E004-02/ / | YL951-YL999 |
| M01956 | | RD-AX1302-13 MULTIPLEXER | 284A0440 54473 | 1 | 23-34-01 E004-02/ / | YN231-YN260 |
| M01956 | | RD-AX1302-13 MULTIPLEXER | 284A0431 97896 | 1 | 44-21-26 E004-02/ / | YN501-YR328 |
| M01957 | | S283W008-3 BATTERY AND CHARGER SYSTEM | 232A4214 81205 | 1 | 28-21-21 P006-00/ / | ALL |
| M01966 | | 980-9903-007 TAPE REPRODUCER-PRE-REC ANNOUNCEMENT | 284A0480 97896 | 1 | 23-31-06 E008-00/ / | YC051-YD157 |
| M01967 | | 253T4015-7 SNSR-F/O CONTROL WHEEL POSITION | 251A1806 81205 | 1 | 31-31-14 215/180/R020 | ALL |
| M01971 | | S417A204-352 HTR-HEATED HOSE, AFT WTR BETW JCT | 417A2410 81205 | 1 | 30-71-11 968/198/R030 | YC051-YC053, YC070 |
| M01971 | | 79290-1503 HTR-HEATED HOSE, AFT WTR BETW JCT | 417A2410 81205 | 1 | 30-71-11 968/198/R030 | YC054-YC068, YD151-YL953, YN231-YN234 |
| M01972 | | S417A204-1201 HTR-HEATED HOSE, WTR TO GALLEY 4 | 417A2410 81205 | 1 | 30-71-11 1002/207/R044 | YC051-YC053, YC070 |
| M01972 | | 79290-2001 HTR-HEATED HOSE, WTR TO GALLEY 4 | 417A2410 81205 | 1 | 30-71-11 1002/207/R044 | YC054-YC068, YD151-YL953, YN231-YN234 |
| M01980 | | 79290-1952 HEATED HOSE, G6/LAV D | 417A2410 81205 | 1 | 30-71-11 932/207/L059 | YC054-YR328 |
| M01980 | 1 | 79290-1156 HEATED HOSE, G6/LAV D | 417A2410 81205 | 1 | 30-71-11 932/207/L059 | YC051-YC053 |
| M01980 | 2 | 79290-1157 HEATED HOSE, G6/LAV D | 417A2410 81205 | 1 | 30-71-11 932/207/L059 | YC051-YC053 |
| M01981 | | 79290-1157 HEATED HOSE, GALLEY 3/LAV E | 417A2410 81205 | 1 | 30-71-11 942/207/R062 | YC051-YC053 |
| M01981 | | 79290-1952 HEATED HOSE, GALLEY 3/LAV E | 417A2410 81205 | 1 | 30-71-11 942/207/R062 | YC054-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section M01900

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| M01983 | | 251A4410-1 MDL-CAPTAIN COLUMN SWITCHING | 251A4400 81205 | 1 | 27-41-11 228/202/L011 | ALL |
| M01987 | | RBDSC-2 DIP SWITCH-AIR TRAFFIC CONTROL 1 | 284A2710 09922 | 1 | 34-53-11 E001-03/ / | ALL |
| M01987S1 | | SWITCH1-24 DIP SWITCH | | 1 | 34-53-11 E001-03/ / | ALL |
| M01988 | | RBDSC-2 DIP SWITCH-AIR TRAFFIC CONTROL 2 | 284A2710 09922 | 1 | 34-53-21 E001-03/ / | ALL |
| M01988S2 | | SWITCH1-24 DIP SWITCH | | 1 | 34-53-21 E001-03/ / | ALL |
| M01989 | | RBDSC-2 DIP SWITCH - GPWS | 284A2710 | 1 | 34-49-11 E001-01/ / | YC051-YC052 |
| M01989S1 | | SWITCH1-24 GPWS DIP SW | | 1 | 34-49-11 E001-01/ / | YC051-YC052 |
| M01990 | | RBDSC-2 DIP SWITCH ASSY | 284A1225 | 0 | 34-61-19 P059-00/ / | ALL |
| M01990S1 | | SWITCH1-24 FMC DIP SWITCH | | 1 | 34-61-19 P059-00/ / | ALL |
| M01991 | | RBDSC-2 DIP SWITCH ASSY | 284A1225 | 0 | 34-61-19 P059-00/ / | ALL |
| M01991S2 | | SWITCH1-24 FMC DIP SWITCH | | 1 | 34-61-19 P059-00/ / | ALL |
| M01992 | | RBDSC-2 MDL-PROGRAM SWITCH AUTOPILOT SYS A | 284A2710 09922 | 0 | 22-11-75 E001-01/ / | YC051-YD155 |
| M01992 | | RBDSC-2 MDL-PROGRAM SWITCH AUTOPILOT SYS A-1 | 284A2710 09922 | 0 | 22-11-75 E001-01/ / | YD157-YR328 |
| M01992S2 | | SWITCH1-24 A/P SYS A DIP SW | | 1 | 22-11-75 E001-01/ / | ALL |
| M01993 | | RBDSC-2 MDL-PROGRAM SWITCH AUTOPILOT SYS B | 284A2710 09922 | 0 | 22-11-75 E001-01/ / | YC051-YD155 |
| M01993 | | RBDSC-2 MDL-PROGRAM SWITCH AUTOPILOT SYS B-1 | 284A2710 09922 | 0 | 22-11-75 E001-01/ / | YD157-YR328 |
| M01993S3 | | SWITCH1-24 A/P SYS B DIP SW | | 1 | 22-11-75 E001-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section M01900

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| M01994 | | RBDSC-2 MDL-PROGRAM SWITCH AUTOTHROTTLE | 284A2710 09922 | 0 | 22-31-11 E001-01/ / | YC051-YD155 |
| M01994S4 | | SWITCH1-24 A/T DIP SW | | 1 | 22-31-11 E001-01/ / | YC051-YD155 |
| M01995 | | RBDSC-2 SELCAL SWITCH | 284A2740 81295 | 1 | 23-22-11 E004-01/ / | ALL |
| M01995S1 | | SWITCH1-24 DIP SWITCH | | 1 | 23-22-11 E004-01/ / | ALL |
| M01996 | | RBDSC-2 SW-FDRS AIRPLANE ID CONFIGURATION | 284A2730 09922 | 1 | 31-31-16 E003-02/ / | ALL |
| M01996S1 | | SWITCH1-24 DIP SWITCH | | 1 | 31-31-16 E003-02/ / | ALL |
| M01997 | | RBDSC-2 DIP SW - AIRLINE REGISTRY | 284A2730 81295 | 1 | 23-27-16 E003-03/ / | YC051-YD157 |
| M01997S1 | | SWITCH1-24 DIP SWITCH | | 1 | 23-27-16 E003-03/ / | YC051-YD157 |
| M01998 | | RBDSC-2 DIP SW - AIRLINE REGISTRY | 284A2730 81295 | 1 | 23-27-16 E003-03/ / | YC051-YD157 |
| M01998S2 | | SWITCH1-24 DIP SWITCH | | 1 | 23-27-16 E003-03/ / | YC051-YD157 |
| M01999 | | RBDSC-2 DIP SW - AIRLINE REGISTRY | 284A2730 81295 | 1 | 23-27-16 E003-03/ / | YC051-YD157 |
| M01999S3 | | SWITCH1-24 DIP SWITCH | | 1 | 23-27-16 E003-03/ / | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section M01900
Page 7 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| M02001 | | 700-2061-001 MONITOR-1 | 417A3100 97896 | 1 | 23-32-31 369/263/L039 | YC051-YD157 |
| M02001 | | RD-AA902125-03 MONITOR-1 | 417A3100 54473 | 1 | 23-32-31 376/263/L039 | YD158-YD170 |
| M02001 | | RD-AA902705-01 MONITOR-1 | 417A3100 54473 | 1 | 23-32-31 376.5/270/L042 | YL951-YL999 |
| M02001 | | RD-AA902705-01 MONITOR-1 | 417A3100 54473 | 1 | 23-32-31 357/270/L042 | YN231-YN260 |
| M02002 | | 700-2061-001 MONITOR-2 | 417A3100 97896 | 1 | 23-32-31 368/262/R038 | YC051-YD157 |
| M02002 | | RD-AA902124-03 MONITOR-2 | 417A3100 54473 | 1 | 23-32-31 376/262/R038 | YD158-YD170 |
| M02002 | | RD-AA902704-01 MONITOR-2 | 417A3100 54473 | 1 | 23-32-31 376.5/270/R042 | YL951-YL999 |
| M02002 | | RD-AA902704-01 MONITOR-2 | 417A3100 54473 | 1 | 23-32-31 357/270/R042 | YN231-YN260 |
| M02003 | | 617-6265-001 MONITOR-3 | 417A3100 97896 | 1 | 23-32-31 415/270/L042 | YC051-YD157 |
| M02003 | | RD-AA902125-03 MONITOR-3 | 417A3100 54473 | 1 | 23-32-31 476/270/L042 | YD158-YD170 |
| M02003 | | RD-AA902705-01 MONITOR-3 | 417A3100 54473 | 1 | 23-32-32 475.5/270/L042 | YL951-YL999 |
| M02003 | | RD-AA902705-01 MONITOR-3 | 417A3100 54473 | 1 | 23-32-32 489/270/L042 | YN231-YN260 |
| M02004 | | 617-6265-002 MONITOR-4 | 417A3100 97896 | 1 | 23-32-31 415/270/R042 | YC051-YD157 |
| M02004 | | RD-AA902124-03 MONITOR-4 | 417A3100 54473 | 1 | 23-32-31 476/270/R042 | YD158-YD170 |
| M02004 | | RD-AA902704-01 MONITOR 4 | 417A3100 54473 | 1 | 23-32-32 475.5/270/R042 | YL951-YL999 |
| M02004 | | RD-AA902704-01 MONITOR-4 | 417A3100 54473 | 1 | 23-32-32 489/270/R042 | YN231-YN260 |
| M02005 | | 617-6265-001 MONITOR-5 | 417A3100 97896 | 1 | 23-32-32 478/270/L042 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section M02000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| M02005 | | RD-AA902705-01 MONITOR-5 (PROV) | 417A3100 54473 | 1 | 23-32-33 500/270/L042 | YL951-YL999, YN232-YN260 |
| M02005 | | RD-AA902125-03 MONITOR-5 (PROV) | 417A3100 54473 | 1 | 23-32-33 500/270/L042 | YN231 |
| M02006 | | 617-6265-002 MONITOR-6 | 417A3100 97896 | 1 | 23-32-32 478/270/R042 | YC051-YD157 |
| M02006 | | RD-AA902704-01 MONITOR-6 (PROV) | 417A3100 54473 | 1 | 23-32-33 500/270/R042 | YL951-YL999, YN232-YN260 |
| M02006 | | RD-AA902124-03 MONITOR-6 (PROV) | 417A3100 54473 | 1 | 23-32-33 500/270/R042 | YN231 |
| M02007 | | RD-AA902705-01 MONITOR-7 (PROV) | 417A3100 54473 | 1 | 23-32-34 500A+8/270/L042 | YL951-YL999 |
| M02008 | | RD-AA902704-01 MONITOR-8 (PROV) | 417A3100 54473 | 1 | 23-32-34 500A+8/270/R042 | YL951-YL999 |
| M02009 | | 617-6265-001 MONITOR-9 | 417A3100 97896 | 1 | 23-32-41 500C/270/L042 | YC051-YD157 |
| M02009 | | RD-AA902125-03 MONITOR-9 | 417A3100 54473 | 1 | 23-32-41 500B+21/270/L042 | YD158-YD170 |
| M02009 | | RD-AA902705-01 MONITOR-9 | 417A3100 54473 | 1 | 23-32-41 500B+22/270/L042 | YL951-YL999 |
| M02009 | | RD-AA902705-01 MONITOR-9 | 417A3100 54473 | 1 | 23-32-41 500C+20/270/L042 | YN231 |
| M02009 | | RD-AA902705-01 MONITOR-9 | 417A3100 97896 | 1 | 23-32-41 500C+19/270/L042 | YN232-YN260 |
| M02010 | | 617-6265-002 MONITOR-10 | 417A3100 97896 | 1 | 23-32-41 500C/270/R042 | YC051-YD157 |
| M02010 | | RD-AA902124-03 MONITOR-10 | 417A3100 54473 | 1 | 23-32-41 500B+21/270/R042 | YD158-YD170 |
| M02010 | | RD-AA902704-01 MONITOR-10 | 417A3100 54473 | 1 | 23-32-41 500B+22/270/R042 | YL951-YL999 |
| M02010 | | RD-AA902704-01 MONITOR-10 | 417A3100 54473 | 1 | 23-32-41 500C+20/270/R042 | YN231 |
| M02010 | | RD-AA902704-01 MONITOR-10 | 417A3100 97896 | 1 | 23-32-41 500C+19/270/R042 | YN232-YN260 |

EQUIPMENT LIST

D280A108

Section M02000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| M02011 | | 617-6265-001 MONITOR-11 | 417A3100 97896 | 1 | 23-32-42 500G/270/L042 | YC051-YD157 |
| M02011 | | RD-AA902125-03 MONITOR-11 | 417A3100 54473 | 1 | 23-32-42 500G+1/270/L042 | YD158-YD170 |
| M02011 | | RD-AA902705-01 MONITOR-11 | 417A3100 54473 | 1 | 23-32-42 500G+2/270/L042 | YL951-YL999 |
| M02011 | | RD-AA902705-01 MONITOR-11 | 417A3100 54473 | 1 | 23-32-42 585/270/L042 | YN231 |
| M02011 | | RD-AA902705-01 MONITOR-11 | 417A3100 54473 | 1 | 23-32-42 586/270/L042 | YN232-YN260 |
| M02012 | | 617-6265-002 MONITOR-12 | 417A3100 97896 | 1 | 23-32-42 500G/270/R042 | YC051-YD157 |
| M02012 | | RD-AA902124-03 MONITOR-12 | 417A3100 54473 | 1 | 23-32-42 500G+1/270/R042 | YD158-YD170 |
| M02012 | | RD-AA902704-01 MONITOR-12 | 417A3100 54473 | 1 | 23-32-42 500G+2/270/R042 | YL951-YL999 |
| M02012 | | RD-AA902704-01 MONITOR-12 | 417A3100 54473 | 1 | 23-32-42 585/270/R042 | YN231 |
| M02012 | | RD-AA902704-01 MONITOR-12 | 417A3100 54473 | 1 | 23-32-42 586/270/R042 | YN232-YN260 |
| M02013 | | RD-AA902125-03 MONITOR-13 | 417A3100 54473 | 1 | 23-32-43 548/270/L042 | YD158-YD170 |
| M02013 | | RD-AA902705-01 MONITOR-13 | 417A3100 54473 | 1 | 23-32-43 547.5/270/L042 | YL951-YL999 |
| M02014 | | RD-AA902124-03 MONITOR-14 | 417A3100 54473 | 1 | 23-32-43 548/270/R042 | YD158-YD170 |
| M02014 | | RD-AA902704-01 MONITOR-14 | 417A3100 54473 | 1 | 23-32-43 547.5/270/R042 | YL951-YL999 |
| M02015 | | 617-6265-001 MONITOR-15 | 417A3100 97896 | 1 | 23-32-43 549/270/L042 | YC051-YD157 |
| M02016 | | 617-6265-002 MONITOR-16 | 417A3100 97896 | 1 | 23-32-43 549/270/R042 | YC051-YD157 |
| M02017 | | 617-6265-001 MONITOR-17 | 417A3100 97896 | 1 | 23-32-51 679/270/L042 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section M02000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|-------------------------------|-------------|
| M02017 | | RD-AA902125-03 MONITOR-17 | 417A3100 54473 | 1 | 23-32-51 656/270/L042 | YD158-YD170 |
| M02017 | | RD-AA902705-01 MONITOR-17 | 417A3100 54473 | 1 | 23-32-51 656.5/270/L042 | YL951-YL999 |
| M02017 | | RD-AA902705-01 MONITOR-17 | 417A3100 54473 | 1 | 23-32-51 657.5/270/L042 | YN231 |
| M02017 | | RD-AA902705-01 MONITOR-17 | 417A3100 54473 | 1 | 23-32-51 658/270/L042 | YN232-YN260 |
| M02018 | | 617-6265-002 MONITOR-18 | 417A3100 97896 | 1 | 23-32-51 679/270/R042 | YC051-YD157 |
| M02018 | | RD-AA902124-03 MONITOR-18 | 417A3100 54473 | 1 | 23-32-51 656/270/R042 | YD158-YD170 |
| M02018 | | RD-AA902704-01 MONITOR-18 | 417A3100 54473 | 1 | 23-32-51 656.5/270/R042 | YL951-YL999 |
| M02018 | | RD-AA902704-01 MONITOR-18 | 417A3100 54473 | 1 | 23-32-51 657.5/270/R042 | YN231 |
| M02018 | | RD-AA902704-01 MONITOR-18 | 417A3100 54473 | 1 | 23-32-51 658/270/R042 | YN232-YN260 |
| M02019 | | RD-AA902125-03 MONITOR-19 | 417A3100 54473 | 1 | 23-32-52 727I+4/270/L042 | YD158-YD170 |
| M02019 | | RD-AA902705-01 MONITOR-19 | 417A3100 54473 | 1 | 23-32-52 727+18.5/270/L042 | YL951-YL999 |
| M02019 | | RD-AA902705-01 MONITOR-19 | 417A3100 54473 | 1 | 23-32-52 727A+1/270/L042 | YN231-YN260 |
| M02020 | | RD-AA902124-03 MONITOR-20 | 417A3100 54473 | 1 | 23-32-52 727I+4/270/R042 | YD158-YD170 |
| M02020 | | RD-AA902704-01 MONITOR-20 | 417A3100 54473 | 1 | 23-32-52 727+18.5/270/R042 | YL951-YL999 |
| M02020 | | RD-AA902704-01 MONITOR-20 | 417A3100 54473 | 1 | 23-32-52 727A+1/270/R042 | YN231-YN260 |
| M02021 | | 617-6265-001 MONITOR-21 | 417A3100 97896 | 1 | 23-32-52 727B+3/270/L042 | YC051-YD170 |
| M02021 | | RD-AA902705-01 MONITOR-21 | 417A3100 54473 | 1 | 23-32-53 727E+4.5/270/L042 | YL951-YL999 |

EQUIPMENT LIST

D280A108

Section M02000

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|-------------------------------|-------------|
| M02022 | | 617-6265-002 MONITOR-22 | 417A3100 97896 | 1 | 23-32-52 727B+3/270/R042 | YC051-YD170 |
| M02022 | | RD-AA902704-01 MONITOR-22 | 417A3100 54473 | 1 | 23-32-53 727E+4.5/270/R042 | YL951-YL999 |
| M02023 | | 617-6265-001 MONITOR-23 | 417A3100 97896 | 1 | 23-32-53 727F+7/270/L042 | YC051-YD157 |
| M02024 | | 617-6265-002 MONITOR-24 | 417A3100 97896 | 1 | 23-32-53 727F+7/270/R042 | YC051-YD157 |
| M02025 | | RD-AA902125-03 MONITOR-25 | 417A3100 54473 | 1 | 23-32-61 727E+5/270/L042 | YD158-YD170 |
| M02025 | | RD-AA902705-01 MONITOR-25 | 417A3100 54473 | 1 | 23-32-61 727I+3.5/270/L042 | YL951-YL999 |
| M02025 | | RD-AA902705-01 MONITOR-25 | 417A3100 54473 | 1 | 23-32-61 727E+13/270/L042 | YN231 |
| M02025 | | RD-AA902705-01 MONITOR-25 | 417A3100 54473 | 1 | 23-32-61 727E+12/270/L042 | YN232-YN260 |
| M02026 | | RD-AA902124-03 MONITOR-26 | 417A3100 54473 | 1 | 23-32-61 727E+5/270/R042 | YD158-YD170 |
| M02026 | | RD-AA902704-01 MONITOR-26 | 417A3100 54473 | 1 | 23-32-61 727I+3.5/270/R042 | YL951-YL999 |
| M02026 | | RD-AA902704-01 MONITOR-26 | 417A3100 54473 | 1 | 23-32-61 727E+13/270/R042 | YN231 |
| M02026 | | RD-AA902704-01 MONITOR-26 | 417A3100 54473 | 1 | 23-32-61 727E+12/270/R042 | YN232-YN260 |
| M02027 | | 617-6265-001 MONITOR-27 | 417A3100 97896 | 1 | 23-32-61 727J+11/270/L042 | YC051-YD157 |
| M02027 | | RD-AA902125-03 MONITOR-27 | 417A3100 54473 | 1 | 23-32-61 727I+4/270/L042 | YD158-YD170 |
| M02027 | | RD-AA902705-01 MONITOR-27 | 417A3100 54473 | 1 | 23-32-62 797.5/270/L042 | YL951-YL999 |
| M02027 | | RD-AA902705-01 MONITOR-27 | 417A3100 54473 | 1 | 23-32-62 827/270/L042 | YN231-YN260 |
| M02028 | | 617-6265-002 MONITOR-28 | 417A3100 97896 | 1 | 23-32-61 727J+11/270/R042 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section M02000

Page 5

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| M02028 | | RD-AA902124-03 MONITOR-28 | 417A3100 54473 | 1 | 23-32-61 727I+4/270/R042 | YD158-YD170 |
| M02028 | | RD-AA902704-01 MONITOR-28 | 417A3100 54473 | 1 | 23-32-62 797.5/270/R042 | YL951-YL999 |
| M02028 | | RD-AA902704-01 MONITOR-28 | 417A3100 54473 | 1 | 23-32-62 827/270/R042 | YN231-YN260 |
| M02029 | | 617-6265-001 MONITOR-29 | 417A3100 97896 | 1 | 23-32-62 828/270/L042 | YC051-YD157 |
| M02029 | | RD-AA902125-03 MONITOR-29 | 417A3100 54473 | 1 | 23-32-62 798/270/L042 | YD158-YD170 |
| M02029 | | RD-AA902705-01 MONITOR-29 (PROV) | 417A3100 54473 | 1 | 23-32-63 830/270/L042 | YL951-YL999 |
| M02030 | | 617-6265-002 MONITOR-30 | 417A3100 97896 | 1 | 23-32-62 828/270/R042 | YC051-YD157 |
| M02030 | | RD-AA902124-03 MONITOR-30 | 417A3100 54473 | 1 | 23-32-62 798/270/R042 | YD158-YD170 |
| M02030 | | RD-AA902704-01 MONITOR-30 (PROV) | 417A3100 54473 | 1 | 23-32-63 830/270/R042 | YL951-YL999 |
| M02033 | 1 | TD-1982-3001 MDL-AUTO SPEED BRAKE WARN TIME DELAY | 284A1203 08719 | 1 | 27-62-11 J020-00/ / | ALL |
| M02033 | 2 | 10167-3001-BT MDL-AUTO SPEED BRAKE WARN TIME DELAY | 284A1203 08719 | 1 | 27-62-11 J020-00/ / | ALL |
| M02039 | | RD-AM8131-11 BITE PANEL | 417A6700 456990 | 1 | 23-34-01 985/285/R037 | YD158-YD170 |
| M02039 | | RD-AM8131-11 BITE PANEL | 417A6700 54473 | 1 | 23-34-01 984/284/R036 | YL951-YL999 |
| M02039 | | RD-AM8131-11 BITE PANEL | 417A6700 54473 | 1 | 23-34-01 984/285/R037 | YN231-YN260 |
| M02039 | | RD-AM8131-11 BITE PANEL | 417A6700 45699 | 1 | 44-21-26 984/284/R037 | YN501-YR328 |
| M02040 | | 611-6052 COAX ASSY-ELT ANTENNA (406 MHZ) | 60253 | 1 | 23-24-11 797/300/L005 | YC051-YD170 |
| M02040 | | 611-6052 COAX ASSY-ELT ANTENNA (406 MHZ) | 286A0000 60253 | 1 | 23-24-11 797/300/L005 | YD158 |

EQUIPMENT LIST

D280A108

Section M02000

Page 6

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| M02047 | | 700-1516-002 TERM PLUG FWD | 417N7380 97896 | 1 | 23-32-63 550/295/L035 | YC051-YD157 |
| M02047 | | RD-AV2905 TERM PLUG FWD | 417A7662 54473 | 1 | 23-32-43 500F+10/295/L035 | YD158-YL999 |
| M02047 | | RD-AV2905 TERM PLUG FWD | 417A7662 54473 | 1 | 23-32-42 550/295/L035 | YN231-YN260 |
| M02048 | | 700-1516-002 TERM PLUG AFT | 417N7380 97896 | 1 | 23-32-62 777/295/L035 | YC051-YD157 |
| M02048 | | RD-AV2905 TERM PLUG AFT | 417A7662 54473 | 1 | 23-32-63 727J+10/295/L035 | YD158-YD170 |
| M02048 | | RD-AV2905 TERM PLUG AFT | 417A7662 54473 | 1 | 23-32-62 727J+10/295/L035 | YL951-YL999 |
| M02048 | | RD-AV2905 TERM PLUG AFT | 417A7662 54473 | 1 | 23-32-62 777/295/L035 | YN231-YN260 |
| M02060 | | S210W003-6 FAN | 284A0461 | 1 | 23-15-11 E006-01/ / | YC051-YD157 |
| M02061 | | 285A1600-2 MDL-PSEU | 284A0200 81205 | 1 | 32-64-11 212/180/R020 | YC051-YC059 |
| M02061 | | 285A1600-3 MDL-PSEU | 284A0200 81205 | 1 | 32-64-11 212/180/R020 | YC060-YC068 |
| M02061 | | 285A1600-4 MDL-PSEU | 284A0200 81205 | 1 | 32-64-11 212/180/R020 | YC070-YD158 |
| M02061 | | 285A1600-5 MDL-PSEU | 284A0200 89954 | 1 | 32-64-11 212/180/R020 | YD160-YL968, YN231-YN236, YN501-YR315 |
| M02061 | | 285A1600-6 MDL-PSEU | 284A0200 89954 | 1 | 32-64-11 212/180/R020 | YL969-YL999, YN237-YN260, YR316-YR328 |
| M02065 | | 743-0315-002 VIDEO SYSTEM CONTROL UNIT | 417A7360 97896 | 1 | 23-32-11 / / | YC051-YD157 |
| M02065 | | RD-AV3007-05 VIDEO SYSTEM CONTROL UNIT | 417A7360 54473 | 1 | 23-32-11 VCC/ / | YD158-YD170 |
| M02065 | | RD-AV3007-05 PROGRAMMABLE VIDEO SYSTEM CONTROL UNIT | 417A7360 54473 | 1 | 23-32-11 VCC/ / | YL951-YL999 |

EQUIPMENT LIST

D280A108

Section M02000

Page 7

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M02065 | | RD-AV3007-05 PROGRAMMABLE VIDEO SYSTEM CONTROL UNIT | 417A7360 54473 | 1 | 23-32-11 820/880/ | YN231-YN260 |
| M02066 | | 743-0293-001 VEP-1 | 417A7360 97896 | 1 | 23-32-11 / / | YC051-YC064, YD151-YD157 |
| M02066 | | 743-0304-001 VEP-1 | 417A7360 97896 | 1 | 23-32-11 / / | YC065-YC070 |
| M02066 | | RD-AV1217-01 VEP-1 | 417A7360 54473 | 1 | 23-32-11 VCC/ / | YD158-YD170, YN231-YN260 |
| M02066 | | RD-AV1217-01 VTR-1 | 417A7360 54473 | 1 | 23-32-11 VCC/ / | YL951-YL999 |
| M02067 | | 743-0293-001 VEP-2 | 417A7360 97896 | 1 | 23-32-11 / / | YC051-YC064, YD151-YD157 |
| M02067 | | 743-0304-001 VEP-2 | 417A7360 97896 | 1 | 23-32-11 / / | YC065-YC070 |
| M02067 | | RD-AV1217-01 VEP-2 | 417A7360 54473 | 1 | 23-32-11 VCC/ / | YD158-YD170 |
| M02088 | | 69-78190-1 ENTERTAINMENT PANEL | 233A3101 81205 | 1 | 23-32-12 P005-00/ / | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section M02000

Page 8 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|---|
| M02100 | | 312BS101-1 DEDICATED BATTERY/CHARGER | 284A0411 31467 | 1 | 34-24-15 E004-01/ / | YD158-YD170, YN501-YR328 |
| M02100 | | 312BS101-1 DEDICATED BATTERY/CHARGER | 284A0441 31467 | 1 | 34-24-15 E004-01/ / | YL951-YL999 |
| M02100 | | 312BS101-1 DEDICATED BATTERY/CHARGER | 284A0411 31467 | 1 | 34-24-15 E001-03/ / | YN231-YN260 |
| M02102 | | S242T104-102 ANT-GLOBAL POSITIONING SYSTEM 2 | 284A0516 159840 | 1 | 34-58-21 500A/316/R005 | YC051-YL968, YN231-YN236, YN501 |
| M02102 | | AT575-343W ANT-GLOBAL POSITIONING SYSTEM 2 | 284A0516 | 1 | 34-58-21 500A/316/R005 | YL969-YL999, YN237-YN260, YR301-YR328 |
| M02103 | | S242T104-102 ANT-GLOBAL POSITIONING SYSTEM 1 | 284A0516 159840 | 1 | 34-58-11 500A/316/L005 | YC051-YL968, YN231-YN236, YN501 |
| M02103 | | AT575-343W ANT-GLOBAL POSITIONING SYSTEM 1 | 284A0516 | 1 | 34-58-11 500A/316/L005 | YL969-YL999, YN237-YN260, YR301-YR328 |
| M02104 | | 822-1152-001 MMR-1 | 284A0410 13499 | 1 | 34-31-11 E001-02/ / | YC051-YC055 |
| M02104 | | 066-50029-1101 MMR-1 | 284A0410 27914 | 1 | 34-31-11 E001-02/ / | YC056-YD157 |
| M02104 | | 066-50029-1201 MMR-1 | 284A0410 27914 | 1 | 34-31-11 E001-02/ / | YD158-YD170 |
| M02104 | | 822-1821-330 MMR-1 | 284A0410 13499 | 1 | 34-31-11 E001-02/ / | YL951-YR328 |
| M02105 | | 822-1152-001 MMR-2 | 284A0410 13499 | 1 | 34-31-21 E001-04/ / | YC051-YC055 |
| M02105 | | 066-50029-1101 MMR-2 | 284A0410 27914 | 1 | 34-31-21 E001-04/ / | YC056-YD157 |
| M02105 | | 066-50029-1201 MMR-2 | 284A0410 27914 | 1 | 34-31-21 E001-04/ / | YD158-YD170 |
| M02105 | | 822-1821-330 MMR-2 | 284A0410 13499 | 1 | 34-31-21 E001-04/ / | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section M02100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|---|
| M02114 | | 1152780-1 AIRCRAFT IDENTIFICATION MODULE (AIM) | 284A0513 07217 | 1 | 23-24-11 794/301/L010 | YL951-YR328 |
| M02115 | | RBDSC-2 MODULE-PROGRAMMABLE SWITCH, ELT | 284A0513 09922 | 1 | 23-24-11 794/300/L015 | ALL |
| M02115S1 | | SWITCH1-24 DIP SWITCH | | 1 | 23-24-11 794/ / | YL951-YR328 |
| M02127 | | 822-1239-151 COMM MANAGEMENT UNIT - CMU | 284A0430 4V792 | 1 | 23-27-31 E004-01/ / | YD158-YD170 |
| M02127 | | 7519200-921 COMM MANAGEMENT UNIT - CMU | 284A0430 97896 | 1 | 23-27-31 E004-01/ / | YL951-YL953, YN231-YN234 |
| M02127 | | 822-1239-151 COMM MANAGEMENT UNIT - CMU | 284A0430 033483 | 1 | 23-27-31 E004-01/ / | YL954-YL999, YN235-YN260, YR301-YR328 |
| M02127 | | 822-1239-151 COMM MANAGEMENT UNIT - CMU | 284A0441 4V792 | 1 | 23-27-31 E004-01/ / | YN501 |
| M02174 | | S411N110-5 R AFT OVERWING DOOR LINING HEATER FWD | 411A2710 | 1 | 21-42-11 617/251/R066 | ALL |
| M02175 | | 10-60911-74 R AFT CLOSE OUT PANEL HEATER | 411A2819 | 1 | 21-42-11 627/222/R067 | ALL |
| M02176 | | S411N110-5 L AFT OVERWING DOOR LINING HEATER FWD | 411A2710 | 1 | 21-42-11 617/251/L066 | ALL |
| M02177 | | 10-60911-74 L AFT CLOSE OUT PANEL HEATER | 411A2819 | 1 | 21-42-11 627/222/L067 | ALL |
| M02178 | | S411N110-5 RIGHT FWD HATCH DOOR HEATER | 411A2701 | 1 | 21-42-11 579/251/R066 | YC051-YL999, YR301-YR328 |
| M02179 | | 10-60911-74 RIGHT FWD CLOSE OUT PANEL HEATER | 411A2819 | 1 | 21-42-11 591/224/R068 | YC051-YL999, YR301-YR328 |
| M02182 | | S411N110-5 LEFT FWD HATCH DOOR HEATER | 411A2710 | 1 | 21-42-11 579/251/L066 | YC051-YL999, YR301-YR328 |
| M02183 | | 10-60911-74 LEFT FWD CLOSE OUT PANEL HEATER | 411A2819 | 1 | 21-42-11 583/224/L068 | YC051-YL999, YR301-YR328 |
| M02186 | | S283W802-2 UNIT-DIMMER CONTROL-F/O PNL FLOOD | 233A2110 21862 | 1 | 33-14-11 / / | ALL |

EQUIPMENT LIST

D280A108

Section M02100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| M02195 | | 8055515-4507 PRINTER-ACMS ARINC 740 | 233A6101 97896 | 1 | 31-33-01 P008-54/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section M02100

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M02201 | | S411N110-5 R AFT OVERWING DOOR LINING HEATER AFT | 411A2701 | 1 | 21-42-11 638/251/R066 | ALL |
| M02202 | | S411N110-5 R AFT OVERWING DOOR TRIM HEATER FWD | 411A2701 | 1 | 21-42-11 581/229/R069 | ALL |
| M02203 | | S411N110-5 R AFT OVERWING DOOR TRIM HEATER AFT | 411A2701 | 1 | 21-42-11 598/229/R069 | ALL |
| M02204 | | S411N110-5 L AFT OVERWING DOOR LINING HEATER AFT | 411A2701 | 1 | 21-42-11 638/251/L066 | ALL |
| M02205 | | S411N110-5 L AFT OVERWING DOOR TRIM HEATER FWD | 411A2701 | 1 | 21-42-11 581/229/L069 | ALL |
| M02206 | | S411N110-5 L AFT OVERWING DOOR TRIM HEATER AFT | 411A2701 | 1 | 21-42-11 639/229/L069 | YC051-YL999, YR301-YR328 |
| M02206 | | S411N110-5 L AFT OVERWING DOOR TRIM HEATER AFT | 411A2701 | 1 | 21-42-11 598/229/L069 | YN231-YN501 |
| M02207 | | S411N110-5 R FWD HATCH DR LINING HTR AFT | 411A2701 | 1 | 21-42-11 600/251/R066 | YC051-YL999, YR301-YR328 |
| M02208 | | S411N110-5 R FWD HATCH DR TRIM HTR FWD | 411A2701 | 1 | 21-42-11 543/229/R069 | YC051-YL999, YR301-YR328 |
| M02209 | | S411N110-5 R FWD HATCH DR TRIM HTR AFT | 411A2701 | 1 | 21-42-11 560/229/R069 | YC051-YL999, YR301-YR328 |
| M02213 | | S411N110-5 L FWD HATCH DR LINING HTR AFT | 411A2701 | 1 | 21-42-11 600/251/L066 | YC051-YL999, YR301-YR328 |
| M02214 | | S411N110-5 L FWD OVERWING DR TRIM HTR FWD | 411A2701 | 1 | 21-42-11 543/229/L069 | YC051-YL999, YR301-YR328 |
| M02215 | | S411N110-5 L FWD OVERWING DR TRIM HTR AFT | 411A2701 | 1 | 21-42-11 560/229/L069 | YC051-YL999, YR301-YR328 |
| M02219 | | A420-066923-01 SOL-OVERWING FLIGHT LOCK-LEFT | 258A4701 | 1 | 52-71-13 633/256/L068 | YC051-YC064 |
| M02219 | | A420-066923-02 SOL-OVERWING FLIGHT LOCK-LEFT | 258A4701 | 1 | 52-71-13 633/256/L068 | YC065-YR328 |
| M02220 | | A420-066923-02 SOL-OVERWING FLIGHT LOCK-LEFT FWD | 258A4701 | 1 | 52-71-13 595/256/L068 | YC051-YL999, YR301-YR328 |
| M02221 | | A420-066923-02 SOL-OVERWING FLIGHT LOCK-RIGHT | 258A4701 | 1 | 52-71-14 621/256/R068 | ALL |

EQUIPMENT LIST

D280A108

Section M02200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M02222 | | A420-066923-02 SOL-OVERWING FLIGHT LOCK-RIGHT FWD | 258A4701 | 1 | 52-71-14 583/256/R068 | YC051-YL999, YR301-YR328 |
| M02235 | | VENDORSUPPLIEDSEEIPCFORP-NINFO CHIP DETECTOR-OIL PARTICLE | 332A2000 12812 | 2 | 79-33-11 ENG/ / | YC053-YR328 |
| M02236 | | 473925 UNIT-FWD CARGO COMPT SMOKE DET ELEX | 218A4310 61423 | 1 | 26-16-21 450/204/L030 | YC053-YR328 |
| M02237 | | 473925 UNIT-AFT CARGO COMPT SMOKE DET ELEX | 218A4610 61423 | 1 | 26-16-22 817/206/L030 | YC053-YR328 |
| M02238 | | 473597-5 FWD CARGO COMPT SMOKE DET A1 | 218A4310 61423 | 1 | 26-16-21 470/203/L015 | YC053-YR328 |
| M02239 | | 473597-5 FWD CARGO COMPT SMOKE DET A2 | 218A4310 61423 | 1 | 26-16-21 500C+10/203/L012 | YC053-YL999, YR301-YR328 |
| M02239 | | 473597-5 FWD CARGO COMPT SMOKE DET A2 | 218A4310 61423 | 1 | 26-16-21 500A+10/203/L012 | YN231-YN501 |
| M02240 | | 473597-5 FWD CARGO COMPT SMOKE DET B1 | 218A4310 61423 | 1 | 26-16-21 430/203/R012 | YC053-YR328 |
| M02241 | | 473597-5 FWD CARGO COMPT SMOKE DET B2 | 218A4310 61423 | 1 | 26-16-21 500E+10/203/R012 | YC053-YL999, YR301-YR328 |
| M02241 | | 473597-5 FWD CARGO COMPT SMOKE DET B2 | 218A4310 61423 | 1 | 26-16-21 500+10/203/R012 | YN231-YN501 |
| M02242 | | 473597-5 AFT CARGO COMPT SMOKE DET A1 | 218A4610 61423 | 1 | 26-16-22 727C+10/205/L011 | YC053-YR328 |
| M02243 | | 473597-5 AFT CARGO COMPT SMOKE DET A2 | 218A4610 61423 | 1 | 26-16-22 727I+10/205/L009 | YC053-YL999, YR301-YR328 |
| M02243 | | 473597-5 AFT CARGO COMPT SMOKE DET A2 | 218A4610 61423 | 1 | 26-16-22 777/205/L009 | YN231-YN501 |
| M02244 | | 473597-5 AFT CARGO COMPT SMOKE DET A3 | 218A4610 61423 | 1 | 26-16-22 877/205/R009 | YC053-YR328 |
| M02245 | | 473597-5 AFT CARGO COMPT SMOKE DET B1 | 218A4610 61423 | 1 | 26-16-22 727B+10/205/R010 | YC053-YR328 |
| M02246 | | 473597-5 AFT CARGO COMPT SMOKE DET B2 | 218A4610 61423 | 1 | 26-16-22 727J+10/205/R009 | YC053-YL999, YR301-YR328 |
| M02246 | | 473597-5 AFT CARGO COMPT SMOKE DET B2 | 218A4610 61423 | 1 | 26-16-22 757/205/R009 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section M02200

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|---------------------------------------|
| M02247 | | 473597-5 AFT CARGO COMPT SMOKE DET B3 | 218A4610 61423 | 1 | 26-16-22 857/205/R009 | YC053-YR328 |
| M02248 | | 473957-5 EXTINGUISHER-CARGO FIRE BTL 1 | 218A6301 61423 | 1 | 26-23-11 540/180/L016 | YC053-YC068 |
| M02248 | | 473957-4 EXTINGUISHER-CARGO FIRE BTL 1 | 218A6301 61423 | 1 | 26-23-11 540/180/L016 | YC070-YR328 |
| M02249 | | 446616 SQUIB-CARGO FIRE EXT BTL 1 FWD | 218A6301 61423 | 1 | 26-23-11 540/180/L016 | YC053-YR328 |
| M02250 | | 446617 SQUIB-CARGO FIRE EXT BTL 1 AFT | 218A6301 61423 | 1 | 26-23-11 540/180/L016 | YC053-YR328 |
| M02255 | | PROVISIONAL SDU-SATELLITE DATA UNIT | 284A0460 | 1 | 23-15-11 E006-00/ / | YC051-YD157 |
| M02256 | | PROVISIONAL HPA-HIGH POWER AMPLIFIER | 284A4060 | 1 | 23-15-16 E006-01/ / | YC051-YD157 |
| M02257 | | PROVISIONAL LOW NOISE AMP DIPLEXER | 284A0522 | 1 | 23-15-11 760/295/L010 | YC051-YD157 |
| M02258 | | PROVISIONAL AERO-I ANTENNA | 284A0522 | 1 | 23-15-12 760/290/L005 | YC051-YD157 |
| M02263 | | 473957 EXTINGUISHER-CARGO FIRE BTL 2 | 218A6301 61423 | 1 | 26-23-11 540/180/R019 | YD158-YD170 |
| M02263 | | 473957-4 EXTINGUISHER-CARGO FIRE BTL 2 | 218A6301 61423 | 1 | 26-23-11 540/180/R019 | YR315-YR316, YR319 |
| M02264 | | 446616 SQUIB-CARGO FIRE EXT BTL 2 FWD | 218A6301 61423 | 1 | 26-23-11 540/180/R019 | YD158-YD170, YR315-YR316, YR319 |
| M02265 | | 446617 SQUIB-CARGO FIRE EXT BTL 2 AFT | 218A6301 61423 | 1 | 26-23-11 540/180/R019 | YD158-YD170, YR315-YR316, YR319 |
| M02267 | | 417A5700 MDL-AISLE INDICATOR LT | 417A5700 81205 | 1 | 33-51-21 570/208/L009 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section M02200

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| M02307 | | 285W0024-1B HANDSET-AFT ATTND PNL | 417A6500 81205 | 1 | 23-42-13 / / | YL951-YL999 |
| M02307 | | 285W0024-1M HANDSET-AFT ATTND PNL | 417A6501 81205 | 1 | 23-42-12 LAV E/ / | YR301-YR328 |
| M02335 | | D717-02-001 BATTERY PACK-EMERGENCY LIGHT | 417A5900 81205 | 1 | 33-51-11 500C+7/213/L067 | YD158-YR328 |
| M02373 | | S251A225-1 ELEVATOR FEEL SHIFT MODULE | 251A2106 | 1 | 27-32-31 1085/264/L027 | YC058-YR328 |
| M02397 | | 921900-01-9999-7 DIU CD ROM DELIVERY DISKETTE | 284A0480 70093 | 1 | 23-32-21 E003-02/ / | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section M02300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| M02445 | | H504B RUDDER POSN SENSOR | 251A3437 | 0 | 22-11-81 / / | ALL |
| M02446 | | 822-1588-101 RUDDER ACTUATOR | 251A3437 | 0 | 22-11-81 / / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section M02400
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M02502 | | 822-1424-001 AIRPLANE PERSONALITY MODULE (APM) | 284A0430 13499 | 1 | 23-27-39 E004-01/ / | YD158-YD170, YR301-YR328 |
| M02502 | | 964-0465-001 AIRPLANE PERSONALITY MODULE (APM) | 284A0430 97896 | 1 | 23-27-39 E004-01/ / | YL951-YL953, YN231-YN234 |
| M02502 | | 822-1424-001 AIRPLANE PERSONALITY MODULE (APM) | 284A0430 033483 | 1 | 23-27-39 E004-01/ / | YL954-YL999, YN235-YN260 |
| M02502 | | 822-1424-001 AIRPLANE PERSONALITY MODULE (APM) | 284A0441 4V792 | 1 | 23-27-39 E004-01/ / | YN501 |
| M02536 | | 285T0852-1 PANEL - KEYPAD, DOOR SECURITY | 232A2401 81205 | 1 | 52-51-11 280/272/R010 | YD155-YR328 |
| M02537 | | 285T0855-5 PANEL - CHIME, DOOR SECURITY | 232A2401 81205 | 1 | 52-51-11 280/268/R010 | YD155-YR328 |
| M02538 | | B231162-501 STRIKER - SOLENOID, DOOR SECURITY | 232A2401 56135 | 1 | 52-51-11 280/246/R010 | YD155-YR328 |
| M02539 | | RBDSC-2 MDL-PROGRAM SWITCH AUTOPILOT SYS A-2 | 284A2710 09922 | 0 | 22-11-75 E001-01/ / | YD157-YR328 |
| M02539S4 | | SWITCH1-24 A/P SYS 1 DIP SW | | 1 | 22-11-75 E001-01/ / | YD157-YR328 |
| M02540 | | RBDSC-2 MDL-PROGRAM SWITCH AUTOPILOT SYS B-2 | 284A2710 09922 | 0 | 22-11-75 E001-01/ / | YD157-YR328 |
| M02540S5 | | SWITCH1-24 A/P SYS B DIP SW | | 1 | 22-11-75 E001-01/ / | YD157-YR328 |
| M02541 | | 11233-000 ZONAL DRYER CONTROL EE BAY | 284A0440 SF989 | 1 | 21-74-11 351/178/R034 | YD158-YD170 |
| M02542 | | 2000-050 ZONAL DRYER | 214A2050 SF989 | 1 | 21-74-11 874/171/L016 | YD158-YD170 |
| M02543 | | 11600-000 INLET AIR CONTROL | 214A2050 SF989 | 1 | 21-74-11 927/171/L016 | YD158-YD170 |
| M02554 | 9 | 10-61359-3 SPDBRK RETRACT ACTUATOR (APB 0802664) | 254A1210 | 1 | 27-62-41 201/210/R002 | YC051-YC065 |
| M02554 | | 10-61359-3 SPDBRK RETRACT ACTUATOR | 254A1210 | 1 | 27-62-41 201/210/R002 | YN231-YN501 |
| M02559 | | 1153154 MDL - NGS CONTROLLER | 212A5002 07217 | 1 | 47-30-11 500I+8/201/R012 | YL951-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section M02500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M02559 | | 1153154 MDL - NGS CONTROLLER | 212A5002 07217 | 1 | 47-30-11 500D+8/201/R012 | YN232-YN501 |
| M02560 | | 1153206-1 MDL - NGS BITE DISPLAY UNIT | 212A5003 07217 | 1 | 47-30-11 543/157/R038 | YL951-YL999, YN232-YR328 |
| M02561 | | 2040061-101 MDL - FILTER DELTA-P SWITCH | 212A5001 92003 | 1 | 47-30-11 642/163/L048 | YL951-YL999, YN232-YR328 |
| M02562 | | 1153158-2 MDL - NGS ALTITUDE SENSOR | 212A5001 07217 | 1 | 47-30-11 656/158/L047 | YL951-YL999, YN232-YR328 |
| M02564 | | 1153156-1 MDL - ASM HIGH D-P SENSOR | 212A5001 07217 | 1 | 47-30-11 602/161/L060 | YL951-YL999, YN232-YR328 |
| M02565 | | 1153222-1 MDL - NGS PRESSURE SENSOR | 212A5001 07217 | 1 | 47-30-11 539/167/L034 | YL951-YL999, YN232-YR328 |
| M02567 | | Z285H0122110 ISPC - POWER SUPPLY EE BAY | 284A0212 C6253 | 1 | 25-29-11 360/160/R025 | YL951-YL999, YN232-YR328 |
| M02587 | | Z280H3040000 PC POWER OUTLET (P6) | 233A5105 C6253 | 1 | 25-29-11 P006-00/000/0000 | YL951-YL999, YN232-YR328 |
| M02587A | | Z280H1040000 PC POWER OUTLET FRONTPLATE (P6) | 233A5105 C6253 | 1 | 25-29-11 P006-00/000/0000 | YL951-YL999, YN232-YR328 |
| M02588 | | Z280H3040000 PC POWER OUTLET (P18) | 232A1710 C6253 | 1 | 25-29-11 P018-00/000/0000 | YL951-YL999, YN232-YR328 |
| M02588A | | Z280H1040000 PC POWER OUTLET FRONTPLATE (P18) | 232A1710 C6253 | 1 | 25-29-11 P018-00/000/0000 | YL951-YL999, YN232-YR328 |
| M02593 | | M83723-60-214AN J1 ISPC TERM PLUG | 284A0212 C6253 | 1 | 25-29-11 360/160/R025 | YL951-YL999, YN232-YR328 |
| M02594 | | Z280H1600000 J6 ISPC TERM PLUG | 284A0212 C6253 | 1 | 25-29-11 360/160/R025 | YL951-YL999, YN232-YR328 |
| M02596 | | P665A0001-00 FLT SPOILER 2 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YL953-YL999, YR301-YR313 |
| M02596 | | P665A0001-02 FLT SPOILER 2 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YR314-YR328 |
| M02597 | | P665A0001-00 FLT SPOILER 3 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YL953-YL999, YR301-YR313 |
| M02597 | | P665A0001-02 FLT SPOILER 3 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YR314-YR328 |

EQUIPMENT LIST

D280A108

Section M02500

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| M02598 | | P665A0001-00 FLT SPOILER 4 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YL953-YL999, YR301-YR313 |
| M02598 | | P665A0001-02 FLT SPOILER 4 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YR314-YR328 |
| M02599 | | P665A0001-00 FLT SPOILER 5 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YL953-YL999, YR301-YR313 |
| M02599 | | P665A0001-02 FLT SPOILER 5 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YR314-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section M02500

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M02600 | | P665A0001-00 FLT SPOILER 8 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YL953-YL999, YR301-YR313 |
| M02600 | | P665A0001-02 FLT SPOILER 8 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YR314-YR328 |
| M02601 | | P665A0001-00 FLT SPOILER 9 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YL953-YL999, YR301-YR313 |
| M02601 | | P665A0001-02 FLT SPOILER 9 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YR314-YR328 |
| M02602 | | P665A0001-00 FLT SPOILER 10 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YL953-YL999, YR301-YR313 |
| M02602 | | P665A0001-02 FLT SPOILER 10 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YR314-YR328 |
| M02603 | | P665A0001-00 FLT SPOILER 11 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YL953-YL999, YR301-YR313 |
| M02603 | | P665A0001-02 FLT SPOILER 11 | 251A1210 K0648 | 1 | 27-62-11 ORSS/ / | YR314-YR328 |
| M02604 | | A420-062894-01 SOLENOID-SPEED BRAKE LVR LOCK | 251A1910 73949 | 1 | 27-62-11 192/200/L007 | YL953-YL999, YR301-YR328 |
| M02651 | | RD-KA1012-01 SYSTEM CONTROLLER | 284A0462 54473 | 1 | 44-21-10 E008-01/ / | YN501-YR328 |
| M02675 | | S280A100 WINDOW HEATER COIL CORD | 287A4102 81205 | 2 | 30-41-11 230/ / | YD160-YR328 |
| M02685 | | RD-KA1006-02 CREW PANEL | 417A7262 | 0 | 44-21-12 306/273/L017 | YN501-YR328 |
| M02692 | | 3522W000-001 OXYGEN SENSOR | 212A5001 U1605 | 1 | 47-30-11 577/155/L044 | YL951-YL999, YN232-YR328 |
| M02696 | | M1026KS-8C-C5R DATA PORT | 417A6700 | 0 | 44-21-12 307/275/L025 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section M02600

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| M02754 | | 2234479-0256 WQAR PCMCIA CARD -0256 | 284W0441 | 1 | 31-35-03 / / | YR301-YR328 |
| M02755 | | 285A1775-1 CABIN READY MODULE | 417A6110 81205 | 1 | 23-42-01 P013-00/ / | YL951-YN260 |
| M02763 | | HR017 HTR-HEATER TAPE, 5-WAY FITTING | 417A2410 79326 | 1 | 30-71-11 968/198/R030 | YL954-YL999, YN235-YR328 |
| M02764 | | 79290-1956 HTR-HEATED HOSE, WTR SUPPLY TO G4/G4B/LC | 417A2410 81205 | 1 | 30-71-11 1002/207/R044 | YL954-YL999, YN235-YR328 |
| M02765 | | AS5422K0620L2C HTR-HEATED HOSE, TANK TO 5-WAY FITTING | 417A2410 81205 | 1 | 30-71-11 957/179/L001 | YL954-YL999, YN235-YR328 |
| M02785 | | 115E1670G4 FORWARD ATTENDANT CONTROL PANEL | 417A6101 81205 | 1 | 23-42-14 304/267/L027 | YN501-YR312 |
| M02785 | | 115E1670G14 FORWARD ATTENDANT CONTROL PANEL | 417A6101 81205 | 1 | 23-42-14 304/267/L027 | YR313-YR328 |
| M02786 | | 115E1670G8 AFT ATTENDANT CONTROL PANEL | 417A6101 81205 | 1 | 23-42-15 949/267/L034 | YN501-YR312 |
| M02786 | | 115E1670G18 AFT ATTENDANT CONTROL PANEL | 417A6101 81205 | 1 | 23-42-15 949/267/L034 | YR313-YR328 |
| M02788 | | WM13230-001 CABLE ASSEMBLY, CREW PANEL TO AB0373 | 0RF67 | 1 | 44-21-12 304/ / | YN501-YR328 |
| M02799 | | 9650-35-0005 MDL-LED SIDEWALL LIGHT 35 INCH ASSY F | 417A550X 59579 | 6 | 33-21-12 MULTI/269/59 | YN501 |
| M02799 | | 9650-35-0005 MDL-LED SIDEWALL LIGHT 35 INCH ASSY F | 417A5504 59579 | 10 | 33-21-12 MULTI/269/59 | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section M02700

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|---|
| M02800 | | 9650-14-0004 MDL-LED SIDEWALL LIGHT 14 INCH ASSY E | 417A550X 59579 | 2 | 33-21-12 MULTI/269/59 | YN501 |
| M02801 | | 9600-58-0000 MDL-LED CEILING LIGHT 58 INCH ASSY | 412A70X0 59579 | 14 | 3322XX MULTI/296/27 | YN501 |
| M02801 | | 9600-58-0000 MDL-LED CEILING LIGHT 58 INCH ASSY | 412A70X0 59579 | 22 | 3322XX MULTI/296/27 | YR301-YR314, YR317-YR318, YR320-YR328 |
| M02801 | | 9600-58-0000 MDL-LED CEILING LIGHT 58 INCH ASSY | 412A70X0 59579 | 16 | 3322XX MULTI/296/27 | YR315-YR316, YR319 |
| M02804 | | 9750-41-0000 MDL-LED COS LIGHT | 412A4100 59579 | 4 | 3322XX MULTI/288/11 | YN501-YR314, YR317-YR318, YR320-YR328 |
| M02804 | | 9750-41-0000 MDL-LED COS LIGHT | 412A4100 59579 | 8 | 3322XX MULTI/288/11 | YR315-YR316, YR319 |
| M02805 | | BACC63EJ01A RESISTOR - TERMINAL | TBD-0000 50NX5 | 4 | MULTI MULTI/ / | YN501 |
| M02806 | | 9550-26-0000 MDL-COVE LT | 411A3X00 59579 | 3 | 33-24-12 MULTI/290/ | YN501-YR328 |
| M02807 | | 9550-26-0001 MDL-COVE LT | 41A3X00 59579 | 3 | 33-24-12 MULTI/290/ | YN501-YR328 |
| M02808 | | 9500-13-0000 MDL-DIRECT LIGHT | 411A3400 59579 | 2 | 33-24-12 931/290/10 | YN501-YR328 |
| M02809 | | 9500-13-0001 MDL-DIRECT LIGHT | 41A3X00 59579 | 4 | 33-24-12 MULTI/290/ | YN501-YR328 |
| M02810 | | 9130-00 FORWARD ENTRY LT ASSY - DIM ENTRY | 411A3200 59579 | 1 | 33-29-11 314/289/L010 | YN501-YR328 |
| M02811 | | 9130-00 AFT ENTRY LT ASSY - DIM ENTRY | 411A3400 59579 | 1 | 33-29-11 978/290/0 | YN501-YR328 |
| M02812 | | 70XXX-0032 MDL-RIGHT PSU WITH SPEAKER (SEE YBA) | 417A3001 16115 | 24 | 33-23-31 MULTI/ / | YN501 |
| M02812 | | 70XXX-0032 MDL-RIGHT PSU WITH SPEAKER (SEE YBA) | 417A3001 16115 | 31 | 33-23-31 MULTI/ / | YR301-YR328 |
| M02814 | | 213A4101 MDL-PASSENGER CABIN TEMP SENSOR | TBD-0000 89954 | 0 | 21-61-22 413/274/R044 | YN501 |

EQUIPMENT LIST

D280A108

Section M02800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------|
| M02816 | | D717-02-001 BATTERY PACK-EMERGENCY LIGHT | 411A3220 81205 | 1 | 33-51-12 310/290/R006 | YN501-YR328 |
| M02817 | | 9650-35-0004 MDL-LED SIDEWALL LIGHT 35 INCH ASSY E | 417A550X 59579 | 4 | 33-21-12 MULTI/269/59 | YN501 |
| M02817 | | 9650-35-0004 MDL-LED SIDEWALL LIGHT 35 INCH ASSY E | 417A550X 59579 | 6 | 33-21-12 MULTI/269/59 | YR301-YR328 |
| M02818 | | 9650-35-0001 MDL-LED SIDEWALL LIGHT 35 INCH ASSY B | 417A550X 59579 | 4 | 33-21-12 MULTI/269/59 | YN501 |
| M02818 | | 9650-35-0001 MDL-LED SIDEWALL LIGHT 35 INCH ASSY B | 417A550X 59579 | 2 | 33-21-12 MULTI/269/59 | YR301-YR328 |
| M02819 | | 9650-35-0002 MDL-LED SIDEWALL LIGHT 35 INCH ASSY C | 417A5505 59579 | 14 | 33-21-12 MULTI/269/59 | YN501-YR328 |
| M02820 | | 9650-35-0003 MDL-LED SIDEWALL LIGHT 35 INCH ASSY D | 417A550X 59579 | 4 | 33-21-12 MULTI/269/59 | YN501-YR328 |
| M02821 | | 9650-35-0000 MDL-LED SIDEWALL LIGHT 35 INCH ASSY A | 417A5506 59579 | 2 | 33-21-12 MULTI/269/59 | YN501-YR328 |
| M02832 | | 9650-14-0005 MDL-LED SIDEWALL LIGHT 14 INCH ASSY F | 417A550X 59579 | 4 | 33-21-12 MULTI/269/59 | YR301-YR328 |
| M02837 | | 9700-14-0001 MDL-FWD OWE LIGHT F | 417A5505 59579 | 2 | 33-21-12 590/269/59 | YN501 |
| M02837 | | 9700-14-0001 MDL-FWD OWE LIGHT F | 417A5505 59579 | 2 | 33-21-12 637/269/59 | YR301-YR328 |
| M02838 | | 9700-14-0000 MDL-AFT OWE LIGHT B | 417A5505 59579 | 2 | 33-21-12 627/269/59 | YR301-YR328 |
| M02847 | | 213A4101 MDL-FWD PASS CABIN TEMP SENSOR | 417A3001 89954 | 1 | 21-61-13 410/274/R044 | YR301-YR328 |
| M02848 | | 213A4101 MDL-AFT CABIN TEMP SENSOR | 417A3001 89954 | 1 | 21-61-14 727G+11/274/R044 | YR301-YR328 |
| M02868 | | 9800-15-0000 MDL-LED BULL NOSE CEILING LT 15 IN ASSY | 412A70X0 59579 | 2 | 3322XX MULTI/296/27 | YR315-YR316, YR319 |
| M02871 | | 9900-40-0000 MDL-LED BULL NOSE CEILING LT 40 IN ASSY | 412A70X0 59579 | 1 | 3322XX MULTI/296/27 | YR315-YR316, YR319 |
| M02872 | | 9900-40-0001 MDL-LED BULL NOSE CEILING LT 40 IN ASSY | 412A70X0 59579 | 1 | 3322XX MULTI/296/27 | YR315-YR316, YR319 |

EQUIPMENT LIST

D280A108

Section M02800

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| M02873 | | 9900-44-0000 MDL-LED BULL NOSE CEILING LT 44 IN ASSY | 412A7080 59579 | 1 | 3322XX MULTI/296/27 | YR301-YR328 |
| M02874 | | 9900-44-0001 MDL-LED BULL NOSE CEILING LT 44 IN ASSY | 412A7080 59579 | 1 | 3322XX MULTI/296/27 | YR301-YR328 |
| M02875 | | 9900-51-0000 MDL-LED BULL NOSE CEILING LT 51 IN ASSY | 412A70X0 59579 | 1 | 3322XX MULTI/296/27 | YR301-YR328 |
| M02876 | | 9600-51-0001 MDL-LED BULL NOSE CEILING LT 51 IN ASSY | 412A70X0 59579 | 1 | 3322XX MULTI/296/27 | YR301-YR328 |
| M02877 | | 9900-55-0000 MDL-LED BULL NOSE CEILING LT 55 IN ASSY | 417A5200 59579 | 2 | 3322XX MULTI/296/27 | YN501 |
| M02878 | | 9900-55-0001 MDL-LED BULL NOSE CEILING LT 55 IN ASSY | 417A5200 59579 | 2 | 3322XX MULTI/296/27 | YN501 |
| M02884 | | 70XXX-0032 MDL-LEFT PSU WITH SPEAKER (SEE YBD) | 417A3001 16115 | 24 | 33-23-31 MULTI/ / | YN501 |
| M02884 | | 70XXX-0032 MDL-LEFT PSU WITH SPEAKER (SEE YBD) | 417A3001 16115 | 31 | 33-23-31 MULTI/ / | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section M02800
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| M02901 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-1 | 417A3100 54473 | 1 | 44-21-36 357.5/270/L042 | YN501 |
| M02901 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-1 | 417A3100 54473 | 1 | 44-21-36 376/270/L042 | YR301-YR328 |
| M02902 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-2 | 417A3100 54473 | 1 | 44-21-46 357/270/R042 | YN501 |
| M02902 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-2 | 417A3100 54473 | 1 | 44-21-46 376/270/R042 | YR301-YR328 |
| M02903 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-3 | 417A3100 54473 | 1 | 44-21-36 455/270/L042 | YN501 |
| M02903 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-3 | 417A3100 54473 | 1 | 44-21-36 475/270/L042 | YR301-YR328 |
| M02904 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-4 | 417A3100 54473 | 1 | 44-21-46 456/270/R042 | YN501 |
| M02904 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-4 | 417A3100 54473 | 1 | 44-21-46 475/270/R042 | YR301-YR328 |
| M02909 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-9 | 417A3100 54473 | 1 | 44-21-36 500B+6/270/L042 | YN501 |
| M02909 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-9 | 417A3100 54473 | 1 | 44-21-36 500B+21/270/L042 | YR301-YR328 |
| M02910 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-10 | 417A3100 54473 | 1 | 44-21-46 500B+6/270/R042 | YN501 |
| M02910 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-10 | 417A3100 54473 | 1 | 44-21-46 500B+21/270/R042 | YR301-YR328 |
| M02911 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-11 | 417A3100 54473 | 1 | 44-21-36 556/270/L042 | YN501 |
| M02911 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-11 | 417A3100 54473 | 1 | 44-21-36 500G+1/270/L042 | YR301-YR328 |
| M02912 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-12 | 417A3100 54473 | 1 | 44-21-46 556/270/R042 | YN501 |
| M02912 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-12 | 417A3100 54473 | 1 | 44-21-46 500G+1/270/R042 | YR301-YR328 |
| M02913 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-13 | 417A3100 54473 | 1 | 44-21-36 547/270/L042 | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section M02900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| M02914 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-14 | 417A3100 54473 | 1 | 44-21-46 547/270/R042 | YR301-YR328 |
| M02917 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-17 | 417A3100 54473 | 1 | 44-21-37 656/270/L042 | YN501-YR328 |
| M02918 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-18 | 417A3100 54473 | 1 | 44-21-47 656/270/R042 | YN501-YR328 |
| M02919 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-19 | 417A3100 54473 | 1 | 44-21-37 727+19/270/L042 | YN501-YR328 |
| M02920 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-20 | 417A3100 54473 | 1 | 44-21-47 727+19/270/R042 | YN501-YR328 |
| M02925 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-25 | 417A3100 54473 | 1 | 44-21-37 727E+8/270/L042 | YN501 |
| M02925 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-25 | 417A3100 54473 | 1 | 44-21-37 727E+5/270/L042 | YR301-YR328 |
| M02926 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-26 | 417A3100 54473 | 1 | 44-21-47 727E+8/270/R042 | YN501 |
| M02926 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-26 | 417A3100 54473 | 1 | 44-21-47 727E+5/270/R042 | YR301-YR328 |
| M02927 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-27 | 417A3100 54473 | 1 | 44-21-37 825/270/L042 | YN501 |
| M02927 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-27 | 417A3100 54473 | 1 | 44-21-37 727I+4/270/L042 | YR301-YR328 |
| M02928 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-28 | 417A3100 54473 | 1 | 44-21-47 825/270/R042 | YN501 |
| M02928 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-28 | 417A3100 54473 | 1 | 44-21-47 727I+4/270/R042 | YR301-YR328 |
| M02929 | | RD-AA902941-01 DIGITAL OVERHEAD MONITOR-29 | 417A3100 54473 | 1 | 44-21-37 798/270/L042 | YR301-YR328 |
| M02930 | | RD-AA902940-01 DIGITAL OVERHEAD MONITOR-30 | 417A3100 54473 | 1 | 44-21-47 798/270/R042 | YR301-YR328 |
| M02931 | | G3269-01 INLINE FILTER | 417A6701 99837 | 1 | 23-42 920/295/L034 | YR301-YR322 |
| M02931 | | G3269-02 INLINE FILTER | 417A6701 99837 | 1 | 23-42 920/295/L034 | YR323-YR328 |

EQUIPMENT LIST

D280A108

Section M02900

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| M02932 | | G3269-01 INLINE FILTER | 417A6701 99837 | 1 | 23-42 347/ / | YR301-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section M02900

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| M03000 | | 2003-109-2 CAMERA CONTROL PANEL | 233A6104 59885 | 1 | 23-70-11 P008-00/ / | YL951-YL999, YN501-YR328 |
| M03000 | | 2003-109-2 CAMERA CONTROL PANEL | 417A6400 59885 | 1 | 23-70-11 P008-00/ / | YN231-YN260 |
| M03001 | | 8400K2 VIDEO INTERFACE UNIT | 417A6400 59885 | 1 | 23-70-11 344/292/ | YL951-YN260 |
| M03002 | | 8410B1-204-105 CAMERA 1 | 417A6400 59885 | 1 | 23-70-11 285/ /0 | YL951-YN260 |
| M03002 | | 8410B1-206-105 CAMERA 1 | 417A6400 59885 | 1 | 23-70-11 285/ /0 | YN501-YR328 |
| M03003 | | 8410B1-204-105 CAMERA 2 | 417A6400 59885 | 1 | 23-70-11 340/ /0 | YL951-YN260 |
| M03004 | | 8410B1-204-105 CAMERA 3 | 417A6400 59885 | 1 | 23-70-11 333/ /R017 | YL951-YN260 |
| M03004 | | 8410B1-206-105 CAMERA 3 | 417A6400 59885 | 1 | 23-70-11 333/ /R017 | YN501-YR328 |
| M03026 | | 8410B1-206-105 CAMERA 2 | 417A6400 59885 | 1 | 23-70-11 338/286/L028 | YN501-YR328 |
| M03029 | | 8400K2 VIDEO INTERFACE UNIT | 417A6400 59885 | 1 | 23-70-11 390/295/L011 | YN501-YR328 |
| M03054 | | S282T003-1 AUXILIARY BATTERY | 284A0816 81205 | 1 | 24-31-11 378/158/L005 | ALL |
| M03055 | | S282T003-3 AUXILIARY BATTERY CHARGER | 284A0430 81205 | 1 | 24-31-11 E003-03/ / | YC051-YC058 |
| M03055 | | S282T003-3 AUXILIARY BATTERY CHARGER | 284A0431 81205 | 1 | 24-31-11 E003-03/ / | YC059-YR328 |

EQUIPMENT LIST

D280A108

Section M03000

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| M10373 | | 417N3810 MOD-LAVATORY OXYGEN | 417A1140 81205 | 3 | 35-21-21 MULTI/ / | YC051-YL999, YR301-YR328 |
| M10373 | | 417N3810 MOD-LAVATORY OXYGEN | 417A1140 81205 | 2 | 35-21-12 MULTI/ / | YN231-YN501 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section M10300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| M10720 | | S417N511-1 MDL-FLUOR LAMP/BALLAST(PRI) SEE Y015 | 417A5500 72914 | 24 | 33-21-21 MULTI/ / | YC051-YC068 |
| M10720 | | 10-1733-1 MDL-FLUOR LAMP/BALLAST(PRI) SEE Y015 | 417A5500 72914 | 24 | 33-21-21 MULTI/ / | YC070-YD170 |
| M10720 | | 10-1733-1 MDL-FLUOR LAMP/BALLAST(PRI)-COOL WHITE | 417A5500 72914 | 24 | 33-21-21 MULTI/ / | YL951-YL999 |
| M10720 | | 10-1733-1 MDL-FLUOR LAMP/BALLAST(PRI) SEE Y015 | 417A5500 72914 | 20 | 33-21-21 MULTI/ / | YN231 |
| M10720 | | 10-1733-1 MDL-FLUOR LAMP/BALLAST(PRI)-COOL WHITE | 417A5500 72914 | 20 | 33-21-21 MULTI/ / | YN232-YN260 |
| M10721 | | S417N511-2 MDL-FLUOR LAMP/(SECONDARY)SEE Y016 | 417A5500 72914 | 16 | 33-21-21 MULTI/ / | YC051-YC068 |
| M10721 | | 10-1733-2 MDL-FLUOR LAMP/(SECONDARY)SEE Y016 | 417A5500 72914 | 16 | 33-21-21 MULTI/ / | YC070-YD170 |
| M10721 | | 10-1733-2 MDL-FLUOR LAMP/(SECONDARY)-COOL WHITE | 417A5500 72914 | 16 | 33-21-21 MULTI/ / | YL951-YL999 |
| M10721 | | 10-1733-2 MDL-FLUOR LAMP/(SECONDARY)SEE Y016 | 417A5500 72914 | 14 | 33-21-21 MULTI/ / | YN231 |
| M10721 | | 10-1733-2 MDL-FLUOR LAMP/(SECONDARY)-COOL WHITE | 417A5500 72914 | 14 | 33-21-21 MULTI/ / | YN232-YN260 |
| M10722 | | S417N511-3 MDL-FLUOR LAMP/BALLAST(SHORT)SEE Y017 | 417A5500 72914 | 4 | 33-21-21 MULTI/ / | YC051-YC068 |
| M10722 | | 10-1733-3 MDL-FLUOR LAMP/BALLAST(SHORT)SEE Y017 | 417A5500 72914 | 4 | 33-21-21 MULTI/ / | YC070-YD170 |
| M10722 | | 10-1733-3 MDL-FLUOR LAMP/BALLAST(SHORT)-COOL WHITE | 417A5503 72914 | 4 | 33-21-21 MULTI/ / | YL951-YL999 |
| M10722 | | 10-1733-3 MDL-FLUOR LAMP/BALLAST(SHORT)SEE Y017 | 417A5500 72914 | 2 | 33-21-21 MULTI/ / | YN231 |
| M10722 | | 10-1733-3 MDL-FLUOR LAMP/BALLAST(SHORT)-COOL WHITE | 417A5503 72914 | 2 | 33-21-21 MULTI/ / | YN232-YN260 |

EQUIPMENT LIST

D280A108

Section M10700

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| M10973 | | 417N3011 MDL-PSU U/B | 417A3100 14275 | 18 | 33-23-31 MULTI/ / | YC051-YD170 |
| M10973 | | 417N3011 MDL-PSU U/B | 417A3100 14275 | 62 | 33-23-31 MULTI/ / | YL951-YL999 |
| M10973 | | 417N3011 MDL-PSU U/B | 417A3100 14275 | 48 | 33-23-31 MULTI/ / | YN231-YN260 |
| M10976 | | 417N3011 MDL-PSU U/B | 417A3100 81205 | 44 | 33-23-31 MULTI/ / | YC051-YD170 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section M10900

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| M11031 | | S417N313-101 MDL-PSU U/B COMPONENT | 417N3011 14275 | 62 | 33-23-31 MULTI/ / | YL951-YL999 |
| M11031 | | S417N313-101 MDL-PSU U/B COMPONENT | 417N3011 14275 | 48 | 33-23-31 MULTI/ / | YN231-YN260 |
| M11032 | | S417N313-102 MDL-PSU U/B COMPONENT | 417N3011 14275 | 62 | 33-23-31 MULTI/ / | YC051-YD170 |
| M11037 | | S417N313-203 MDL-PSU JUMPER | 417N3011 14275 | 62 | 33-23-31 MULTI/ / | YC051-YL999 |
| M11037 | | S417N313-203 MDL-PSU JUMPER | 417N3011 14275 | 48 | 33-23-31 MULTI/ / | YN231-YN260 |
| M11044 | 1 | S417N312-13 MDL-PSU U/B SWITCH MODULE | 417N3011 01781 | 62 | 33-23-31 MULTI/ / | YC051-YL999 |
| M11044 | 1 | S417N312-13 MDL-PSU U/B SWITCH MODULE | 417N3011 01781 | 48 | 33-23-31 MULTI/ / | YN231-YN260 |
| M11044 | 2 | S417N312-11 MDL-PSU U/B SWITCH MODULE | 417N3011 01781 | 62 | 33-23-31 MULTI/ / | YC051-YL999 |
| M11044 | 2 | S417N312-11 MDL-PSU U/B SWITCH MODULE | 417N3011 01781 | 48 | 33-23-31 MULTI/ / | YN231-YN260 |

EQUIPMENT LIST

D280A108

Section M11000

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| N00011 | | 162BL903 IND-TEMPERATURE | 233A3101 35918 | 1 | 21-61-51 P005-17/ / | ALL |
| N00012 | | S231T245-4 IND-DUAL PRESSURE | 233A3101 61349 | 1 | 36-21-11 P005-10/ / | ALL |
| N00020 | | 182936 IND-CREW OXYGEN PRESSURE | 233A3101 81205 | 1 | 35-11-11 P005-14/ / | ALL |
| N00024 | | 10-62190-3 IND-EXHAUST GAS TEMPERATURE APU | 233A3204 81205 | 1 | 49-71-21 P005-04/ / | ALL |
| N00041 | | 10-60775-6 IND-YAW DAMPER SURFACE POSITION | 233A2101 81205 | 1 | 22-23-11 P002-01/ / | YC051-YL959, YN231-YN235 |
| N00042 | | 10-60521-2 IND-FUEL TEMPERATURE | 233A3101 81205 | 1 | 28-42-11 P005-02/ / | ALL |
| N00051 | | 10-60726-6 IND-CAB ALTITUDE AND DIFFERENTIAL PRESS | 233A3101 81205 | 1 | 33-12-11 P005-16/ / | ALL |
| N00054 | | 10-61926-5 IND-FLAP POSITION | 233A2101 81205 | 1 | 27-52-11 P002-02/ / | ALL |
| N00055 | | 10-60755-6 IND-CABIN RATE OF CLIMB | 233A3101 81205 | 1 | 33-12-11 P005-16/ / | ALL |
| N00074 | | C-5C IND-STANDBY COMPASS | 233A4226 61349 | 1 | 33-14-12 212/258/000 | YC051-YD157 |
| N00074 | | C-5L IND-STANDBY COMPASS | 232A4226 61349 | 1 | 33-14-12 212/258/000 | YD158-YL954, YN231-YN235 |
| N00074 | | PGA0116W IND-STANDBY COMPASS | 232A4226 U8429 | 1 | 33-14-12 212/258/000 | YL955-YL999, YN236-YR328 |
| N00085 | | WL102AMS3 IND-STANDBY ALTIMETER/AIRSPEED | 65-46990 35012 | 1 | 34-21-12 P001-03/ / | YC051-YD157, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section N00000

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|--|
| N00145 | | 60B00303-105 CLOCK-CAPTAIN | 233A2101 82227 | 1 | 31-22-11 P001-01/ / | YC051-YC053 |
| N00145 | | S231W130-3 CLOCK-CAPTAIN | 233A2101 K0100 | 1 | 31-22-11 P001-01/ / | YC054-YD158 |
| N00145 | | 9010-1-3 CLOCK-CAPTAIN | 233A2101 30242 | 1 | 31-22-11 P001-01/ / | YD160-YR328 |
| N00146 | | 60B00303-105 CLOCK-FIRST OFFICER | 233A2101 82227 | 1 | 31-22-11 P003-03/ / | YC051-YC053 |
| N00146 | | S231W130-3 CLOCK-FIRST OFFICER | 233A2101 K0100 | 1 | 31-22-11 P003-03/ / | YC054-YD158 |
| N00146 | | 9010-1-3 CLOCK-FIRST OFFICER | 233A2101 30242 | 1 | 31-22-11 P003-03/ / | YD160-YR328 |
| N00158 | | S231W210-2 IND-HYDRAULIC BRAKE PRESSURE | 233A2101 81205 | 1 | 29-32-11 P003-01/ / | ALL |
| N00159 | | 10-62035-2 IND-RUDDER TRIM | 233A6101 81205 | 1 | 27-28-11 P008-43/ / | ALL |
| N00170 | | 10-62058-6 ANNUN-CAPTAIN AUTO FLIGHT STATUS | 233A2101 13499 | 1 | 22-14-11 P001-03/ / | ALL |
| N00171 | | 10-62058-6 ANNUN-FIRST OFFICER AUTO FLIGHT STATUS | 233A2101 13499 | 1 | 22-14-11 P003-01/ / | ALL |
| N00185 | | S242T403-207 IND-RADIO MAGNETIC | 233A2101 03483 | 1 | 34-22-11 P002-01/ / | ALL |
| N00186 | | S231A121-1 IND-STANDBY ATTITUDE | 233A2101 SFENA | 1 | 34-24-11 P002-01/ / | YC051-YD157, YR301-YR328 |
| N00187 | | S243W001-2601 DISPLAY UNIT-CAPTAIN OUTBOARD | 233A2101 58960 | 1 | 31-62-11 P001-00/ / | YC051-YC055 |
| N00187 | | S243W001-2603 DISPLAY UNIT-CAPTAIN OUTBOARD | 233A2101 58960 | 1 | 31-62-11 P001-00/ / | YC056-YD151 |
| N00187 | | 4086850-922 DISPLAY UNIT-CAPTAIN OUTBOARD | 233A2101 58960 | 1 | 31-62-11 P001-00/ / | YD152-YL954, YN231-YN235 |
| N00187 | | 4091900-932 DISPLAY UNIT-CAPTAIN OUTBOARD | 233A2101 58960 | 1 | 31-62-11 P001-00/ / | YL955-YL968, YN236, YN501- YR318 |

EQUIPMENT LIST

D280A108

Section N00100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|---|
| N00187 | | 4091900-942 DISPLAY UNIT-CAPTAIN OUTBOARD | 233A2101 58960 | 1 | 31-62-11 P001-00/ / | YL969-YL999, YN237-YN260, YR319-YR328 |
| N00188 | | S243W001-2601 DISPLAY UNIT-CAPTAIN INBOARD | 233A2101 58960 | 1 | 31-62-11 P001-00/ / | YC051-YC055 |
| N00188 | | S243W001-2603 DISPLAY UNIT-CAPTAIN INBOARD | 233A2101 58960 | 1 | 31-62-11 P001-00/ / | YC056-YD151 |
| N00188 | | 4086850-922 DISPLAY UNIT-CAPTAIN INBOARD | 233A2101 58960 | 1 | 31-62-11 P001-00/ / | YD152-YL954, YN231-YN235 |
| N00188 | | 4091900-932 DISPLAY UNIT-CAPTAIN INBOARD | 233A2101 58960 | 1 | 31-62-11 P001-00/ / | YL955-YL968, YN236, YN501- YR318 |
| N00188 | | 4091900-942 DISPLAY UNIT-CAPTAIN INBOARD | 233A2101 58960 | 1 | 31-62-11 P001-00/ / | YL969-YL999, YN237-YN260, YR319-YR328 |
| N00189 | | S243W001-2601 DISPLAY UNIT-UPPER CENTER | 233A2101 58960 | 1 | 31-62-11 P002-00/ / | YC051-YC055 |
| N00189 | | S243W001-2603 DISPLAY UNIT-UPPER CENTER | 233A2101 58960 | 1 | 31-62-11 P002-00/ / | YC056-YD151 |
| N00189 | | 4086850-922 DISPLAY UNIT-UPPER CENTER | 233A2101 58960 | 1 | 31-62-11 P002-00/ / | YD152-YL954, YN231-YN235 |
| N00189 | | 4091900-932 DISPLAY UNIT-UPPER CENTER | 233A2101 58960 | 1 | 31-62-11 P002-00/ / | YL955-YL968, YN236, YN501- YR318 |
| N00189 | | 4091900-942 DISPLAY UNIT-UPPER CENTER | 233A2101 58960 | 1 | 31-62-11 P002-00/ / | YL969-YL999, YN237-YN260, YR319-YR328 |
| N00190 | | S243W001-2601 DISPLAY UNIT-LOWER CENTER | 233A2101 58960 | 1 | 31-62-21 P009-00/ / | YC051-YC055 |
| N00190 | | S243W001-2603 DISPLAY UNIT-LOWER CENTER | 233A2101 58960 | 1 | 31-62-21 P009-00/ / | YC056-YD151 |
| N00190 | | 4086850-922 DISPLAY UNIT-LOWER CENTER | 233A2101 58960 | 1 | 31-62-21 P009-00/ / | YD152-YD170 |
| N00190 | | 4086850-924 DISPLAY UNIT-LOWER CENTER | 233A2101 58960 | 1 | 31-62-21 P009-00/ / | YL951-YL954, YN231-YN235 |

EQUIPMENT LIST

D280A108

Section N00100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| N00190 | | 4091900-934 DISPLAY UNIT-LOWER CENTER | 233A2101 58960 | 1 | 31-62-21 P009-00/ / | YL955-YL968, YN236, YN501- YR318 |
| N00190 | | 4091900-944 DISPLAY UNIT-LOWER CENTER | 233A2101 58960 | 1 | 31-62-21 P009-00/ / | YL969-YL999, YN237-YN260, YR319-YR328 |
| N00191 | | S243W001-2601 DISPLAY UNIT-FIRST OFFICER OUTBOARD | 233A2101 58960 | 1 | 31-62-21 P003-00/ / | YC051-YC055 |
| N00191 | | S243W001-2603 DISPLAY UNIT-FIRST OFFICER OUTBOARD | 233A2101 58960 | 1 | 31-62-21 P003-00/ / | YC056-YD151 |
| N00191 | | 4086850-922 DISPLAY UNIT-FIRST OFFICER OUTBOARD | 233A2101 58960 | 1 | 31-62-21 P003-00/ / | YD152-YL954, YN231-YN235 |
| N00191 | | 4091900-932 DISPLAY UNIT-FIRST OFFICER OUTBOARD | 233A2101 58960 | 1 | 31-62-21 P003-00/ / | YL955-YL968, YN236, YN501- YR318 |
| N00191 | | 4091900-942 DISPLAY UNIT-FIRST OFFICER OUTBOARD | 233A2101 58960 | 1 | 31-62-21 P003-00/ / | YL969-YL999, YN237-YN260, YR319-YR328 |
| N00192 | | S243W001-2601 DISPLAY UNIT-FIRST OFFICER INBOARD | 233A2101 58960 | 1 | 31-62-21 P003-00/ / | YC051-YC055 |
| N00192 | | S243W001-2603 DISPLAY UNIT-FIRST OFFICER INBOARD | 233A2101 58960 | 1 | 31-62-21 P003-00/ / | YC056-YD151 |
| N00192 | | 4086850-922 DISPLAY UNIT-FIRST OFFICER INBOARD | 233A2101 58960 | 1 | 31-62-21 P003-00/ / | YD152-YL954, YN231-YN235 |
| N00192 | | 4091900-932 DISPLAY UNIT-FIRST OFFICER INBOARD | 233A2101 58960 | 1 | 31-62-21 P003-00/ / | YL955-YL968, YN236, YN501- YR318 |
| N00192 | | 4091900-942 DISPLAY UNIT-FIRST OFFICER INBOARD | 233A2101 58960 | 1 | 31-62-21 P003-00/ / | YL969-YL999, YN237-YN260, YR319-YR328 |
| N00193 | | S345A001-001 IND-TANK 1 FUELING | 344A5111 81205 | 1 | 28-44-11 / / | ALL |
| N00194 | | S345A001-001 IND-TANK 2 FUELING | 344A5111 81205 | 1 | 28-44-11 / / | ALL |

EQUIPMENT LIST

D280A108

Section N00100

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| N00195 | | S345A001-001 IND-TANK CENTER FUELING | 344A5111 81205 | 1 | 28-44-11 / / | ALL |
| N00199 | | S417N207-7 IND-WATER QUANTITY (PROVISION) | 417A2515 81205 | 1 | 38-41-13 916/169/R010 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section N00100

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|---|
| N00226 | | C16221KA02 INTEGRATED STANDBY FLIGHT DISPLAY | 233A2101 F9111 | 1 | 34-24-15 P002-01/ / | YD158-YD170 |
| N00226 | | C16221MA01 INTEGRATED STANDBY FLIGHT DISPLAY | 233A2101 F9111 | 1 | 34-24-15 P002-01/ / | YL951-YL968, YN231-YN236, YN501 |
| N00226 | | C16786GA01 INTEGRATED STANDBY FLIGHT DISPLAY | 233A2101 F9111 | 1 | 34-24-15 P002-01/ / | YL969-YL999, YN237-YN260, YR301-YR315 |
| N00226 | | C16786GA02 INTEGRATED STANDBY FLIGHT DISPLAY | 233A2101 F9111 | 1 | 34-24-15 P002-01/ / | YR316-YR328 |

EQUIPMENT LIST

D280A108

Section N00200
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| P001-01 | | 233A2220-1 PNL-CAPTAIN INSTRUMENT | 233A2101 81205 | 1 | 91-03-12 P001-00/ / | ALL |
| P001-02 | | 69-37301-79 PNL-CAPTAINS INSTRUMENT | 233A2101 81205 | 1 | 91-03-12 P001-00/ / | ALL |
| P001-03 | 9 | 233A2221-25 PNL-CAPTAIN INSTRUMENT (SB 31A1332) | 233A2101 81205 | 1 | 31-53-11 P001-00/ / | YC060-YC064 |
| P001-03 | | 233A2221-1 PNL-CAPTAIN INSTRUMENT | 233A2101 81205 | 1 | 91-03-13 P001-00/ / | YC051-YL999, YN501-YR328 |
| P001-03 | | 233A2221-17 PNL-CAPTAIN INSTRUMENT | 233A2103 81205 | 1 | 91-03-13 P001-00/ / | YN231-YN232 |
| P001-03 | | 233A2221-29 PNL-CAPTAIN INSTRUMENT | 233A2103 81205 | 1 | 91-03-13 P001-00/ / | YN233-YN260 |
| P001-05 | | 233A2229-3 PNL-MD;-FLOODLIGHT CONTROL | 233A2101 81205 | 1 | 33-14-11 P001-00/ / | ALL |
| P001-09 | | 233A2227-1 PNL-LIGHTING CONTROL - CAPTAIN | 233A2101 81205 | 1 | 91-02-01 P001-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section P001
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|-------------|
| P002-01 | | 233A2225-1 PNL-CENTER INSTRUMENT | 233A2101 81205 | 0 | 91-03-13 P002-00/ / | ALL |
| P002-02 | | 233A2224-3 PNL-CENTER INSTRUMENT | 233A2101 81205 | 1 | 91-03-13 P002-00/ / | YC051-YD170 |
| P002-02 | | 233A2224-5 PNL-CENTER INSTRUMENT | 233A2103 81205 | 1 | 91-03-13 P002-00/ / | YL951-YR328 |
| P002-03 | | 233A2226-1 PNL-LANDING GEAR | 233A2101 81205 | 1 | 32-64-10 P002-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section P002
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| P003-01 | 9 | 233A2222-43 PNL-FIRST OFFICER INSTRUMENT(SB 31A1332) | 233A2101 81205 | 1 | 31-53-11 P003-00/ / | YC060-YC064 |
| P003-01 | | J233A2222-1 PNL-FIRST OFFICER INSTRUMENT | 233A2101 81205 | 1 | 91-02-03 P003-00/ / | YC051-YL999, YN501-YR328 |
| P003-01 | | 233A2222-30 PNL-FIRST OFFICER INSTRUMENT | 233A2103 81205 | 1 | 91-02-03 P003-00/ / | YN231-YN232 |
| P003-01 | | 233A2222-52 PNL-FIRST OFFICER INSTRUMENT | 233A2103 81205 | 1 | 91-02-03 P003-00/ / | YN233-YN260 |
| P003-03 | | 233A2223-1 PNL-FIRST OFFICER INSTRUMENT | 233A2101 81205 | 1 | 91-02-03 P003-00/ / | ALL |
| P003-04 | | 233A2228-1 PNL-LIGHTING CONTROL - F/O | 233A2101 81205 | 1 | 91-02-03 P003-00/ / | ALL |
| P003-07 | 9 | 69-37369-300 PNL-GND PROX TEST | 233A2101 81205 | 1 | 34-49-11 P003-00/ / | YL951-YL999, YR301-YR328 |
| P003-07 | | 69-37369-36 PNL-GND PROX TEST | 233A2101 81205 | 1 | 91-02-03 P003-00/ / | YC051-YC052 |
| P003-07 | | 69-37369-300 PNL-GND PROX TEST | 233A2101 81205 | 1 | 34-49-11 P003-00/ / | YC053-YR328 |

EQUIPMENT LIST

D280A108

Section P003

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|--|
| P005-00 | | 233A3101 PNL-PILOTS OVERHEAD (FWD AND AFT) | 65-46991 81205 | 1 | 91-02-05 P005-00/280/000 | ALL |
| P005-02 | | 233A3202-1 PNL-FUEL SYSTEM | 233A3101 81205 | 1 | 28-21-11 P005-00/ / | YC051-YC064 |
| P005-02 | | 233A3202-2 PNL-FUEL SYSTEM | 233A3101 81205 | 1 | 28-21-11 P005-00/ / | YC065-YD152 |
| P005-02 | | 233A3202-3 PNL-FUEL SYSTEM | 233A3101 81205 | 1 | 28-21-11 P005-00/ / | YD153-YD157 |
| P005-02 | | 233A3202-5 PNL-FUEL SYSTEM | 233A3101 81205 | 1 | 28-43-11 P005-00/ / | YD158-YR328 |
| P005-03 | 9 | 233A3209-2 PNL-FLIGHT CONTROL (SB 27-1262) | 233A3101 81205 | 1 | 27-23-11 P005-00/ / | YC051-YD154 |
| P005-03 | | 233A3209-1 PNL-FLIGHT CONTROL | 233A3101 81205 | 1 | 27-23-11 P005-00/ / | ALL |
| P005-04 | | 233A3204-1 PNL-AC SYSTEM GEN AND APU | 233A3101 81205 | 1 | 24-28-21 P005-00/ / | ALL |
| P005-05 | | 233A3205-1 PNL-GEN DRIVE AND STBY PWR | 233A3101 81205 | 1 | 24-28-31 P005-00/ / | ALL |
| P005-06 | | 10-62231-1 PNL-CABIN PRESSURE SELECTOR | 233A3101 81205 | 1 | 21-31-11 P005-00/ / | YC051-YD158 |
| P005-06 | | 10-62231-21 PNL-CABIN PRESSURE SELECTOR | 233A3101 81205 | 1 | 21-31-11 P005-00/ / | YD160-YL954, YN231-YN235 |
| P005-06 | | 824392-2-003 PNL-CABIN PRESSURE SELECTOR | 233A3101 81205 | 1 | 21-31-11 P005-00/ / | YL955-YL968, YN236, YN501- YR325 |
| P005-07 | | 980-6116-001 PNL-VOICE RECORDER | 233A3101 97896 | 1 | 23-71-01 P005-00/ / | ALL |
| P005-08 | | 69-37317-300 PNL-HYD PUMPS | 233A3101 81205 | 1 | 29-33-11 P005-00/ / | ALL |
| P005-09 | | 233A3201-2 PNL-WINDOW AND PITOT HEAT | 233A3101 81205 | 1 | 30-31-11 P005-00/ / | YC051-YL967, YN231-YN235 |
| P005-09 | | 233A3201-302 PNL-WINDOW AND PITOT HEAT | 233A3101 81205 | 1 | 30-31-11 P005-00/ / | YL968-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section P005

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|---|
| P005-10 | | 69-37319-309 PNL-AIR CONDITIONING | 233A3101 81205 | 1 | 21-51-11 P005-00/ / | YC051-YC058 |
| P005-10 | | 69-37319-312 PNL-AIR CONDITIONING | 233A3101 81205 | 1 | 21-51-11 P005-00/ / | YC059-YL999, YR301-YR328 |
| P005-10 | | 69-37319-308 PNL-AIR CONDITIONING | 233A3101 81205 | 1 | 21-51-11 P005-00/ / | YN231-YN501 |
| P005-11 | | 69-37320-104 PNL-ENGINE AND WING ANTI-ICE | 233A3101 81205 | 1 | 30-21-11 P005-00/ / | YC051-YL968, YN231-YN236, YN501-YR309 |
| P005-11 | | 69-37320-3104 PNL-ENGINE AND WING ANTI-ICE | 233A3101 81205 | 1 | 30-21-11 P005-00/ / | YN237-YN260, YR312-YR328 |
| P005-12 | | S231A219-2 PNL-LE FLAP/SLAT ANNUNCIATOR | 233A3101 81205 | 1 | 27-81-11 P005-00/ / | ALL |
| P005-13 | 9 | 285A1840-4 PNL-ELEC METER,BAT/GAL PWR (SB 24-1147) | 233A3101 81205 | 1 | 24-28-11 P005-00/ / | YC051-YC052 |
| P005-13 | 9 | 285A1840-8 PNL-ELEC METER,BAT/GAL PWR (SB 24-1147) | 233A3101 81205 | 1 | 24-28-11 P005-00/ / | YC053-YD153 |
| P005-13 | | 285A1840-2 PNL-ELEC METER,BATTERY AND GALLEY POWER | 233A3101 81205 | 1 | 24-28-11 P005-00/ / | YC051-YC052 |
| P005-13 | | 285A1840-4 PNL-ELEC METER,BATTERY AND GALLEY POWER | 233A3101 81205 | 1 | 24-28-11 P005-00/ / | YC053-YD153 |
| P005-13 | | 285A1840-8 PNL-ELEC METER,BATTERY AND GALLEY POWER | 233A3104 81205 | 1 | 24-28-11 P005-00/ / | YD154-YR328 |
| P005-14 | | 69-37322-15 PNL-OXYGEN SYSTEM | 233A3101 81205 | 1 | 35-21-11 P005-00/ / | YC051-YL968, YN231-YN236, YN501-YR309 |
| P005-14 | | 69-37322-315 PNL-OXYGEN SYSTEM | 233A3101 81205 | 1 | 35-21-11 P005-00/ / | YN237-YN260, YR312-YR328 |
| P005-15 | | 10-62090-77 PNL-OBSERVER AUDIO SELECT | 233A3101 81205 | 1 | 23-51-03 P005-00/ / | YC051-YD157 |
| P005-15 | | 10-62090-64 PNL-OBSERVER AUDIO SELECT | 233A3101 81205 | 1 | 23-51-03 P005-00/ / | YD158-YN260 |
| P005-15 | | 10-62090-64 PNL-OBSERVER AUDIO SELECT | 233A3101 81205 | 1 | 23-51-31 P005-00/ / | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section P005

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|---|
| P005-16 | | 69-37334-12 PNL-CABIN ALT AND RATE OF CLIMB | 233A3101 81205 | 1 | 21-33-11 P005-00/ / | YC051-YL968, YN231-YN236, YN501-YR309 |
| P005-16 | | 69-37334-312 PNL-CABIN ALT AND RATE OF CLIMB | 233A3104 81205 | 1 | 21-33-11 P005-00/ / | YL969-YL999, YN237-YN260, YR312-YR328 |
| P005-17 | | 69-37324-78 PNL-CABIN TEMPERATURE | 233A3101 81205 | 1 | 21-61-51 P005-00/ / | YC051-YL968, YR301-YR309 |
| P005-17 | | 69-37324-18 PNL-CABIN TEMPERATURE | 233A3101 81205 | 1 | 21-61-51 P005-00/ / | YN231-YN236, YN501 |
| P005-17 | | 69-37324-378 PNL-CABIN TEMPERATURE | 233A3101 81205 | 1 | 21-61-51 P005-00/ / | YR312-YR328 |
| P005-18 | | 69-75978-1 PNL-STALL WARN NO.1 AND NO.2 | 233A3101 81205 | 1 | 27-32-11 P005-00/ / | ALL |
| P005-19 | | 233A3208-2 PNL-FLT RCDR AND MACH AIRSPEED WARN | 233A310X 81205 | 1 | 31-31-11 P005-19/ / | ALL |
| P005-20 | | 233A3207-6 PNL-DOOR WARNING ANNUNCIATOR | 233A3101 | 1 | 52-71-11 P005-00/ / | YC051-YL999, YR301-YR328 |
| P005-20 | | 233A3207-4 PNL-DOOR WARNING ANNUNCIATOR | 233A3101 | 1 | 52-71-11 P005-00/ / | YN231-YN260 |
| P005-28 | | 233A3206-1 PNL-INSTRUMENT SWITCHING | 233A3101 81205 | 1 | 34-51-41 P005-00/ / | YC051-YD170, YN231-YN235 |
| P005-28 | | 233A3206-2 PNL-INSTRUMENT SWITCHING | 233A3101 81205 | 1 | 34-51-41 P005-00/ / | YL951-YL999, YN236-YR328 |
| P005-68 | | 233A3203-1 PNL-ENGINE CONTROL | 233A3101 81205 | 1 | 73-21-12 P005-00/ / | ALL |
| P005-69 | | 69-73713-17 PNL-IRS MODE SELECTOR | 233A3101 81205 | 1 | 34-21-11 P005-69/ / | YC051-YD170, YN231-YN236, YR301-YR309 |
| P005-69 | | 69-73713-20 PNL-IRS MODE SELECTOR | 233A3101 81205 | 1 | 34-21-11 P005-69/ / | YL951-YL968, YN501 |
| P005-69 | | 69-73713-317 PNL-IRS MODE SELECTOR | 233A3104 81205 | 1 | 34-21-11 P005-69/ / | YN237-YN260, YR312-YR328 |
| P005-70 | | 10-62042-103 PNL-INERTIAL SYSTEM DISPLAY | 233A3101 65507 | 1 | 34-21-21 P005-70/ / | ALL |

EQUIPMENT LIST

D280A108

Section P005

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| P005-80 | | 453-0161 PNL-MDL ASSY-EMER LCTR XMTR CONT | 233A3101 60253 | 1 | 23-24-11 P005-00/ / | YC051-YD170 |
| P005-80 | | G7116-01 PNL-MDL ASSY-EMER LCTR XMTR CONT | 233A3101 99837 | 1 | 23-24-11 P005-00/ / | YL951-YR328 |
| P005-81 | | 69-78190-1 PNL-VIDEO | 233A3101 97896 | 1 | 23-32-12 P005-00/ / | YC051-YL999 |
| P005-81 | | 69-78190-1 PNL-VIDEO (PROV) | 233A3101 97896 | 1 | 23-32-12 P005-00/ / | YN231-YN260 |
| P005-81 | | 69-78190-1 PNL-VIDEO | 233A3101 97896 | 1 | 44-21-22 P005-00/ / | YN501 |
| P005-81 | | 69-78190-1 PNL-VIDEO (PROV) | 233A3101 97896 | 1 | 44-21-22 P005-00/ / | YR301-YR328 |
| P005-88 | 9 | 233A3211-1 PNL-VOICE RECORDER | SB231107 97896 | 1 | 23-71-01 P005-00/ / | YC051-YC052 |
| P005-88 | | 233A3211-1 PNL-VOICE RECORDER | 233A3101 97896 | 1 | 23-71-01 P005-00/ / | YC053-YL999, YR301-YR328 |
| P005-88 | | 233A3211-1 PNL-VOICE RECORDER | 233A3101 97896 | 1 | 23-71-11 P005-00/ / | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section P005

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| P006-01 | | 233A5221 PNL-CB ELEX SYS F/O | 233A5221 81205 | 1 | 91-02-06 P006-00/ / | ALL |
| P006-02 | | 233A5222 PNL-CB ELEX SYS F/O | 233A5222 81205 | 1 | 91-02-06 P006-00/ / | ALL |
| P006-03 | | 233A5223 PNL-CB ELEX SYS F/O | 233A5223 81205 | 1 | 91-02-06 P006-00/ / | ALL |
| P006-04 | | 233A5224 PNL-CB ELEX SYS F/O | 233A5224 81205 | 1 | 91-02-06 P006-00/ / | ALL |
| P006-11 | | 233A5225 PNL-CB ELEX SYS F/O | 233A5225 81205 | 1 | 91-02-06 P006-00/ / | ALL |
| P006-12 | | 233A5226 PNL-CB ELEX SYS F/O | 233A5226 81205 | 1 | 91-02-06 P006-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section P006
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| P007-00 | | 233A8101 PNL-LIGHTSHIELD | 233A8101 81205 | 1 | 33-18-51 178/210/000 | ALL |
| P007-01 | | S242A801-2100 PNL-CAPTAIN EFIS | 233A2101 58960 | 1 | 31-62-13 P007-01/ / | ALL |
| P007-02 | | S242A801-2100 PNL-FIRST OFFICER EFIS | 233A2101 58960 | 1 | 31-62-23 P007-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section P007
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| P008-00 | | 2041223-0414 PNL-WEATHER RADAR CONTROL | 233A6101 81205 | 1 | 34-41-00 P008-00/ / | YC051-YC070, YD158-YD170 |
| P008-00 | | G7407-01 PNL-WEATHER RADAR CONTROL | 233A6101 81205 | 1 | 34-41-00 P008-00/ / | YD151-YD157 |
| P008-00 | | 622-5129-802 PNL-WEATHER RADAR CONTROL | 233A6101 81205 | 1 | 34-41-00 P008-00/ / | YL951-YR328 |
| P008-01 | | 69-37307-300 PNL-ENGINES AND APU FIRE CONTROL | 233A6101 81205 | 1 | 26-21-11 P008-00/ / | ALL |
| P008-02 | | G7400-12 PNL-VHF 1 COMM | 233A6101 99837 | 1 | 23-12-11 P008-02/ / | YC051-YD157 |
| P008-03 | | 622-6831-021 PNL-VHF 2 COMM | 233A6101 13499 | 1 | 23-12-21 P008-03/ / | YN501 |
| P008-06 | | 10-62090-77 PNL-CAPTAIN AUDIO SELECT | 233A6101 81205 | 1 | 23-51-01 P008-06/ / | YC051-YD157 |
| P008-06 | | 10-62090-64 PNL-CAPTAIN AUDIO SELECT | 233A6101 81205 | 1 | 23-51-01 P008-06/ / | YD158-YN260 |
| P008-06 | | 10-62090-64 PNL-CAPTAIN AUDIO SELECT | 233A6101 81205 | 1 | 23-51-11 P008-06/ / | YN501-YR328 |
| P008-07 | | 10-62090-77 PNL-FIRST OFFICER AUDIO SELECT | 233A6101 81205 | 1 | 23-51-02 P008-07/ / | YC051-YD157 |
| P008-07 | | 10-62090-64 PNL-FIRST OFFICER AUDIO SELECT | 233A6101 81205 | 1 | 23-51-02 P008-07/ / | YD158-YN260 |
| P008-07 | | 10-62090-64 PNL-FIRST OFFICER AUDIO SELECT | 233A6101 81205 | 1 | 23-51-21 P008-07/ / | YN501-YR328 |
| P008-11 | | G7401-06 PNL-HF 1 CONTROL | 233A6101 99837 | 1 | 23-11-11 P008-11/ / | YC051-YD170 |
| P008-25 | | G7500-01 PNL-CAPTAIN VHF NAVIGATION | 233A6101 99837 | 1 | 34-51-11 P008-25/ / | YC051-YC055 |
| P008-25 | | G7500-03 PNL-CAPTAIN VHF NAVIGATION | 233A6101 99837 | 1 | 34-51-11 P008-25/ / | YC056-YD170, YN231-YN235 |
| P008-25 | | G7501-01 PNL-CAPTAIN VHF NAVIGATION | 233A6101 99837 | 1 | 34-51-11 P008-25/ / | YL951-YL999, YN236-YR328 |
| P008-26 | | G7500-01 PNL-FIRST OFFICER VHF NAVIGATION | 233A6101 99837 | 1 | 34-51-21 P008-26/ / | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section P008

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|---|
| P008-26 | | G7500-03 PNL-FIRST OFFICER VHF NAVIGATION | 233A6101 99837 | 1 | 34-51-21 P008-26/ / | YC056-YD170, YN231-YN235 |
| P008-26 | | G7501-01 PNL-FIRST OFFICER VHF NAVIGATION | 233A6101 99837 | 1 | 34-51-21 P008-26/ / | YL951-YL999, YN236-YR328 |
| P008-29 | | G6992-02 PNL-AIR TRAFFIC CONTROL TRANSPONDER | 233A6101 30242 | 1 | 34-53-11 P008-29/ / | YC051-YD157, YD160-YD170 |
| P008-29 | | G6992-40 PNL-AIR TRAFFIC CONTROL TRANSPONDER | 233A6101 30242 | 1 | 34-53-11 P008-29/ / | YD158 |
| P008-29 | | G6990-51 PNL-AIR TRAFFIC CONTROL TRANSPONDER | 233A6101 30242 | 1 | 34-53-11 P008-29/ / | YL951-YR328 |
| P008-43 | | 69-73703-8 PNL-AILERON/RUDDER TRIM | 233A6101 81205 | 1 | 27-11-11 P008-00/ / | YC051-YD153 |
| P008-43 | | 69-73703-9 PNL-AILERON/RUDDER TRIM | 233A6101 81205 | 1 | 27-11-11 P008-00/ / | YD154-YL968, YN231-YN236 |
| P008-43 | | 69-73703-313 PNL-AILERON/RUDDER TRIM | 233A6104 81205 | 1 | 27-11-11 P008-00/ / | YL969-YL999, YN237-YN260, YR312-YR328 |
| P008-43 | | 69-73703-13 PNL-AILERON/RUDDER TRIM | 233A6104 81205 | 1 | 27-11-11 P008-00/ / | YN501-YR309 |
| P008-47 | | 69-76436-7 PNL-STABILIZER TRIM/DOOR UNLOCK | 233A6101 81205 | 1 | 52-51-11 P008-00/ / | YC051-YD154 |
| P008-47 | | 69-76436-9 PNL-STABILIZER TRIM/DOOR UNLOCK | 233A6101 81205 | 1 | 52-51-11 P008-00/ / | YD155-YR328 |
| P008-50 | | 69-76435-5 PNL-LTG CONTROL-CONTROL STAND | 233A6101 81205 | 1 | 33-11-41 P008-00/ / | YC051-YL968, YN231-YN236, YN501-YR309 |
| P008-50 | | 69-76435-305 PNL-LTG CONTROL-CONTROL STAND | 233A6104 81205 | 1 | 33-11-41 P008-00/ / | YL969-YL999, YN237-YN260, YR312-YR328 |
| P008-52 | | 2041223-0414 PNL-WEATHER RADAR CONTROL | 233A6101 97896 | 1 | 34-41-11 P008-00/ / | YC051-YD170 |
| P008-52 | | 622-5129-802 PNL-WEATHER RADAR CONTROL | 233A6101 13499 | 1 | 34-41-11 P008-00/ / | YL951-YR328 |
| P008-66 | | G7165-01 PNL-CONTROL PANEL-SELCAL | 233A6101 99837 | 1 | 23-22-11 P008-66/ / | YD158-YD170, YN231-YR328 |

EQUIPMENT LIST

D280A108

Section P008

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| P008-66 | | G7165-01 CONTROL PANEL-SELCAL | 233A6101 99837 | 1 | 23-22-11 P008-66/ / | YL951-YL999 |
| P008-68 | 9 | G7402-04 PNL-ADF 1 (DEL SB 34-2302) | 233A6101 99837 | 1 | 34-57-11 P008-00/ / | YL957 |
| P008-68 | | G7402-04 PNL-ADF 1 | 233A6101 99837 | 1 | 34-57-11 P008-00/ / | YC051-YD170 |
| P008-68 | | G7402-05 PNL-ADF 1 | 233A6101 99837 | 1 | 34-57-11 P008-00/ / | YL951-YR328 |
| P008-70 | 9 | G7403-03 PNL-DUAL ADF CONTROL (SB 34-2302) | 233A6101 99837 | 1 | 34-57-11 P008-00/ / | YL957 |
| P008-71 | | G7404-124 PNL-RADIO TUNING 1 | 233A6101 99837 | 1 | 23-12-11 P008-71/ / | YD158, YN231- YN260 |
| P008-71 | | G7404-124 PNL-RADIO TUNING 1 | 233A6101 99837 | 1 | 23-12-11 P008-02/ / | YL951-YL999 |
| P008-71 | | G7404-124 PNL-RADIO TUNING 1 | 233A6101 99837 | 1 | 23-12-11 P008-00/ / | YN501-YR328 |
| P008-72 | | G7404-124 PNL-RADIO TUNING 2 | 233A6101 99837 | 1 | 23-12-21 P008-72/ / | YD158-YD170, YN231-YR328 |
| P008-72 | | G7404-124 PNL-RADIO TUNING 2 | 233A6101 99837 | 1 | 23-12-21 P008-02/ / | YL951-YL999 |
| P008-73 | | G7404-124 PNL-RADIO TUNING 3 | 233A6101 99837 | 1 | 23-12-31 P008-73/ / | YD158-YR328 |
| P008-75 | | 473955-1 PNL-CARGO SMOKE DET & FIRE SUPPRESSION | 233A6101 61423 | 1 | 26-16-21 P008-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section P008
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|---|
| P009-00 | | 233A2101 PNL-FORWARD ELECTRONICS | 233A2101 81205 | 1 | 91-03-29 P009-00/ / | ALL |
| P009-65 | | 10-62194-002 PNL-MULTI-PURPOSE CDU (MCDU) NO.1 | 233A2101 81205 | 1 | 34-61-11 P009-65/ / | YC051-YC053 |
| P009-65 | | S242A600-2001 PNL-MCDU NO.1 | 233A2101 81205 | 1 | 34-61-11 P009-65/ / | YC054-YL967, YN231-YN235 |
| P009-65 | | 174101-02-02 PNL-MCDU NO.1 | 233A2101 81205 | 1 | 34-61-11 P009-65/ / | YL968, YN236, YN501-YR314 |
| P009-65 | | 174101-02-03 PNL-MCDU NO.1 | 233A2101 81205 | 1 | 34-61-11 P009-65/ / | YL969-YL999, YN237-YN260, YR315-YR328 |
| P009-66 | | 10-62194-002 PNL-MULTI-PURPOSE CDU (MCDU) NO.2 | 233A2101 81205 | 1 | 34-61-11 P009-66/ / | YC051-YC053 |
| P009-66 | | S242A600-2001 PNL-MCDU NO.2 | 233A2101 81205 | 1 | 34-61-11 P009-66/ / | YC054-YL967, YN231-YN235 |
| P009-66 | | 174101-02-02 PNL-MCDU NO.2 | 233A2101 81205 | 1 | 34-61-11 P009-66/ / | YL968, YN236, YN501-YR314 |
| P009-66 | | 174101-02-03 PNL-MCDU NO.2 | 233A2101 81205 | 1 | 34-61-11 P009-66/ / | YL969-YL999, YN237-YN260, YR315-YR328 |

EQUIPMENT LIST

D280A108

Section P009

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|-------------|
| P013-00 | | 417A6110-1 PNL-FORWARD ATTENDANT | 417A6100 81205 | 1 | 23-42-12 304/227/L052 | YC051-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section P013
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| P014-00 | | 417A6110-2 PNL-AFT ATTENDANT | 417A6100 81205 | 1 | 23-42-12 949/272/L025 | YC051-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section P014
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| P015-00 | | 344A2801-2 PNL-WING FUELING | 344A5111 81205 | 1 | 28-44-11 FS350/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section P015
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|----------------------------------|-----------------------|-----|------------------------------|-------------|
| P018-01 | | 233A5521 PNL-CB ELEX SYS CAPT | 233A5521 81205 | 1 | 91-02-18 P018-00/ / | ALL |
| P018-02 | | 233A5522 PNL-CB ELEX SYS-CAPT | 233A5522 81205 | 1 | 91-02-18 P018-00/ / | ALL |
| P018-03 | | 233A5523 PNL-CB ELEX SYS CAPT | 233A5523 81205 | 1 | 91-02-18 P018-00/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section P018
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| P019-00 | | 284A1807 PNL-EXTERNAL POWER RECEPTACLE | 284A1807 81205 | 1 | 24-41-11 236/187/R040 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section P019
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| P021-01 | | 233A7201-2 PNL-CAPTAIN MAP LIGHT | 233A7101 81205 | 1 | 33-17-11 215/213/L034 | ALL |
| P021-07 | | MXP410 PNL-CAPTAIN OXYGEN MASK STOWAGE | 232A8100 F5341 | 1 | 23-51-01 215/213/L034 | YC051-YD170 |
| P021-07 | | MXP410-1 PNL-CAPTAIN OXYGEN MASK STOWAGE | 232A8100 F5341 | 1 | 23-51-01 215/213/L034 | YL951-YN260, YR301-YR328 |
| P021-07 | | MXP410-1 PNL-CAPTAIN OXYGEN MASK STOWAGE | 232A8100 02217 | 1 | 23-51-01 215/213/L034 | YN501 |

EQUIPMENT LIST

D280A108

Section P021
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------|
| P023-01 | | 233A7202-2 PNL-FIRST OFFICER MAP LIGHT | 233A7101 81205 | 1 | 33-17-11 215/213/R034 | ALL |
| P023-07 | | MXP410 PNL-FIRST OFFICER OXYGEN MASK STOWAGE | 232A8100 F5341 | 1 | 23-51-02 215/213/R034 | YC051-YD170 |
| P023-07 | | MXP410-1 PNL-FIRST OFFICER OXYGEN MASK STOWAGE | 232A8100 02217 | 1 | 23-51-02 215/213/R034 | YL951-YL999, YN501 |
| P023-07 | | MXP410-1 PNL-CAPTAIN OXYGEN MASK STOWAGE | 232A8100 F5341 | 1 | 23-51-01 215/213/L034 | YN231-YN260 |
| P023-07 | | MXP410-1 PNL-FIRST OFFICER OXYGEN MASK STOWAGE | 232A8100 F5341 | 1 | 23-51-02 215/213/R034 | YR301-YR328 |

EQUIPMENT LIST

D280A108

Section P023
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| P028-00 | | 355A5340 PNL-APU REMOTE CONTROL | 355A5340 81205 | 1 | 26-21-11 727/185/R025 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section P028
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| P041-00 | | 233A2230-1 PNL-P1 AND P2 5V LIGHTING | 233A2101 81205 | 1 | 33-11-11 P041-00/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section P041
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|----------------------------------|-----------------------|-----|------------------------------|-------------|
| P042-00 | | 233A2230-8 PNL-P3 5V LIGHTING | 233A2101 81205 | 1 | 33-11-21 P042-00/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section P042
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| P059-00 | | 284A1225 PNL-FMC SWITCH | 284A1225 81205 | 1 | 34-61-19 330/170/R022 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section P059
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| P061-01 | | 233A7203-8 PNL-DATA LOADER CONTROL | 233A7101 81205 | 1 | 31-32-15 P061-01/ / | YC059-YD153 |
| P061-01 | | 233A7203-10 PNL-DATA LOADER CONTROL PANEL | 233A7101 81205 | 1 | 31-32-15 P061-01/ / | YD154-YR328 |
| P061-02 | | 964-0401-016 PNL-LOADER-AIRBORNE DATA | 233A7101 97896 | 1 | 34-61-18 P061-02/ / | YC051-YC058 |
| P061-02 | | 964-0401-016 PNL-LOADER-AIRBORNE DATA | 233A7101 97896 | 1 | 31-32-15 P061-02/ / | YC059-YD170 |
| P061-02 | | 964-0401-017 PNL-AIRBORNE DATA LOADER | 233A7101 97896 | 1 | 31-32-15 P061-02/ / | YL951-YN501 |
| P061-02 | | 964-0401-017 PNL-LOADER-AIRBORNE DATA | 233A7101 97896 | 1 | 31-32-15 P061-02/ / | YR301-YR328 |
| P061-03 | | 233A7204-2 PNL-RCPT-DATA TRANSFER UNIT | 233A7101 81205 | 1 | 31-32-15 P061-03/ / | YL951-YR328 |
| P061-08 | | 233A7206-1 PNL-FUEL TEST | 233A7103 81205 | 1 | 28-23-11 P061-00/ / | YD158 |
| P061-08 | | 233A7206-2 PNL-FUEL TEST | 233A7103 81205 | 1 | 28-23-11 P061-00/ / | YD160-YR328 |

EQUIPMENT LIST

D280A108

Section P061

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| P063-00 | | S210A002 PNL - NGS PANEL | 284A0810 81590 | 1 | 47-30-11 723/166/R010 | YD160-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section P063
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| P091-00 | 9 | S281A601-5219 PNL-POWER DISTRIBUTION NO.1(SB 28A1201) | 284A0206 07217 | 1 | 24-51-11 371/181/L016 | YC060-YC064 |
| P091-00 | | S281A601-1120 PNL-POWER DISTRIBUTION NO.1 | 284A0206 07217 | 1 | 24-51-11 371/181/L016 | YC051-YC058 |
| P091-00 | | S281A601-1219 PNL-POWER DISTRIBUTION NO.1 | 284A0206 07217 | 1 | 24-51-11 371/181/L016 | YC059-YD157 |
| P091-00 | | S281A601-1233 PNL-POWER DISTRIBUTION NO.1 | 284A0206 07217 | 1 | 24-51-11 371/181/L016 | YD158 |
| P091-00 | | S281A601-7233 PNL-POWER DISTRIBUTION NO.1 | 284A0206 07217 | 1 | 24-51-11 371/181/L016 | YD160-YL965 |
| P091-00 | | S281A601-9233 PNL-POWER DISTRIBUTION NO.1 | 284A0206 07217 | 1 | 24-51-11 371/181/L016 | YL966-YL999, YR301-YR328 |
| P091-00 | | S281A601-7221 PNL-POWER DISTRIBUTION NO.1 | 284A0206 07217 | 1 | 24-51-11 371/181/L016 | YN231-YN235 |
| P091-00 | | S281A601-9221 PNL-POWER DISTRIBUTION NO.1 | 284A0206 07217 | 1 | 24-51-11 371/181/L016 | YN236-YN501 |

EQUIPMENT LIST

D280A108

Section P091

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| P092-00 | 9 | S281A601-6437 PNL-POWER DISTRIBUTION NO.2(SB 28A1201) | 284A0206 07217 | 1 | 24-51-21 371/181/R013 | YC060-YC064 |
| P092-00 | | S281A601-2007 PNL-POWER DISTRIBUTION NO.2 | 284A0206 07217 | 1 | 24-51-21 371/181/R013 | YC051-YC058 |
| P092-00 | | S281A601-2437 PNL-POWER DISTRIBUTION NO.2 | 284A0206 07217 | 1 | 24-51-21 371/181/R013 | YC059-YD158 |
| P092-00 | | S281A601-8441 PNL-POWER DISTRIBUTION NO.2 | 284A0206 07217 | 1 | 24-51-21 371/181/R013 | YL951-YL965 |
| P092-00 | | S281A601-10441 PNL-POWER DISTRIBUTION NO.2 | 284A0206 07217 | 1 | 24-51-21 371/181/R013 | YL966-YL999, YR301-YR328 |
| P092-00 | | S281A601-8015 PNL-POWER DISTRIBUTION NO.2 | 284A0206 07217 | 1 | 24-51-21 371/181/R013 | YN231-YN235 |
| P092-00 | | S281A601-10015 PNL-POWER DISTRIBUTION NO.2 | 284A0206 07217 | 1 | 24-51-21 371/181/R013 | YN236-YN501 |

EQUIPMENT LIST

D280A108

Section P092
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| R00001 | 1 | S280W555-705 COMPONENT-RESISTOR | 81205 | 1 | 34-41-11 E003-01/ / | ALL |
| R00003 | 1 | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 34-41-11 E003-01/ / | YC051-YC052 |
| R00005 | 1 | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 34-41-11 E003-01/ / | YC051-YC052 |
| R00007 | 1 | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 34-41-11 E003-01/ / | YC051-YC052 |
| R00009 | | SD167A RLY-CROSS BUS TIE | S281A601 OVMA8 | 1 | 24-32-11 P091-00/ / | ALL |
| R00011 | | BACR13CG2AB RLY-GROUND REFUELING POWER CONTROL | 233A5220 81205 | 1 | 28-44-11 P006-00/ / | ALL |
| R00018 | 9 | KDAG-X4F-001 RLY-TANK 1 AFT BOOST PUMP(SB 28A1201) | S281A601 07217 | 1 | 28-23-11 P092-00/ / | YC060-YC064 |
| R00018 | | KDA-E4F RLY-TANK 1 AFT BOOST PUMP | S281A601 07217 | 1 | 28-23-11 P092-00/ / | YC051-YD158 |
| R00018 | | KDAGX4F001 RLY-TANK 1 AFT BOOST PUMP | S281A601 58657 | 1 | 28-23-11 P092-00/ / | YD160-YR328 |
| R00019 | 9 | KDAG-X4F-001 RLY-TANK 1 FWD BOOST PUMP(SB 28A1201) | S281A601 07217 | 1 | 28-23-11 P091-00/ / | YC060-YC064 |
| R00019 | | KDA-E4F RLY-TANK 1 FWD BOOST PUMP | S281A601 07217 | 1 | 28-23-11 P091-00/ / | YC051-YD158 |
| R00019 | | KDAGX4F001 RLY-TANK 1 FWD BOOST PUMP | S281A601 58657 | 1 | 28-23-11 P091-00/ / | YD160-YR328 |
| R00020 | 9 | KDAG-X4F-001 RLY-TANK 2 AFT BOOST PUMP(SB 28A1201) | S281A601 07217 | 1 | 28-23-11 P091-00/ / | YC060-YC064 |
| R00020 | | KDA-E4F RLY-TANK 2 AFT BOOST PUMP | S281A601 07217 | 1 | 28-23-11 P091-00/ / | YC051-YD158 |
| R00020 | | KDAGX4F001 RLY-TANK 2 AFT BOOST PUMP | S281A601 58657 | 1 | 28-23-11 P091-00/ / | YD160-YR328 |
| R00021 | 9 | KDAG-X4F-001 RLY-TANK 2 FWD BOOST PUMP (SB 28A1201) | S281A601 07217 | 1 | 28-23-11 P092-00/ / | YC060-YC064 |
| R00021 | | KDA-E4F RLY-TANK 2 FORWARD BOOST PUMP | S281A601 07217 | 1 | 28-23-11 P092-00/ / | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section R00000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| R00021 | | KDAGX4F001 RLY-TANK 2 FORWARD BOOST PUMP | S281A601 58657 | 1 | 28-23-11 P092-00/ / | YD160-YR328 |
| R00025 | | BACR13CG2AB RELAY-NO SMOKING | 69-73627 81205 | 1 | 33-25-11 P006-00/ / | YC051-YC055 |
| R00025 | | BACR13CG2AB RELAY-NO SMOKING | 233A5220 81205 | 1 | 33-25-11 P006-00/ / | YC056-YR328 |
| R00026 | | BACR13CG2AB RLY-FASTEN BELTS | 69-73627 81205 | 1 | 33-25-11 P006-00/ / | YC051-YC055 |
| R00026 | | BACR13CG2AB RLY-FASTEN BELTS | 233A5220 81205 | 1 | 33-25-11 P006-00/ / | YC056-YR328 |
| R00029 | | KD-D4N RLY-NORMAL EXHAUST FAN CONTROL | S281A601 81205 | 1 | 21-27-21 P091-00/ / | ALL |
| R00030 | | KD-D4N RLY-ALTERNATE EXHAUST FAN CONTROL | S281A601 81205 | 1 | 21-27-21 P092-00/ / | ALL |
| R00033 | | 10-60450-6 RLY-MASTER TEST | 233A5201 81205 | 1 | 33-18-11 P006-00/ / | YC051-YC055 |
| R00033 | | 10-60450-6 RLY-MASTER TEST | 233A5220 81205 | 1 | 33-18-11 P006-00/ / | YC056-YR328 |
| R00034 | | 10-60450-1 RLY-MASTER DIM | 233A5201 81205 | 1 | 33-18-11 P006-00/ / | YC051-YC055 |
| R00034 | | 10-60450-1 RLY-MASTER DIM | 233A5220 81205 | 1 | 33-18-11 P006-00/ / | YC056-YR328 |
| R00047 | | BACR13CG2AB RLY-ELECTRICAL PANEL SENSING | TBD-0000 81205 | 1 | 33-29-11 P006-00/ / | YC051-YC055 |
| R00047 | | BACR13CG2AB RLY-ELECTRICAL PANEL SENSING | 233A5220 81205 | 1 | 33-29-11 P006-00/ / | YC056-YR328 |
| R00054 | 9 | KDAG-X4F-001 RLY-CENTER LEFT BOOST PUMP(SB 28A1201) | S281A601 07217 | 1 | 28-23-11 P091-00/ / | YC060-YC064 |
| R00054 | | KDA-E4F RLY-CENTER LEFT BOOST PUMP | S281A601 07217 | 1 | 28-23-11 P091-00/ / | YC051-YD158 |
| R00054 | | KDAGX4F001 RLY-CENTER LEFT BOOST PUMP | S281A601 58657 | 1 | 28-23-11 P091-00/ / | YD160-YR328 |
| R00055 | 9 | KDAG-X4F-001 RLY-CENTER RIGHT BOOST PUMP(SB 28A1201) | S281A601 07217 | 1 | 28-23-11 P092-00/ / | YC060-YC064 |

EQUIPMENT LIST

D280A108

Section R00000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| R00055 | | KDA-E4F RLY-CENTER RIGHT BOOST PUMP | S281A601 07217 | 1 | 28-23-11 P092-00/ / | YC051-YD158 |
| R00055 | | KDAGX4F001 RLY-CENTER RIGHT BOOST PUMP | S281A601 58657 | 1 | 28-23-11 P092-00/ / | YD160-YR328 |
| R00057 | | 9274-6686 RLY-ALTERNATE TRAILING EDGE FLAP DOWN | 284A1204 35344 | 1 | 27-53-12 J004-00/ / | YC051-YD158 |
| R00057 | 1 | 9274-6686 RLY-ALTERNATE TRAILING EDGE FLAP DOWN | 284A1204 35344 | 1 | 27-53-12 J004-00/ / | YD160-YR328 |
| R00057 | 2 | BACR13CC1 RLY-ALTERNATE TRAILING EDGE FLAP DOWN | 284A1204 35344 | 1 | 27-53-12 J004-00/ / | YD160-YR328 |
| R00058 | | 9274-6686 RLY-ALTERNATE TRAILING EDGE FLAP UP | 284A1204 35344 | 1 | 27-53-12 J004-00/ / | YC051-YD158 |
| R00058 | 1 | 9274-6686 RLY-ALTERNATE TRAILING EDGE FLAP UP | 284A1204 35344 | 1 | 27-53-12 J004-00/ / | YD160-YR328 |
| R00058 | 2 | BACR13CC1 RLY-ALTERNATE TRAILING EDGE FLAP UP | 284A1204 35344 | 1 | 27-53-12 J004-00/ / | YD160-YR328 |
| R00063 | | 10-2262 RLY-PHASE SEQUENCE | 65-52259 81205 | 1 | 27-41-11 J005-00/ / | ALL |
| R00064 | | 9123-8071 RLY-STABILIZER TRIM CONTROL | 284A1204 35344 | 1 | 27-41-11 J004-00/ / | ALL |
| R00066 | 1 | 6042H91 RLY-STABILIZER TRIM SAFETY | 65-52259 15605 | 1 | 27-41-11 J005-00/ / | ALL |
| R00066 | 2 | 9123-8056 RLY-STABILIZER TRIM SAFETY | 65-52259 35344 | 1 | 27-41-11 J005-00/ / | ALL |
| R00087 | | 10-60450-1 RLY-AUXILIARY MASTER DIM | 233A5201 81205 | 1 | 33-18-11 P006-00/ / | YC051-YC055 |
| R00087 | | 10-60450-1 RLY-AUXILIARY MASTER DIM | 233A5220 81205 | 1 | 33-18-11 P006-00/ / | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section R00000

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| R00120 | | KDA-E4E RLY-CEILING LIGHTS | S281A601 81205 | 1 | 33-22-11 P091-00/ / | ALL |
| R00184 | 9 | KDAG-X4F-001 RLY-COMPRESSOR CONTROL (SB 28A1201) | S281A601 81205 | 1 | 38-41-13 P091-00/ / | YC060-YC064 |
| R00184 | | KDA-E4F RLY-COMPRESSOR CONTROL | S281A601 81205 | 1 | 38-41-13 P091-00/ / | ALL |
| R00194 | | BR16-900B11-26VR0 RLY-WARNING CUTOFF | 69-37334 82050 | 1 | 21-33-11 P005-16/ / | ALL |

EQUIPMENT LIST

D280A108

Section R00100
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| R00215 | | 69-60788-1 RESISTOR-DOME LIGHT DIMMING | 233A3306 81205 | 1 | 33-14-12 P005-00/ / | ALL |
| R00263 | | BACR13CF2AB RLY-FLIGHT DIGITAL DATA ACQUISITION STAT | 284A1224 81205 | 1 | 31-31-11 J024-00/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section R00200

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| R00315 | | 402-188-1 RLY-LOCALIZER ANTENNA SWITCH 1 | 284A0847 00471 | 1 | 34-31-11 306/180/R021 | ALL |
| R00316 | | 402-188-1 RLY-LOCALIZER ANTENNA SWITCH 2 | 284A0847 00471 | 1 | 34-31-21 300/178/R022 | ALL |
| R00317 | | 9124-10400 RLY-SYSTEM A ELECTRIC HYDRAULIC PUMP | S281A601 35344 | 1 | 29-11-12 P092-00/ / | ALL |
| R00318 | | 9124-10400 RLY-SYSTEM B ELECTRIC HYDRAULIC PUMP | S281A601 35344 | 1 | 29-11-12 P091-00/ / | ALL |
| R00322 | | TDH-7101-5001 RLY-AUTOMATIC OXYGEN DEPLOYMENT | 284A1223 35344 | 1 | 35-21-11 J023-00/ / | ALL |
| R00323 | | TDH-7101-5001 RLY-MANUAL OXYGEN DEPLOYMENT | 284A1223 35344 | 1 | 35-21-11 J023-00/ / | ALL |
| R00324 | | BACR13CG2AB RLY-OXYGEN INDICATOR | 284A1223 81205 | 1 | 35-21-11 J023-00/ / | ALL |
| R00325 | | KCA-E4F RLY-BATTERY INHIBIT | S281A601 07217 | 1 | 24-31-11 P092-00/ / | YN501 |
| R00331 | | MS27418-2B RLY-CABIN AIR RECIRCULATE FAN | 233A5201 96906 | 1 | 21-25-10 P006-00/ / | YC051-YC055 |
| R00331 | | MS27418-2B RLY-CABIN AIR RECIRCULATE FAN | 233A5220 96906 | 1 | 21-25-10 P006-00/ / | YC056-YR328 |
| R00334 | | BACR13CF2AB RLY-FLAP LIMIT | 65-73709 81205 | 1 | 33-25-11 P005-00/ / | ALL |
| R00340 | | RER60F10R0R RESISTOR | 287A4123 81349 | 1 | 33-51-11 270/284/R010 | ALL |
| R00347 | | KD-D4N RLY-NORMAL SUPPLY FAN CONTROL | S281A601 81205 | 1 | 21-27-31 P092-00/ / | ALL |
| R00353 | | TDH-8116-5000 RLY-HYDRAULIC SYSTEM B ENG DRIVEN PUMP | 284A1214 81205 | 1 | 29-25-11 J011-00/ / | ALL |
| R00361 | | BACR13CD2 RLY-VIDEO SYSTEM NO.1 | 284A1203 81205 | 1 | 23-31-06 J020-0B/ / | YC051-YN260 |
| R00361 | | BACR13CD2 RLY-VIDEO SYSTEM NO.1 | 284A1203 81205 | 1 | 44-21-22 J020-0B/ / | YN501-YR328 |
| R00373 | | KD-D4N RLY-ALTERNATE SUPPLY FAN CONTROL | S281A601 81205 | 1 | 21-27-31 P091-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section R00300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| R00384 | | BACR13CG2AB RLY-STABILIZER TRIM CUTOFF | 65C30008 81205 | 1 | 22-13-11 P008-00/ / | ALL |
| R00390 | | 9324-8515 RLY-WINDOW LIGHTS AFT | S281A601 81205 | 1 | 33-21-11 P092-00/ / | YL966-YL999, YN236-YR328 |
| R00394 | | KDA-E4E RLY-CEILING LIGHTS AFT | S281A601 81205 | 1 | 33-22-11 P091-00/ / | YL966-YL999, YN236-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section R00300

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| R00425 | | KA-X9E-004 RLY-CONTROL STAND-P8 | 284A1202 81205 | 1 | 33-11-33 J019-00/ / | ALL |
| R00427 | | KDA-E4E RLY-WINDOW LIGHTS | S281A601 81205 | 1 | 33-21-11 P092-00/ / | YC051-YL965, YN231-YN235 |
| R00427 | | 9324-8515 RLY-WINDOW LIGHTS | S281A601 81205 | 1 | 33-21-11 P092-00/ / | YL966-YL999, YN236-YR328 |
| R00429 | | MS27418-2B RLY-CABIN AIR RECIRCULATE | 284A1222 96906 | 1 | 21-25-11 J022-00/ / | YC051-YL999, YR301-YR328 |
| R00444 | | BACR13CF2AB RLY-TAXI LIGHT CONTROL | 284A1204 81205 | 1 | 33-45-11 J004-00/ / | YL951-YR328 |
| R00454 | | BACR13CF2AB RLY-SELCAL AURAL WARNING | 284A1222 81205 | 1 | 23-22-11 J022-00/ / | ALL |
| R00475 | | 172934-001 RLY-FMCS TRANSFER NO 1 | 284A0450 81840 | 1 | 34-61-12 E005-02/ / | ALL |
| R00476 | | 172934-001 RLY-FMCS TRANSFER NO 2 | 284A0450 81840 | 1 | 34-61-12 E005-02/ / | ALL |
| R00477 | | JL-D4N RLY-T/R 1 SYNC LOCK LATCH | 284A1222 35344 | 1 | 78-32-51 J022-00/ / | ALL |
| R00478 | | TDH-8050-1802P RLY-T/R 1 SYNC LOCK TIME DELAY | 284A1222 35344 | 1 | 78-32-51 J022-00/ / | ALL |
| R00479 | | JL-D4N RLY-T/R 2 SYNC LOCK LATCH | 284A1224 35344 | 1 | 78-32-61 J024-00/ / | ALL |
| R00480 | | TDH-8050-1802P RLY-T/R 2 SYNC LOCK TIME DELAY | 284A1224 35344 | 1 | 78-32-61 J024-00/ / | ALL |
| R00489 | | KD-D4N RLY-AFT CARGO LOADER ENABLE M/W D176 | S281A601 96906 | 1 | 25-51-21 P091-00/ / | YC051-YL999, YR301-YR328 |
| R00495 | | BACR13CF2A RLY-T/R 1 SEQUENCE | 284A1222 81205 | 1 | 78-32-51 J022-00/ / | ALL |
| R00496 | | BACR13CF2A RLY-T/R 2 SEQUENCE | 284A1224 81205 | 1 | 78-32-61 J024-00/ / | ALL |
| R00498 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-31-22 E002-02/ / | YC051-YD158, YL951-YR328 |
| R00499 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-31-22 E002-02/ / | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section R00400

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| R00501 | 1 | S280W555-705 COMPONENT-RESISTOR | 81205 | 1 | 34-41-11 E003-01/ / | ALL |
| R00508 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-61-11 E004-01/ / | YC051-YL999, YR301-YR328 |
| R00509 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-61-13 E004-01/ / | YC051-YL999, YR301-YR328 |
| R00510 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-61-14 E004-01/ / | YC051-YL999, YR301-YR328 |
| R00516 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-61-11 E004-01/ / | YC051-YL999, YR301-YR328 |
| R00517 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-61-13 E004-01/ / | YC051-YL999, YR301-YR328 |
| R00518 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-61-14 E004-01/ / | YC051-YL999, YR301-YR328 |
| R00519 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-61-11 E004-01/ / | YC051-YL999, YR301-YR328 |
| R00520 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-61-13 E004-01/ / | YC051-YL999, YR301-YR328 |
| R00521 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-61-14 E004-01/ / | YC051-YL999, YR301-YR328 |
| R00550 | | BACR13CF2AB RLY-LCD BACK LIGHTING CONTROL | 69-73627 81205 | 1 | 21-31-25 P006-00/ / | YC051-YC055 |
| R00550 | | BACR13CF2AB RLY-LCD BACK LIGHTING CONTROL | 233A5220 81205 | 1 | 21-31-25 P006-00/ / | YC056-YR328 |
| R00554 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-42-11 J022/ / | YC051-YN236, YN501-YR328 |
| R00555 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-42-11 J022/ / | YC051-YN236, YN501-YR328 |
| R00556 | | BACR13CD2 RLY-MANUAL OVERRIDE | 233A5201 81205 | 1 | 21-31-11 P006-00/ / | YC051-YC055 |
| R00556 | | BACR13CD2 RLY-MANUAL OVERRIDE | 233A5220 81205 | 1 | 21-31-11 P006-00/ / | YC056-YR328 |
| R00557 | | BACR13CD2 RLY-AUTO FAIL 1 | 69-73627 81205 | 1 | 21-31-22 P006-00/ / | YC051-YC055 |

EQUIPMENT LIST

D280A108

Section R00500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| R00557 | | BACR13CD2 RLY-AUTO FAIL 1 | 233A5220 81205 | 1 | 21-31-22 P006-00/ / | YC056-YR328 |
| R00558 | | BACR13CD2 RLY-AUTO FAIL 2 | 69-73627 81205 | 1 | 21-31-23 P006-00/ / | YC051-YC055 |
| R00558 | | BACR13CD2 RLY-AUTO FAIL 2 | 233A5220 81205 | 1 | 21-31-23 P006-00/ / | YC056-YR328 |
| R00559 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-31-11 P005-00/ / | YC051-YD158, YL951-YR328 |
| R00560 | | BACR13CG2AB RLY-DOOR AREA HEATER POWER | S281A601 81205 | 1 | 21-42-11 P091-00/ / | ALL |
| R00561 | | H-A3N RELAY - MAIN BUS 1 LOAD SHED | S281A601 7217 | 1 | 24-51-11 P091-00/ / | ALL |
| R00562 | | H-A3N RELAY, MAIN BUS 2 LOAD SHED | S281A601 7217 | 1 | 24-51-21 P092-00/ / | ALL |
| R00563 | | BACR13CG2AB RLY-ENGINE 2 RUNNING | 284A1224 81205 | 1 | 73-22-31 J024-00/ / | ALL |
| R00564 | | BACR13CG2AB RLY-ENGINE 1 RUNNING | 284A1222 81205 | 1 | 73-22-31 J022-00/ / | ALL |
| R00565 | | KL-D4N RLY-ENGINE 1 START LEVER CHANNEL B | 284A1223 35344 | 1 | 76-21-11 J023-00/ / | ALL |
| R00566 | | KL-D4N RLY-ENGINE 1 START LEVER CHANNEL A | 284A1222 35344 | 1 | 76-21-11 J022-00/ / | ALL |
| R00567 | | KL-D4N RLY-ENGINE 2 START LEVER CHANNEL B | 284A1203 35344 | 1 | 76-21-21 J020-0B/ / | ALL |
| R00568 | | KL-D4N RLY-ENGINE 2 START LEVER CHANNEL A | 284A1224 35344 | 1 | 76-21-21 J024-00/ / | ALL |
| R00575 | | X-D4N RLY-ENGINE 2 ALTERNATE POWER | 284A1224 35344 | 1 | 73-22-11 J024-00/ / | ALL |
| R00576 | | X-D4N RLY-ENGINE 1 ALTERNATE POWER | 284A1222 35344 | 1 | 73-22-11 J022-00/ / | ALL |
| R00581 | | 9124-10400 RLY-VACUUM BLOWER | S281A601 81205 | 1 | 38-32-12 P091-00/ / | ALL |
| R00584 | | BACR13CG2AB RLY-AIR SENSING AIR GROUND SYSTEM 1 | 284A1222 81205 | 1 | 32-31-11 J022-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section R00500

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| R00585 | | BACR13CG2AB RLY-AIR SENSING AIR GROUND SYSTEM 2 | 284A1224 81205 | 1 | 32-31-12 J024-00/ / | ALL |
| R00587 | | BACR13CG2AB RLY-GROUND SENSING NOSE GEAR SYSTEM 1 | 284A1222 81205 | 1 | 32-31-11 J022-00/ / | ALL |
| R00588 | | BACR13CG2AB RLY-GROUND SENSING AIR/GROUND SYSTEM 2 | 284A1203 81205 | 1 | 32-31-11 J020-0B/ / | ALL |
| R00589 | | BACR13CG2AB RLY-GROUND SENSING AIR/GROUND SYSTEM 1 | 284A1222 81205 | 1 | 32-31-11 J022-00/ / | ALL |
| R00590 | 1 | BACR13CG2AB RLY-GROUND SENSING AIR/GROUND SYSTEM 2 | 284A1203 81205 | 1 | 32-31-12 J020-0B/ / | ALL |
| R00591 | | BACR13CG2AB RLY-GROUND SENSING AIR/GROUND SYSTEM 2 | 284A1203 81205 | 1 | 32-31-12 J020-0B/ / | ALL |
| R00592 | | BACR13CG2AB RLY-GROUND SENSING AIR/GROUND SYSTEM 1 | 284A1222 81205 | 1 | 32-31-11 J022-00/ / | ALL |
| R00593 | | BACR13CG2AB RLY-GROUND SENSING AIR/GROUND SYSTEM 1 | 284A1222 81205 | 1 | 32-31-11 J022-00/ / | ALL |
| R00594 | | BACR13CG2AB RLY-GROUND SENSING AIR/GROUND SYSTEM 1 | 284A1222 81205 | 1 | 32-31-11 J022-00/ / | ALL |
| R00595 | | BACR13CG2AB RLY-GROUND SENSING NOSE GEAR SYSTEM 2 | 284A1203 81205 | 1 | 32-31-12 J020-0B/ / | ALL |
| R00596 | | BACR13CG2AB RLY-GROUND SENSING NOSE GEAR SYSTEM 2 | 284A1203 81205 | 1 | 32-31-12 J020-0B/ / | ALL |

EQUIPMENT LIST

D280A108

Section R00500

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| R00603 | | H-A3N RELAY-GALLEY BUS A LOAD SHED | S281A601 7217 | 1 | 25-31-11 P092-00/ / | YC051-YL999, YR301-YR328 |
| R00604 | | H-A3N RELAY-GALLEY BUS B LOAD SHED | S281A601 7217 | 1 | 25-31-11 P092-00/ / | ALL |
| R00605 | | H-A3N RELAY-GALLEY BUS D LOAD SHED | S281A601 7217 | 1 | 25-31-11 P091-00/ / | ALL |
| R00606 | | H-A3N RELAY- GALLEY BUS C LOAD SHED | S281A601 7217 | 1 | 25-31-11 P091-00/ / | ALL |
| R00607 | | HT-A4N RELAY- GND SERVICE BUS 1 | S281A601 7217 | 1 | 24-52-11 P091-00/ / | ALL |
| R00608 | | HT-A4N RELAY- GND SERVICE BUS 2 | S281A601 7217 | 1 | 24-52-11 P092-00/ / | ALL |
| R00611 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 32-42-11 P006-00/ / | ALL |
| R00612 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 32-42-11 P006-00/ / | ALL |
| R00613 | | BACR13CE2 RLY-PARK BRAKE CLOSE SENSOR | 284A1224 81205 | 1 | 32-44-11 J024-00/ / | ALL |
| R00622 | | HT-A4N RLY-TRANSFORMER RECTIFIER 3 TRANSFER | S281A601 25344 | 1 | 24-32-11 P092-00/ / | ALL |
| R00623 | | K-D4N RELAY-CARGO COMPT LT CONT-FWD | S281A601 35344 | 1 | 33-36-11 P092-00/E08/163 | ALL |
| R00624 | | K-D4N RELAY-CARGO COMPT LT CONT-AFT | S281A601 35344 | 1 | 33-36-12 P092-00/E08/163 | ALL |
| R00625 | | BACR13CF2A RLY-HYDRAULIC STANDBY SHUTOFF VALVE IND | 284A1214 81205 | 1 | 29-25-11 J011-00/ / | ALL |
| R00626 | | BACR13CE2 RLY-OUTBOARD ANTISKID SENSOR | 284A1224 81205 | 1 | 32-41-11 J024-00/ / | ALL |
| R00627 | | BACR13CE2 RLY-ALTERNATE ANTISKID SENSOR | 284A1222 81205 | 1 | 32-41-11 J022-00/ / | ALL |
| R00628 | | BACR13CE2 RLY-INBOARD ANTISKID SENSOR | 284A1222 81205 | 1 | 32-41-11 J022-00/ / | ALL |
| R00630 | | BACR13CF2AB RELAY-SATCOM AURAL WARN | 284A1222 81205 | 1 | 23-15-15 J022-00/ / | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section R00600

Page 1

Nov 12/2012

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------|
| R00634 | | BACR13CG2AB RLY-28V DC GROUND SERVICE BUS | 233A5201 81205 | 1 | 24-61-11 P006-00/ / | YC051-YC055 |
| R00634 | | BACR13CG2AB RLY-28V DC GROUND SERVICE BUS | 233A5220 81205 | 1 | 24-61-11 P006-00/ / | YC056-YR328 |
| R00643 | | 9124-10400 RLY-STANDBY HYDRAULIC PUMP | 286A8538 35344 | 1 | 29-22-11 P092-00/ / | ALL |
| R00644 | 9 | BACR13CE2 RLY-REC FAN SWITCH BYPASS (SB 26-1122) | 284A1224 81205 | 1 | 21-25-11 J024-00/ / | YC060-YC064 |
| R00644 | | BACR13CD2 RLY-RECIRCULATE FAN SWITCH BYPASS | 284A1224 81205 | 1 | 21-25-11 J024-00/ / | YC051-YD158 |
| R00644 | | BACR13CE2 RLY-RECIRCULATE FAN SWITCH BYPASS | 284A1224 81205 | 1 | 21-25-11 J024-00/ / | YD160-YR328 |
| R00645 | | TDH-7101-3003 RLY-SUPPLY SYSTEM CONTROL INTERRUPT | 284A1203 58657 | 1 | 21-27-31 J020-0B/ / | ALL |
| R00648 | | BACR13CG2AB RLY-SMOKE CONTROL | 284A1224 81205 | 1 | 21-43-21 J024-00/ / | ALL |
| R00649 | | TDH-8127-3003 RLY-OVERBOARD EXHAUST VALVE OPEN CONTROL | 284A1224 58657 | 1 | 21-43-21 J024-00/ / | ALL |
| R00650 | | BACR13CF2AB RLY-OVERBOARD EXHAUST VALVE OPEN ENABLE | 284A1224 81205 | 1 | 21-43-21 J024-00/ / | ALL |
| R00655 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-27-21 261/280/R10 | YC053-YR328 |
| R00656 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-27-21 261/280/R8 | YC053-YR328 |
| R00660 | | BACR13CF2AB RELAY MUX/AEP,PWR | 284A1224 81205 | 1 | 23-34-01 J024-00/ / | YC051-YN260 |
| R00660 | | BACR13CF2AB RELAY MUX/AEP,PWR | 284A1224 81205 | 1 | 44-21-26 J024-00/ / | YN501-YR328 |
| R00665 | | S280W555-706 COMPONENT-DIODE | 81205 | 1 | 21-51-16 537/160/L028 | YN231-YN236, YN501 |
| R00666 | | S280W555-707 COMPONENT-DIODE | 81205 | 1 | 21-51-26 537/159/L028 | YN231-YN236, YN501 |
| R00667 | | S280W555-706 COMPONENT-DIODE | 81205 | 1 | 21-51-26 537/160/R028 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section R00600

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| R00668 | | S280W555-707 COMPONENT-DIODE | 81205 | 1 | 21-51-26 537/159/R028 | YN231-YN501 |
| R00669 | | 1N1190 DIODE-FUEL SHUT OFF VALVE BUS BLOCKING | 233A5201 81205 | 1 | 28-21-21 P006-00/ / | YC051-YC055 |
| R00669 | | 1N1190 DIODE-FUEL SHUT OFF VALVE BUS BLOCKING | 233A5220 81205 | 1 | 28-21-21 P006-00/ / | YC056-YR328 |
| R00671 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 23-31-06 E001-03/ / | YC051-YD157 |
| R00672 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 23-31-06 E001-03/ / | YC051-YD170 |
| R00672 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 23-34-01 E001-03/ / | YL951-YL999 |
| R00672 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 44-21-22 E001-03/ / | YN231-YR328 |
| R00674 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 23-31-06 E001-03/ / | YC051-YD157 |
| R00674 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 44-21-22 E001-03/ / | YN501-YR328 |
| R00675 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 23-34-01 E008-01/ / | YC051-YD170 |
| R00675 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 44-21-22 E001-03/ / | YL951-YR328 |
| R00676 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 23-34-01 E008-01/ / | YC051-YD170 |
| R00676 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 44-21-22 E001-03/ / | YL951-YR328 |
| R00677 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 23-34-01 E008-01/ / | YC051-YD170 |
| R00677 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 23-34-01 E001-03/ / | YL951-YN260 |
| R00678 | | BACR13CD2 RLY-EQUIP COOLING EXHAUST SWITCH DISRUPT | 284A1224 81205 | 1 | 21-27-21 J024-00/ / | ALL |
| R00679 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-27-21 J024-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section R00600

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| R00680 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-27-21 J024-00/ / | ALL |
| R00681 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-27-21 J024-00/ / | ALL |
| R00682 | | BACR13CD2 RLY-EQUIP COOLING SUPPLY SWITCH DISRUPT | 284A1203 81205 | 1 | 21-27-31 J020-0B/ / | ALL |
| R00683 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-27-31 J020-0B/ / | ALL |
| R00684 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-27-31 J020-0B/ / | ALL |
| R00685 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-27-31 J020-0B/ / | ALL |
| R00686 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 78-32-51 J022-00/ / | YC051-YN236, YN501-YR328 |
| R00687 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 78-32-51 J022-00/ / | YC051-YN236, YN501-YR328 |
| R00688 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 78-32-61 J024-00/ / | ALL |
| R00689 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 78-32-61 J024-00/ / | ALL |
| R00690 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 76-21-11 264/282/R005 | YC051-YD158, YL951-YR328 |
| R00691 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 76-21-21 261/ / | ALL |
| R00692 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 28-21-11 264/280/R6 | ALL |
| R00693 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 28-21-11 264/280/R6 | ALL |

EQUIPMENT LIST

D280A108

Section R00600

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| R00708 | | BACR13CG2AB RLY-SPEED BRAKE ACTUATOR ENABLE | 284A1203 81205 | 1 | 27-62-11 J020-0B/ / | ALL |
| R00709 | | BACR13CG2AB RLY-R/A < 10FT B | 284A1222 81205 | 1 | 27-62-11 J022-00/ / | ALL |
| R00710 | | BACR13CG2AB RLY-R/A < 10FT A | 284A1203 81205 | 1 | 27-62-11 J020-0B/ / | ALL |
| R00711 | | BACR13CE2 RLY-ASB ARMED | 284A1203 81205 | 1 | 27-62-11 J020-0B/ / | ALL |
| R00712 | | JLD4N RLY-LATCH | 284A1203 81205 | 1 | 27-62-11 J020-0B/ / | ALL |
| R00713 | | BACR13CE2 RLY-3 SECOND SHUTOFF | 284A1203 81205 | 1 | 27-62-11 J020-0B/ / | ALL |
| R00714 | | BACR13CE2 RLY-3 SECOND ON | 284A1203 81205 | 1 | 27-62-11 J020-0B/ / | ALL |
| R00720 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 23-31-06 E001-03/ / | YC051-YD157 |
| R00726 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 29-25-11 J011-00/ / | ALL |
| R00727 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 29-25-11 J011-00/ / | ALL |
| R00728 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 29-25-11 J011-00/ / | ALL |
| R00733 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 23-34-01 E008-01/ / | YC051-YD170 |
| R00733 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 44-21-22 E001-03/ / | YL951-YR328 |
| R00735 | | BACR13CD2 RELAY-DATA LOAD ENABLE | 284A1203 81205 | 1 | 49-62-11 J020-00/ / | ALL |
| R00737 | | BACR13CG2AB RLY 2-ENGINE 1 RUNNING | 284A1222 81205 | 1 | 73-22-31 J022-00/ / | ALL |
| R00738 | | BACR13CG2AB RLY 2-ENGINE 2 RUNNING | 284A1224 81205 | 1 | 73-22-31 J024-00/ / | ALL |
| R00742 | | BACR13CG2AB RLY-OVERWING FLIGHT LOCK-LEFT | 284A1222 81205 | 1 | 52-71-13 J022-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section R00700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| R00743 | | BACR13CG2AB RLY-OVERWING FLIGHT LOCK-RIGHT | 284A1224 81205 | 1 | 52-71-14 J024-00/ / | ALL |
| R00744 | | S280W555-704 COMPONENT-RESISTOR | 81205 | 1 | 32-64-21 P005-00/ / | YC051-YD158, YL951-YR328 |
| R00745 | | BACR13CE2 RLY-TERRAIN DISPLAY | 284A1224 81205 | 1 | 34-49-11 J024-00/ / | YC053-YR328 |
| R00746 | | BACR13CE2 RLY-TERRAIN DISPLAY | 284A1222 81205 | 1 | 34-49-11 J022-00/ / | YC053-YR328 |
| R00749 | | S280W555-752 DIODE-ZENER | 81205 | 1 | 52-71-13 J022-00/ / | YC051-YL999, YR301-YR328 |
| R00749 | | S280W555-752 COMPONENT- DIODE,ZENER | 81205 | 1 | 52-71-13 J022-00/ / | YN231-YN236, YN501 |
| R00750 | | S280W555-752 COMPONENT-DIODE, ZENER | 81205 | 1 | 52-71-14 J024-00/ / | YC051-YD170 |
| R00750 | | S280W555-752 COMPONET-DIODE, ZENER | 81205 | 1 | 52-71-14 J024-00/ / | YL951-YR328 |
| R00751 | | S280W555-752 DIODE-ZENER | 81205 | 1 | 52-71-13 J022-00/ / | YC051-YL999, YR301-YR328 |
| R00752 | | S280W555-752 COMPONENT-DIODE, ZENER | 81205 | 1 | 52-71-14 J024-00/ / | YC051-YD170 |
| R00752 | | S280W555-752 COMPONET-DIODE, ZENER | 81205 | 1 | 52-71-14 J024-00/ / | YL951-YL999, YR301-YR328 |
| R00755 | 1 | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 23-15-15 E001-04/ / | YC053-YD157 |
| R00779 | | TDH-8127-3003 RLY-CVR SENSE ENGINE RUN | 284A1222 35344 | 1 | 23-71-01 J022-00/ / | YC051-YL999, YN501-YR328 |
| R00779 | | TDH-8127-3003 RLY-CVR SENSE ENGINE RUN | 284A1222 35344 | 1 | 23-71-11 J022-00/ / | YN231-YN260 |
| R00780 | 9 | BACR13CF2AB RLY-CVR SWITCH LATCHING | 284A1222 81205 | 1 | 23-71-01 J022-00/ / | YC051-YC052 |
| R00780 | | BACR13CF2AB RLY-CVR SWITCH LATCHING | 284A1222 81205 | 1 | 23-71-01 J022-00/ / | YC053-YR328 |
| R00782 | | TDH-8119-1002 RELAY-10 SECOND DELAY | 284A1214 TBD | 1 | 27-31-11 J011-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section R00700

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------------|-----------------------|-----|------------------------------|-------------|
| R00783 | | BACR13CG2AB RLY 3-ENGINE 1 RUNNING | 284A1222 81205 | 1 | 73-22-31 J022-00/ / | YN501-YR328 |
| R00784 | | BACR13CG2AB RLY 3-ENGINE 2 RUNNING | 284A1224 81205 | 1 | 73-22-31 J024-00/ / | YN501-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section R00700
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| R00813 | | TDH-1852-3002 RELAY-30SECOND DELAY | 284A1214 | 1 | 27-31-37 J011-00/ / | YC058-YR328 |
| R00821 | | S280W555-712 RESISTOR - 316 OHM | 09922 | 1 | 23-15-12 E006-01/ / | YC063-YD157 |
| R00822 | | S280W555-712 RESISTOR - 316 OHM | 09922 | 1 | 23-15-12 E006-01/ / | YC063-YD157 |
| R00850 | | BACR13CG2AB RLY-STAB TRIM INTERLOCK | 284A1214 81205 | 1 | 27-41-12 J011-00/ / | YC059-YR328 |
| R00897 | 9 | 10-60450-6 RELAY - AUTOSTOW RETRACT (APB 0802664) | 233A5220 | 1 | 27-62-41 P006-00/ / | YC051-YC065 |
| R00897 | | 10-60450-6 RELAY-AUTOSTOW RETRACT | 233A5220 | 0 | 27-62-41 P006-00/ / | YN231-YN501 |
| R00898 | 9 | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 26-16-21 / / | YC053, YC055 |
| R00898 | 9 | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 26-16-21 E002-02/ / | YC060-YC064 |
| R00898 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 26-16-21 E002-02/ / | YC067-YD158, YL951-YR328 |
| R00899 | 9 | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-31-22 J020/ / | YC053, YC055 |
| R00899 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-31-22 J020/ / | YC067-YR328 |

EQUIPMENT LIST

D280A108

Section R00800

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| R00900 | 9 | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-31-23 J020/ / | YC053, YC055 |
| R00900 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-31-23 J020/ / | YC067-YR328 |
| R00903 | 9 | BACR13CG2AB RELAY-ROD 750 CARGO FIRE #1 (SB 21-1135) | SB211135 81205 | 1 | 21-31-22 J020-00/ / | YC053, YC055 |
| R00903 | 9 | BACR13CG2AB RELAY-ROD 750 CARGO FIRE #1 (SB 21-1135) | 284A1203 81205 | 1 | 21-31-22 J020-00/ / | YC060-YC064 |
| R00903 | | BACR13CG2AB RELAY-ROD 750 CARGO FIRE RELAY 1 | 284A1203 81205 | 1 | 21-31-22 J020-00/ / | YC067-YR328 |
| R00904 | 9 | BACR13CG2AB RELAY-ROD 750 CARGO FIRE #2 (SB 21-1135) | SB211135 81205 | 1 | 21-31-23 J020-00/ / | YC053, YC055 |
| R00904 | 9 | BACR13CG2AB RELAY-ROD 750 CARGO FIRE #2 (SB 21-1135) | 284A1203 81205 | 1 | 21-31-23 J020-00/ / | YC060-YC064 |
| R00904 | | BACR13CG2AB RELAY-ROD 750 CARGO FIRE RELAY 2 | 284A1203 81205 | 1 | 21-31-23 J020-00/ / | YC067-YR328 |
| R00915 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 23-32-14 J004-00/ / | YD158-YD170, YN231-YN260 |
| R00915 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 23-32-14 J004-00/ /190 | YL951-YL999 |
| R00915 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 44-21-22 J004-00/ / | YN501 |
| R00915 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 44-21-22 J004-00/ / | YR301-YR328 |
| R00916 | 9 | HTC7N060 IFE/PASS SEAT CTRL RLY (SB 24-1147) | 233A5220 81205 | 1 | 24-28-41 P006-00/ / | YC051-YD157 |
| R00916 | | HTC7N060 RLY-XFR BUS 1 IFE/PASS SEAT SW CTRL RLY | 233A5220 81205 | 1 | 24-28-41 P006-00/ / | YD154-YR328 |
| R00917 | 9 | HTC7N060 IFE/PASS SEAT CTRL RLY (SB 24-1147) | 233A5220 81205 | 1 | 24-28-41 P006-00/ / | YC051-YD157 |
| R00917 | | HTC7N060 RLY-XFR BUS 2 IFE/PASS SEAT SW CTRL RLY | 233A5220 81205 | 1 | 24-28-41 P006-00/ / | YD154-YR328 |
| R00918 | 9 | BACR13CG2AB RELAY-IFE/PASS SEAT CONT (SB 24-1147) | 233A5220 81205 | 1 | 24-28-41 P006-00/ / | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section R00900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|---|
| R00918 | | BACR13CG2AB RELAY-IFE/PASS SEAT CONTROL | 233A5220 81205 | 1 | 24-28-41 P006-00/ / | YD154-YR328 |
| R00919 | 9 | BACR13CF2AB RLY - RPL CONT SYS A HYD (SB 27-1253) | 233A5220 | 1 | 27-25-11 P006-00/ / | YC051-YD155 |
| R00919 | | BACR13CF2AB RLY - RPL CONTROL SYSTEM A HYD | 233A5220 | 1 | 27-25-11 P006-00/ / | YD154-YR328 |
| R00920 | 9 | BACR13CF2AB RLY - RPL CONT SYS B HYD (SB 27-1253) | 233A5220 | 1 | 27-25-11 P006-00/ / | YC051-YD155 |
| R00920 | | BACR13CF2AB RLY - RPL CONTROL SYSTEM B HYD | 233A5220 | 1 | 27-25-11 P006-00/ / | YD154-YR328 |
| R00921 | | S280W555-753 COMPONENT-DIODE-RPL CONTROL SYS A HYD | | 1 | 27-25-11 E001-01/ / | YC051-YD153, YL951-YL999, YR301-YR328 |
| R00921 | | S280W555-753 COMPONENT-DIODE-RPL CONTROL SYS A HYD | | 1 | 27-25-11 E001-01/*/* | YD154-YD170, YN231-YN501 |
| R00922 | | S280W555-753 COMPONENT-DIODE-RPL CONTROL SYS A HYD | | 1 | 27-25-11 E001-01/ / | YC051-YD153, YL951-YL999, YR301-YR328 |
| R00922 | | S280W555-753 COMPONENT-DIODE-RPL CONTROL SYS A HYD | | 1 | 27-25-11 E001-01/*/* | YD154-YD170, YN231-YN501 |
| R00923 | | S280W555-751 COMPONENT-DIODE, VPR SUPPRESSION | 81205 | 1 | 23-31-06 J020/ / | YD154-YN260 |
| R00923 | | S280W555-751 COMPONENT-DIODE, VPR SUPPRESSION | 81205 | 1 | 44-21-22 J020/ / | YN501 |
| R00923 | | S280W555-751 COMPONENT-DIODE, VPR SUPPRESSION | 81205 | 1 | 44-21-22 J0020/ / | YR301-YR328 |
| R00924 | | BACR13CD2 RLY-VIDEO DISCRETE | 284A1204 81205 | 1 | 23-32-14 J004-00/ / | YD158-YN260 |
| R00924 | | BACR13CD2 RLY-VIDEO DISCRETE | 284A1204 81205 | 1 | 44-21-22 J004-00/ / | YN501-YR328 |
| R00927 | | BACR13CG2AB RLY-ZONAL DRYER | 233A5220 81205 | 1 | 21-74-11 P006-00/ / | YD158-YD170 |
| R00932 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 31-62-41 E003-01/ / | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section R00900

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| R00933 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 31-62-41 E003-01/ / | YD158-YR328 |
| R00934 | | TDH-8116-1502 RELAY-TIME DELAY | 284A1203 58657 | 1 | 28-23-11 J020-0B/166/L025 | YD158-YR328 |
| R00935 | | TDH-8116-1502 RELAY-TIME DELAY | 284A1204 58657 | 1 | 28-23-11 J004-00/167/R025 | YD158-YR328 |
| R00936 | | BACR13CJ2 RELAY-115VAC | 284A1203 81205 | 1 | 28-23-11 J020-0B/166/L025 | YD158-YR328 |
| R00937 | | BACR13CJ2 RELAY-115VAC | 284A1204 81205 | 1 | 28-23-11 J004-00/167/R025 | YD158-YR328 |
| R00938 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 28-43-11 E002-01/ / | YD158-YR328 |
| R00939 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 28-43-11 E004-02/ / | YD158-YR328 |
| R00943 | | BACR13CG2AB RELAY-IVS PWR | 233A5220 81205 | 1 | 44-21-10 P006-00/ / | YN501-YR328 |
| R00944 | | BACR13CG2AB RELAY-OVERHEAD VIDEO CONTROL | 233A5220 81205 | 1 | 44-21-36 P006-00/ / | YN501-YR328 |
| R00945 | 9 | BACR13CE2 RELAY-FWD FIRE ALARM LATCH (SB 26-1122) | 284A1224 | 1 | 21-25-11 J00024/ / | YC060-YC064 |
| R00945 | | BACR13CE2 RELAY-FWD FIRE ALARM LATCH | 284A1224 | 1 | 21-25-11 J024-00/ / | YD160-YR328 |
| R00946 | 9 | BACR13CE2 RELAY-AFT FIRE ALARM LATCH (SB 26-1122) | 284A1224 | 1 | 21-25-11 J00024/ / | YC060-YC064 |
| R00946 | | BACR13CE2 RELAY-AFT FIRE ALARM LATCH | 284A1224 | 1 | 21-25-11 J024-00/ / | YD160-YR328 |
| R00947 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-25-11 J00024/ / | YC060-YC064, YD160-YR328 |
| R00948 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-25-11 J00024/ / | YC060-YC064, YD160-YR328 |
| R00949 | 9 | BACR13CG2AB RELAY-EXHAUST SYSTEM CONTROL(SB 26-1122) | 284A1224 | 1 | 21-27-21 J00024/ / | YC060-YC064 |
| R00949 | | BACR13CG2AB RELAY-EXHAUST SYSTEM CONTROL INTERRUPT | 284A1224 | 1 | 21-27-21 J024-00/ / | YD160-YR328 |

EQUIPMENT LIST

D280A108

Section R00900

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| R00951 | | BACR13CD2 RLY-CTR TANK REFUEL VALVE | 284A1203 81205 | 1 | 47-30-11 J020-00/ / | YD160-YR328 |
| R00952 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-43-21 J00024/ / | YC060-YC064, YD160-YR328 |
| R00953 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-43-21 J00024/ / | YC060-YC064, YD160-YR328 |
| R00958 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 21-43-21 J00024/ / | YC060-YC064, YD160-YR328 |
| R00962 | | MS27418-2A RELAY-SECONDARY BOOST PUMP CTR TANK L | 284A0822 96906 | 1 | 28-23-11 371/166/L035 | YD160-YR328 |
| R00963 | | MS27418-2A RELAY-SECONDARY BOOST PUMP CTR TANK R | 284A0822 96906 | 1 | 28-23-11 361/166/R036 | YD160-YR328 |
| R00964 | | BACR13CG2AB RLY-SPOILER SOV A | 284A1239 81205 | 1 | 27-62-11 J039-00/ / | YL953-YL999, YR301-YR328 |
| R00965 | | BACR13CG2AB RLY-SPOILER SOV B | 284A1239 81205 | 1 | 27-62-11 J039-00/ / | YL953-YL999, YR301-YR328 |
| R00966 | | BACR13CG2AB RLY-SPOILER SOV PWR | 284A1239 81205 | 1 | 27-62-11 J039-00/ / | YL953-YL999, YR301-YR328 |
| R00967 | | BACR13CG2AB RLY-SPOILER SOV RAISE | 284A1239 81205 | 1 | 27-62-11 J039-00/ / | YL953-YL999, YR301-YR328 |
| R00968 | | BACR13CG2AB RLY-SPD BK GND PROX | 284A1239 81205 | 1 | 27-62-11 J039-00/ / | YL953-YL999, YR301-YR328 |
| R00969 | | TDH-8050-3001P RLY-SPOILER SUP TRAVEL ANNUN | 284A1239 58657 | 1 | 27-62-11 J039-00/ / | YL953-YL999, YR301-YR328 |
| R00970 | | BACR13CG2AB RLY-SPD BRK HNDL ANNUN | 284A1239 81205 | 1 | 27-62-11 J039-00/ / | YL953-YL999, YR301-YR328 |
| R00985 | | 287A4402-1 RESISTOR - ASSY | 81205 | 1 | 47-30-11 721/204/R035 | YD160-YR328 |
| R00986 | | 287A4402-1 RESISTOR - ASSY | 81205 | 1 | 47-30-11 721/204/R035 | YD160-YR328 |
| R00987 | | 287A4402-1 RESISTOR - ASSY | 81205 | 1 | 47-30-11 721/204/R035 | YD160-YR328 |
| R00988 | 1 | 287A2369-4 RESISTOR | 81205 | 1 | 78-32-51 J022-00/ / | YL951-YN236, YN501-YR328 |

EQUIPMENT LIST

D280A108

Section R00900

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| R00989 | | 287A2369-5 RESISTOR ASSY | 81205 | 1 | 78-32-61 J024-00/ / | YL951-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section R00900
Page 5 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| R01001 | | BACR13CF2AB- RELAY-NGS ALT PWR | 284A1224 | 0 | 47-30-11 J024-00/ / | YD160-YR328 |
| R01010 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 27-62-11 J046-00/ / | YL953-YL999, YR301-YR328 |
| R01011 | | S280W555-753 COMPONENT-DIODE | 81205 | 1 | 27-62-11 J046-00/ / | YL953-YL999, YR301-YR328 |
| R01021 | | S280W555-753 COMPONENT - DIODE | 81205 | 1 | 33-25-11 E003-02/ / | YL953-YL999, YR301-YR328 |
| R01022 | | S280W555-753 COMPONENT - DIODE | 81205 | 1 | 27-62-11 E003-02/ / | YL953-YL999 |
| R01022 | | S280W555-753 COMPONENT - DIODE | 81205 | 1 | 33-25-11 E003-02/ / | YR301-YR328 |
| R01044 | 9 | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 21-33-11 P005-00/ / | YC060-YC064 |
| R01044 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 31-53-11 J046-00/ / | YL951-YR328 |
| R01045 | | BACR13CE2 RELAY-CMU-ADL SWITCHING | 284A1239 81205 | 1 | 23-27-39 J039-00/ / | YL951-YL954, YN231-YN235 |
| R01046 | | BACR13CD2 RELAY-CABIN READY | 284A1203 81205 | 1 | 23-42-01 J020-0B/ / | YL951-YR328 |
| R01049 | 9 | S280W555-751 COMPONENT-DIODE | 81305 | 1 | 21-33-11 J046-00/ / | YC060-YC064 |
| R01049 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 21-33-11 J046-00/ / | YL952-YL999, YN232-YR328 |
| R01066 | | Y-D4N RLY-ACP DATA LOAD | TBD-0000 81205 | 1 | 23-42-14 J039-00/ / | YN501-YR328 |
| R01069 | | BACR13CD2 RELAY-CVR DISPATCH | 284A1214 81205 | 1 | 23-71-01 895/191/R032 | YL963-YL999, YN236-YR328 |
| R01070 | | F600-D4NC RELAY A | TBD-0000 | 1 | 30-31-11 / / | YL968-YL999, YN236-YR328 |
| R01071 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 30-31-11 J046-00/ / | YL968-YL999, YN236-YR328 |
| R01072 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 30-31-11 J046-00/ / | YL968-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section R01000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| R01072 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 30-31-11 JN046-00/ / | YN236-YN501 |
| R01073 | | BACR13CG2AB RELAY B | TBD-0000 | 1 | 30-31-12 / / | YL968-YL999, YN236-YR328 |
| R01074 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 30-31-12 E002-02/ / | YL968-YL999, YN236-YR328 |
| R01075 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 30-31-12 E002-02/ / | YL968-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section R01000
Page 2 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|-----------------------------------|-----------------------|-----|------------------------------|-------------|
| R01101 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 23-42-14 324/ / | YN501-YR328 |
| R01102 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 23-42-14 324/ / | YN501-YR328 |
| R01103 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 23-42-15 953/305/L003 | YN501-YR328 |
| R01104 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 23-42-15 953/305/L003 | YN501-YR328 |
| R01113 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 23-31-01 322/296/L003 | YR315-YR328 |
| R01114 | | S280W555-751 COMPONENT - DIODE | 81205 | 1 | 23-42-12 322/296/L003 | YR315-YR328 |
| R01116 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 23-31-01 953/305/L003 | YR315-YR328 |
| R01117 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 23-42-12 953/305/L003 | YR315-YR328 |
| R01123 | | BACR13CJ1 RELAY-LAV/OCC SIGN | 284A1214 81205 | 1 | 33-26-31 J011-00/ / | YR315-YR328 |

EQUIPMENT LIST

D280A108

Section R01100

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| R01999 | 9 | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 31-53-11 J046-00/ / | YC060-YC064 |
| R01999 | | S280W555-751 COMPONENT-DIODE | 81205 | 1 | 31-53-11 J046-00/ / | YL953-YL999, YN233-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section R01900
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| S00001 | | 572757-1 SWITCH-LEFT TURBINE INLET OVHT | 213A1002 70210 | 1 | 21-51-15 567/156/L034 | YN231-YN501 |
| S00002 | | 572756-1 SW-LEFT COMPRESSOR DISCHARGE OVHT | 213A1002 70210 | 1 | 21-51-15 576/158/L024 | ALL |
| S00003 | | 10-60924-1 SW-CONT CABIN DUCT OVHT 250 DEG F | 214A1002 81205 | 1 | 21-51-15 370/196/L056 | YN231-YN501 |
| S00004 | | 572757-1 SWITCH-RIGHT TURBINE INLET OVHT | 213A1002 70210 | 1 | 21-51-25 575/158/R036 | YN231-YN501 |
| S00005 | | 572756-1 SW RIGHT COMPRESSOR DISCHARGE OVHT | 213A1001 70210 | 1 | 21-51-25 577/157/R026 | ALL |
| S00006 | | 10-60924-1 SW-PASS CABIN DUCT OVHT 250 DEG F | 214A2001 81205 | 1 | 21-51-25 531/299/R010 | YN231-YN501 |
| S00007 | | 15AT48 SW-EMERGENCY EXIT LT | 65-73709 91929 | 1 | 33-51-11 P005-00/ / | ALL |
| S00008 | | 10-61318-31 SW-FIRE ENG 1 | 69-37307 81205 | 1 | 26-21-11 P008-01/220/000 | ALL |
| S00009 | | 10-61318-32 SW-FIRE ENG 2 | 69-37307 81205 | 1 | 26-21-11 P008-01/220/000 | ALL |
| S00010 | | 10-61318-29 SW-FIRE APU | 69-37307 81205 | 1 | 26-21-11 P008-01/220/000 | ALL |
| S00011 | | S210T130-18 SW-CONTROL CABIN DUCT OVHT 190F | 214A1002 81205 | 1 | 21-61-21 373/196/L058 | YN231-YN501 |
| S00012 | | S231T290-1001 SW-GRD SERVICE | 61-30012 81205 | 1 | 24-23-51 / / | ALL |
| S00014 | | S210T130-18 SW-PASSENGER CABIN DUCT OVHT 190F | 214A2001 81205 | 1 | 21-61-22 532/299/R010 | YN231-YN501 |
| S00015 | | MS24523-26 SW-APU BOTTLE DISCHARGE | 96906 | 1 | 26-21-11 P028-00/ / | YC051-YD158 |
| S00016 | | 25EN52-1 SW-REMOTE APU FIRE | | 1 | 26-21-11 P028-00/ / | YC051-YD158 |
| S00019 | | 4HS9-118 SW-APU HORN CUTOUT | 91929 | 1 | 26-11-31 P028-00/ / | YC051-YD158 |
| S00020 | | 975-0172-006 SW-ENG 1 BLEED O/H | 312A1050 97896 | 1 | 36-11-11 574/199/L184 | YC051-YL959, YN231-YN235 |

EQUIPMENT LIST

D280A108

Section S00000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| S00020 | | 975-0172-012 SW-ENG 1 BLEED O/H | 312A1050 97896 | 1 | 36-11-11 574/199/L184 | YL963-YL999, YN236-YR328 |
| S00021 | | 975-0172-006 SW-ENG 2 BLEED O/H | 312A1050 97896 | 1 | 36-11-11 574/199/R184 | YC051-YL959, YN231-YN235 |
| S00021 | | 975-0172-012 SW-ENG 2 BLEED O/H | 312A1050 97896 | 1 | 36-11-11 574/199/R184 | YL963-YL999, YN236-YR328 |
| S00022 | | 10-61329-34 SW-RIGHT WINDSHIELD WIPER CONTROL | 233A3101 81205 | 1 | 30-42-11 P005-00/ / | ALL |
| S00032 | | D20011-01 SW-GRD CREW CALL | 233A3301 81640 | 1 | 23-43-11 P005-00/ / | ALL |
| S00033 | | D204W3-JA SW-CAPTAIN CALL | 284A1807 81640 | 1 | 23-43-11 P019-00/ / | ALL |
| S00036 | | D20011-01 SW-ATTENDANTS CALL | 233A3301 81640 | 1 | 23-42-11 P005-00/ / | ALL |
| S00045 | | 2TL1-10 SW-NO SMOKING | 65-73709 91929 | 1 | 33-25-11 P005-00/ / | ALL |
| S00046 | | 2TL1-10 SW-FASTEN BELTS | 65-73709 91929 | 1 | 33-25-11 P005-00/ / | ALL |
| S00049 | | 10-61241-1 SW-STANDBY SYSTEM RESERVOIR | 276A3100 81205 | 1 | 29-31-11 715/171/00 | ALL |
| S00050 | | MS24523-23 SW-INPH CUTOFF P5 PNL | 233A3301 96906 | 1 | 23-41-11 P005-00/ / | ALL |
| S00057 | | MS24523-23 SW-RED ANTI-COLLISION LIGHTS | 233A3101 96906 | 1 | 33-44-11 P005-00/ / | ALL |
| S00058 | | MS24525-21 SW-POS LT | 233A3303 96906 | 1 | 33-43-11 P005-00/ / | ALL |
| S00059 | | MS24524-23 SW-EQUIP COOLING | 233A3101 96906 | 1 | 21-27-21 P005-00/ / | ALL |
| S00061 | | A3-1080 SW-NOSE GEAR TAXI LT | 233A3303 81640 | 1 | 33-45-11 P005-00/ / | ALL |
| S00062 | | MS24524-23 SW-WHEEL WELL LT | 233A3303 96906 | 1 | 33-32-11 P005-00/ / | ALL |
| S00063 | | MS24523-23 SW-NOSE WHL WELL LT | 284A1807 96906 | 1 | 33-32-11 P019-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section S00000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| S00064 | | MS24523-23 SW-MAIN WHEEL WELL LIGHT | 284A0123 96906 | 1 | 33-32-11 689/160/L070 | ALL |
| S00065 | | MS24524-23 SW-A/C BAY SERVICE LIGHT,R | 284A0124 96906 | 1 | 33-33-11 544/153/R034 | ALL |
| S00066 | | MS24524-23 SW-A/C BAY SERVICE LIGHT,L | 284A0124 96906 | 1 | 33-33-11 544/154/L039 | ALL |
| S00067 | | J100 SW-CARGO LIGHTS PUSH ON PUSH OFF | 284A0112 81640 | 1 | 33-36-11 440/158/R033 | ALL |
| S00068 | | J100 SW-AFT CARGO LIGHTS | 284A0131 81640 | 1 | 33-36-12 793/160/R033 | ALL |
| S00071 | | 10-61226-29 SW- #1 L MLG DN + LOCKED SENSOR | 81205 | 1 | 32-64-11 700/180/L90 | YC051-YL959, YN231-YN235 |
| S00071 | | 10-61226-45 SW- #1 L MLG DN + LOCKED SENSOR | 81205 | 1 | 32-64-11 700/180/L90 | YL963-YL999, YN236-YR328 |
| S00072 | | 10-61226-29 SW- #1 L MLG UP + LOCKED SENSOR | 65-55797 81205 | 1 | 32-64-11 693/188/L056 | YC051-YL959, YN231-YN235 |
| S00072 | | 10-61226-45 SW- #1 L MLG UP + LOCKED SENSOR | 65-55797 81205 | 1 | 32-64-11 693/188/L056 | YL963-YL999, YN236-YR328 |
| S00073 | | 10-61226-29 SW- #1 R MLG DN + LOCKED SENSOR | 81205 | 1 | 32-64-11 700/180/R90 | YC051-YL959, YN231-YN235 |
| S00073 | | 10-61226-45 SW- #1 R MLG DN + LOCKED SENSOR | 81205 | 1 | 32-64-11 700/180/R90 | YL963-YL999, YN236-YR328 |
| S00074 | | 10-61226-29 SW- #1 R MLG UP + LOCKED SENSOR | 65-55797 81205 | 1 | 32-64-11 693/188/R056 | YC051-YL959, YN231-YN235 |
| S00074 | | 10-61226-45 SW- #1 R MLG UP + LOCKED SENSOR | 65-55797 81205 | 1 | 32-64-11 693/188/R056 | YL963-YL999, YN236-YR328 |
| S00077 | | 2D64 SW-HORN CUT OUT | 65C31503 91929 | 1 | 32-64-21 P008-00/ / | ALL |
| S00084 | | MS24523-23 SW-FWD LWR SERV COMPT LTS | 284A0103 96906 | 1 | 33-34-11 204/171/L010 | ALL |
| S00085 | | J100 SW-E/E COMPT LIGHTS | 284A0211 81640 | 1 | 33-34-11 359/164/R007 | ALL |
| S00086 | | MS24523-23 SW-APU COMPT LT | 284A0151 96906 | 1 | 33-35-11 1090/220/L003 | ALL |

EQUIPMENT LIST

D280A108

Section S00000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| S00087 | | J100 SW-ACCESSORY LIGHTS | 284A0152 81640 | 1 | 33-35-11 1064/209/L018 | ALL |
| S00088 | | P6-330012 SW-ENG 1 LEFT IGN | 254A1210 21649 | 1 | 76-21-11 P008-00/ / | ALL |
| S00089 | | P6-330012 SW-ENG 1 RIGHT IGN | 254A1210 21649 | 1 | 76-21-10 P008-00/ / | ALL |
| S00090 | | P6-330012 SW-ENG 2 LEFT IGN | 254A1210 21649 | 1 | 76-21-20 P008-00/ / | ALL |
| S00091 | | P6-330012 SW-ENG 2 RIGHT IGN | 254A1210 21649 | 1 | 76-21-20 P008-00/ / | ALL |
| S00098 | | MS24523-23 SW-WING SCANNING LTS | 65-46991 96906 | 1 | 33-41-11 P005-00/ / | ALL |
| S00099 | | MS24523-23 SW-TAIL CONE LT | 284A0153 96906 | 1 | 33-35-11 1164/245/R016 | ALL |

EQUIPMENT LIST

D280A108

Section S00000

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| S00100 | | MS25008-1 SW-PARKING BRAKE | 251A3190 96906 | 1 | 32-44-11 210/200/L014 | ALL |
| S00103 | | MS24523-21 SW-WHITE DOME LT | 233A3306 96906 | 1 | 33-14-12 P005-00/ / | ALL |
| S00113 | | C2006 SW-THROTTLE DISENG 1 | 65C18265 81640 | 1 | 22-31-51 216/220/ | ALL |
| S00114 | | C2006 SW-THROTTLE DISENG 2 | 65C18265 81640 | 1 | 22-31-51 216/220/ | ALL |
| S00115 | | 32EN21-4 SW-ELEC STAB TRIM APL NOSE UP | 251A4700 91929 | 1 | 27-41-12 1083/264/L015 | ALL |
| S00117 | 1 | 975-0062-002 SW-RIGHT WING GROUND THERMAL ANTI-ICE | 218A1660 97896 | 1 | 30-11-11 621/205/R213 | ALL |
| S00117 | 2 | 3000-46-27 SW-RIGHT WING GROUND THERMAL ANTI-ICE | 218A1660 14604 | 1 | 30-11-11 621/205/R213 | ALL |
| S00118 | 1 | 975-0062-002 SW-LEFT WING GROUND THERMAL ANTI-ICE | 218A1660 97896 | 1 | 30-11-11 621/205/R213 | ALL |
| S00118 | 2 | 3000-46-27 SW-LEFT WING GROUND THERMAL ANTI-ICE | 218A1660 14604 | 1 | 30-11-11 621/205/L213 | ALL |
| S00125 | | VENDORSUPPLIEDSEEIPCFORP-NINFO SW-OIL FILTER BYPASS WARNING | 332A2000 12812 | 2 | 79-33-11 ENG/ / | ALL |
| S00126 | | 401-67779 SW-DIFF PRESS SENSE SYS A B | 65-45171 19156 | 1 | 27-31-37 1084/266/R018 | ALL |
| S00128 | | 10-2638-4 SW-CABIN PRESS | 216A5001 81205 | 1 | 21-33-11 190/208/R002 | ALL |
| S00132 | | 32EN21-4 SW-NOSE UP STAB TAKE-OFF WARN | 251A4700 91929 | 1 | 31-53-11 1082/270/L015 | YC051-YL955, YN231-YN235 |
| S00132 | | 35EN27-4 SW-NOSE UP STAB TAKE-OFF WARN | 251A4700 91929 | 1 | 31-53-11 1082/270/L015 | YL956-YL999, YN236-YR328 |
| S00134 | | 10-60705-1 SW-CAPT STAB TRIM | 251A2110 81205 | 1 | 27-41-11 215/ /L020 | ALL |
| S00135 | | 10-60705-1 SW-F/O STAB TRIM | 251A2110 81205 | 1 | 27-41-11 215/ /R020 | ALL |
| S00138 | | 426EN9-8 SW-FLAP LANDING WARNING | 91929 | 1 | 32-64-21 635/201/R051 | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section S00100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|---|
| S00138 | | 426HE13-8 SW-FLAP LANDING WARNING | 91929 | 1 | 32-64-21 635/201/R051 | YD158, YL951- YL954, YN231- YN235 |
| S00138 | | 426HE15-R SW-FLAP LANDING WARNING | 256A3906 91929 | 0 | 32-64-21 635/201/R051 | YL955-YL999, YN236-YR328 |
| S00141 | | 10-60552-1 SW-SYS A PRESS | 65-44890 81205 | 1 | 27-23-14 666/179/L053 | ALL |
| S00142 | | 10-60552-1 SW-SYS B PRESS | 65-44890 81205 | 1 | 27-23-14 666/179/R053 | ALL |
| S00143 | 1 | 10-60552-35 SW-STANDBY HYDRAULIC SYSTEM LOW PRESSURE | 271A2443 81205 | 1 | 29-35-11 723/163/L003 | ALL |
| S00143 | 2 | 10-60552-22 SW-STANDBY HYDRAULIC SYSTEM LOW PRESSURE | 271A2443 81205 | 1 | 29-35-11 723/163/L003 | ALL |
| S00143 | 3 | 10-60552-11 SW-STANDBY HYDRAULIC SYSTEM LOW PRESSURE | 271A2443 81205 | 1 | 29-35-11 723/163/L003 | ALL |
| S00143 | 4 | 10-60552-1 SW-STANDBY HYDRAULIC SYSTEM LOW PRESSURE | 271A2443 81205 | 1 | 29-35-11 723/163/L003 | ALL |
| S00144 | | 32EN21-4 SW-STAB NOSE UP LIMIT | 251A4700 91929 | 1 | 22-13-11 1084/255/L018 | YC051-YL955, YN231-YN235 |
| S00144 | | 35EN27-4 SW-STAB NOSE UP LIMIT | 251A4700 91929 | 1 | 22-13-11 1084/255/L018 | YL956-YL999 |
| S00144 | | 35EN24-4 SW-STAB NOSE UP LIMIT | 251A4700 91929 | 1 | 22-13-11 1084/255/L018 | YN236-YR328 |
| S00145 | | 32EN21-4 SW-STAB NOSE DOWN LIMIT | 251A4700 91929 | 1 | 22-13-11 1082/ /L001 | YC051-YL955, YN231-YN235, YR301-YR328 |
| S00145 | | 35EN27-4 SW-STAB NOSE DOWN LIMIT | 251A4700 91929 | 1 | 22-13-11 1082/ /L001 | YL956-YL999, YN236-YN501 |
| S00149 | | MS27723-23 SW-A/P AND CRUISE TRIM C/O | 65C25502 91929 | 1 | 22-13-11 P008-00/ / | ALL |
| S00150 | | 60B92400-10 SW-B00ST PUMP LOW PRESS TANK 1 AFT | 343A3111 81205 | 1 | 28-43-11 669/189/085L | ALL |
| S00151 | | 60B92400-10 SW-BOOST PUMP LOW PRESS TANK 1 FWD | 343A3111 81205 | 1 | 28-43-11 547/198/083L | ALL |

EQUIPMENT LIST

D280A108

Section S00100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| S00152 | | 60B92400-10 SW-BOOST PUMP LOW PRESS TANK 2 AFT | 343A3111 81205 | 1 | 28-43-11 669/189/055 | ALL |
| S00153 | | 60B92400-10 SW-B00ST PUMP LOW PRESS TANK 2 FWD | 343A3111 81205 | 1 | 28-43-11 547/195/083 | ALL |
| S00154 | | 60B92400-11 SW-B00ST PUMP LOW PRESS CENTER TANK LEFT | 343A3101 81205 | 1 | 28-43-11 656/187/L026 | ALL |
| S00155 | | 60B92400-11 SW-BOOST PUMP LOW PRESS CENTER TANK R | 343A3101 81205 | 1 | 28-43-11 656/187/025R | ALL |
| S00156 | 1 | 10-61355-3 SW-REFUEL POWER CONTROL | 65C28090 81205 | 1 | 28-44-11 OFSS 394/ / | ALL |
| S00157 | | MS24523-23 SW-TANK 1 REFUEL VALVE CONTROL | 69-73588 96906 | 1 | 28-44-11 P015-00/ / | ALL |
| S00158 | | MS24523-23 SW-TANK 2 REFUEL VALVE CONTOL | 69-73588 96906 | 1 | 28-44-11 P015-00/ / | ALL |
| S00159 | | MS24523-23 SW-CENTER TANK REFUEL VALVE CONTROL | 69-73588 96906 | 1 | 28-44-11 P015-00/ / | ALL |
| S00160 | | MS24525-27 SW-REFUEL INDICATION TEST | 69-73588 96906 | 1 | 28-44-11 P015-00/ / | ALL |
| S00161 | | P8-4000003 SW-MIC CONTROL COL CAPT | 65-45123 21649 | 1 | 23-51-01 200/ / | ALL |
| S00168 | | 10-61226-29 SNSR-LEADING EDGE FLAP 1 RETRACT | 256A2284 81205 | 1 | 27-81-11 IFSS 193/ / | YC051-YL959, YN231-YN235 |
| S00168 | | 10-61226-45 SNSR-LEADING EDGE FLAP 1 RETRACT | 256A2284 81205 | 1 | 27-81-11 IFSS 193/ / | YL963-YL999, YN236-YR328 |
| S00169 | | 10-61226-29 SNSR-LEADING EDGE FLAP 1 EXTEND | 256A2284 81205 | 1 | 27-81-11 IFSS 193/ / | YC051-YL959, YN231-YN235 |
| S00169 | | 10-61226-45 SNSR-LEADING EDGE FLAP 1 EXTEND | 256A2284 81205 | 1 | 27-81-11 IFSS 193/ / | YL963-YL999, YN236-YR328 |
| S00170 | | 10-61226-29 SNSR-LEADING EDGE FLAP 2 RETRACT | 256A2284 81205 | 1 | 27-81-11 IFSS 137/ / | YC051-YL959, YN231-YN235 |
| S00170 | | 10-61226-45 SNSR-LEADING EDGE FLAP 2 RETRACT | 256A2284 81205 | 1 | 27-81-11 IFSS 137/ / | YL963-YL999, YN236-YR328 |
| S00171 | | 10-61226-29 SNSR-LEADING EDGE FLAP 2 EXTEND | 256A2284 81205 | 1 | 27-81-11 IFSS 137/ / | YC051-YL959, YN231-YN235 |

EQUIPMENT LIST

D280A108

Section S00100

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| S00171 | | 10-61226-45 SNSR-LEADING EDGE FLAP 2 EXTEND | 256A2284 81205 | 1 | 27-81-11 IFSS 137/ / | YL963-YL999, YN236-YR328 |
| S00172 | | 10-61226-29 SNSR-LEADING EDGE FLAP 3 RETRACT | 256A2284 81205 | 1 | 27-81-21 IFSS 137/ / | YC051-YL959, YN231-YN235 |
| S00172 | | 10-61226-45 SNSR-LEADING EDGE FLAP 3 RETRACT | 256A2284 81205 | 1 | 27-81-21 IFSS 137/ / | YL963-YL999, YN236-YR328 |
| S00173 | | 10-61226-29 SNSR-LEADING EDGE FLAP 3 EXTEND | 256A2284 81205 | 1 | 27-81-21 IFSS 137/ / | YC051-YL959, YN231-YN235 |
| S00173 | | 10-61226-45 SNSR-LEADING EDGE FLAP 3 EXTEND | 256A2284 81205 | 1 | 27-81-21 IFSS 137/ / | YL963-YL999, YN236-YR328 |
| S00174 | | 10-61226-29 SNSR-LEADING EDGE FLAP 4 RETRACT | 256A2284 81205 | 1 | 27-81-21 IFSS 193/ / | YC051-YL959, YN231-YN235 |
| S00174 | | 10-61226-45 SNSR-LEADING EDGE FLAP 4 RETRACT | 256A2284 81205 | 1 | 27-81-21 IFSS 193/ / | YL963-YL999, YN236-YR328 |
| S00175 | | 10-61226-29 SNSR-LEADING EDGE FLAP 4 EXTEND | 256A2284 81205 | 1 | 27-81-21 IFSS 193/ / | YC051-YL959, YN231-YN235 |
| S00175 | | 10-61226-45 SNSR-LEADING EDGE FLAP 4 EXTEND | 256A2284 81205 | 1 | 27-81-21 IFSS 193/ / | YL963-YL999, YN236-YR328 |
| S00190 | | 10-1468 SW-L WINDOW 5 THERMAL | 69-21641 81205 | 1 | 30-41-11 231/263/L031 | YC051-YD170, YN501 |
| S00191 | | 10-1468 SW-R WINDOW 5 THERMAL | 69-21641 81205 | 1 | 30-41-12 230/262/R031 | YC051-YD170, YN501 |
| S00194 | | 10-61226-29 SW-FWD SERVICE DOOR SENSOR | 69-42809 81205 | 1 | 52-71-11 332/267/R055 | ALL |
| S00195 | | 10-61226-29 SW-AFT SERVICE DOOR SENSOR | 69-42809 81205 | 1 | 52-71-11 992/265/R059 | ALL |
| S00196 | | S-BM8805-1-008 SW-FWD ACCESS DOOR | 284A1321 96906 | 1 | 52-71-12 199/167/0 | ALL |
| S00197 | | S-BM8805-1-008 SW-ELECTRONIC ACCESS DOOR | 284A0323 96906 | 1 | 52-71-12 338/151/L011 | ALL |
| S00199 | | 10-61226-29 SW-FWD ENTRY DOOR SENSOR | 284A1322 81205 | 1 | 52-71-10 308/267/L050 | ALL |

EQUIPMENT LIST

D280A108

Section S00100
Page 4 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| S00200 | | 10-61226-29 SW-AFT ENTRY DOOR SENSOR | 69-43479 81205 | 1 | 52-71-11 993/265/L055 | ALL |
| S00214 | | P8-4000003 SW-MIC CONTROL COL F/O | 65-45123 21649 | 1 | 23-51-02 200/ / | ALL |
| S00231 | | 721101-A1 SW-A/P DISENGAGE CAPT | 65-45123 97564 | 1 | 22-11-12 214/237/R014 | ALL |
| S00232 | | 721101-A1 SW-A/P DISENGAGE F/O | 65-45123 97564 | 1 | 22-11-12 214/237/L031 | ALL |
| S00238 | | A3-1083 SW-COMPASS LT | 233A4226 81640 | 1 | 33-14-12 212/260/ | ALL |
| S00241 | | VENDORSUPPLIEDSEEIPCFORP-NINFO SW-FUEL FILTER DIFF PRESSURE ENG-1-2 | 332A1042 12812 | 2 | 73-31-11 ENG/ / | ALL |
| S00245 | | 426EN10-8 SW-TE FLAPS UP | 91929 | 1 | 27-53-12 714/195/R057 | YC051-YD157 |
| S00245 | | 426HE13-8 SW-TE FLAPS UP | 91929 | 1 | 27-53-12 714/195/R057 | YD158-YL954, YN231-YN235 |
| S00245 | | 426HE15-R SW-TE FLAPS UP | TBD-0000 91929 | 1 | 27-53-12 714/195/R057 | YL955-YL999, YN236-YR328 |
| S00246 | | 21EN107-6 SW-TE FLAPS DOWN | 91929 | 1 | 27-53-12 714/194/R055 | ALL |
| S00248 | | 111AT-25 SW-AUXILIARY POWER UNIT MASTER | 65-73709 81640 | 1 | 49-62-11 P005-00/ / | ALL |
| S00258 | | A3-1092 SW-LDG LTS-L INBD | 65-73709 81640 | 1 | 33-42-11 P005-00/ / | ALL |
| S00259 | | A3-1092 SW-LDG LTS-R INBD | 65-73709 81640 | 1 | 33-42-11 P005-00/ / | ALL |
| S00260 | | 8906K1592 SW-LDG LTS-L RETRACT | 65-73709 15605 | 1 | 33-42-11 P005-00/ / | ALL |
| S00261 | | 8906K1592 SW-LDG LTS-R RETRACT | 65-73709 15605 | 1 | 33-42-11 P005-00/ / | ALL |
| S00266 | | 6600-2849 SW-ENG 1 START | 233A3301 31946 | 1 | 74-31-11 P005-00/ / | YC051-YL968, YN231-YN236, YN501-YR324 |

EQUIPMENT LIST

D280A108

Section S00200

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|---|
| S00267 | | 6600-2849 SW-ENG 2 START | 233A3301 31946 | 1 | 74-31-11 P005-00/ / | YC051-YL968, YN231-YN236, YN501-YR324 |
| S00268 | | A3-1080 SW-TURNOFF LT LEFT | 233A3303 81640 | 1 | 33-45-11 P005-00/ / | ALL |
| S00269 | | A3-1080 SW-TURNOFF LT RIGHT | 233A3303 81640 | 1 | 33-45-11 P005-00/ / | ALL |
| S00272 | | MS27724-23 SW-STAB TRIM C/O | 254A1210 91929 | 1 | 27-41-11 F010/ / | ALL |
| S00276 | | 10AT97-3 SW-SPEED BRAKE ARMING WARN | 251A1911 96906 | 1 | 27-62-11 178/200/L030 | ALL |
| S00284 | | 2EN19-RB SW-AIR INLET DOOR POSITION | 65-50925 91929 | 1 | 49-62-11 1055/240/R037 | ALL |

EQUIPMENT LIST

D280A108

Section S00200

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| S00301 | | 10-61226-29 SW- #2 R MLG DN + LOCKED SENSOR | | 1 | 32-64-12 710/180/R90 | YC051-YL959, YN231-YN235 |
| S00301 | | 10-61226-45 SW- #2 R MLG DN + LOCKED SENSOR | | 1 | 32-64-12 710/180/R90 | YL963-YL999, YN236-YR328 |
| S00302 | | 10-61226-29 SW- #2 L MLG DN + LOCKED SENSOR | 81205 | 1 | 32-64-12 710/180/L90 | YC051-YL959, YN231-YN235 |
| S00302 | | 10-61226-45 SW- #2 L MLG DN + LOCKED SENSOR | 81205 | 1 | 32-64-12 710/180/L90 | YL963-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section S00300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| S00519 | | P8-4000003 SW-INT CONTROL COL CAPT | 65-45123 21649 | 1 | 23-51-01 200/ / | ALL |
| S00520 | | P8-4000003 SW-INT CONTROL COL F/O | 65-45123 21649 | 1 | 23-51-02 200/ / | ALL |
| S00546 | | 32EN21-4 SW-NOSE DOWN STAB TAKE-OFF WARNING (-800) | 251A4700 91929 | 1 | 31-53-11 1082/283/L014 | YC051-YL955 |
| S00546 | | 35EN27-4 SW-NOSE DOWN STAB TAKE-OFF WARNING (-800) | 251A4700 91929 | 1 | 31-53-11 1082/283/L014 | YL956-YL999, YR301-YR328 |
| S00546 | | 32EN21-4 SW-NOSE DOWN STAB TAKE-OFF WARNING (-700) | 251A4700 91929 | 1 | 31-53-11 1082/279/L014 | YN231-YN235 |
| S00546 | | 35EN27-4 SW-NOSE DOWN STAB TAKE-OFF WARNING (-700) | 251A4700 91929 | 1 | 31-53-11 1082/279/L014 | YN236-YN501 |
| S00574 | | F-8300-146 SW-TANK 1 REFUEL FLOAT | 344A3112 50625 | 1 | 28-44-11 W0479/ /LFS | YC051-YC064 |
| S00574 | | F-8300-146 SW-TANK 1 REFUEL FLOAT | 344A3112 50625 | 1 | 28-44-11 W0479/000/LFS | YC065-YC068 |
| S00574 | | 8TJ143TAA1 SW-TANK 1 REFUEL FLOAT | 344A3112 97424 | 1 | 28-44-11 W0479/ /LFS | YC070-YR328 |
| S00576 | | F-8300-146 SW-CENTER TANK REFUEL FLOAT | 344A3101 50625 | 1 | 28-44-11 96/ /RFS | YC051-YC064 |
| S00576 | | F-8300-146 SW-CENTER TANK REFUEL FLOAT | 344A3101 50625 | 1 | 28-44-11 96/000/RFS | YC065-YC068 |
| S00576 | | 8TJ143TAA1 SW-CENTER TANK REFUEL FLOAT | 344A3101 97424 | 1 | 28-44-11 96/ /RFS | YC070-YR328 |
| S00578 | | F-8300-146 SW-TANK 2 REFUEL FLOAT | 344A3112 50625 | 1 | 28-44-11 480/ /RFS | YC051-YC064 |
| S00578 | | F-8300-146 SW-TANK 2 REFUEL FLOAT | 344A3112 50625 | 1 | 28-44-11 480/000/RFS | YC065-YC068 |
| S00578 | | 8TJ143TAA1 SW-TANK 2 REFUEL FLOAT | 344A3112 97424 | 1 | 28-44-11 480/ /RFS | YC070-YR328 |
| S00595 | | P6-330012 SW-ENGINE 1 START LEVER | 254A1290 21649 | 1 | 28-21-11 P008-00/ / | ALL |
| S00596 | | P6-330012 SW-ENGINE 2 START LEVER | 254A1290 21649 | 1 | 28-21-11 P008-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section S00500

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| S00635 | | MS24523-23 SW-LOGO LIGHT | 233A3303 96906 | 1 | 33-49-11 P005-08/ / | ALL |
| S00650 | | MS25253-1 SW-REVERSE THRUST | 254A1210 96906 | 1 | 27-62-11 P010-00/ / | ALL |
| S00651 | | V3L2228 SW-SPEED BRAKE TAKE-OFF WARN | 254A1210 91929 | 1 | 31-53-11 P010-00/ / | YC051-YL957, YN231-YN235 |
| S00651 | | V3L-1377 SW-SPEED BRAKE TAKE-OFF WARN | 254A1210 91929 | 1 | 31-53-11 P010-00/ / | YL958-YL999, YN236-YR328 |
| S00653 | | D20011-01 SW-GROUND PROX SYS TEST | 69-37369 81640 | 1 | 34-49-11 P003-07/ / | ALL |
| S00658 | | 62AT22-3 SW-FLAP INHIBIT | 69-37369 91929 | 1 | 34-49-11 P003-07/ / | ALL |
| S00692 | | 1G409 SW-WTR PRESS,CUT-OUT | 417A2510 81205 | 1 | 38-41-13 958/205/R003 | ALL |

EQUIPMENT LIST

D280A108

Section S00600

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| S00718 | | W20161-01 SW-ALT HORN CUTOUT | 69-37334 81640 | 1 | 21-33-11 P005-16/ / | ALL |
| S00742 | | W0443 SW (PROV) | 286A0443 | 1 | 23-51-11 200/ / | ALL |
| S00743 | | W0445 SW (PROV) | 286A0445 | 1 | 23-51-11 200/ / | ALL |
| S00755 | | 10-1468-5 SW-LEFT WINDOW 3 (85F) THERMAL | 280A1502 81205 | 1 | 30-41-11 241/241/L043 | ALL |
| S00756 | | 10-1468-5 SW-RIGHT WINDOW 3 (85F) THERMAL | 280A1502 81205 | 1 | 30-41-12 241/245/R043 | ALL |
| S00762 | | S271T452-3 SW-LEFT BRAKE PEDAL | 65C26817 81205 | 1 | 32-42-11 727/195/L030 | ALL |
| S00763 | | S271T452-3 SW-RIGHT BRAKE PEDAL | 65C26817 81205 | 1 | 32-42-11 727/193/L020 | ALL |
| S00771 | | S271T452-17 SW-HYD PRESS (ELEV ACTR 'A') | 65C19732 81205 | 1 | 22-14-11 1165/282/L010 | ALL |
| S00772 | | S271T452-17 SW-HYD PRESS (AIL ACTR 'B') | 65C19731 81205 | 1 | 22-14-11 673/192/L049 | ALL |
| S00773 | | S271T452-17 SW-HYD PRESS (ELEV ACTR 'B') | 65C19732 81205 | 1 | 22-14-11 1158/287/L010 | ALL |
| S00774 | | S271T452-17 SW-HYD PRESS (AIL ACTR 'A') | 65-44907 81205 | 1 | 22-14-11 668/192/L040 | ALL |
| S00786 | 1 | 2PB11-T2 SW-TAKE-OFF/GO-AROUND | 91929 | 1 | 22-11-14 220/ / | ALL |
| S00786A | 1 | PARTAOFS00786 SW-TAKE-OFF/GO-AROUND | | 1 | 22-11-14 220/ / | ALL |
| S00786B | 1 | PARTBOFS00786 SW-TAKE-OFF/GO-AROUND | | 1 | 22-11-14 220/ / | ALL |
| S00787 | 1 | 2PB11-T2 SW-TAKE-OFF/GO-AROUND | 91929 | 1 | 22-11-14 220/ / | ALL |
| S00787A | 1 | PARTAOFS00787 SW-TAKE-OFF/GO-AROUND | | 1 | 22-11-14 220/ / | ALL |
| S00787B | 1 | PARTBOFS00787 SW-TAKE-OFF/GO-AROUND | | 1 | 22-11-14 220/ / | ALL |

EQUIPMENT LIST

D280A108

Section S00700

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| S00790 | | 62AT22-3 SW-GEAR INHIBIT | 69-37369 91929 | 1 | 34-49-11 P003-07/ / | ALL |
| S00794 | | 10-60552-35 SW-SYSTEM A ELEC 2 PUMP LOW PRESSURE | 65-44590 81205 | 1 | 29-33-11 666/171/L043 | ALL |
| S00795 | | 10-60552-35 SW-SYSTEM B ELEC 1 PUMP LOW PRESSURE | 65-44590 81205 | 1 | 29-33-11 666/181/R022 | ALL |
| S00796 | | 10-60552-35 SW-SYSTEM A ENG 1 PUMP LOW PRESSURE | 65-44580 81205 | 1 | 29-33-11 666/171/L047 | ALL |
| S00797 | | 10-60552-35 SW-SYSTEM B ENG 2 PUMP LOW PRESSURE | 65-44580 81205 | 1 | 29-33-11 666/181/R027 | ALL |
| S00798 | | 10-3207-1 SW-SYSTEM A ELEC 2 PUMP OVERHEAT | 65-44900 81205 | 1 | 29-34-11 673/161/L007 | ALL |
| S00799 | | 10-3207-1 SW-SYSTEM B ELEC 1 PUMP OVERHEAT | 65-44900 81205 | 1 | 29-34-11 675/161/R007 | ALL |

EQUIPMENT LIST

D280A108

Section S00700

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| S00806 | | 21SN41-52 SW-C.T.A.I. DUCT OVERPRESSURE | 332A2300 02750 | 2 | 30-21-11 505/187/166 | ALL |
| S00811 | | S271T452-7 SW-A HYD SELECT VALVE PRESS | 65C26816 81205 | 1 | 32-41-11 706/200/L025 | ALL |
| S00813 | | 214C40-1-110 SW-ALTITUDE PRESS | 284A1223 02750 | 1 | 35-21-11 J023-00/ / | ALL |
| S00822 | | V3L2228 SW-ENGINE 1 WING ANTI-ICE | 251A4430 91929 | 1 | 30-11-11 P8 0212/220/R001 | ALL |
| S00823 | | V3L2228 SW-ENGINE 2 WING ANTI-ICE | 251A4430 91929 | 1 | 30-11-11 P8 0212/220/R001 | ALL |
| S00828 | | 1SX1-H58 T/R 1 CONTROL SWITCH | 254A1240 74059 | 1 | 78-34-11 P008-00/ / | ALL |
| S00829 | | 1SX1-H58 T/R 2 CONTROL SWITCH | 254A1240 74059 | 1 | 78-34-21 P008-00/230/0001 | ALL |
| S00830 | | 10-61226-22 HYD ISLN VLV 2 SNSR,INSTALLED IN M1174 | 10-62018 74059 | 1 | 78-36-20 / / | ALL |
| S00831 | | 10-61226-30 LEFT T/R SLEEVE STOW SENSOR | 81205 | 2 | 78-36-11 NSTA 202/119/L33 | YC056-YD157 |
| S00831 | | 320FW04-5 LEFT T/R SLEEVE STOW SENSOR | 81205 | 2 | 78-36-11 NSTA 202/119/L33 | YD158-YR328 |
| S00831 T | 1 | 315A2709-1 ADAPTER-RFI/EMI SHIELD TERMINATOR | 81205 | 2 | 78-36-11 / / | YC056-YR328 |
| S00831 U | 1 | 202K121-25-0-225 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-36-11 / / | YC056-YR328 |
| S00831 U | 2 | 202K121-25-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-36-11 / / | YC056-YR328 |
| S00831 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 2 | 78-36-11 / / | YC056-YR328 |
| S00831 W | 1 | NAS1149C1063R WASHER- | 96906 | 2 | 78-36-11 / / | YC056-YR328 |
| S00831 X | 1 | NAS1149C1032R WASHER- | 96906 | 2 | 78-36-11 / / | YC056-YR328 |
| S00831 Y | 1 | NAS1149C1016R WASHER- | 96906 | 2 | 78-36-11 / / | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section S00800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|------------------------------|-------------|
| S00832 | | 10-61226-30 RIGHT T/R SLEEVE STOW SENSOR | 81205 | 2 | 78-36-11 NSTA 202/120/R32 | YC056-YD157 |
| S00832 | | 320FW04-5 RIGHT T/R SLEEVE STOW SENSOR | 81205 | 2 | 78-36-11 NSTA 202/120/R32 | YD158-YR328 |
| S00832 T | 1 | 3152709-1 ADAPTER-RFI/EMI SHIELD TERMINATOR | 81205 | 2 | 78-36-11 / / | YC056-YR328 |
| S00832 U | 1 | 202K121-25-0-225 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-36-11 / / | YC056-YR328 |
| S00832 U | 2 | 202K121-25-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-36-11 / / | YC056-YR328 |
| S00832 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 2 | 78-36-11 / / | YC056-YR328 |
| S00832 W | 1 | NAS1149C1063R WASHER- | 96906 | 2 | 78-36-11 / / | YC056-YR328 |
| S00832 X | 1 | NAS1149C1032R WASHER- | 96906 | 2 | 78-36-11 / / | YC056-YR328 |
| S00832 Y | 1 | NAS1149C1016R WASHER- | 96906 | 2 | 78-36-11 / / | YC056-YR328 |
| S00833 | | 10-61226-22 HYD ISLN VLV 1 SNSR INSTALLED IN M1173 | 10-62018 74059 | 1 | 78-36-11 / / | ALL |
| S00834 | | 10-61226-22 DCV 1 SNSR INSTALLED IN M1173 | 10-62018 74059 | 1 | 78-36-11 / / | ALL |
| S00835 | | 10-61226-30 LEFT T/R SLEEVE LOCK SENSOR | 81205 | 2 | 78-36-11 NSTA 197/127/L27 | YC056-YD157 |
| S00835 | | 320FW04-5 LEFT T/R SLEEVE LOCK SENSOR | 81205 | 2 | 78-36-11 NSTA 197/127/L27 | YD158-YR328 |
| S00835 T | 1 | 315A2709-1 ADAPTER-RFI/EMI SHIELD TERMINATOR | 81205 | 2 | 78-36-11 / / | YC056-YR328 |
| S00835 U | 1 | 202K121-25-0-225 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-36-11 / / | YC056-YR328 |
| S00835 U | 2 | 202K121-25-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-36-11 / / | YC056-YR328 |
| S00835 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 2 | 78-36-11 / / | YC056-YR328 |

EQUIPMENT LIST

D280A108

Section S00800

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| S00835 W | 1 | NAS1149C1063R WASHER- | 96906 | 4 | 78-36-11 / / | YC056-YR328 |
| S00835 X | 1 | NAS1149C1032R WASHER- | 96906 | 2 | 78-36-11 / / | YC056-YR328 |
| S00835 Y | 1 | NAS1149C1016R WASHER- | 96906 | 4 | 78-36-11 / / | YC056-YR328 |
| S00836 | | 320FW04-5 RIGHT T/R SLEEVE LOCK SENSOR | 81205 | 2 | 78-36-11 NSTA 197/128/R26 | YC056-YR328 |
| S00836 T | 1 | 315A2709-1 ADAPTER-RF/EMI SHIELD TERMINATOR | 81205 | 2 | 78-36-11 / / | YC056-YR328 |
| S00836 U | 1 | 202K121-25-225-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-36-11 / / | YC056-YR328 |
| S00836 U | 2 | 202K121-25-0 STRAIGHT, LIPPED BOOT | 06090 | 2 | 78-36-11 / / | YC056-YR328 |
| S00836 V | 1 | BACB42F3 BAND-SHIELD TERMINATOR | 81205 | 2 | 78-36-11 / / | YC056-YR328 |
| S00836 W | 1 | NAS1149C1063R WASHER- | 96906 | 4 | 78-36-11 / / | YC056-YR328 |
| S00836 X | 1 | NAS1149C1032R WASHER- | 96906 | 2 | 78-36-11 / / | YC056-YR328 |
| S00836 Y | 1 | NAS1149C1016R WASHER- | 96906 | 4 | 78-36-11 / / | YC056-YR328 |
| S00839 | | 10-61226-22 DCV 2 SNSR,INSTALLED IN M1174 | 10-62018 74059 | 1 | 78-36-21 / / | ALL |
| S00844 | | 32EN21-4 SW-ELECT STAB TRIM-NOSE DN FLP UP | 251A4700 91929 | 1 | 27-41-12 1082/278/L006 | YC051-YL955, YN231-YN235 |
| S00844 | | 35EN27-4 SW-ELECT STAB TRIM-NOSE DN FLP UP | 251A4700 91929 | 1 | 27-41-12 1082/278/L006 | YL956-YL999, YN236-YN501 |
| S00844 | | 35EN24-4 SW-ELECT STAB TRIM-NOSE DN FLP UP | 251A4700 91929 | 1 | 27-41-12 1082/278/L006 | YR301-YR328 |
| S00845 | | 10-61226-29 SW- #1 NOSE GEAR DOWN SENSOR | 81205 | 1 | 32-64-11 260/200/L10 | YC051-YL959, YN231-YN235 |
| S00845 | | 10-61226-45 SW- #1 NOSE GEAR DOWN SENSOR | 81205 | 1 | 32-64-11 260/200/L10 | YL963-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section S00800

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| S00846 | | 10-61226-29 SW- #1 NOSE GESR LOCKED SENSOR | 81205 | 1 | 32-64-11 280/170/L0.0 | YC051-YL964, YN231-YN235 |
| S00846 | | 10-61226-45 SW- #1 NOSE GESR LOCKED SENSOR | 81205 | 1 | 32-64-11 280/170/L0.0 | YL965-YL999, YN236-YR328 |
| S00853 | | 10-61226-29 SW- #2 NOSE GEAR DOWN SENSOR | 81205 | 1 | 32-64-12 261/190/R10 | YC051-YL959, YN231-YN235 |
| S00853 | | 10-61226-45 SW- #2 NOSE GEAR DOWN SENSOR | 81205 | 1 | 32-64-12 261/190/R10 | YL963-YL999, YN236-YR328 |
| S00854 | | 10-61226-29 SW- #2 NOSE GEAR LOCKED SENSOR | 81205 | 1 | 32-64-12 280/170/R0.0 | YC051-YL964, YN231-YN235 |
| S00854 | | 10-61226-45 SW- #2 NOSE GEAR LOCKED SENSOR | 81205 | 1 | 32-64-12 280/170/R0.0 | YL965-YL999, YN236-YR328 |
| S00855 | | S271T452-16 SW-HYDRAULIC SYSTEM B EDP PRESSURE | 69-74476 81205 | 1 | 29-25-11 667/179/R031 | ALL |
| S00858 | | 4TL187-12 SW-ENG IGN | 233A3301 74059 | 1 | 74-31-11 P005-00/ / | ALL |
| S00870 | | MS24524-23 SW-EQUIP COOLING SUPPLY | 233A3101 96906 | 1 | 21-27-31 P005-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section S00800

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| S00918 | | 10AT96-2 SW-SPEED BRAKE HANDLE POS SW | 251A1911 96906 | 1 | 27-62-21 178/200/L030 | ALL |
| S00931 | | S210T130-18 SW-CONTROL CABIN DUCT OVERHEAT | 214A1002 81205 | 1 | 21-61-11 373/194/L058 | YC051-YL999, YR301-YR328 |
| S00934 | | 641172-1 SW-LEFT PACK DISCHARGE OVERHEAT | 213A1002 70210 | 1 | 21-51-15 520/160/L017 | YC051-YL999, YR301-YR328 |
| S00935 | | 641172-1 SW-RIGHT PACK DISCHARGE OVERHEAT | 214A3003 70210 | 1 | 21-51-25 521/160/R015 | YC051-YL999, YR301-YR328 |
| S00938 | | 572757-1 SW-LEFT ACM OVHT/210 DEGREES THERMAL | 213A1002 70210 | 1 | 21-51-15 577/162/L031 | YC051-YL999, YR301-YR328 |
| S00939 | | 572757-1 SW-RIGHT ACM OVHT/210 DEGREE THERMAL | 213A1002 70210 | 1 | 21-51-25 578/165/R031 | YC051-YL999, YR301-YR328 |
| S00942 | | 402-167 SW-RADIO FREQUENCY COAXIAL | 287A4116 00471 | 1 | 34-53-31 316/163/L025 | ALL |
| S00943 | | 402-167 SW-RADIO FREQUENCY COAXIAL | 287A4116 00471 | 1 | 34-53-31 316/163/L025 | ALL |
| S00945 | | 8102-0403 SW-WATER PRESSURE PROX | 417A2516 81205 | 1 | 38-41-13 915/165/R010 | ALL |
| S00959 | | MS24525-23 SW-BATT | 69-37321 96906 | 1 | 24-31-12 P005-13/ / | ALL |
| S00960 | | 10-62215-1 SW-FWD CARGO DOOR IND | 284A0331 81205 | 1 | 52-71-12 441/164/R042 | YC051-YL952, YN231-YN233 |
| S00960 | | 63028 SW-FWD CARGO DOOR IND | 284A0331 81205 | 1 | 52-71-12 441/164/R042 | YL953-YL999, YN234-YR328 |
| S00961 | | 10-62215-1 SW-AFT CARGO DOOR IND | 284A0341 81205 | 1 | 52-71-12 797/170/R041 | YC051-YL952, YN231-YN233 |
| S00961 | | 63028 SW-AFT CARGO DOOR IND | 284A0341 81205 | 1 | 52-71-12 797/170/R041 | YL953-YL999, YN234-YR328 |
| S00989 | | 2PB11-H58 SWITCH-PTT FIRST-OFFICERS GLARESHIELD | 233A8200 91929 | 1 | 23-51-02 P007-00/ / | YL951-YR328 |
| S00994 | | 10-61226-29 SNSR-LEADING EDGE SLAT 1 OUTBOARD | 256A2284 81205 | 1 | 27-81-12 714/FSS/L | YC051-YL959, YN231-YN235 |
| S00994 | | 10-61226-45 SNSR-LEADING EDGE SLAT 1 OUTBOARD | 256A2284 81205 | 1 | 27-81-12 714/FSS/L | YL963-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section S00900

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| S00995 | | 10-61226-29 SNSR-LEADING EDGE SLAT 1 INBOARD | 256A2284 81205 | 1 | 27-81-12 659/FSS/L | YC051-YL959, YN231-YN235 |
| S00995 | | 10-61226-45 SNSR-LEADING EDGE SLAT 1 INBOARD | 256A2284 81205 | 1 | 27-81-12 659/FSS/L | YL963-YL999, YN236-YR328 |
| S00996 | | 10-61226-29 SNSR-LEADING EDGE SLAT 2 OUTBOARD | 256A2284 81205 | 1 | 27-81-12 583/FSS/L | YC051-YL959, YN231-YN235 |
| S00996 | | 10-61226-45 SNSR-LEADING EDGE SLAT 2 OUTBOARD | 256A2284 81205 | 1 | 27-81-12 583/FSS/L | YL963-YL999, YN236-YR328 |
| S00997 | | 10-61226-29 SNSR-LEADING EDGE SLAT 2 INBOARD | 256A2284 81205 | 1 | 27-81-12 533/FSS/L | YC051-YL959, YN231-YN235 |
| S00997 | | 10-61226-45 SNSR-LEADING EDGE SLAT 2 INBOARD | 256A2284 81205 | 1 | 27-81-12 533/FSS/L | YL963-YL999, YN236-YR328 |
| S00998 | | 10-61226-29 SNSR-LEADING EDGE SLAT 3 OUTBOARD | 256A2284 81205 | 1 | 27-81-12 466/FSS/L | YC051-YL959, YN231-YN235 |
| S00998 | | 10-61226-45 SNSR-LEADING EDGE SLAT 3 OUTBOARD | 256A2284 81205 | 1 | 27-81-12 466/FSS/L | YL963-YL999, YN236-YR328 |
| S00999 | | 10-61226-29 SNSR-LEADING EDGE SLAT 3 INBOARD | 265A2284 81205 | 1 | 27-81-12 415/FSS/L | YC051-YL959, YN231-YN235 |
| S00999 | | 10-61226-45 SNSR-LEADING EDGE SLAT 3 INBOARD | 265A2284 81205 | 1 | 27-81-12 415/FSS/L | YL963-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section S00900

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| S01000 | | 10-61226-29 SNSR-LEADING EDGE SLAT 4 OUTBOARD | 265A2284 81205 | 1 | 27-81-12 349/ /RFS | YC051-YL959, YN231-YN235 |
| S01000 | | 10-61226-45 SNSR-LEADING EDGE SLAT 4 OUTBOARD | 265A2284 81205 | 1 | 27-81-12 349/ /RFS | YL963-YL999, YN236-YR328 |
| S01001 | | 10-61226-29 SNSR-LEADING EDGE SLAT 4 INBOARD | 265A2284 81205 | 1 | 27-81-12 300/ /RFS | YC051-YL959, YN231-YN235 |
| S01001 | | 10-61226-45 SNSR-LEADING EDGE SLAT 4 INBOARD | 265A2284 81205 | 1 | 27-81-12 300/ /RFS | YL963-YL999, YN236-YR328 |
| S01002 | | 10-61226-29 SNSR-LEADING EDGE SLAT 5 OUTBOARD | 256A2284 81205 | 1 | 27-81-22 349/ /RFS | YC051-YL959, YN231-YN235 |
| S01002 | | 10-61226-45 SNSR-LEADING EDGE SLAT 5 OUTBOARD | 256A2284 81205 | 1 | 27-81-22 349/ /RFS | YL963-YL999, YN236-YR328 |
| S01003 | | 10-61226-29 SNSR-LEADING EDGE SLAT 5 INBOARD | 256A2284 81205 | 1 | 27-81-22 300/ /RFS | YC051-YL959, YN231-YN235 |
| S01003 | | 10-61226-45 SNSR-LEADING EDGE SLAT 5 INBOARD | 256A2284 81205 | 1 | 27-81-22 300/ /RFS | YL963-YL999, YN236-YR328 |
| S01004 | | 10-61226-29 SNSR-LEADING EDGE SLAT 6 OUTBOARD | 256A2284 81205 | 1 | 27-81-22 466/ /RFS | YC051-YL959, YN231-YN235 |
| S01004 | | 10-61226-45 SNSR-LEADING EDGE SLAT 6 OUTBOARD | 256A2284 81205 | 1 | 27-81-22 466/ /RFS | YL963-YL999, YN236-YR328 |
| S01005 | | 10-61226-29 SNSR-LEADING EDGE SLAT 6 INBOARD | 256A2284 81205 | 1 | 27-81-22 415/ /RFS | YC051-YL959, YN231-YN235 |
| S01005 | | 10-61226-45 SNSR-LEADING EDGE SLAT 6 INBOARD | 256A2284 81205 | 1 | 27-81-22 415/ /RFS | YL963-YL999, YN236-YR328 |
| S01006 | | 10-61226-29 SNSR-LEADING EDGE SLAT 7 OUTBOARD | 256A2284 81205 | 1 | 27-81-22 583/ / | YC051-YL959, YN231-YN235 |
| S01006 | | 10-61226-45 SNSR-LEADING EDGE SLAT 7 OUTBOARD | 256A2284 81205 | 1 | 27-81-22 583/ / | YL963-YL999, YN236-YR328 |
| S01007 | | 10-61226-29 SNSR-LEADING EDGE SLAT 7 INBOARD | 256A2284 81205 | 1 | 27-81-22 533/ /RFS | YC051-YL959, YN231-YN235 |
| S01007 | | 10-61226-45 SNSR-LEADING EDGE SLAT 7 INBOARD | 256A2284 81205 | 1 | 27-81-22 533/ /RFS | YL963-YL999, YN236-YR328 |
| S01008 | | 10-61226-29 SNSR-LEADING EDGE SLAT 8 OUTBOARD | 256A2284 81205 | 1 | 27-81-22 715/RFS/ | YC051-YL959, YN231-YN235 |

EQUIPMENT LIST

D280A108

Section S01000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| S01008 | | 10-61226-45 SNSR-LEADING EDGE SLAT 8 OUTBOARD | 256A2284 81205 | 1 | 27-81-22 715/RFS/ | YL963-YL999, YN236-YR328 |
| S01009 | | 10-61226-29 SNSR-LEADING EDGE SLAT 8 INBOARD | 256A2284 81205 | 1 | 27-81-22 660/RFS/ | YC051-YL959, YN231-YN235 |
| S01009 | | 10-61226-45 SNSR-LEADING EDGE SLAT 8 INBOARD | 256A2284 81205 | 1 | 27-81-22 660/RFS/ | YL963-YL999, YN236-YR328 |
| S01010 | | 10-61226-29 SW- #1 R GEAR ON GROUND | 81205 | 1 | 32-31-11 695/135/R120 | YC051-YL959, YN231-YN235 |
| S01010 | | 10-61226-45 SW- #1 R GEAR ON GROUND | 81205 | 1 | 32-31-11 695/135/R120 | YL963-YL999, YN236-YR328 |
| S01011 | | 10-61226-29 SW- #2 R GEAR ON GROUND | 81205 | 1 | 32-31-12 700/135/R110 | YC051-YL959, YN231-YN235 |
| S01011 | | 10-61226-45 SW- #2 R GEAR ON GROUND | 81205 | 1 | 32-31-12 700/135/R110 | YL963-YL999, YN236-YR328 |
| S01012 | | 10-61226-29 SW- #1 L GEAR ON GROUND | 81205 | 1 | 32-31-11 695/135/L115 | YC051-YL959, YN231-YN235 |
| S01012 | | 10-61226-45 SW- #1 L GEAR ON GROUND | 81205 | 1 | 32-31-11 695/135/L115 | YL963-YL999, YN236-YR328 |
| S01013 | | 10-61226-29 SW- #2 L GEAR ON GROUND | 81205 | 1 | 32-31-12 695/135/L110 | YC051-YL959, YN231-YN235 |
| S01013 | | 10-61226-45 SW- #2 L GEAR ON GROUND | 81205 | 1 | 32-31-12 695/135/L110 | YL963-YL999, YN236-YR328 |
| S01014 | | 10-61226-29 SW- #1 NOSE GEAR ON GND | 81205 | 1 | 32-31-11 300/135/L0.0 | YC051-YL959, YN231-YN235 |
| S01014 | | 10-61226-45 SW- #1 NOSE GEAR ON GND | 81205 | 1 | 32-31-11 300/135/L0.0 | YL963-YL999, YN236-YR328 |
| S01015 | | 10-61226-29 SW- #2 NOSE GEAR ON GROUND | 81205 | 1 | 32-31-12 300/135/R0.0 | YC051-YL959, YN231-YN235 |
| S01015 | | 10-61226-45 SW- #2 NOSE GEAR ON GROUND | 81205 | 1 | 32-31-12 300/135/R0.0 | YL963-YL999, YN236-YR328 |
| S01016 | | 10-61226-29 SW- #2 L MLG UP + LOCKED SNSR | 161A6100 81205 | 1 | 32-64-12 695/188/L056 | YC051-YL959, YN231-YN235 |
| S01016 | | 10-61226-45 SW- #2 L MLG UP + LOCKED SNSR | 161A6100 81205 | 1 | 32-64-12 695/188/L056 | YL963-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section S01000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| S01017 | | 10-61226-29 SW- #2 R MLG UP + LOCKED SNSR | 161A6100 81205 | 1 | 32-64-12 695/188/R020 | YC051-YL959, YN231-YN235 |
| S01017 | | 10-61226-45 SW- #2 R MLG UP + LOCKED SNSR | 161A6100 81205 | 1 | 32-64-12 695/188/R020 | YL963-YL999, YN236-YR328 |
| S01024 | | P6-330012 SW-ENGINE 1 START LEVER CH A | 254A1210 21649 | 1 | 76-21-11 P008-00/ / | ALL |
| S01025 | 2 | P6-330012 SW-ENG 1 START LEVER CH B | 254A1210 21647 | 1 | 76-21-11 P008-00/ / | ALL |
| S01026 | | P6-330012 SW-ENG 1 FUEL HPSOV | 254A1210 21649 | 1 | 76-21-11 P008-00/ / | ALL |
| S01027 | | P6-330012 SW-ENGINE 2 START LEVER CH A | 254A1210 21649 | 1 | 76-21-21 P008-00/ / | ALL |
| S01028 | | P6-330012 SW-ENG 2 START LEVER CH B | 254A1210 21649 | 1 | 76-21-21 P008-00/ / | ALL |
| S01029 | | P6-330012 SW-ENG 2 FUEL HPSOV | 254A1210 21649 | 1 | 76-21-21 P008-00/ / | ALL |
| S01033 | | 214C40-1-77 SW-ALTITUDE PRESSURE | 417A8610 81205 | 1 | 38-32-12 1039/231/L046 | ALL |
| S01034 | | 2651-278-21 SW-DRAIN VALVE PROXIMITY | 417A8630 81205 | 1 | 38-32-12 860/177/L030 | ALL |
| S01039 | | P6-330012 SW-FLAP HANDLE 30 OR 40 | 254A1221 21649 | 1 | 27-54-11 P008-00/ / | YC051-YN501 |
| S01039 | | P6-330012 SW-FLAP HANDLE 10 TO 40 | 254A1221 21649 | 1 | 27-54-11 P008-00/ / | YR301-YR328 |
| S01042 | | RBDSC-1 DIP SWITCH-GPWS | 284A2710 09922 | 1 | 34-49-11 E001-01/ / | YC051-YC052 |
| S01042 | 1 | RBDSC-1 DIP SWITCH - GPWS | 284A2710 | 1 | 34-49-11 E001-01/ / | YC051-YC052 |
| S01049 | | S271T452-3 SW-GROUND SPOILER UP PRESS | 251A1730 81205 | 1 | 31-53-11 676/194/RB67 | ALL |
| S01050 | | 10-61226-29 SNSR-GROUND SPOILER INTERLOCK VALVE CL | 251A1730 81205 | 1 | 31-53-11 596/194/R067 | ALL |
| S01051 | | 426EN10-8 SW-TRAILING EDGE FLAPS UP | 91929 | 1 | 27-23-11 634/195/R052 | YC051-YD152, YD154-YD157 |

EQUIPMENT LIST

D280A108

Section S01000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| S01051 | | 426EN10-8 SW-TRAILING EDGE FLAPS UP | 91929 | 1 | 27-31-37 634/195/R052 | YD153 |
| S01051 | | 426HE13-8 SW-TRAILING EDGE FLAPS UP | 91929 | 1 | 27-23-11 634/195/R052 | YD158 |
| S01051 | | 426HE13-8 SW-TRAILING EDGE FLAPS UP | 91929 | 1 | 27-31-37 634/195/R052 | YL951-YL954, YN231-YN235 |
| S01051 | | 426HE15-R SW-TRAILING EDGE FLAPS UP | TBD-0000 91929 | 1 | 27-23-11 634/195/R052 | YL955-YL999, YN236-YR328 |
| S01056 | | RBDSC-1 DIP SWITCH - AUTOPILOT SYS A | 284A2710 | 1 | 22-11-75 E001-01/ / | YC051-YD155 |
| S01057 | | RBDSC-1 DIP SWITCH - AUTOPILOT SYS B | 284A2710 | 1 | 22-11-75 E001-01/ / | YC051-YD155 |
| S01058 | | RBDSC-1 DIP SWITCH - AUTOTHROTTLE | 284A2710 | 0 | 22-31-11 E001-01/ / | ALL |
| S01060 | | MS25011-2 SW-MANUAL EXTENSION LIMIT (737-800) | 273A4600 96906 | 1 | 32-35-11 252/207/R013 | YC051-YL968 |
| S01060 | | MS25011-2 SW-MANUAL EXTENSION LIMIT (737-700) | 273A4600 96906 | 1 | 32-35-11 252/207/R013 | YN231-YN236, YN501 |
| S01076 | | S210T130-18 SW-ZONE DUCT OVERHEAT | 214A2011 81205 | 1 | 21-61-13 500F+10/298/L014 | YC051-YL999, YR301-YR328 |
| S01077 | | S210T130-18 SW-AFT CABIN DUCT OVERHEAT | 214A2011 81205 | 1 | 21-61-14 534/298/R014 | YC051-YL999, YR301-YR328 |
| S01078 | | MS24524-23-MICROSWITCHP-N69AT39-3- SW-LEFT FRONT 1 WINDSHIELD SENSOR | 287A4352 81205 | 1 | 30-41-11 AB0372/187/R050 | ALL |
| S01079 | | MS24524-23-MICROSWITCHP-N69AT39-3- SW-RIGHT FRONT 1 WINDSHIELD SENSOR | 287A4352 81205 | 1 | 30-41-12 AB0372/189/R049 | ALL |
| S01084 | | MS25008-1 SW-BELLY LOADER (BFE/STC)(PROV) | 34-10320 | 1 | 25-51-21 788/199/R059 | YC051-YL999 |
| S01084 | | MIL-S-8805-31 SW-BELLY LOADER (BFE/STC) | 34-10320 | 1 | 25-51-21 788/199/R059 | YR301-YR328 |
| S01090 | | P6-330012 SW-FLAP HANDLE UP | 254A1221 21649 | 1 | 27-81-51 P008-00/ / | ALL |
| S01091 | | 2PB11-H58 SWITCH-PTT CAPTAIN'S GLARESHIELD | S242A801 81640 | 1 | 23-51-02 200/ / | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section S01000

Page 4

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| S01094 | | S256W408-1 SNSR-LE SLAT 2 RETRACT | 256A2284 81205 | 1 | 27-81-12 / / | ALL |
| S01095 | | S256W408-1 SNSR-LE SLAT 3 RETRACT | 256A2284 81205 | 1 | 27-81-12 / / | ALL |
| S01096 | | S256W408-1 SNSR-LE SLAT 4 RETRACT | 256A2284 81205 | 1 | 27-81-12 / / | ALL |
| S01097 | | S256W408-1 SNSR-LE SLAT 5 RETRACT | 256A2284 81205 | 1 | 27-81-22 / / | ALL |
| S01098 | | S256W408-1 SNSR-LE SLAT 6 RETRACT | 256A2284 81205 | 1 | 27-81-22 / / | ALL |
| S01099 | | S256W408-1 SNSR-LE SLAT 7 RETRACT | 256A2284 81205 | 1 | 27-81-22 / / | ALL |

EQUIPMENT LIST

D280A108

Section S01000
Page 5 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| S01104 | | 63026-1 SW-OVERWING DOOR-LEFT AFT-A | 284A0353 | 1 | 52-71-13 616/259/L067 | ALL |
| S01105 | | 63026-2 SW-OVERWING DOOR-LEFT AFT-B | 284A0353 | 1 | 52-71-13 639/259/L067 | ALL |
| S01106 | | 63026-2 SW-OVERWING DOOR-RIGHT AFT-A | 284A0353 | 1 | 52-71-14 616/259/R067 | ALL |
| S01107 | | 63026-1 SW-OVERWING DOOR-RIGHT AFT-B | 284A0353 | 1 | 52-71-14 639/259/R067 | ALL |
| S01108 | | 63026-1 SW-OVERWING DOOR-LEFT FWD-A | 284A0353 | 1 | 52-71-13 578/259/L067 | YC051-YL999, YR301-YR328 |
| S01109 | | 63026-2 SW-OVERWING DOOR-LEFT FWD-B | 284A0353 | 1 | 52-71-13 601/259/L067 | YC051-YL999, YR301-YR328 |
| S01110 | | 63026-2 SW-OVERWING DOOR-RIGHT FWD-A | 284A0353 | 1 | 52-71-14 578/259/R067 | YC051-YL999, YR301-YR328 |
| S01111 | | 63026-1 SW-OVERWING DOOR-RIGHT FWD-B | 284A0353 | 1 | 52-71-14 601/259/R067 | YC051-YL999, YR301-YR328 |
| S01112 | | 38HM65 SW-OVERWING FLIGHT LOCK-LEFT | 258A4701 | 1 | 52-71-13 633/256/L068 | ALL |
| S01113 | | 38HM65 SW-OVERWING FLIGHT LOCK-LEFT FWD | 258A4701 | 1 | 52-71-13 595/256/L068 | YC051-YL999, YR301-YR328 |
| S01114 | | 38HM65 SW-OVERWING FLIGHT LOCK-RIGHT | 258A4701 | 1 | 52-71-14 621/256/R068 | ALL |
| S01115 | | 38HM65 SW-OVERWING FLIGHT LOCK-RIGHT FWD | 258A4701 | 1 | 52-71-14 583/256/R068 | YC051-YL999, YR301-YR328 |
| S01116 | | VENDORSUPPLIEDSEEIPCFORP-NINFO MAGNETIC PLUG | 332A2000 12812 | 2 | 79-33-11 ENG/ / | YC053-YR328 |
| S01117 | | VENDORSUPPLIEDSEEIPCFORP-NINFO MAGNETIC PLUG | 332A2000 12812 | 2 | 79-33-11 ENG/ / | YC053-YR328 |
| S01118 | | VENDORSUPPLIEDSEEIPCFORP-NINFO MAGNETIC PLUG | 332A2000 12812 | 2 | 79-33-11 ENG/ / | YC053-YR328 |
| S01120 | | MS24523-23 SW-TERRAIN OVERRIDE | 69-37369 91929 | 1 | 34-49-11 P003-07/ / | YC053-YR328 |
| S01127 | | MS24525-23 SW-GEAR DOWN DISPATCH SWITCH | 284A2211 96906 | 1 | 34-21-12 358/166/R007 | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section S01100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| S01129 | | 5849539-1 SW - NGS THERMAL SWITCH | 212A5001 70210 | 1 | 47-30-11 654/161/L066 | YL951-YL999, YN232-YR328 |
| S01131 | | 80-057-01 SW-SPEED BRAKE GND PROX | 251A1730 08748 | 1 | 27-62-11 675/194/R068 | YL953-YL999, YR301-YR328 |
| S01147 | 9 | 602EN1-6 SW - FWD ENTRY DOOR (SB 52-1159) | 284A0322 91929 | 1 | 52-71-11 347.4/270/53.9 | YC051-YD158 |
| S01147 | | 602EN1-6 SW - FWD ENTRY DOOR | 284A0322 91929 | 1 | 52-71-11 347.4/270/53.9 | YD160-YR328 |
| S01148 | | 82PB19-H58 SW-ATTENDANTS CALL | 233A3301 81640 | 1 | 23-42-11 P005-00/ / | YL951-YR328 |
| S01153 | 9 | 214C50-2 SW-CABIN PRESS (SB-21-1165) | 216A5001 81205 | 1 | 21-33-11 196/208/L0.4 | YC060-YC064 |
| S01153 | | 10-2638-4 SW-CABIN PRESS | 216A5001 81205 | 1 | 21-33-11 196/208/L0.4 | YL952-YL999, YN232-YR328 |
| S01182 | | SEEPARTA-B SW-COCKIT DOOR ENTRY DIMMING (737-800) | 417A1700 | 1 | 33-29-11 280/280/R011 | YD154-YD157, YR301-YR328 |
| S01182 | | SEEPARTA-B SW-COCKIT DOOR ENTRY DIMMING (737-800) | 417A1700 | 1 | SPARE 280/280/R011 | YD158-YL999 |
| S01182 | | SEEPARTA-B SW-COCKIT DOOR ENTRY DIMMING (737-700) | 417A1700 | 1 | SPARE 280/280/R011 | YN231-YN260 |
| S01182 | | SEEPARTA-B SW-COCKIT DOOR ENTRY DIMMING (737-700) | 417A1700 | 1 | 33-29-11 280/280/R011 | YN501 |
| S01182A | | 60B40018-32 SW-COCKIT DOOR ENTRY DIM-ACTUATOR (-800) | 417A1700 | 1 | 33-29-11 280/280/R011 | YD154-YD157, YR301-YR328 |
| S01182A | | 60B40018-32 SW-COCKIT DOOR ENTRY DIM-ACTUATOR (-800) | 417A1700 | 1 | SPARE 280/280/R011 | YD158-YL999 |
| S01182A | | 60B40018-32 SW-COCKIT DOOR ENTRY DIM-ACTUATOR (-700) | 417A1700 | 1 | SPARE 280/280/R011 | YN231-YN260 |
| S01182A | | 60B40018-32 SW-COCKIT DOOR ENTRY DIM-ACTUATOR (-700) | 417A1700 | 1 | 33-29-11 280/280/R011 | YN501 |
| S01182B | | 60B40018-42 SW-COCKIT DOOR ENTRY DIM-SENSOR (-800) | 417A1700 | 1 | 33-29-11 280/280/R011 | YD154-YD157, YR301-YR328 |
| S01182B | | 60B40018-42 SW-COCKIT DOOR ENTRY DIM-SENSOR (-800) | 417A1700 | 1 | SPARE 280/280/R011 | YD158-YL999 |

EQUIPMENT LIST

D280A108

Section S01100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| S01182B | | 60B40018-42 SW-COCKIT DOOR ENTRY DIM-SENSOR (-700) | 417A1700 | 1 | SPARE 280/280/R011 | YN231-YN260 |
| S01182B | | 60B40018-42 SW-COCKIT DOOR ENTRY DIM-SENSOR (-700) | 417A1700 | 1 | 33-29-11 280/280/R011 | YN501 |
| S01183 | | 35EN24-4 SW-NOSE DOWN STAB TAKE-OFF WARN | 251A4700 91929 | 1 | 31-53-11 1079/282/L014 | YL956-YL999, YR301-YR328 |
| S01183 | | 35EN24-4 SW-NOSE DOWN STAB TAKE-OFF WARN | 251A4700 91929 | 1 | 31-53-11 1079/280/L014 | YN236-YN501 |
| S01184 | | 35EN24-4 SW-NOSE UP STAB TAKE-OFF WARN | 251A4700 91929 | 1 | 31-53-11 1079/267/L017 | YL956-YL999, YR301-YR328 |
| S01184 | | 35EN24-4 SW-NOSE UP STAB TAKE-OFF WARN | 251A4700 91929 | 1 | 31-53-11 1079/265/L017 | YN236-YN501 |
| S01186 | | P6-340012 SW-MANUAL EXTENSION LIMIT (737-800) | 273A4600 21649 | 1 | 32-35-11 247/206/R013 | YL969-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section S01100

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| T00006 | | 10-60828-15 XFMR-28V AC | 284A0205 81205 | 1 | 24-53-11 385/160/R027 | ALL |
| T00010 | | 10-60828-15 XFMR-28V AC | 284A0205 81205 | 1 | 24-53-11 386/159/L026 | ALL |
| T00011 | | 10-3257-6 TRANSFORMER RECTIFIER UNIT-1 | 284A0420 81205 | 1 | 24-32-11 E002-01/ / | YC051-YC058 |
| T00011 | | 10-3257-6 TRANSFORMER RECTIFIER UNIT-1 | 284A0421 81205 | 1 | 24-32-11 E002-01/ / | YC059-YR328 |
| T00012 | | 10-3257-6 TRANSFORMER RECTIFIER UNIT-2 | 284A0440 81205 | 1 | 24-32-11 E004-02/ / | YC051-YC058 |
| T00012 | | 10-3257-6 TRANSFORMER RECTIFIER UNIT-2 | 284A0441 81205 | 1 | 24-32-11 E004-02/ / | YC059-YR328 |
| T00013 | | 10-3257-6 TRANSFORMER RECTIFIER UNIT-3 | 284A0440 81205 | 1 | 24-32-11 E004-02/ / | YC051-YC058 |
| T00013 | | 10-3257-6 TRANSFORMER RECTIFIER UNIT-3 | 284A0441 81205 | 1 | 24-32-11 E004-02/ / | YC059-YR328 |
| T00028 | | BACT44C-0250 TERMINAL BLOCK TRACK- 6 POSITIONS | 65-52259 | 0 | 78-32-51 J002-00/0/ | ALL |
| T00031 | | 16432 XFMR-VARIABLE P5 LIGHTING 0V/28V | 233A3303 58474 | 1 | 33-12-11 P005-00/ / | ALL |
| T00033 | | 10-60828-9 XFMR-LIGHTING 28V/5V | 233A5201 81205 | 1 | 33-12-11 P006-00/ / | ALL |
| T00034 | | 10-60828-9 XFMR-LIGHTING 28V/5V | 233A5201 81205 | 1 | 33-12-11 P006-00/ / | ALL |
| T00036 | | 10-60828-11 XFMR-28V AC | S281A601 07217 | 1 | 24-53-11 P091-00/ / | ALL |
| T00037 | | 10-60828-11 XFMR-28V AC | S281A601 07217 | 1 | 24-53-11 P092-00/ / | ALL |
| T00038 | | 10-60828-11 XFMR-28V AC | 65-52259 81205 | 1 | 24-53-11 P018-00/ / | ALL |
| T00039 | | 16432 XFMR-VARIABLE P8 LTG 0V/28V | 69-76435 95266 | 1 | 33-11-41 P008-50/ / | ALL |
| T00040 | | 69071111 XFMR-LIGHTING 28V/5V J19 | 284A1202 81205 | 1 | 33-11-41 251/204/R002 | ALL |

EQUIPMENT LIST

D280A108

Section T00000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| T00043 | | 10-60828-10 XFMR-LANDING LIGHT LEFT FIXED | 284A0173 81205 | 1 | 33-42-11 520/193/L080 | ALL |
| T00044 | | 10-60828-10 XFMR-LANDING LIGHT RIGHT FIXED | 284A0173 81205 | 1 | 33-42-11 520/193/R080 | ALL |
| T00052 | | 10-60828-15 XFMR-28V AC | 65-52259 81205 | 1 | 24-53-11 P006-00/ / | ALL |
| T00060 | | 6430A CONTROL-CB PNL LIGHTS,0-28V | 233A3303 95266 | 1 | 33-14-12 P005-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section T00000

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| T00184 | | 10-60554-41 XMTR-SYSTEM B HYDRAULIC QUANTITY | 276A3100 81205 | 1 | 29-31-11 678/194/R043 | ALL |
| T00185 | 1 | S271W731-1 XMTR-BRAKE PRESSURE | 274A1520 81205 | 1 | 29-32-11 725/166/R028 | ALL |
| T00185 | 2 | 10-62254-1 XMTR-BRAKE PRESSURE | 274A1520 81205 | 1 | 29-32-11 725/166/R028 | ALL |
| T00195 | | 437-1 CT-GND FAULT SYS A ELEC HYDRAULIC PUMP | S281A601 16340 | 1 | 29-11-12 P092-00/ / | ALL |
| T00196 | | 437-1 CT-GND FAULT SYS B ELEC HYDRAULIC PUMP | S281A601 16340 | 1 | 29-11-12 P091-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section T00100
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| T00203 | | MS27212-1-12 TS-INPH E/R | 65-63810 96906 | 1 | 23-41-01 351/155/L015 | ALL |
| T00205 | | MS27212-1-6 TS-INPH W/W | 65-45401 96906 | 1 | 23-41-01 540/188/L024 | ALL |
| T00207 | | PART A-B TS-CONT STAND COL F/O CAPT | 65-39526 96906 | 1 | 23-51-01 227/200/R013 | ALL |
| T00207A | | MS27212-2-16 TS-PART A OF T207 | 65-39526 96906 | 1 | 23-51-01 227/200/R013 | ALL |
| T00207B | | MS27212-2-2 TS-PART B OF T207 | 65-39526 96906 | 1 | 23-51-01 227/200/R013 | ALL |
| T00209 | | MS27212-1-12 TS-CONT STAND-P9 | 65-73705 96906 | 1 | 33-11-41 193/210/ | ALL |
| T00213 | | MS27212-1-12 TS-CONT STAND-P8 | 65-52460 96906 | 1 | 33-11-41 P008-00/ / | ALL |
| T00234 | | MS27212-3-1 TS-E2-1 (TR-1) | 65-63847 96906 | 2 | 24-31-11 380/160/R040 | ALL |
| T00234A | | TS-PARTAT234 TS-E3-1 | 65-63847 | 1 | 24-32-01 E003-01/170/R040 | ALL |
| T00234B | | TS-PARTBT234 TS-E3-1 | 65-63847 | 1 | 24-31-21 E003-01/170/R040 | ALL |
| T00236 | | MS27212-3-2 TS-E4-2(TRU-2,TRU-3) | 65-63847 96906 | 1 | 24-32-11 380/160/R040 | ALL |
| T00252 | | MS27212-1-6 TS-S845 AND S846 | 65-49728 96906 | 1 | 32-64-11 260/170/00 | ALL |
| T00266 | | MS27212-1-2 TERMINAL STRIP-LEFT WINDOW 2 | 69-20829 96906 | 1 | 30-41-12 220/230/L045 | ALL |
| T00271 | | MS27212-2-6 TERMINAL STRIP-LEFT SIDE WINDOW | 284A0732 96906 | 1 | 30-41-12 380/159/R040 | ALL |
| T00272 | | MS27212-2-6 TERMINAL STRIP-RIGHT FRONT WINDOW | 284A0732 96906 | 1 | 30-41-12 380/159/R040 | ALL |
| T00280 | | MS27212-1-2 TERMINAL STRIP-RIGHT WINDOW NO 2 | 69-20829 96906 | 1 | 30-41-11 220/230/R045 | ALL |

EQUIPMENT LIST

D280A108

Section T00200

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| T00332 | | VENDORSUPPLIEDSEEIPCFORP-NINFO VIBRATION TRANSDUCER, #1 BEARING | 332A2000 12812 | 2 | 77-31-11 ENG/ / | ALL |
| T00335 | | POATERMBLK TB-CAPT CONTROL WHEEL(STAB TRIM SW) | 65-45118 | 1 | 27-41-11 200/ / | ALL |
| T00336 | | POATERMBLK TB-F/O CONTROL WHEEL (STAB TRIM SW) | 65-45118 | 1 | 27-41-11 200/ / | ALL |
| T00362 | | 10-60828-9 TS-CONT STAND-P8 | 284A1202 81205 | 1 | 33-11-33 251/204/L001 | ALL |
| T00371 | | 310-14416-01 XFMR-PRESSURIZATION CONTROL-LCD LIGHTING | 69-73627 95266 | 1 | 21-31-25 P006-00/ / | ALL |
| T00374 | | S281A601-12 DPCT GEN 1 | 281A601 81205 | 1 | 24-24-11 P091-00/ / | ALL |
| T00375 | | S281A601-12 DPCT GEN 2 | 281A601 81205 | 1 | 24-24-21 P092-00/ / | ALL |
| T00376 | | S281A601-12 DPCT APU GEN | 281A601 81205 | 1 | 24-24-31 P091-00/ / | ALL |
| T00377 | | S281A601-12 APU SC XFMR | S281A601 7217 | 1 | 24-21-31 P091-00/ / | ALL |
| T00378 | | S281A601-12 XFMR-CURRENT LIMIT EXT POWER | 281A601 81205 | 1 | 24-41-11 P092-00/ / | ALL |
| T00389 | | FT1246 XFMR-POSITION LIGHTS RIGHT | 284A0181 14752 | 1 | 33-43-11 727B/245/R638 | YC051-YC064 |
| T00389 | | FT1348 XFMR-POSITION LIGHTS RIGHT | 284A0181 14752 | 1 | 33-43-11 727B/245/R638 | YC065-YR328 |
| T00390 | | FT1246 XFMR-POSITION LIGHTS LEFT | 284A0181 14752 | 1 | 33-43-11 727B/245/L638 | YC051-YC064 |
| T00390 | | FT1348 XFMR-POSITION LIGHTS LEFT | 284A0181 14752 | 1 | 33-43-11 727B/245/L638 | YC065-YR328 |
| T00391 | | 10-60828-10 XFMR-28V AC | 65-52259 81205 | 1 | 24-53-11 P006-00/ / | ALL |
| T00392 | | S283T001-15 XDCCR-L OUTBD ANTISKID | 165T0101 81205 | 1 | 32-41-11 / / | ALL |
| T00393 | | S283T001-15 XDCCR R INBD ANTISKID | 165T0101 81205 | 1 | 32-41-11 / / | ALL |

EQUIPMENT LIST

D280A108

Section T00300

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| T00394 | | S283T001-15 XDCR-L INBD ANTISKID | 165T0101 81205 | 1 | 32-41-11 / / | ALL |
| T00395 | | S283T001-15 XDCR-R OUTBD ANTISKID | 165T0101 81205 | 1 | 32-41-11 / / | ALL |
| T00396 | | S315N401-4 LEFT T/R SLEEVE LVDT | 315A2801 22863 | 2 | 78-35-11 ENG/ / | ALL |
| T00397 | | S315N401-4 RIGHT T/R SLEEVE LVDT | 315A2801 22863 | 2 | 78-35-11 ENG/ / | ALL |

EQUIPMENT LIST

D280A108

Section T00300

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| T00402 | | MS28034-1 BULB-PASSENGER CABIN SUPPLY DUCT TEMP | 214A2001 96906 | 1 | 21-61-51 538/299/R010 | YN231-YN501 |
| T00403 | | 41SG265-1 XDCR - R MANIFOLD | 210A7101 61349 | 1 | 36-21-11 558/160/R042 | ALL |
| T00404 | | 10008792 XMTR-CREW OXYGEN | 417A4120 81205 | 1 | 35-11-11 391/166/R011 | ALL |
| T00405 | | 41SG265-1 XDCR - L MANIFOLD | 210A7101 61349 | 1 | 36-21-11 538/165/L 30 | ALL |
| T00406 | | 398116-1-1 XMTR-PASSENGER CABIN MIX VALVE POSITION | 213A1002 70210 | 1 | 21-61-22 644/158/R012 | YN231-YN501 |
| T00407 | | 398116-1-1 XMTR-CONTROL CABIN MIX VALVE POSITION | 213A1002 70210 | 1 | 21-61-21 644/158/L012 | YN231-YN501 |
| T00408 | | 30136-0106 XMTR-WATER QUANTITY | 417A2510 81205 | 1 | 38-41-11 951/186/R036 | ALL |
| T00416 | | 10-60498-7 SNSR-PASS CABIN DUCT LIMIT | 214A2001 81205 | 1 | 21-61-22 534/299/R010 | YN231-YN501 |
| T00417 | | 10-60498-4 SNSR-PASS CABIN DUCT ANTICIPATOR | 214A2001 81205 | 1 | 21-61-22 535/299/R010 | YN231-YN501 |
| T00419 | | 10-60498-7 SENSOR-CONT CAB DUCT LIMIT | 214A1002 81205 | 1 | 21-61-21 372/195/L055 | YN231-YN501 |
| T00420 | | 10-60498-4 SENSOR-CONT CAB DUCT ANTICIP | 214A1002 81205 | 1 | 21-61-21 371/192/L058 | YN231-YN501 |
| T00421 | | VENDORSUPPLIEDSEEIPCFORP-NINFO XMTR-N1 SPEED | 332A2000 12812 | 2 | 77-12-11 ENG/ / | ALL |
| T00422 | | VENDORSUPPLIEDSEEIPCFORP-NINFO XMTR-N2 SPEED | 332A2000 12812 | 2 | 77-12-21 ENG/ / | ALL |
| T00423 | 1 | S271W731-1 XMTR-SYSTEM B OIL PRESSURE | 271A2442 81205 | 1 | 29-32-11 666/181/R014 | ALL |
| T00423 | 2 | 10-62254-1 XMTR-SYSTEM B OIL PRESSURE | 271A2442 81205 | 1 | 29-32-11 666/181/R014 | ALL |
| T00424 | 1 | S271W731-1 XMTR-SYSTEM A OIL PRESSURE | 271A2442 81205 | 1 | 29-32-11 666/180/L039 | ALL |
| T00424 | 2 | 10-62254-1 XMTR-SYSTEM A OIL PRESSURE | 271A2442 81205 | 1 | 29-32-11 666/180/L039 | ALL |

EQUIPMENT LIST

D280A108

Section T00400

Page 1

Nov 12/2012

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| T00427 | | S256A404-50 XMTR-LEFT TE FLAP POSITION | 256A3905 81205 | 1 | 27-52-11 443/RSS/L | YC051-YD158 |
| T00427 | | S256A404-53 XMTR-LEFT TE FLAP POSITION | 256A3905 81205 | 1 | 27-52-11 443/RSS/L | YD160-YR328 |
| T00428 | | S256A404-50 XMTR-RIGHT TE FLAP POSITION | 256A3905 81205 | 1 | 27-52-11 443/RSS/R | YC051-YD158 |
| T00428 | | S256A404-53 XMTR-RIGHT TE FLAP POSITION | 256A3905 81205 | 1 | 27-52-11 443/RSS/R | YD160-YR328 |
| T00429 | | VENDORSUPPLIEDSEEIPCFORP-NINFO ENGINE OIL PRESSURE | 322A2000 12812 | 2 | 79-32-11 ENG/ / | ALL |
| T00430 | | 627570-1 SNSR-LEFT 35 DEG F | 213A1002 70210 | 1 | 21-51-16 553/152/L017 | YN231-YN501 |
| T00431 | | 627570-1 SNSR-RIGHT 35 DEG F | 213A1002 70210 | 1 | 21-51-26 553/152/R025 | YN231-YN501 |
| T00432 | | VENDORSUPPLIEDSEEIPCFORP-NINFO SNSR-ENGINE OIL TEMPERATURE | 332A2000 12812 | 2 | 79-34-10 ENG/ / | ALL |
| T00433 | | S233T913-4 SNSR-ANGLE OF AIRFLOW LEFT | 232A9300 81205 | 1 | 27-32-11 192/204/ | YC051-YC065, YN231-YN501 |
| T00433 | | S233T913-5 SNSR-ANGLE OF AIRFLOW LEFT | 232A9300 81205 | 1 | 27-32-11 192/204/ | YC067-YL999, YR301-YR328 |
| T00434 | | 10-62247-1 SNSR-FUEL TEMPERATURE TANK 1 | 65-46514 81205 | 1 | 28-42-11 ORSS/208/ | ALL |
| T00435 | | VENDORSUPPLIEDSEEIPCFORP-NINFO XMTR-FUEL FLOW | 332A1043 12812 | 2 | 73-31-11 ENG/ / | ALL |
| T00436 | | 10-60554-40 XMTR-SYSTEM A HYDRAULIC QUANTITY | 65-44600 81205 | 1 | 29-31-11 679/196/R008 | ALL |
| T00437 | | S233T913-4 SNSR-ANGLE OF AIRFLOW-RIGHT | 232A9300 81205 | 1 | 27-32-21 192/204/ | YC051-YC065, YN231-YN501 |
| T00437 | | S233T913-5 SNSR-ANGLE OF AIRFLOW-RIGHT | 232A9300 81205 | 1 | 27-32-21 192/204/ | YC067-YL999, YR301-YR328 |
| T00438 | | 617166-1 SNSR-LEFT RAM AIR | 213A1001 70210 | 1 | 21-51-14 583/161/L031 | YN231-YN501 |
| T00439 | | 617166-1 SNSR-RIGHT RAM AIR | 213A1001 70210 | 1 | 21-51-24 583/161/R031 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section T00400

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| T00465 | | S250N104-4 XMTR-AILERON POSITION LEFT | 251A1130 81205 | 1 | 27-18-11 LWING505/ / | ALL |
| T00466 | | S250N104-4 XMTR-AILERON POSITION RIGHT | 251A1130 81205 | 1 | 27-18-11 RWING505/ / | ALL |
| T00467 | | S250N104-4 XMTR-ELEVATOR POSITION LEFT | 251A2402 81205 | 1 | 27-38-11 LELEVPOS/30/ | ALL |
| T00468 | | S250N104-4 XMTR-ELEVATOR POSITION RIGHT | 251A2402 81205 | 1 | 27-38-11 RELEVPOS/30/ | ALL |
| T00469 | | S250N104-4 XMTR-RUDDER POSITION | 251A3480 81205 | 1 | 27-28-11 RUD80.00/ / | ALL |
| T00471 | | 10-62091-11 SNSR-LEFT PACK TEMPERATURE | 213A1002 81205 | 1 | 21-51-12 573/154/L030 | YC051-YL999, YR301-YR328 |
| T00472 | | 10-62091-14 SNSR-LEFT MIX MANIFOLD TEMPERATURE | 214A3003 81205 | 1 | 21-51-12 500I+7/192/L003 | YC051-YL999, YR301-YR328 |
| T00474 | | 10-62091-11 SNSR-RIGHT PACK TEMPERATURE | 213A1002 81205 | 1 | 21-51-22 573/154/R030 | YC051-YL999, YR301-YR328 |
| T00475 | | 10-62091-14 SNSR-RIGHT MIX MANIFOLD | 214A3003 81205 | 1 | 21-51-22 5002+7/192/R003 | YC051-YL999, YR301-YR328 |
| T00477 | | 10-62091-14 SNSR-CONTROL CABIN DUCT TEMP BACK UP | 214A1002 81205 | 1 | 21-61-12 372/196/L057 | YC051-YL999, YR301-YR328 |
| T00478 | | 10-62091-14 SNSR-CONTROL CABIN DUCT TEMP PRIMARY | 214A1002 81205 | 1 | 21-61-11 372/196/L057 | YC051-YL999, YR301-YR328 |
| T00481 | | 1150002-1 SNSR-LEFT RAM AIR | 213A1002 70210 | 1 | 21-51-14 584/162/L032 | YC051-YL999, YR301-YR328 |
| T00482 | | 1150002-1 SNSR-RIGHT RAM AIR | 213A1002 70210 | 1 | 21-51-24 584/162/R032 | YC051-YL999, YR301-YR328 |
| T00485 | | MS28034-1 BULB-CONTROL CABIN SUPPLY TEMPERATURE | 214A1002 96906 | 1 | 21-61-51 371/194/L058 | YC051-YL999, YR301-YR328 |
| T00488 | | MS28034-1 BULB-LEFT PACK TEMPERATURE | 213A1003 96906 | 1 | 21-61-51 573/152/L033 | YC051-YL999, YR301-YR328 |
| T00489 | | MS28034-1 BULB-RIGHT PACK TEMPERATURE | 213A1003 96906 | 1 | 21-61-51 574/152/R033 | YC051-YL999, YR301-YR328 |
| T00492 | | 65C36032-1 XMTR-MAIN BRAKE HYDRAULIC PRESSURE | 274A1830 81205 | 1 | 31-31-14 727/187/L020 | ALL |

EQUIPMENT LIST

D280A108

Section T00400

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| T00493 | | 65C36032-1 XMTR-MAIN BRAKE HYDRAULIC PRESSURE | 274A1830 81205 | 1 | 31-31-14 727/189/L008 | ALL |
| T00494 | | 65C36032-1 XMTR-L ALT BRAKE HYDRAULIC PRESSURE | 274A1810 81205 | 1 | 31-31-14 685/195/L065 | ALL |
| T00495 | | 65C36032-1 XMTR-R ALT BRAKE HYDRAULIC PRESSURE | 274A1820 81205 | 1 | 31-31-14 692/192/L065 | ALL |

EQUIPMENT LIST

D280A108

Section T00400

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| T00504 | | 899-156-612 SNSR-POINT LEVEL | 41748670 61349 | 1 | 38-32-12 900/185/L015 | ALL |
| T00505 | | 899-156-612 SNSR-POINT LEVEL | 417A8670 61349 | 1 | 38-32-12 900/185/L015 | ALL |
| T00506 | | 1721F4 SNSR-CONTINUOUS LEVEL | 417A8680 81205 | 1 | 38-32-12 870/180/L025 | ALL |
| T00507 | | 4082740-901 REMOTE LIGHT SENSOR-CAPT | 58960 | 1 | 31-62-11 P007-00/ / | YC051-YD158, YL951-YR328 |
| T00508 | | 4082740-901 REMOTE LIGHT SENSOR-F/O | 58960 | 1 | 31-62-21 P007-00/ / | YC051-YD158, YL951-YR328 |
| T00509 | | VENDORSUPPLIEDSEEIPCFORP-NINFO SNSR-FAN INLET TEMPERATURE T12 | 332A2000 12812 | 2 | 75-31-12 ENG/ / | ALL |
| T00511 | | VENDORSUPPLIEDSEEIPCFORP-NINFO SNSR-HP TURBINE CASE TEMPERATURE | 332A2000 1Z812 | 2 | 75-31-11 ENG/ / | ALL |
| T00513 | | VENDORSUPPLIEDSEEIPCFORP-NINFO SNSR-HP COMPRESSOR INLET TEMPERATURE T25 | 332A2000 12812 | 2 | 75-31-11 ENG/ / | ALL |
| T00514 | | VENDORSUPPLIEDSEEIPCFORP-NINFO SNSR-HP COMPRESSOR DISCHARGE TEMPERATURE | 332A2000 12812 | 2 | 75-31-11 ENG/ / | ALL |
| T00515 | | VENDORSUPPLIEDSEEIPCFORP-NINFO XDCR-HP TURBINE CLEARANCE VALVE POSITION | 332A2000 12812 | 2 | 75-31-11 ENG/ / | ALL |
| T00516 | | VENDORSUPPLIEDSEEIPCFORP-NINFO XDCR-LP TURBINE CLEARANCE VALVE POSITION | 332A2000 12812 | 2 | 75-31-11 ENG/ / | ALL |
| T00517 | | VENDORSUPPLIEDSEEIPCFORP-NINFO XDCR-VARIABLE STATOR VANE CHAN A POSN | 332A2000 12812 | 2 | 75-31-12 ENG/ / | ALL |
| T00518 | | VENDORSUPPLIEDSEEIPCFORP-NINFO XDCR-VARIABLE STATOR VANE CHAN B POSN | 332A2000 12812 | 2 | 75-31-12 ENG/ / | ALL |
| T00519 | | VENDORSUPPLIEDSEEIPCFORP-NINFO VLV-TRANSIENT BLEED | 332A2000 12812 | 2 | 75-31-12 ENG/ / | ALL |
| T00520 | | VENDORSUPPLIEDSEEIPCFORP-NINFO VLV-VARIABLE BLEED TRANSDUCER POSITION | 332A2000 12812 | 2 | 75-31-12 ENG/ / | ALL |
| T00521 | | VENDORSUPPLIEDSEEIPCFORP-NINFO THERMOCOUPLE-EXHAUST GAS TEMP T49.5 | 332A2000 12812 | 2 | 77-21-11 ENG/ / | ALL |
| T00522 | | VENDORSUPPLIEDSEEIPCFORP-NINFO THERMOCOUPLE-EXHAUST GAS TEMP T49.5 | 332A2000 12812 | 2 | 77-21-11 ENG/ / | ALL |

EQUIPMENT LIST

D280A108

Section T00500

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-------------|
| T00523 | | VENDORSUPPLIEDSEEIPCFORP-NINFO THERMOCOUPLE-EXHAUST GAS TEMP T49.5 | 332A2000 12812 | 2 | 77-21-11 ENG/ / | ALL |
| T00524 | | VENDORSUPPLIEDSEEIPCFORP-NINFO THERMOCOUPLE-EXHAUST GAS TEMP - T49.5 | 332A2000 12812 | 2 | 77-21-11 ENG/ / | ALL |
| T00525 | | S256A404-1 SNSR-TRAILING EDGE FLAP SKEW 1 | 256A3901 81205 | 1 | 27-53-21 WING LBL/357/ | YC051-YD158 |
| T00525 | | S256A404-3 SNSR-TRAILING EDGE FLAP SKEW 1 | 256A3901 81205 | 1 | 27-53-21 WING LBL/357/ | YD160-YR328 |
| T00526 | | S256A404-1 SNSR-TRAILING EDGE FLAP SKEW 2 | 256A3902 81205 | 1 | 27-53-21 WING LBL/254/ | YC051-YD158 |
| T00526 | | S256A404-3 SNSR-TRAILING EDGE FLAP SKEW 2 | 256A3902 81205 | 1 | 27-53-21 WING LBL/254/ | YD160-YR328 |
| T00527 | | S256A404-1 SNSR-TRAILING EDGE FLAP SKEW 3 | 256A3903 81205 | 1 | 27-53-21 WING LBL/164/ | YC051-YD158 |
| T00527 | | S256A404-3 SNSR-TRAILING EDGE FLAP SKEW 3 | 256A3903 81205 | 1 | 27-53-21 WING LBL/164/ | YD160-YR328 |
| T00528 | | S256A404-1 SNSR-TRAILING EDGE FLAP SKEW 4 | 256A3904 81205 | 1 | 27-53-21 WING LBL/65/ | YC051-YD158 |
| T00528 | | S256A404-3 SNSR-TRAILING EDGE FLAP SKEW 4 | 256A3904 81205 | 1 | 27-53-21 WING LBL/65/ | YD160-YR328 |
| T00529 | | S256A404-1 SNSR-TRAILING EDGE FLAP SKEW 5 | 256A3904 81205 | 1 | 27-53-21 WING RBL/65/ | YC051-YD158 |
| T00529 | | S256A404-3 SNSR-TRAILING EDGE FLAP SKEW 5 | 256A3904 81205 | 1 | 27-53-21 WING RBL/65/ | YD160-YR328 |
| T00530 | | S256A404-1 SNSR-TRAILING EDGE FLAP SKEW 6 | 256A3903 81205 | 1 | 27-53-21 WING RBL/164/ | YC051-YD158 |
| T00530 | | S256A404-3 SNSR-TRAILING EDGE FLAP SKEW 6 | 256A3903 81205 | 1 | 27-53-21 WING RBL/164/ | YD160-YR328 |
| T00531 | | S256A404-1 SNSR-TRAILING EDGE FLAP SKEW 7 | 256A3902 81205 | 1 | 27-53-21 WING RBL/254/ | YC051-YD158 |
| T00531 | | S256A404-3 SNSR-TRAILING EDGE FLAP SKEW 7 | 256A3902 81205 | 1 | 27-53-21 WING RBL/254/ | YD160-YR328 |
| T00532 | | S256A404-1 SNSR-TRAILING EDGE FLAP SKEW 8 | 256A3901 81205 | 1 | 27-53-21 WING RBL/357/ | YC051-YD158 |

EQUIPMENT LIST

D280A108

Section T00500

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|-------------------------------|-----------------------------|
| T00532 | | S256A404-3 SNSR-TRAILING EDGE FLAP SKEW 8 | 256A3901 81205 | 1 | 27-53-21 WING RBL/357/ | YD160-YR328 |
| T00533 | | 10-62091-14 SNSR-FWD CABIN DUCT TEMPERATURE | 214A2011 81205 | 1 | 21-61-13 500F+7/299/L012 | YC051-YL999, YR301-YR328 |
| T00534 | | MS28034-1 BULB-FWD CABIN SUPPLY TEMPERATURE | 214A2011 96906 | 1 | 21-61-51 500F+9/300/L012 | YC051-YL999, YR301-YR328 |
| T00535 | | MS28034-1 BULB-AFT CABIN SUPPLY TEMPERATURE | 214A2011 96906 | 1 | 21-61-51 535/299/R012 | YC051-YL999, YR301-YR328 |
| T00536 | | 10-62091-14 SNSR-AFT CABIN DUCT | 214A2011 81205 | 1 | 21-61-14 537/299/R012 | YC051-YL999, YR301-YR328 |
| T00537 | 1 | VENDORSUPPLIEDSEEIPCFORP-NINFO SNSR-FAN FRAME COMPRESSOR CASE VIBRATION | 332A200 12812 | 2 | 77-31-11 ENG/ / | ALL |
| T00538 | | U-221557-8 SNSR-FLAP HANDLE | 253T4015 82686 | 1 | 27-51-11 214/215/RBL3 | ALL |
| T00539 | | S250N104-4 XMTR-SPILER 3 POSITION | 251A1230 | 1 | 27-62-14 727+18.0/215/L287 | ALL |
| T00540 | | S250N104-4 XMTR-SPILER 10 POSITION | 251A1230 | 1 | 27-62-14 727+18.0/215/R287 | ALL |
| T00541 | | S251A303-1 ROD-RUDDER PEDAL FORCE TRANSDUCER | 251A3450 22863 | 1 | 31-31-14 51/ /0000 | YC053-YR328 |
| T00542 | | VENDORSUPPLIEDSEEIPCFORP-NINFO VLV-VARIABLE BLEED TRANSDUCER POSITION | 332A2000 12812 | 2 | 75-31-12 ENG/ / | ALL |

EQUIPMENT LIST

D280A108

Section T00500
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| T03019 | | 65C36032-1 XMTR-STANDBY HYDRAULIC PRESSURE | 271A5441 81205 | 1 | 31-31-14 727/187/ | YD154-YR328 |
| T03020 | | 1153174-1 SNSR - NGS TEMP SENSOR | 212A5001 07217 | 1 | 47-30-11 657/161/L066 | YL951-YL999, YN232-YR328 |
| T03021 | | NH16031 IMPEDANCE TRANSFORMER | 417A6400 | 1 | 23-70-11 340/293/LBL5 | YL951-YN260 |
| T03022 | | NH16031 IMPEDANCE TRANSFORMER | 417A6400 | 1 | 23-70-11 340/293/0 | YL951-YN260 |
| T03023 | | NH16031 IMPEDANCE TRANSFORMER | 417A6400 | 1 | 23-70-11 340/293/RBL5 | YL951-YN260 |
| T03028 | | NH16031 IMPEDANCE TRANSFORMER | 417A6400 | 1 | 23-70-11 302/290/R015 | YN501-YR328 |
| T03029 | | NH16031 IMPEDANCE TRANSFORMER | 417A6400 | 1 | 23-70-11 302/290/R015 | YN501-YR328 |
| T03030 | | NH16031 IMPEDANCE TRANSFORMER | 417A6400 | 1 | 23-70-11 302/290/R015 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section T03000

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB0002 | | MIL-T-81714-5-2 TERMINAL TRACK | 2867134 | 0 | 32-41-11 695/140/L18 | ALL |
| TB0002K | | M81714-3-BD1 TERMINAL BLOCK | | 2 | 32-41-11 695/140/L118 | ALL |
| TB0002L | | M81714-3-BB1 TERMINAL BLOCK | | 1 | 32-41-11 695/140/L118 | ALL |
| TB0004 | | MIL-T-81714-5-2 TERMINAL TRACK | 2867134 | 0 | 32-41-11 695/140/L18 | ALL |
| TB0004K | | M81714-3-BD1 TERMINAL BLOCK | | 2 | 32-41-11 695/140/L111 | ALL |
| TB0004L | | M81714-3-BB1 TERMINAL BLOCK | | 1 | 32-41-11 695/140/L111 | ALL |
| TB0006 | | MIL-T-81714-5-2 TERMINAL TRACK | 2867134 | 0 | 32-41-11 695/140/L18 | ALL |
| TB0006K | | M81714-3-BD1 TERMINAL BLOCK | | 2 | 32-41-11 695/140/ | ALL |
| TB0006L | | M81714-3-BB1 TERMINAL BLOCK | | 1 | 32-41-11 695/140/ | ALL |
| TB0008 | | MIL-T-81714-5-2 TERMINAL TRACK | 2867134 | 0 | 32-41-11 695/140/L18 | ALL |
| TB0008K | | M81714-3-BD1 TERMINAL BLOCK | | 2 | 32-41-11 605/140/R111 | ALL |
| TB0008L | | M81714-3-BB1 TERMINAL BLOCK | | 1 | 32-41-11 605/140/R111 | ALL |
| TB0020 | | S280W555-506 TRACK-TERMINAL BLOCK | 284A1203 81205 | 1 | 32-31-11 J020-0B/ / | ALL |
| TB0020Y | | S280W555-104 TERMINAL BLOCK - | 286A0072 81205 | 1 | 32-31-12 J020-0B/ / | ALL |
| TB0020Z | | S280W555-108 TERMINAL BLOCK - | 286A0072 81205 | 1 | 21-27-31 J020-0B/ / | ALL |
| TB0022 | | S280W555-506 TRACK-TERMINAL BLOCK | 284A1222 81205 | 1 | 32-31-11 J022-00/ / | ALL |
| TB0022Y | | S280W555-104 TERMINAL BLOCK- | 284A1222 81205 | 1 | 31-31-11 J022-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB0000

Page 1

Nov 12/2012

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| TB0022Z | | S280W555-108 TERMINAL BLOCK- | 284A1222 81205 | 1 | 32-31-11 J022-00/ / | ALL |
| TB0023 | | S280W555-504 TRACK-TERMINAL BLOCK | 284A1223 81205 | 1 | 35-21-11 J023-00/ / | YC051-YD170 |
| TB0023 | | S280W555-506 TRACK-TERMINAL BLOCK | 284A1223 81205 | 1 | 35-21-11 J023-00/ / | YL951-YR328 |
| TB0023V | | S280W555-203 MDL-TERMINAL BLOCK | 284A1223 81205 | 1 | 35-21-11 J023-00/ / | ALL |
| TB0023Y | | S280W555-104 MDL-TERMINAL BLOCK | 284A1223 81205 | 2 | 35-21-11 J023-00/ / | ALL |
| TB0024 | | S280W555-504 TRACK-TERMINAL BLOCK | 284A1224 81205 | 1 | 78-32-61 J024-00/ / | YC051-YD158 |
| TB0024 | | S280W555-506 TRACK-TERMINAL BLOCK | 284A1224 81205 | 1 | 78-32-61 J024-00/ / | YD160-YR328 |
| TB0024B | | S280W555-753 DIODE-M01644 | 284A1224 | 1 | 78-32-61 J024-00/ / | ALL |
| TB0024Y | | S280W555-104 TERMINAL BLOCK- | 284A1224 81205 | 1 | 78-32-61 J024-00/ / | ALL |
| TB0024Z | | S280W555-108 TERMINAL BLOCK- | 284A1224 81205 | 1 | 31-31-11 J024-00/ / | ALL |
| TB0025 | | S280W555-604 TRACK-TERMINAL BLOCK | 284A1214 81205 | 1 | 29-25-11 J011-00/ / | ALL |
| TB0025V | | S280W555-203 TERMINAL BLOCK- | 284A1214 81205 | 1 | 29-25-11 J011-00/ / | ALL |
| TB0025Y | | S280W555-104 TERMINAL BLOCK- | 284A1214 81205 | 1 | 29-25-11 J011-00/ / | ALL |
| TB0028 | | S280W555-502 TRACK-TERMINAL BLOCK | 284A1203 81205 | 1 | 21-31-22 J020-0A/ / | YC067-YR328 |
| TB0028Y | | S280W555-104 TERMINAL BLOCK - | 286A0074 81205 | 1 | 21-31-22 J020-0A/ / | ALL |
| TB0030 | | S280W555-506 TRACK-TERMINAL BLOCK | 284A1203 81205 | 1 | 25-51-11 J020-0A/ / | ALL |
| TB0030V | | S280W555-203 TERMINAL BLOCK - | 286A0074 81205 | 1 | 25-51-11 J020-0A/ / | YL951-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section TB0000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| TB0030Y | 9 | S280W555-104 TERMINAL BLOCK - (SB 21-1135) | 286A0074 81205 | 1 | 25-51-11 J020-0A/ / | YC060-YC064 |
| TB0030Y | | S280W555-104 TERMINAL BLOCK - | 286A0074 81205 | 1 | 25-51-11 J020-0A/ / | YL951-YL999, YR301-YR328 |
| TB0032 | | S280W555-506 TRACK-TERMINAL BLOCK | 284A1222 81205 | 1 | 32-41-11 J022-00/ / | ALL |
| TB0032V | | S280W555-203 TERMINAL BLOCK- | 284A1222 81205 | 1 | 32-41-11 J022-00/ / | ALL |
| TB0032W | | S280W555-206 TERMINAL BLOCK- | 284A1222 81205 | 1 | 32-41-11 J022-00/ / | ALL |
| TB0032Y | | S280W555-104 TERMINAL BLOCK- | 284A1222 81205 | 1 | 32-41-11 J022-00/ / | ALL |
| TB0032Z | | S280W555-108 TERMINAL BLOCK- | 284A1222 81205 | 1 | 34-49-11 J022-00/ / | YL951-YR328 |
| TB0033 | | S280W555-504 TRACK-TERMINAL BLOCK | 284A1223 81205 | 1 | 35-21-11 J023-00/ / | YL951-YR328 |
| TB0033V | | S280W555-203 MDL-TERMINAL BLOCK | 284A1223 81205 | 1 | 52-61-11 */*/ | ALL |
| TB0033Y | | S280W555-104 MDL-TERMINAL BLOCK | 284A1223 81205 | 1 | 34-54-12 */*/ | ALL |
| TB0033Z | | S280W555-108 MDL-TERMINAL BLOCK | 284A1223 81205 | 1 | 52-61-11 */*/ | ALL |
| TB0034 | | S280W555-502 TRACK-TERMINAL BLOCK | 284A1224 81205 | 1 | 78-32-61 J024-00/ / | YC051-YD158 |
| TB0034 | | S280W555-504 TRACK-TERMINAL BLOCK | 284A1224 81205 | 1 | 78-32-61 J024-00/ / | YD160-YR328 |
| TB0034Y | | S280W555-104 TERMINAL BLOCK- | 284A1224 81205 | 1 | 21-27-21 J024-00/ / | ALL |
| TB0040K | | M81714-3-DD1 TERMINAL BLOCK | 96906 | 3 | 32-31-11 290/181/L015 | YC051-YD158, YL951-YR328 |
| TB0042K | | M81714-3-DD1 TERMINAL BLOCK | 96906 | 1 | 32-64-11 258/181/L015 | YC051-YD158, YL951-YR328 |
| TB0044K | | M81714-3-DD1 TERMINAL BLOCK | 96906 | 1 | 32-64-12 287/173/R014 | YC051-YD158, YL951-YR328 |

EQUIPMENT LIST

D280A108

Section TB0000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| TB0046K | | M81714-3-DD1 TERMINAL BLOCK | 96906 | 1 | 32-64-12 257/181/R014 | YC051-YD158, YL951-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section TB0000

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB0101 | | S280W555-506 TRACK-TERMINAL BLOCK | 288A4151 81205 | 1 | 31-62-11 P001-00/ / | ALL |
| TB0101Y | | S280W555-104 TERMINAL BLOCK | 288A4151 81205 | 1 | 31-62-11 P001-00/ / | ALL |
| TB0101Z | | S280W555-108 TERMINAL BLOCK | 288A4151 81205 | 1 | 31-62-11 P001-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB0100
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB0201 | | S280W555-506 TRACK-TERMINAL BLOCK | 288A4151 81205 | 1 | 27-52-11 P002-00/ / | ALL |
| TB0201Y | | S280W555-104 TERMINAL BLOCK | 288A4151 81205 | 1 | 27-52-11 P002-00/ / | ALL |
| TB0201Z | | S280W555-108 TERMINAL BLOCK | 288A4151 81205 | 1 | 32-64-11 P002-00/ / | ALL |
| TB0205 | | S280W555-502 TRACK-TERMINAL BLOCK | 286A5345 81205 | 0 | 23-41-01 540/188/R025 | ALL |
| TB0205V | | S280W555-203 TERMINAL BLOCK | 286A5224 81205 | 1 | 29-25-11 534/190/R024 | ALL |
| TB0205W | | S280W555-206 TERMINAL BLOCK- | 65-45401 81205 | 3 | 23-41-01 540/188/R025 | ALL |
| TB0261 | | S280W555-504 TRACK-TERMINAL BLOCK | 287A4106 81205 | 1 | 73-21-12 261/280/R005 | ALL |
| TB0261X | | S280W555-102 TERMINAL BLOCK- | 287A4106 81205 | 1 | 73-21-12 261/280/R005 | ALL |
| TB0261Y | | S280W555-104 TERMINAL BLOCK- | 287A4106 81205 | 1 | 73-21-12 261/280/R005 | ALL |
| TB0262 | | S280W555-504 TRACK-TERMINAL BLOCK | 287A4106 81205 | 1 | 73-21-12 264/280/R005 | ALL |
| TB0262V | | S280W555-203 TERMINAL BLOCK | 287A4106 81205 | 1 | 33-14-12 261/280/R007 | ALL |
| TB0262X | | S280W555-102 TERMINAL BLOCK- | 287A4106 81205 | 1 | 73-21-12 264/280/R005 | ALL |
| TB0262Y | | S280W555-104 TERMINAL BLOCK- | 287A4106 81205 | 1 | 73-21-12 264/280/R005 | ALL |

EQUIPMENT LIST

D280A108

Section TB0200

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB0301 | | S280W555-506 TRACK-TERMINAL BLOCK | 288A4151 81205 | 1 | 31-62-23 P003-00/ / | ALL |
| TB0301Y | | S280W555-104 TERMINAL BLOCK | 288A4151 81205 | 1 | 31-62-23 P003-00/ / | ALL |
| TB0301Z | | S280W555-108 TERMINAL BLOCK | 288A4151 81205 | 1 | 31-62-23 P003-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB0300
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| TB0403 | 1 | S280W555-502 TRACK - TERMINAL BLOCK | 284A3204 | 0 | 44-21-22 J004-00/ / | ALL |
| TB0403Y | | S280W555-104 TERMINAL BLOCK- | 284A1204 81205 | 1 | 23-32-14 J004-00/ / | YD158-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section TB0400

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB0501 | | S280W555-608 TRACK-TERMINAL BLOCK | 287A4109 81205 | 1 | 24-32-11 P005-00/ / | ALL |
| TB0501V | | S280W555-203 TERMINAL BLOCK- | 287A4109 81205 | 1 | 33-14-12 P005-00/ / | ALL |
| TB0501X | | S280W555-102 TERMINAL BLOCK- | 287A4109 81205 | 1 | 28-21-11 250/279/L09 | ALL |
| TB0501Y | | S280W555-104 TERMINAL BLOCK- | 287A4109 81205 | 1 | 28-21-11 250/279/L09 | ALL |
| TB0501Z | 9 | S280W555-108 TERMINAL BLOCK- | 287A4109 81205 | 1 | 33-12-12 P005-00/ / | YC051-YC052 |
| TB0501Z | | S280W555-108 TERMINAL BLOCK- | 287A4109 81205 | 1 | 33-12-12 P005-00/ / | YC053-YR328 |
| TB0502 | | S280W555-608 TRACK-TERMINAL BLOCK | 287A4109 81205 | 1 | 24-32-11 P005-00/ / | ALL |
| TB0502V | | S280W555-203 TERMINAL BLOCK- | 287A4109 81205 | 1 | 33-41-11 P005-00/ / | ALL |
| TB0502Y | | S280W555-104 TERMINAL BLOCK- | 287A4109 81205 | 5 | 33-18-32 P005-00/ / | ALL |
| TB0502Z | | S280W555-108 TERMINAL BLOCK- | 287A4109 81205 | 1 | 33-18-32 P005-00/ / | ALL |
| TB0503 | | S280W555-608 TRACK-TERMINAL BLOCK | 287A4109 81205 | 1 | 33-18-42 P005-00/ / | ALL |
| TB0503V | | S280W555-203 TERMINAL BLOCK- | 287A4109 81205 | 1 | 30-42-11 P005-00/ / | ALL |
| TB0503X | | S280W555-102 TERMINAL BLOCK- | 287A4109 81205 | 1 | 23-42-11 P005-00/ / | ALL |
| TB0503Y | | S280W555-104 TERMINAL BLOCK- | 287A4109 81205 | 1 | 31-52-25 251/278/L09 | ALL |
| TB0503Z | | S280W555-108 TERMINAL BLOCK- | 287A4109 81205 | 1 | 21-27-21 P005-00/ / | ALL |
| TB0504 | | S280W555-604 TRACK-TERMINAL BLOCK | 287A4109 81205 | 1 | 21-31-11 P005-00/ / | ALL |
| TB0504P | | S280W555-102 MDL-TERMINAL BLOCK | 61-30038 81205 | 1 | 21-61-22 P005-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB0500

Page 1

Nov 12/2012

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB0504Q | | S280W555-104 MDL-TERMINAL BLOCK | 61-30038 81205 | 1 | 21-31-11 P005-00/ / | ALL |
| TB0504X | | S280W555-102 TERMINAL BLOCK- | 287A4109 81205 | 1 | 21-61-22 P005-00/ / | ALL |
| TB0504Y | | S280W555-104 TERMINAL BLOCK- | 287A4109 81205 | 1 | 21-31-11 254/280/R03 | ALL |
| TB0505 | | S280W555-608 TRACK-TERMINAL BLOCK | 287A4109 81205 | 1 | 21-27-21 P005-00/ / | ALL |
| TB0505Q | | S280W555-104 MDL-TERMINAL BLOCK | 61-30038 81205 | 1 | 21-27-21 P005-00/ / | ALL |
| TB0505V | | S280W555-203 TERMINAL BLOCK- | 287A4109 81205 | 1 | 30-42-11 P005-00/ / | ALL |
| TB0505Y | | S280W555-104 TERMINAL BLOCK- | 287A4109 81205 | 1 | 21-27-21 P005-00/ / | ALL |
| TB0505Z | 9 | S280W555-108 TERMINAL BLOCK- | 287A4109 81205 | 1 | 23-43-11 P005-00/ / | YC051-YC052 |
| TB0506 | | S280W555-604 TRACK-TERMINAL BLOCK | 287A4109 81205 | 1 | 24-32-11 P005-00/ / | ALL |
| TB0506P | 1 | S280W555-102 MODULE-TERMINAL BLOCK | 61-30038 81205 | 1 | 21-61-31 P005-00/ / | ALL |
| TB0506Q | | S280W555-104 MDL-TERMINAL BLOCK | 61-30038 81205 | 1 | 23-42-11 P005-00/ / | ALL |
| TB0506U | | S280W555-108 MDL-TERMINAL BLOCK | 61-30038 81205 | 1 | 23-42-11 P005-00/ / | ALL |
| TB0506X | | S280W555-102 TERMINAL BLOCK- | 287A4109 81205 | 1 | 21-61-31 255/278/R03 | ALL |
| TB0506Y | | S280W555-104 TERMINAL BLOCK- | 287A4109 81205 | 1 | 21-61-21 P005-00/ / | ALL |
| TB0506Z | | S280W555-108 TERMINAL BLOCK- | 287A4109 81205 | 1 | 36-21-11 P005-00/ / | ALL |
| TB0507 | | S280W555-604 TRACK-TERMINAL BLOCK | 287A4109 81205 | 1 | 33-18-33 P005-00/ / | ALL |
| TB0507Y | | S280W555-104 TERMINAL BLOCK- | 287A4109 81205 | 1 | 33-18-33 P005-00/ / | YC053-YR328 |

EQUIPMENT LIST

D280A108

Section TB0500

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| TB0507Z | | S280W555-108 TERMINAL BLOCK- | 287A4109 81205 | 1 | 33-12-11 P005-00/ / | YC053-YR328 |
| TB0508 | | S280W555-604 TRACK-TERMINAL BLOCK | 287A4109 81205 | 1 | 33-12-11 P005-00/ / | ALL |
| TB0508Y | | S280W555-104 TERMINAL BLOCK- | 287A4109 81205 | 1 | 33-18-34 P005-00/ / | YC053-YR328 |
| TB0508Z | | S280W555-108 TERMINAL BLOCK- | 287A4109 81205 | 1 | 33-12-11 P005-00/ / | YC053-YR328 |
| TB0521 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2750 81205 | 1 | 34-61-23 E005-02/ / | ALL |
| TB0521Y | | S280W555-104 TERMINAL BLOCK- | 284A2750 81205 | 1 | 34-21-11 E005-02/ / | ALL |
| TB0521Z | | S280W555-108 TERMINAL BLOCK- | 284A2750 81205 | 1 | 34-21-13 E005-02/ / | ALL |
| TB0522 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2750 81205 | 1 | 34-61-15 E005-02/ / | ALL |
| TB0522Y | 1 | S280W555-104 MDL-TERMINAL BLOCK | 284A2750 81205 | 1 | 34-21-11 E005-02/ / | ALL |
| TB0522Z | | S280W555-108 MDL-TERMINAL BLOCK | 284A2750 81205 | 1 | 34-21-24 E005-02/ / | ALL |
| TB0523 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2750 81205 | 1 | 34-61-14 E005-02/ / | ALL |
| TB0523Y | 1 | S280W555-104 MDL-TERMINAL BLOCK | 284A2750 81205 | 1 | 34-21-11 E005-02/ / | ALL |
| TB0523Z | | S280W555-108 MDL-TERMINAL BLOCK | 284A2750 81205 | 1 | 34-21-14 E005-02/ / | ALL |
| TB0524 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2750 81205 | 1 | 34-61-14 E005-02/ / | ALL |
| TB0524Y | | S280W555-104 TERMINAL BLOCK | 284A2750 81205 | 1 | 34-21-11 E005-02/ / | ALL |
| TB0524Z | | S280W555-108 TERMINAL BLOCK- | 284A2750 81205 | 1 | 34-21-14 E005-02/ / | ALL |
| TB0536 | | S280W555-602 TRACK-TERMINAL BLOCK | 287A9112 81205 | 1 | 21-51-16 542/159/L026 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section TB0500

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB0536Y | | S280W555-104 TERMINAL-BLOCK | 287A9112 81205 | 1 | 21-51-16 542/160/L028 | YN231-YN501 |
| TB0591 | | S280W555-602 TRACK-TERMINAL BLOCK | 284A3225 81205 | 1 | 34-61-12 P059-00/ / | ALL |
| TB0591X | | S280W555-102 MODULE-TERMINAL BLOCK | 284A1225 81205 | 1 | 34-61-12 P059-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB0500

Page 4 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| TB0606 | | S280W555-504 TRACK-TERMINAL BLOCK | 287A4130 81205 | 1 | 78-32-61 270/176/R027 | ALL |
| TB0606V | | S280W555-203 TERMINAL BLOCK | 287A4130 81205 | 2 | 78-32-61 270/176/R027 | ALL |
| TB0606X | | S280W555-102 TERMINAL BLOCK | 287A4130 81205 | 1 | 23-42-11 270/176/R027 | ALL |
| TB0606Y | | S280W555-104 TERMINAL BLOCK- | 287A4130 | 1 | 34-55-21 270/176/R027 | ALL |
| TB0608 | | S280W555-504 TRACK-TERMINAL BLOCK | 287A4130 81205 | 1 | 30-42-11 J046-00/ / | ALL |
| TB0608X | | S280W555-102 TERMINAL BLOCK | 287A4130 81205 | 1 | 21-25-11 268/175/R028 | ALL |
| TB0608Y | | S280W555-104 TERMINAL BLOCK- | 287A4130 81205 | 1 | 21-25-11 268/175/R028 | YL968-YL999, YN236-YR328 |
| TB0608Z | | S280W555-108 TERMINAL BLOCK | 287A4130 81205 | 1 | 23-42-11 268/175/R028 | YD158-YR328 |
| TB0610 | | S280W555-604 TRACK-TERMINAL BLOCK | 233A5305 81205 | 1 | 32-42-11 P006-00/ / | YC051-YC064 |
| TB0610 | | S280W555-606 TRACK-TERMINAL BLOCK | 233A5305 81205 | 1 | 32-42-11 P006-00/ / | YC065-YR301 |
| TB0610 | | S280W555-506 TRACK-TERMINAL BLOCK | 233A5305 81205 | 1 | 32-42-11 P006-00/ / | YR303-YR328 |
| TB0610X | | S280W555-102 TERMINAL BLOCK- | 288A4154 81205 | 1 | 34-61-18 P006-00/ / | ALL |
| TB0610Y | | S280W555-104 TERMINAL BLOCK- | 284RXXXX 81205 | 1 | 32-42-11 P006-00/ / | ALL |
| TB0612 | | S280W555-604 TRACK-TERMINAL BLOCK | 233A5302 81205 | 1 | 24-11-11 P006-00/ / | ALL |
| TB0621 | 1 | S280W601-301 TRACK-TERMINAL | 288A2062 81205 | 1 | 23-11-11 E006-02/ / | ALL |
| TB0621Y | | S280W555-104 TERMINAL BLOCK- | 284A781 81905 | 1 | 23-11-11 E006-02/ / | YL951-YR328 |
| TB0636 | | S280W555-602 TRACK-TERMINAL BLOCK | 287TBDD 81205 | 1 | 21-51-26 537/159/R028 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section TB0600

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB0636Y | | S280W555-104 TERMINAL-BLOCK | 287ATBD 81205 | 1 | 21-51-26 541/159/R026 | YN231-YN501 |
| TB0660 | | S280W555-506 TRACK-TERMINAL BLOCK | 287A4130 81205 | 1 | 21-25-11 J046-00/ / | ALL |
| TB0660Y | | S280W555-104 TERMINAL BLOCK | 287A4130 81205 | 4 | 21-25-11 J046-00/ / | ALL |
| TB0660Z | | S280W555-108 TERMINAL BLOCK | 287A4130 81205 | 1 | 21-25-11 J046-00/ / | ALL |
| TB0662 | | S280W555-506 TRACK-TERMINAL BLOCK | 287A4130 81205 | 1 | 21-25-11 J046-00/ / | ALL |
| TB0662Y | | S280W555-104 TERMINAL BLOCK- | 287A4130 81205 | 3 | 21-25-11 J046-00/ / | ALL |
| TB0664 | | S280W555-506 TRACK-TERMINAL BLOCK | 287A4130 81205 | 1 | 21-25-11 J046-00/ / | ALL |
| TB0664Y | | S280W555-104 TERMINAL BLOCK- | 287A4130 81205 | 3 | 21-25-11 J046-00/ / | ALL |
| TB0664Z | | S280W555-108 TERMINAL BLOCK | 287A4130 81205 | 1 | 21-25-11 J046-00/ / | ALL |
| TB0666 | | S280W555-506 TRACK-TERMINAL BLOCK | 287A4130 81205 | 1 | 21-25-11 J046-00/ / | ALL |
| TB0666Y | | S280W555-104 TERMINAL BLOCK- | 287A4130 81205 | 1 | 21-25-11 J046-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB0600

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB0800 | | S280W555-606 TRACK-TERMINAL BLOCK | 254A1221 81205 | 1 | 33-11-41 P010-00/ / | ALL |
| TB0800Z | | S280W555-108 TERMINAL BLOCK- | 254A1221 81205 | 1 | 33-11-41 P08-00/ / | ALL |
| TB0801 | | S280W555-506 TRACK-TERMINAL BLOCK | 287A4122 81205 | 1 | 33-11-33 231/208/0 | ALL |
| TB0801V | | S280W555-203 TERMINAL BLOCK- | 287A4122 81205 | 1 | 33-11-33 P008-00/ / | ALL |
| TB0801W | | S280W555-206 TERMINAL BLOCK- | 287A4122 81205 | 3 | 33-11-33 P008-00/ / | ALL |
| TB0801X | | S280W555-102 TERMINAL BLOCK- | 287A4122 81205 | 1 | 33-11-33 P008-00/ / | ALL |
| TB0801Y | | S280W555-104 TERMINAL BLOCK- | 287A4122 81205 | 1 | 33-11-33 P008-00/ / | ALL |
| TB0803 | | S280W555-606 TRACK-TERMINAL BLOCK | 141A5170 81205 | 1 | 22-11-12 229/209/0 | ALL |
| TB0803X | | S280W555-102 TERMINAL BLOCK- | 141A5170 81205 | 1 | 22-11-12 P008-00/ / | ALL |
| TB0803Y | | S280W555-104 TERMINAL BLOCK- | 141A5170 81205 | 2 | 22-11-12 P008-00/ / | ALL |
| TB0803Z | | S280W555-108 TERMINAL BLOCK- | 141A5170 81205 | 1 | 33-18-61 P008-00/ / | ALL |
| TB0804 | | S280W555-606 TRACK-TERMINAL BLOCK | 141A5170 81205 | 1 | 21-33-11 227/209/0 | ALL |
| TB0804X | | S280W555-102 TERMINAL BLOCK- | 141A5170 81205 | 2 | 33-11-31 P008-00/ / | ALL |
| TB0804Y | | S280W555-104 TERMINAL BLOCK- | 141A5170 81205 | 1 | 21-33-11 P008-00/ / | ALL |
| TB0804Z | | S280W555-108 TERMINAL BLOCK- | 141A5170 81205 | 3 | 33-11-41 P008-00/ / | ALL |
| TB0805 | | S280W555-606 TRACK-TERMINAL BLOCK | 141A5170 81205 | 1 | 22-11-12 227/205/R015 | ALL |
| TB0805V | | S280W555-203 TERMINAL BLOCK | 141A5170 81205 | 1 | 33-11-11 227/205/R015 | ALL |

EQUIPMENT LIST

D280A108

Section TB0800

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| TB0805X | | S280W555-102 TERMINAL BLOCK | 141A5170 81205 | 2 | 22-11-12 227/205/R015 | ALL |
| TB0805Y | | S280W555-104 TERMINAL BLOCK | 141A5170 81205 | 1 | 22-11-12 227/205/R015 | ALL |
| TB0806 | | S280W555-606 TRACK-TERMINAL BLOCK | 141A5170 81205 | 1 | 22-11-12 221/204/L004 | ALL |
| TB0806V | | S280W555-203 TERMINAL BLOCK | 141A5170 81205 | 1 | 33-11-11 221/204/L004 | ALL |
| TB0806X | | S280W555-102 TERMINAL BLOCK | 141A5170 81205 | 2 | 22-11-12 221/204/L004 | ALL |
| TB0806Y | | S280W555-104 TERMINAL BLOCK | 141A5170 81205 | 1 | 22-11-12 221/204/L004 | ALL |
| TB0806Z | | S280W555-108 TERMINAL BLOCK | 141A5170 81205 | 2 | 33-18-61 221/204/L004 | ALL |
| TB0811 | 1 | S280W555-522 TRACK-TERMINAL BLOCK 22 MODULES | 284A2780 81205 | 1 | 23-11-11 E008-01/ / | YC051-YC052 |
| TB0811 | 1 | S280W555-516 TRACK-TERMINAL BLOCK 16 MODULES | 284A2780 81205 | 1 | 23-11-11 E008-01/ / | YC053-YD158 |
| TB0811W | | S280W555-206 TERMINAL BLOCK | 284A2710 81205 | 1 | 23-34-01 E008-01/ / | YC051-YD170 |
| TB0811Y | | S280W555-104 TERMINAL BLOCK- | 284A0781 81205 | 2 | 23-34-01 E008-01/ / | YC051-YD170 |
| TB0811Z | | S280W555-108 TERMINAL BLOCK | 284A2710 81205 | 1 | 23-34-01 E008-01/ / | YC051-YD170 |
| TB0812 | 1 | S280W555-510 TRACK-TERMINAL BLOCK 10 MODULES | 284A2780 81205 | 1 | 23-11-11 E008-01/ / | YC051-YC052 |
| TB0812 | 1 | S280W555-516 TRACK-TERMINAL BLOCK 16 MODULES | 284A2780 81205 | 1 | 23-11-11 E008-01/ / | YC053-YD170 |
| TB0812Y | | S280W555-104 TERMINAL BLOCK- | 284A0781 81205 | 1 | 23-11-11 E008-01/ / | YC051-YD170 |
| TB0812Z | | 280W555-108 TERMINAL BLOCK | S84A2710 81205 | 1 | 23-11-16 E008-01/ / | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section TB0800

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| TB0952 | | S280W555-604 TRACK-TERMINAL BLOCK | 287A0000 81205 | 1 | 23-71-01 953/305/L003 | YL963-YL999, YN236-YR328 |
| TB0952X | | S280W555-102 TERMINAL BLOCK- | 287A0000 81205 | 1 | 23-71-01 953/305/L003 | YL963-YL999, YN236-YR328 |
| TB0952Y | | S280W555-104 TERMINAL BLOCK- | 287A000 81205 | 1 | 23-71-01 953/305/L003 | YL963-YL999, YN236-YR328 |
| TB0954 | | S280W555-604 TRACK-TERMINAL BLOCK | 287A4181 81205 | 1 | 23-42-14 322/296/L003 | YN501-YR328 |
| TB0954Y | | S280W555-104 TERMINAL BLOCK- | 287A4181 81205 | 1 | 23-42-14 322/296/L003 | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section TB0900

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB1092 | | S280W555-606 TRACK-TERMINAL BLOCK | 288A4151 81205 | 1 | 33-11-11 P001-00/ / | ALL |
| TB1092V | | S280W555-203 TERMINAL BLOCK | 288A4151 81205 | 1 | 33-11-11 P001-00/ / | ALL |
| TB1092W | | S280W555-206 TERMINAL BLOCK | 288A4151 81205 | 1 | 33-11-11 P001-00/ / | ALL |
| TB1092X | | S280W555-102 TERMINAL BLOCK | 288A4151 81205 | 1 | 33-11-11 P001-00/ / | ALL |
| TB1092Y | | S280W555-104 TERMINAL BLOCK | 288A4151 81205 | 1 | 33-11-11 P001-00/ / | ALL |
| TB1092Z | | S280W555-108 TERMINAL BLOCK | 288A4151 81205 | 1 | 33-11-11 P001-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB1000

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| TB1101 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1101X | | S280W555-102 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1101Y | | S280W555-104 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1101Z | | S280W555-108 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1102 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 34-45-21 E001-01/ / | ALL |
| TB1102X | | S280W555-102 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1102Y | 9 | S280W555-104 TERMINAL BLOCK - (SB 27-1253) | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | YD155 |
| TB1102Y | | S280W555-104 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1102Z | | S280W555-108 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1103 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 34-49-11 E001-01/ / | ALL |
| TB1103X | | S280W555-102 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1103Y | | S280W555-104 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1103Z | | S280W555-108 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1104 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1104X | | S280W555-102 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1104Y | | S280W555-104 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1104Z | | S280W555-108 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB1100

Page 1

Nov 12/2012

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| TB1105 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1105W | 1 | S280W555-206 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1105X | | S280W555-102 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1105Y | | S280W555-104 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1105Z | | S280W555-108 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1106 | 1 | S280W555-504 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1106X | | S280W555-102 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1106Y | | S280W555-104 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1106Z | | S280W555-108 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1107 | 1 | S280W555-504 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1107X | | S280W555-102 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1107Y | | S280W555-104 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1107Z | | S280W555-108 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1108 | 1 | S280W555-504 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1108Y | 1 | S280W555-104 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1108Z | 1 | S280W555-108 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1109 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB1100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| TB1109Y | 1 | S280W555-104 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1109Z | 1 | S280W555-108 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1110 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1110Y | 1 | S280W555-104 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1110Z | 1 | S280W555-108 TERMINAL BLOCK - | 284A2710 81205 | 1 | 22-11-11 E001-01/ / | ALL |
| TB1111 | 1 | S280W555-504 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 21-31-24 E001-01/ / | YD158-YR328 |
| TB1111Y | 1 | S280W555-104 TERMINAL BLOCK - | 284A2710 81205 | 1 | 21-31-24 E001-01/ / | YD158-YR328 |
| TB1111Z | 1 | S280W555-108 TERMINAL BLOCK - | 284A2710 81205 | 1 | 21-31-24 E001-01/ / | YD158-YR328 |

EQUIPMENT LIST

D280A108

Section TB1100
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| TB1201 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 34-31-11 E001-02/ / | ALL |
| TB1201Y | 1 | S280W555-104 TERMINAL BLOCK | 284A2710 81205 | 1 | 34-31-11 E001-02/ / | ALL |
| TB1201Z | 1 | S280W555-108 TERMINAL BLOCK | 284A2710 81205 | 1 | 34-31-11 E001-02/ / | ALL |
| TB1202 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 34-53-11 E001-02/ / | ALL |
| TB1202Y | 1 | S280W555-104 TERMINAL BLOCK | 284A2710 81205 | 1 | 34-53-11 E001-02/ / | ALL |
| TB1203 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 34-53-11 E001-02/ / | ALL |
| TB1204 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 34-55-11 E001-02/ / | ALL |
| TB1204Y | 1 | S280W555-104 TERMINAL BLOCK | 284A2710 81205 | 1 | 34-55-11 E001-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB1200

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| TB1301 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 23-12-11 E001-03/ / | ALL |
| TB1301W | 1 | S280W555-206 TERMINAL BLOCK | 284A2710 81205 | 1 | 23-12-11 E001-03/ / | ALL |
| TB1301Y | 1 | S280W555-104 TERMINAL BLOCK | 284A2710 81205 | 1 | 23-12-11 E001-03/ / | ALL |
| TB1301Z | 1 | S280W555-108 TERMINAL BLOCK | 284A2710 81205 | 1 | 23-12-11 E001-03/ / | ALL |
| TB1302 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 23-31-01 E001-03/ / | ALL |
| TB1302Y | 1 | S280W555-104 TERMINAL BLOCK | 284A2710 81205 | 1 | 23-31-02 E001-03/ / | ALL |
| TB1302Z | 1 | S280W555-108 TERMINAL BLOCK | 284A2710 81205 | 1 | 23-31-02 E001-03/ / | ALL |
| TB1303 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 23-41-11 E001-03/ / | ALL |
| TB1303Y | 1 | S280W555-104 TERMINAL BLOCK | 284A2710 81205 | 3 | 23-41-01 E001-03/ / | ALL |
| TB1304 | | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 2 | 23-34-01 E001-03/ / | ALL |
| TB1304Y | | S280W555-104 TERMINAL BLOCK | 284A2710 81205 | 1 | 23-31-06 E001-03/ / | YC051-YD170 |
| TB1304Y | | S280W555-104 TERMINAL BLOCK | 284A2710 81205 | 1 | 23-34-01 E001-03/ / | YL951-YR328 |
| TB1304Z | | S280W555-108 TERMINAL BLOCK | 284A2710 81205 | 1 | 23-31-06 E001-03/ / | YC051-YD170 |
| TB1304Z | | S280W555-108 TERMINAL BLOCK | 284A2710 81205 | 1 | 23-34-01 E001-03/ / | YL951-YN260 |
| TB1304Z | | S280W555-108 TERMINAL BLOCK | 284A2710 81205 | 1 | 44-21-22 E001-03/ / | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section TB1300
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| TB1401 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 34-31-21 E001-04/ / | ALL |
| TB1401Y | 1 | S280W555-104 TERMINAL BLOCK | 284A2710 81205 | 1 | 22-11-11 E001-04/ / | ALL |
| TB1402 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 34-31-21 E001-04/ / | ALL |
| TB1402Y | 1 | S280W555-104 TERMINAL BLOCK | 284A2710 81205 | 1 | 22-11-12 E001-04/ / | ALL |
| TB1402Z | 1 | S280W555-108 TERMINAL BLOCK | 284A2710 81205 | 1 | 22-11-11 E001-04/ / | ALL |
| TB1403 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 34-31-21 E001-04/ / | ALL |
| TB1403Y | 1 | S280W555-104 TERMINAL BLOCK | 284A2710 81205 | 1 | 34-31-21 E001-04/ / | ALL |
| TB1403Z | 1 | S280W555-108 TERMINAL BLOCK | 284A2710 81205 | 1 | 34-31-21 E001-04/ / | ALL |
| TB1404 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 34-31-21 E001-04/ / | ALL |
| TB1404Y | 1 | S280W555-104 TERMINAL BLOCK | 284A2710 81205 | 1 | 26-11-21 E001-04/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB1400

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| TB1501 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 34-55-21 E001-05/ / | ALL |
| TB1501Y | 1 | S280W555-104 TERMINAL BLOCK | 284A2710 81205 | 1 | 34-55-21 E001-05/ / | ALL |
| TB1502 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 34-53-11 E001-05/ / | ALL |
| TB1503 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 34-53-11 E001-05/ / | ALL |
| TB1504 | 1 | S280W601-301 TRACK - TERMINAL BLOCK | 284A2710 81205 | 1 | 34-21-24 E001-05/ / | ALL |
| TB1504W | 1 | S280W555-206 TERMINAL BLOCK | 284A2710 81205 | 1 | 23-12-21 E001-05/ / | ALL |
| TB1504Y | 1 | S280W555-104 TERMINAL BLOCK | 284A2710 81205 | 1 | 34-53-21 E001-05/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB1500
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB1806 | | S280W555-504 TRACK-TERMINAL BLOCK | 288A4131 81205 | 1 | 21-25-11 261/173/L025 | ALL |
| TB1806V | | S280W555-203 TERMINAL BLOCK- | 288A4131 81205 | 1 | 21-25-11 261/173/L025 | ALL |
| TB1806X | | S280W555-102 TERMINAL BLOCK | 288A4131 81205 | 1 | 21-25-11 261/173/L025 | ALL |
| TB1806Y | | S280W555-104 TERMINAL BLOCK- | 288A4131 81205 | 2 | 21-27-21 261/173/L025 | ALL |
| TB1806Z | | S280W555-108 TERMINAL BLOCK- | 288A4131 81205 | 2 | 44-21-22 261/173/L025 | YN501-YR328 |
| TB1808 | | S280W555-504 TRACK-TERMINAL BLOCK | 288A4131 81205 | 1 | 21-25-11 261/171/L025 | ALL |
| TB1808V | | S280W555-203 TERMINAL BLOCK- | 288A4131 81205 | 1 | 21-25-11 261/171/L025 | ALL |
| TB1808X | | S280W555-102 TERMINAL BLOCK | 288A4131 81205 | 1 | 21-25-11 261/171/L025 | ALL |
| TB1808Y | | S280W555-104 TERMINAL BLOCK- | 233A4131 81205 | 1 | 31-31-11 261/171/L025 | ALL |
| TB1882 | | S280W555-510 TRACK-TERMINAL BLOCK | 287A4143 81205 | 1 | 21-25-11 J048-00/ / | ALL |
| TB1882Y | | S280W555-104 TERMINAL BLOCK | 287A4143 81205 | 5 | 21-25-11 J048-00/ / | ALL |
| TB1884 | | S280W555-510 TRACK-TERMINAL BLOCK | 287A4140 81205 | 1 | 21-25-11 J048-00/ / | ALL |
| TB1884Y | | S280W555-104 TERMINAL BLOCK | 287A4140 81205 | 1 | 21-25-11 J048-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB1800

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB2101 | | S280W555-516 TRACK-TERMINAL BLOCK | 284A0221 81205 | 1 | 23-71-01 E002-01/ / | ALL |
| TB2101X | | S280W555-102 TERMINAL BLOCK- | 28000000 81205 | 1 | 23-71-01 E002-01/ / | ALL |
| TB2101Y | | S280W555-104 TERMINAL BLOCK- | 28000000 81205 | 1 | 24-28-11 E002-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB2100
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|--------------|
| TB2201 | | S280W555-526 TRACK-TERMINAL BLOCK | 287A0722 81205 | 1 | 26-11-31 E002-02/ / | ALL |
| TB2201Y | 9 | S280W555-104 TERMINAL BLOCK- (SB 21-1135) | SB211135 81205 | 1 | 24-31-11 E002-02/ / | YC053, YC055 |
| TB2201Y | | S280W555-104 TERMINAL BLOCK- | 28000000 81205 | 1 | 24-31-11 E002-02/ / | ALL |
| TB2202 | 9 | MS27212-2-3 TERMINAL STRIP-E2-2, APU GEN. | 287A4352 81205 | 1 | 24-21-31 396/180/L40 | YC051 |
| TB2202 | | MS27212-2-3 TERMINAL STRIP-E2-2, APU GEN. | 287A4352 81205 | 1 | 24-21-31 396/180/L040 | YC052-YR328 |

EQUIPMENT LIST

D280A108

Section TB2200

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB3092 | | S280W555-606 TRACK-TERMINAL BLOCK | 288A4151 81205 | 1 | 33-11-21 P003-00/ / | ALL |
| TB3092V | | S280W555-203 TERMINAL BLOCK | 288A4151 81205 | 1 | 33-11-11 P003-00/ / | ALL |
| TB3092W | | S280W555-206 TERMINAL BLOCK | 288A4151 81205 | 1 | 33-11-21 P003-00/ / | ALL |
| TB3092X | | S280W555-102 TERMINAL BLOCK | 288A4151 81205 | 1 | 33-11-11 P003-00/ / | ALL |
| TB3092Y | | S280W555-104 TERMINAL BLOCK | 288A4151 81205 | 1 | 33-11-11 P003-00/ / | ALL |
| TB3092Z | | S280W555-108 TERMINAL BLOCK | 288A4151 81205 | 1 | 33-11-11 P003-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB3000
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB3101 | 1 | S280W555-526 TRACK-TERMINAL BLOCK | 284A2730 81205 | 1 | 31-62-15 E003-01/ / | ALL |
| TB3101Y | 1 | S280W555-104 TERMINAL BLOCK | 284A2730 81205 | 1 | 31-62-15 E003-01/ / | ALL |
| TB3101Z | 1 | S280W555-108 TERMINAL BLOCK | 284A2730 81205 | 1 | 31-62-15 E003-01/ / | ALL |
| TB3102 | 1 | S280W555-526 TRACK-TERMINAL BLOCK | 284A2730 81205 | 1 | 31-62-14 E003-01/ / | ALL |
| TB3102Y | 1 | S280W555-104 TERMINAL BLOCK | 284A2730 81205 | 1 | 31-62-14 E003-01/ / | ALL |
| TB3102Z | 1 | S280W555-108 TERMINAL BLOCK | 284A2730 81205 | 1 | 31-62-14 E003-01/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB3100

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB3201 | | S280W555-522 TRACK-TERM BLOCK | 286A0321 81205 | 1 | 31-31-14 E003-2/ / | ALL |
| TB3201X | | S280W555-102 MDL-TERMINAL BLOCK | 284A1732 81205 | 1 | 27-32-11 E003-02/ / | ALL |
| TB3201Y | | S280W555-104 MDL-TERMINAL BLOCK | 284A1732 81205 | 1 | 31-31-11 E003-02/ / | ALL |
| TB3201Z | | S280W555-108 MDL-TERMINAL BLOCK | 284A1732 81205 | 1 | 31-31-11 E003-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB3200
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|----------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| TB3301 | | S280W555-514 TRACK-TERM BLOCK | 284A0730 81205 | 1 | 23-27-11 E003-03/ / | YC051-YL999, YR301-YR328 |
| TB3301 | | S280W555-514 TRACK-TERM BLOCK | 284A0730 81205 | 1 | 23-27-31 E003-03/ / | YN231-YN260 |
| TB3301 | | S280W555-514 TRACK-TERM BLOCK | 284A0730 81205 | 1 | 23-12-31 E003-03/ / | YN501 |
| TB3301V | | S280W555-203 TERMINAL BLOCK - | 284A0730 81205 | 1 | 23-12-31 E003-03/ / | YC051-YD170 |
| TB3301Y | | S280W555-104 TERMINAL BLOCK - | 284A0730 81205 | 1 | 21-61-11 E003-03/ / | YC051-YL999, YR301-YR328 |
| TB3301Y | | S280W555-104 TERMINAL BLOCK - | 284A0730 81205 | 1 | 23-27-31 E003-03/ / | YN231-YN260 |
| TB3301Y | | S280W555-104 TERMINAL BLOCK - | 284A0730 81205 | 1 | 23-12-31 E003-03/ / | YN501 |
| TB3301Z | | S280W555-108 TERMINAL BLOCK - | 284A0730 81205 | 1 | 23-27-11 E003-03/ / | YC051-YD170 |
| TB3302 | | S280W555-514 TRACK-TERM BLOCK | 284A0730 81205 | 1 | 23-27-11 E003-03/ / | YR301-YR328 |
| TB3302Y | | S280W555-104 TERMINAL BLOCK - | 284A0730 81205 | 1 | 23-27-31 E003-03/ / | YD158-YD170 |

EQUIPMENT LIST

D280A108

Section TB3300

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| TB3901 | | S280W555-506 TRACK-TERMINAL BLOCK | 284A3239 | 0 | 27-62-11 AJ0039/ / | YR301-YR328 |
| TB3901Y | | S280W555-104 TERMINAL BLOCK | 284A0082 | 0 | 27-62-11 AJ0039/ / | YR301-YR328 |
| TB3901Y | 1 | S280W555-104 TERMINAL BLOCK | 284A0082 | 0 | 27-62-11 AJ0039/ / | YL953-YL999 |
| TB3901Z | | S280W555-108 MDL-TERMINAL BLOCK | 284A0082 | 0 | 27-62-11 AJ0039/ / | YL953-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section TB3900
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| TB4101 | | S280W555-522 TRACK-TERMINAL BLOCK 22 MODULES | 284A2740 81205 | 1 | 21-25-11 E004-01/ / | ALL |
| TB4101X | | S280W555-102 TERMINAL BLOCK- | 284A2740 81205 | 4 | 21-25-11 E004-01/ / | ALL |
| TB4101Y | | S280W555-104 TERMINAL BLOCK- | 284A2740 81205 | 6 | 21-25-11 E004-01/ / | ALL |
| TB4101Z | 1 | S280W555-108 TERMINAL BLOCK | 284A2740 81205 | 2 | 21-25-11 E004-01/ / | ALL |
| TB4102 | | S280W555-606 TRACK-TERMINAL BLOCK 6 MODULES | 287A4358 81205 | 1 | 21-25-11 E004-01/ / | YC051-YL999, YR301-YR328 |
| TB4102Y | | S280W555-104 TERMINAL BLOCK- | 284A2740 81205 | 6 | 21-25-11 E004-01/ / | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section TB4100

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB4201 | | S280W555-506 TRACK-TERMINAL BLOCK | 284A0440 81205 | 1 | 24-41-11 E004-02/ / | ALL |
| TB4201X | 1 | S280W555-102 TERMINAL BLOCK | 284A0440 81205 | 1 | 23-34-02 E004-02/ / | ALL |
| TB4201Y | 1 | S280W555-104 TERMINAL BLOCK | 284A0440 81205 | 1 | 24-23-51 E004-02/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB4200
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| TB4601 | | S280W555-602 TRACK - TERMINAL BLOCK | 144A7714 | 0 | 47-30-11 721/204/R035 | ALL |
| TB4601Y | | S280W555-104 TERMINAL BLOCK | 144A7714 | 0 | 47-30-11 721/204/R035 | YD160-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section TB4600

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|---|-----------------------|-----|-------------------------------|-------------|
| TB5001 | | 1032176-1 TERMINAL STRIP-PDP 1 GEN 1 | 284A0206 07217 | 3 | 24-51-11 393P91/169/L032 | ALL |
| TB5002 | | 1032176-1 TERMINAL STRIP-PDP 1,APU GEN | 284A0206 07217 | 3 | 24-51-11 P091 392/172/L040 | ALL |
| TB5004 | | 1032177-1 TERMINAL STRIP-PDP 1,BUS TIE | 284A0206 07217 | 3 | 24-51-11 393 P091/168/L024 | ALL |
| TB5005 | | 1032176-1 TERMINAL STRIP-PDP 1 GEN 2 | 284A0206 07217 | 3 | 24-51-21 P092 393/170/R028 | ALL |
| TB5006 | | 1032176-1 TERMINAL STRIP-PDP 2,EXT PWR | 284A0206 07217 | 3 | 24-51-21 393/172/R036 | ALL |
| TB5008 | | 1032177-1 TERMINAL STRIP-PDP 2,BUS TIE | 284A0206 07217 | 3 | 24-51-21 393/167/R021 | ALL |
| TB5009 | | MS27212-2-1 TERMINAL STRIP- | 233A5601 96906 | 1 | 33-17-11 255/261/L031 | ALL |
| TB5010 | | MS27212-2-6 TERMINAL STRIP-LEFT FRONT WINDOW | 284A2720 96906 | 1 | 30-41-11 E002-01/ / | ALL |
| TB5012 | | MS27212-2-6 TERMINAL STRIP | 284A2740 96906 | 1 | 30-41-12 E004-02/ / | ALL |
| TB5014 | | MS27212-2-6 TERMINAL STRIP-RIGHT SIDE WINDOW | 284A2720 96906 | 1 | 30-41-11 E002-01/ / | ALL |
| TB5016 | | MS27212-2-6 TERMINAL STRIP | 284A2740 96906 | 1 | 30-41-12 E004-02/ / | ALL |
| TB5018 | | MS27212-2-1 TERMINAL STRIP-CAPT FLT KIT LT | 141A7410 96906 | 1 | 33-17-11 226/230/L040 | ALL |
| TB5018 T | | MS25171-1S NIPPLE | 96906 | 1 | 33-17-11 226/230/L040 | YC051-YD151 |
| TB5018 T | | MS25171-1S NIPPLE | 96906 | 1 | 33-17-11 */*/ | YD152-YR328 |
| TB5020 | | MS27212-2-1 TERMINAL STRIP-F/O FLT LT | 141A7410 96906 | 1 | 33-17-11 226/230/R040 | ALL |
| TB5020 T | | MS25171-1S NIPPLE | 96906 | 1 | 33-17-11 226/230/R040 | ALL |
| TB5060 | | SEEOTHERPARTS TERMINAL STRIP-PR | 65CXXXP6 | 1 | 24-51-11 P006-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB5000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-------------|
| TB5060A | | MS27212-2-12 TERMINAL STRIP-PR | 65CXXXP6 | 0 | 24-61-11 P006-00/ / | ALL |
| TB5060B | | MS27212-2-10 TERMINAL STRIP-P6 | 233A5201 81205 | 1 | 33-12-11 P006-00/ / | ALL |
| TB5060C | | MS27212-2-10 TERMINAL STRIP-P6 | 233A5201 81205 | 1 | 24-51-11 P006-00/ / | ALL |
| TB5060D | | MS27212-2-14 TERMINAL STRIP-P6 | 233A5201 81205 | 1 | 24-51-11 P006-00/ / | ALL |
| TB5060E | | MS27212-2-11 TERMINAL STRIP-P6 | 233A5201 81205 | 1 | 24-51-11 P006-00/ / | ALL |
| TB5060F | | MS27212-2-12 TERMINAL STRIP-P6 | 233A5201 81205 | 1 | 24-51-11 P006-00/ / | ALL |
| TB5060G | | MS27212-2-8 TERMINAL STRIP-P6 | 233A5201 81205 | 1 | 24-51-11 P006-00/ / | ALL |
| TB5060H | | MS27212-2-8 TERMINAL STRIP-P6 | 233A5201 81205 | 1 | 24-51-11 P006-00/ / | ALL |
| TB5060I | | MS27212-2-1 TERMINAL STRIP-PR | 233A5201 81205 | 1 | 33-12-11 P006-00/ / | ALL |
| TB5060IT | | MS25171-4S NIPPLE | 96906 | 1 | 24-31-12 P006-00/ / | YC051-YC057 |
| TB5060J | | MS27212-2-1 TERMINAL STRIP-P6 | 233A5220 81205 | 1 | 24-31-12 P006-00/ / | ALL |
| TB5060JT | 1 | BACN18H5 NIPPLE | 81205 | 1 | 33-17-11 P006-00/ / | YC051-YC057 |
| TB5060JT | 2 | MS25171-1S NIPPLE | 96906 | 1 | 33-17-11 P006-00/ / | YC051-YC057 |
| TB5060K | 9 | MS27212-2-12 TERMINAL STRIP-P6 (SB 24-1147) | 233A5220 81205 | 1 | 24-51-11 P006-00/ / | YC051-YD157 |
| TB5060K | | MS27212-2-12 TERMINAL STRIP-P6 | 233A5220 81205 | 1 | 24-51-11 P006-00/ / | YD154-YR328 |
| TB5060L | | MS27212-2-12 TERMINAL STRIP-PR | 233A5220 | 0 | 24-51-11 P006-00/ / | YL951-YR328 |

EQUIPMENT LIST

D280A108

Section TB5000

Page 2 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB5180 | | SEEOTHERPARTS TERMINAL STRIP-P18 | 65CXXXP18 | 0 | 24-51-11 260/243/L031 | ALL |
| TB5180A | | MS27212-2-1 TERMINAL STRIP-P18 | 233A5501 81205 | 1 | 33-17-11 P018-00/ / | ALL |
| TB5180B | | MS27212-2-12 TERMINAL STRIP-P18 | 233A5501 81205 | 1 | 24-51-11 P018-00/ / | ALL |
| TB5180C | | MS27212-2-9 TERMINAL STRIP-P18 | 233A5501 81205 | 1 | 24-51-11 P018-00/ / | ALL |
| TB5180D | | MS27212-2-10 TERMINAL STRIP-P18 | 233A5501 81205 | 1 | 24-51-11 P018-00/ / | ALL |
| TB5180E | | MS27212-2-10 TERMINAL STRIP-P18 | 233A5501 81205 | 1 | 24-51-11 P018-00/ / | ALL |
| TB5180F | | MS27212-2-4 TERMINAL STRIP-P18 | 233A5501 81205 | 1 | 24-54-11 P018-00/ / | YD157-YR328 |
| TB5180G | | MS27212-2-14 TERMINAL STRIP-P18 | 288A4155 | 1 | 24-51-11 P018-00/ / | ALL |

EQUIPMENT LIST

D280A108

Section TB5100
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB5210 | | MS27212-2-14 TERMINAL STRIP-P18 | 65CXXXE21 | 1 | 24-51-11 E002-01/ / | ALL |
| TB5220 | | SEEOTHERPARTS TERMINAL STRIP-PR | 65CXXXP6 | 1 | 24-34-11 E002-02/ / | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section TB5200

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| TB5420 | | MS27212-3-2 TERMINAL STRIP-E4-2 | 284A1844 | 1 | 24-32-11 387/181/R048 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section TB5400
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| TB5801 | | S280W555-510 TRACK-TERMINAL BLOCK | 65CXXE21 81205 | 1 | 24-31-11 374/188/L060 | YC051-YL999, YR301-YR328 |
| TB5801X | | S280W555-102 TERMINAL BLOCK- | 286A2508 81205 | 1 | 24-31-11 374/188/L060 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section TB5800

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| TB6101Y | 1 | S280W555-104 TRACK - TERMINAL BLOCK | 284A2760 81205 | 1 | 23-19-11 E006-01/ / | YC051-YD170 |
| TB6101Z | | S280W555-108 TRACK - TERMINAL BLOCK | 284A2760 81205 | 1 | 23-15-11 E006-01/ / | YC051-YD170 |
| TB6101Z | 1 | S280W555-108 TRACK - TERMINAL BLOCK | 284A2760 81205 | 1 | 23-15-11 E006-01/ / | YC051-YD170 |

EQUIPMENT LIST

D280A108

Section TB6100
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| V00004 | | S332A239-2 VLV-ENGINE COWL THERMAL ANTI-ICE | 332A2300 59364 | 2 | 30-21-11 517/188/168 | ALL |
| V00006 | | VENDORSUPPLIEDSEEIPCFORP-NINFO VLV-ENGINE START | 232A2300 OHWN8 | 2 | 80-11-11 ENG/ / | ALL |
| V00007 | | 10-61093-201 VLV-LEFT INBOARD ANTISKID | 65-44530 81205 | 1 | 32-41-11 727/190/L045 | ALL |
| V00008 | | 10-61093-201 VLV-RIGHT INBOARD ANTISKID | 65-44530 81205 | 1 | 32-41-11 727/180/R040 | ALL |
| V00009 | | 10-61093-201 VLV-LEFT OUTBOARD ANTISKID | 65-44530 81205 | 1 | 32-41-11 727/190/L045 | ALL |
| V00010 | | 10-61093-201 VLV-RIGHT OUTBOARD ANTISKID | 65-44530 81205 | 1 | 32-41-11 727/180/R040 | ALL |
| V00011 | 1 | S270T010-11 VLV-PARKING BRAKE | 274A1410 91816 | 1 | 32-44-11 727/202/L010 | YC051-YC064 |
| V00011 | 1 | S270T010-14 VLV-PARKING BRAKE | 274A1410 91816 | 1 | 32-44-11 727/202/L010 | YC065-YR328 |
| V00011 | 2 | S271N501-3 VLV-PARKING BRAKE | 274A1410 79318 | 1 | 32-44-11 727/202/L010 | ALL |
| V00011 | 3 | S271N501-2 VLV-PARKING BRAKE | 274A1410 79318 | 1 | 32-44-11 727/202/L010 | ALL |
| V00011 | 4 | S270T010-8 VLV-PARKING BRAKE | 274A1410 91816 | 1 | 32-44-11 727/202/L010 | YC051-YC058 |
| V00016 | | 2760000-101 BLEED AIR ISOLATION VALVE | 212A1110 92003 | 1 | 36-11-11 540/166/R001 | ALL |
| V00018 | | 396608-1 VLV-LEFT PACK FLOW CONTROL AND SHUTOFF | 213A1002 70210 | 1 | 21-51-11 581/158/L009 | YC051-YL999, YR301-YR328 |
| V00018 | | 396498-2 VLV-LEFT PACK FLOW CONTROL AND SHUTOFF | 213A1002 70210 | 1 | 21-51-11 516/156/R013 | YN231-YN501 |
| V00019 | | 396608-1 VLV-RIGHT PACK FLOW CONTROL AND SHUTOFF | 213A1002 70210 | 1 | 21-51-21 581/158/R015 | YC051-YL999, YR301-YR328 |
| V00019 | | 396498-2 VLV-RIGHT PACK FLOW CONTROL AND SHUTOFF | 213A1002 70210 | 1 | 21-51-21 576/156/R013 | YN231-YN501 |
| V00022 | | 398116-1-1 VLV-PASSENGER CABIN MIX | 213A1002 70210 | 1 | 21-61-22 652/148/R013 | YN231-YN501 |

EQUIPMENT LIST

D280A108

Section V00000

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| V00023 | | 398116-1-1 VLV-CONTROL CABIN MIX | 213A1002 70210 | 1 | 21-61-21 652/148/R013 | YN231-YN501 |
| V00027 | | 321942-1-1 VLV-LEFT 35 DEG F CONTROL | 213A1002 70210 | 1 | 21-51-16 569/163/L024 | YN231-YN501 |
| V00028 | | 321942-1-1 VLV-RIGHT 35 DEG F CONTROL | 213A1002 70210 | 1 | 21-51-26 570/163/R024 | YN231-YN501 |
| V00029 | | 10-60495-7 VLV-LEFT WING ANTI-ICE | 218A1660 81205 | 1 | 30-11-11 611/205/L208 | ALL |
| V00030 | | 10-60495-7 VLV-RIGHT WING ANTI-ICE | 218A1660 81205 | 1 | 30-11-11 611/205/R208 | ALL |
| V00031 | | 10-60581-3 VLV-SYSTEM B SPOILER SHUTOFF | 65-44890 81205 | 1 | 27-61-11 665/180/R050 | ALL |
| V00032 | | 10-60581-3 VLV-SYSTEM A SPOILER SHUTOFF | 65-44890 81205 | 1 | 27-61-11 665/180/L057 | ALL |
| V00033 | | 10-3200-6-SEE270T2001SPAREINTCHG- VLV-ENGINE 1 HYDRAULIC FLUID SHUTOFF | 271A7445 81205 | 1 | 29-11-11 673/190/L064 | YC051-YC053 |
| V00033 | | S270T010-9-SEE270T2001SPAREINTCHG- VLV-ENGINE 1 HYDRAULIC FLUID SHUTOFF | 271A7445 81205 | 1 | 29-11-11 673/190/L064 | YC054-YC058 |
| V00033 | | S270T010-12-SEE270T2001SPAREINTCHG- VLV-ENGINE 1 HYDRAULIC FLUID SHUTOFF | 271A7445 81205 | 1 | 29-11-11 673/190/L064 | YC059-YC064 |
| V00033 | | S270T010-15-SEE270T2001SPAREINTCHG- VLV-ENGINE 1 HYDRAULIC FLUID SHUTOFF | 271A7445 81205 | 1 | 29-11-11 673/190/L064 | YC065-YR328 |
| V00034 | | 10-3200-6-SEE270T2001SPAREINTCHG- VLV-ENGINE 2 HYDRAULIC FLUID SHUTOFF | 271A7446 81205 | 1 | 29-11-11 680/190/R064 | YC051-YC053 |
| V00034 | | S270T010-9-SEE270T2001SPAREINTCHG- VLV-ENGINE 2 HYDRAULIC FLUID SHUTOFF | 271A7446 81205 | 1 | 29-11-11 680/190/R064 | YC054-YC058 |
| V00034 | | S270T010-12-SEE270T2001SPAREINTCHG- VLV-ENGINE 2 HYDRAULIC FLUID SHUTOFF | 271A7446 81205 | 1 | 29-11-11 680/190/R064 | YC059-YC064 |
| V00034 | | S270T010-15-SEE270T2001SPAREINTCHG- VLV-ENGINE 2 HYDRAULIC FLUID SHUTOFF | 271A7446 81205 | 1 | 29-11-11 680/190/R064 | YC065-YR328 |
| V00035 | | 10-62167-2 VLV-PUMP DEPRESSURIZATION | 332A1012 81205 | 2 | 29-11-11 ENG/ / | YC051-YD157, YN231-YN235 |
| V00035 | | 10-62167-3 VLV-PUMP DEPRESSURIZATION | 332A1012 81205 | 2 | 29-11-11 ENG/ / | YD158-YL999, YN236-YR328 |

EQUIPMENT LIST

D280A108

Section V00000

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| V00037 | | S343T003-39 ACTR-FUEL SPAR VALVE ENGINE 1 | 343A3111 81205 | 1 | 28-21-11 260/FSS/L | YC051-YD158 |
| V00037 | | S343T003-66 ACTR-FUEL SPAR VALVE ENGINE 1 | 343A3111 73760 | 1 | 28-21-11 260/FSS/L | YD160-YR328 |
| V00038 | | S343T003-39 ACTR-FUEL SPAR VALVE ENGINE 2 | 343A3111 81205 | 1 | 28-21-11 W156/LE/R | YC051-YD158 |
| V00038 | | S343T003-66 ACTR-FUEL SPAR VALVE ENGINE 2 | 343A3111 73760 | 1 | 28-21-11 W156/LE/R | YD160-YR328 |
| V00039 | | S343T003-39 ACTR-FUEL CROSSFEED VALVE | 343A3101 81205 | 1 | 28-22-11 77/FSS/L | YC051-YD158 |
| V00039 | | S343T003-66 ACTR-FUEL CROSSFEED VALVE | 343A3101 73760 | 1 | 28-22-11 77/FSS/L | YD160-YR328 |
| V00040 | | 10-60581-3 VLV-SYSTEM A SHUTOFF | 65-44890 81205 | 1 | 27-23-11 665/180/L050 | ALL |
| V00041 | | 10-60581-3 VLV-SYSTEM B SHUTOFF | 65-44890 81205 | 1 | 27-23-11 665/180/R057 | ALL |
| V00042 | | 10-60581-3 VLV-STANDBY RUDDER SHUTOFF | 65-44680 81205 | 1 | 27-23-11 725/169/L014 | ALL |
| V00043 | | AV16E1209D VALVE- APU FUEL SHUTOFF | 346A3101 73760 | 1 | 49-62-11 663/ /L043 | ALL |
| V00044 | | 2670136R VLV-TANK 1 FUELING | 65-46512 92003 | 1 | 28-44-11 124/ / | ALL |
| V00045 | | 2670136R VLV-TANK 2 FUELING | 344A3111 92003 | 1 | 28-44-11 135/ / | ALL |
| V00046 | | 2670136R VLV-CENTER TANK FUELING | 65-46512 92003 | 1 | 28-44-11 127/ / | ALL |
| V00048 | | 10-62231-3 VLV-CABIN PRESSURE OUTFLOW | 216A4001 81205 | 1 | 21-31-11 980/185/R026 | YC051-YD157 |
| V00048 | | 10-62231-14 VLV-CABIN PRESSURE OUTFLOW | 216A4001 81205 | 1 | 21-31-11 980/185/R026 | YD158 |
| V00048 | | 10-62231-43 VLV-CABIN PRESSURE OUTFLOW | 216A4001 81205 | 1 | 21-31-11 980/185/R026 | YD160-YR328 |
| V00051 | | 10-60581-3 VLV-LEADING EDGE FLAP STANDBY DR SHUTOFF | 65-44681 81205 | 1 | 27-53-11 722/169/L007 | ALL |

EQUIPMENT LIST

D280A108

Section V00000

Page 3

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-------------|
| V00052 | | 10-60710-6 VLV-TRAILING EDGE FLAPS BYPASS | 65-44640 81205 | 1 | 27-53-11 723/200/R021 | ALL |
| V00094 | 1 | 10-60811-13 VLV-FLAP LOAD RELIEF | 65-44631 81205 | 1 | 27-54-11 720/198/R056 | ALL |
| V00094 | 2 | 10-60811-8 VLV-FLAP LOAD RELIEF | 65-44631 81205 | 1 | 27-54-11 720/198/R056 | ALL |

EQUIPMENT LIST

D280A108

Section V00000
Page 4 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|----------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| V00122 | | S274T401-6 VLV-AUTOBRAKE MODULE | 274A1610 81205 | 1 | 32-42-11 711/200/ | ALL |
| V00122 T | | 10-60552-8 SW-SERVO/SOLENOID-PART OF V00122 | 60B00263 81205 | 2 | 32-42-11 711/200/ | ALL |
| V00123 | | 10-62039-4 VLV-LANDING GEAR SYSTEM TRANSFER | 65C25703 81205 | 1 | 29-23-11 674/159/L001 | ALL |
| V00124 | | 10-61093-201 VLV-RIGHT ALTERNATE ANTISKID | 65C26814 81205 | 1 | 32-41-11 665/190/R070 | ALL |
| V00125 | | 10-61093-201 VLV-LEFT ALTERNATE ANTISKID | 65C26814 81205 | 1 | 32-41-11 663/200/L070 | ALL |
| V00132 | | 65C26869-2 VLV-AUTOSLAT | 65C26870 81205 | 1 | 27-83-11 643/162/R049 | ALL |
| V00133 | | S271N501-3-SEE270T2001SPAREINTCHG- VLV-POWER TRANSFER UNIT CONTROL | 65C26882 81205 | 1 | 29-25-11 666/150/L017 | YC051-YC053 |
| V00133 | | S270T010-8-SEE270T2001SPAREINTCHG- VLV-POWER TRANSFER UNIT CONTROL | 65C26882 81205 | 1 | 29-25-11 666/150/L017 | YC054-YC058 |
| V00133 | | S270T010-11-SEE270T2001SPAREINTCHG- VLV-POWER TRANSFER UNIT CONTROL | 271A7441 81205 | 1 | 29-25-11 666/150/L017 | YC059-YC064 |
| V00133 | | S270T010-14-SEE270T2001SPAREINTCHG- VLV-POWER TRANSFER UNIT CONTROL | 271A7441 81205 | 1 | 29-25-11 666/150/L017 | YC065-YR328 |
| V00139 | | 10-62091-13 VLV-LEFT TEMPERATURE CONTROL | 213A1002 81205 | 1 | 21-51-12 655/147/L009 | YC051-YL999, YR301-YR328 |
| V00140 | | 10-62091-16 VLV-LEFT STANDBY TEMPERATURE CONTROL | 213A1002 81205 | 1 | 21-51-13 653/154/L028 | YC051-YL999, YR301-YR328 |
| V00141 | | 10-62091-13 VLV-RIGHT TEMPERATURE CONTROL | 213A1002 81205 | 1 | 21-51-22 656/145/R010 | YC051-YL999, YR301-YR328 |
| V00142 | | 10-62091-16 VLV-RIGHT STANDBY TEMPERATURE CONTROL | 213A1002 81205 | 1 | 21-51-23 653/151/R035 | YC051-YL999, YR301-YR328 |
| V00143 | | 10-62091-13 VLV-CONTROL CABIN TRIM MODULATING | 213A1005 81205 | 1 | 21-61-11 542/157/L012 | YC051-YL999, YR301-YR328 |
| V00144 | | 10-62091-13 VLV-FORWARD CABIN TRIM MODULATING | 213A1005 81205 | 1 | 21-61-13 540/152/R012 | YC051-YL999, YR301-YR328 |
| V00145 | | 10-62091-13 VLV-AFT CABIN TRIM MODULATING | 213A1005 81205 | 1 | 21-61-14 546/153/R016 | YC051-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section V00100

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| V00146 | | 10-62091-5 VLV-TRIM PRESSURE REGULATING SHUTOFF | 213A1005 81205 | 1 | 21-61-15 557/148/R014 | YC051-YL999, YR301-YR328 |
| V00148 | | S315N370-3 LEFT T/R SLEEVE SYNC LOCK | 315A2600 21883 | 2 | 78-32-51 ENG/ / | ALL |
| V00150 | | S315N370-3 RIGHT T/R SLEEVE SYNC LOCK | 315A2600 21883 | 2 | 78-32-51 ENG/ / | ALL |
| V00154 | | S273A010-2 VLV-ALTERNATE EXTEND SOLENOID | 273A0100 96906 | 1 | 32-35-11 685/200/L050 | ALL |
| V00155 | | 196298-001 T/R 1 INTERLOCK SOLENOID | 254A1110 81840 | 1 | 78-35-11 P008-00/ / | ALL |
| V00156 | | 196299-001 T/R 2 INTERLOCK SOLENOID | 254A1110 81840 | 1 | 78-35-21 P008-00/ / | ALL |
| V00157 | | 60B40041-5 VLV-OVERBOARD EXHAUST | 217A1003 624469 | 1 | 21-43-21 362/164/L010 | ALL |
| V00158 | 1 | 10-60811-8 VLV-RUDDER AUTHORITY LIMITER SOLENOID | S251A301 | 1 | 27-25-11 1087/ / | ALL |
| V00158 | 2 | 10-60811-13 VLV-RUDDER AUTHORITY LIMITER SOLENOID | S251A301 | 1 | 27-25-11 1087/ / | ALL |
| V00159 | | 10-62018-9 VLV-RIGHT ELEVATOR TAB SOLENOID | 271A8482 92003 | 1 | 27-31-11 1158/285/R006 | ALL |
| V00160 | | 10-62018-9 VLV-LEFT ELEVATOR TAB SOLENOID | 271A8482 92003 | 1 | 27-31-11 1158/285/R006 | ALL |
| V00161 | 1 | 2960019-103 VLV-GREY WATER DR 28V DC REVERSING MOTOR | 417A2141 | 1 | 38-31-31 320/175/L028 | YL951-YR328 |
| V00161 | 2 | 2960019-102 VLV-GREY WATER DR 28V DC REVERSING MOTOR | 417A2141 | 1 | 38-31-31 320/175/L028 | YL951-YR328 |
| V00162 | | S256A220-1 VLV-LE UCM SHUTOFF | 256A2008 81205 | 1 | 27-81-51 632/162/R060 | ALL |
| V00163 | | S256A220-1 VLV-LE CRUISE DEPRESSURIZATION | 256A2009 81205 | 1 | 27-81-51 701/199/L010 | ALL |
| V00171 | | 10-60811-8 VLV-RUDDER AUTHORITY LIMITER SOLENOID | S251A301 | 1 | 27-25-11 1087/ / | YD157-YL999, YR301-YR328 |
| V00172 | | 3291766-1 VLV - NGS PRES REG SOV | 212A5001 59364 | 1 | 47-30-11 543/162/L032 | YL951-YL999, YN232-YR328 |

EQUIPMENT LIST

D280A108

Section V00100

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|--------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| V00173 | | 3291828-1 VLV - NGS RAM AIR VALVE | 212A5001 59364 | 1 | 47-30-11 644/160/L054 | YL951-YL999, YN232-YR328 |
| V00174 | | 2040020-101 VLV - ASM HIGH FLOW VALVE | 212A5001 92003 | 1 | 47-30-11 605/162/L059 | YL951-YL999, YN232-YR328 |
| V00175 | | 4404B000-001 VLV - NGS OVERTEMP SOV | 212A5001 6T577 | 1 | 47-30-11 653/162/L061 | YL951-YL999, YN232-YR328 |
| V00183 | | S251A101-1 VLV-GROUND SPOILER BYPASS | 251A1730 81205 | 1 | 27-60-01 671/190/R034 | ALL |

EQUIPMENT LIST

D280A108

Section V00100

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| Y004+++ | | LRUOFM01415 MODULE-LAVATORY UTILITY | 10-62085 81205 | 1 | 38-21-11 / / | YD158-YD170, YN231-YN235 |
| Y004+++ | | LRUOFM01415 MODULE-LAVATORY UTILITY | S417A180 81205 | 1 | 38-21-11 / / | YL951-YL999, YN236-YR328 |
| Y004H01 | | 10-61068-2 WATER HEATER-LAV | S417A101 81205 | 1 | 38-21-11 / / | YC051-YD170, YN231-YN235 |
| Y004H01 | | 60B50064-4 WATER HEATER-LAV | S417A180 81205 | 1 | 38-21-11 / / | YL951-YL999, YN236-YR328 |
| Y004J03 | | 48-7191 CONNECTOR-OXYGEN MODULE | 10-62085 92824 | 1 | 35-21-12 M01415/ / | ALL |
| Y004L02 | | 5106WW LAMP-LAV A MIRROR | 10-62085 81205 | 2 | 33-26-31 / / | YC051-YD157 |
| Y004L05 | | 1251 LAMP-LAV INCANDESCENT | 10-62085 81205 | 1 | 33-26-31 / / | YC051-YD157 |
| Y004L11 | | 5113WW LAMP-MAIN LIGHT 1 - COMMON LAV A | D72S98008 XXTBD | 1 | 33-26-31 / / | YC051-YN236, YN501-YR314 |
| Y004L11 | | 5113WW LAMP-MAIN LIGHT 1 - UPGRADED LAV A | D72K27593 XXTBD | 1 | 33-26-31 / / | YN237-YN260, YR315-YR328 |
| Y004L12 | | 5113WW LAMP-MAIN LIGHT 2 - COMMON LAV A | D72S98008 | 1 | 33-26-31 / / | YC051-YN236, YN501-YR314 |
| Y004L12 | | 5113WW LAMP-MAIN LIGHT 2 - UPGRADED LAV A | D72K27593 | 1 | 33-26-31 / / | YN237-YN260, YR315-YR328 |
| Y004L14 | | D72D93003-111 LED-RTS SIGN COMMON LAV A | D72S98008 | 1 | 33-26-31 / / | YD158-YN236, YN501-YR314 |
| Y004L14 | | D72D93003-111 LED-RTS SIGN - UPGRADED LAV A | D72K27593 | 1 | 33-26-31 / / | YR315-YR328 |
| Y004L15 | | D27D93006-111 LED - AUX LIGHT - COMMON LAV A | D72S98008 XXTBD | 1 | 33-26-31 / / | YD158-YN236, YN501-YR314 |
| Y004L15 | | D27D93008-111 LED - AUX LIGHT - UPGRADED LAV A | D72K27593 XXTBD | 1 | 33-26-31 / / | YN237-YN260, YR315-YR328 |
| Y004L16 | | D72D93013 LED - TASK LIGHT - UPGRADED LAV A | D72K27593 XXTBD | 1 | 33-26-31 / / | YR315-YR328 |
| Y004M01 | | S283U008-19 BALLAST-LAV A LT | 10-62085 81205 | 1 | 33-26-31 / / | YC051-YD157 |

EQUIPMENT LIST

D280A108

Section Y004

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| Y004M03 | | PU90-429 SMOKE-DETECTOR LAV A | 10-62085 81205 | 1 | 26-14-11 298/288/L010 | YC051-YD170 |
| Y004M03 | | PU90-499R3 SMOKE-DETECTOR | 10-62085 81205 | 1 | 26-14-11 / / | YL951-YL954, YN231-YN235 |
| Y004M03 | | 474560-21 SMOKE-DETECTOR | S417A180 81205 | 1 | 26-14-11 / / | YL955-YL999, YN236-YR328 |
| Y004M11 | | 61-48-2 BALLAST- MAIN LT - COMMON LAV A | D72S98008 XXTBD | 1 | 33-26-31 / / | YD158-YN236, YN501-YR314 |
| Y004M11 | | 61-48-2 BALLAST- MAIN LT -UPGRADED LAV A | D72K27593 XXTBD | 1 | 33-26-31 / / | YR315-YR328 |
| Y004P02 | | 48-7190 CONNECTOR-OXYGEN MODULE | 10-62085 92824 | 1 | 35-21-12 M01415/ / | ALL |
| Y004R01 | | BACR13CD2 RELAY-ATTENDANT CALL-COMMON LAV A | D72S98008 81205 | 1 | 33-27-11 / / | YC051-YN236, YN501-YR314 |
| Y004R01 | | BACR13CD2 RELAY-ATTENDANT CALL - UPGRADED LAV A | D72K27593 81205 | 1 | 33-27-11 / / | YN237-YN260, YR315-YR328 |
| Y004R04 | | 1N5618 DIODE-BLOCKING COMMON LAV A | D72S98008 | 1 | 33-27-11 / / | YC051-YN236, YN501-YR314 |
| Y004R04 | | 1N5618 DIODE-BLOCKING - UPGRADED LAV A | D72K27593 | 1 | 33-27-11 / / | YN237-YN260, YR315-YR328 |
| Y004R05 | | 1N5618 DIODE-BLOCKING COMMON LAV A | D72S98008 92824 | 1 | 33-27-11 / / | YC051-YN236, YN501-YR314 |
| Y004R05 | | 1N5618 DIODE-BLOCKING - UPGRADE LAV A | D72K27593 92824 | 1 | 33-27-11 / / | YR315-YR328 |
| Y004R06 | | 1V5618 DIODE-BLOCKING COMMON LAV A | 10-62085 92824 | 1 | 33-27-11 / / | YC051-YD157, YL951-YN236 |
| Y004R06 | | 1N5618 DIODE-BLOCKING COMMON LAV A | D72S98008 | 1 | 33-27-11 / / | YD158-YD170, YN501-YR314 |
| Y004R06 | | 1N5618 DIODE-BLOCKING - UPGRADED LAV A | D72K27593 | 1 | 33-27-11 / / | YR315-YR328 |
| Y004S04 | | A20247AM1 SW-ATTENDANT CALL RESET | 10-62085 92824 | 1 | 33-27-11 / / | YC051-YD157 |
| Y004S11 | | D72D93001-111 SW-DOOR MANUAL LT OVERRIDE COMMON LAV A | D72S98008 | 1 | 33-27-11 / / | YD158-YN236, YN501-YR314 |

EQUIPMENT LIST

D280A108

Section Y004

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|---|
| Y004S11 | | D72D93012-111 SW-DOOR MAN LT OVERRIDE - UPGRADED LAV A | D72K27593 | 1 | 33-27-11 / / | YN237-YN260, YR315-YR328 |
| Y004S13 | | TBD SW-ATTENDANT CALL COMMON LAV A | TBD-0000 | 1 | 33-27-11 / / | YN501-YR314 |
| Y004S13 | | D72D93012-111 SW-ATTENDANT CALL - UPGRADED LAV A | D72K27593 | 1 | 33-27-11 / / | YR315-YR328 |
| Y004S14 | | D72D93005-111 SW-ATTEND CALL RESET COMMON LAV A | D72S98008 | 1 | 33-27-11 / / | YD158-YN236, YN501-YR314 |
| Y004S14 | | D72D93005-111 SW-ATTEND CALL RESET - UPGRADED LAV A | D72K27593 | 1 | 33-27-11 / / | YN237-YN260, YR315-YR328 |
| Y004XL5 | | 502B SOCKET-LAV INCANDESCENT LT | 10-62085 81205 | 1 | 33-26-31 / / | YC051-YD157 |
| Y004XR1 | | HRTS-13KM RELAY-SOCKET-ATT CALL COMMON LAV A | 10-62085 92824 | 1 | 33-27-11 / / | YC051-YD157, YL951-YN236, YN501-YR314 |
| Y004XR1 | | HRTS-17KJV2 RELAY-SOCKET-ATT CALL - UPGRADED LAV A | D72K27593 92824 | 1 | 33-27-11 / / | YN237-YN260, YR315-YR328 |

EQUIPMENT LIST

D280A108

Section Y004
Page 3 End
Nov 12/2012

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| Y007+++ | | LRUOFM01418 MODULE-LAVATORY UTILITY | 10-62085 81205 | 1 | 38-21-11 / / | YC051-YD170 |
| Y007+++ | | LRUOFM01418 MODULE-LAVATORY UTILITY | S417A180 81205 | 1 | 38-21-11 / / | YL951-YL999, YN236-YR328 |
| Y007+++ | | LRUOFM01418 MODULE-LAVATORY UTILITY | S417A101 81205 | 1 | 38-21-11 / / | YN231-YN235 |
| Y007H01 | | 10-61068-2 WATER HEATER-LAV | 10-62085 81205 | 1 | 38-21-11 / / | YC051-YD170, YN231-YN235 |
| Y007H01 | | 60B50064-4 WATER HEATER-LAV | S417A180 81205 | 1 | 38-21-11 / / | YL951-YL999, YN236-YR328 |
| Y007J03 | | 48-7191 CONNECTOR-OXYGEN MODULE | 10-62085 92824 | 1 | 35-21-12 M01418/ / | YN231-YN501 |
| Y007L02 | | 5106WW LAMP-LAV D MIRROR | 10-62085 81205 | 1 | 33-26-31 / / | YC051-YD157 |
| Y007L05 | | 1251 LAMP-LAV INCANDESCENT | 10-62085 81205 | 1 | 33-26-31 / / | YC051-YD157 |
| Y007L11 | | 5113WW LAMP-MAIN LIGHT 1 - COMMON LAV D | D72S98014 | 1 | 33-26-31 / / | ALL |
| Y007L12 | | 5113WW LAMP-MAIN LIGHT 2 - COMMON LAV D | D72S98014 | 1 | 33-26-31 / / | ALL |
| Y007L14 | | D72D93003-111 LED-RTS SIGN COMMON LAV D | D72S98008 | 1 | 33-26-31 / / | YL951-YR314 |
| Y007L14 | | D72D93003-111 LED-RTS SIGN - UPGRADED LAV D | D72K27594 | 1 | 33-26-31 / / | YR315-YR328 |
| Y007L15 | | D27D93006-111 LED - AUX LIGHT - COMMON LAV D | D72S98008 XXTBD | 1 | 33-26-31 / / | YL951-YN236, YR301-YR314 |
| Y007L15 | | D27D93008-111 LED - AUX LIGHT - UPGRADED LAV D | D72K27594 XXTBD | 1 | 33-26-31 / / | YN237-YN260, YR315-YR328 |
| Y007L15 | | D72D93006 LED - AUX LIGHT - COMMON LAV D | D72S98008 XXTBD | 1 | 33-26-31 / / | YN501 |
| Y007L16 | | D27D93013-111 LED - TASK LIGHT - UPGRADED LAV D | D72K27594 XXTBD | 1 | 33-26-31 / / | YR315-YR328 |
| Y007L17 | | D27D93014-111 LED - LATCH LIGHT - UPGRADED LAV D | D72K27594 XXTBD | 1 | 33-26-31 / / | YN237-YN260, YR315-YR328 |

EQUIPMENT LIST

D280A108

Section Y007

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| Y007M01 | | S283U008-19 BALLAST-LAV D LT | 10-62085 81205 | 1 | 33-26-31 / / | YC051-YD157 |
| Y007M03 | | PU90-429 SMOKE-DETECTOR LAV D | 10-62085 55065 | 1 | 26-14-11 930/ /L017 | YC051-YD170 |
| Y007M03 | | PU90-499R3 SMOKE-DETECTOR | 10-62085 55065 | 1 | 26-14-11 / / | YL951-YL954, YN231-YN235 |
| Y007M03 | | 474560-21 SMOKE-DETECTOR | S417A180 81205 | 1 | 26-14-11 / / | YL955-YL999, YN236-YR328 |
| Y007M09 | | 702409-1078 FLOOD LIGHT | S417A180 55438 | 1 | 33-51-22 948/253/L014 | YD158-YN501 |
| Y007M09 | | 702409-1078 FLOOD LIGHT | S417A180 81205 | 1 | 33-51-22 948/253/L014 | YR301-YR328 |
| Y007M11 | | 61-48-2 BALLAST- MAIN LT - COMMON LAV D | D72S98014 | 1 | 33-26-31 / / | YD158-YR328 |
| Y007P02 | | 48-7190 CONNECTOR-OXYGEN MODULE | 10-62085 92824 | 1 | 35-21-12 M01418/ / | YN231-YN501 |
| Y007R01 | | BACR13CD2 RLY-ATTENDANT CALL | 10-62085 81205 | 1 | 33-27-11 / / | YC051-YD170 |
| Y007R01 | | BACR13CD2 RELAY-ATTENDANT CALL-COMMON LAV D | 10-62085 81205 | 1 | 33-27-11 / / | YL951-YN501 |
| Y007R01 | | BACR13CD2 RELAY-ATTENDANT CALL-COMMOM LAV D | D72S98014 81205 | 1 | 33-27-11 / / | YR301-YR328 |
| Y007R04 | | 1N5618 DIODE-BLOCKING COMMON LAV D | D72S98014 | 1 | 33-27-11 / / | ALL |
| Y007R05 | | 1N5618 DIODE-BLOCKING | 10-62085 92824 | 1 | 33-27-11 / / | YC051-YD170 |
| Y007R05 | | 1N5618 DIODE-BLOCKING COMMON LAV D | 10-62085 92824 | 1 | 33-27-11 / / | YL951-YR328 |
| Y007R06 | | 1N5618 DIODE-BLOCKING | 10-62085 92824 | 1 | 33-27-11 / / | YC051-YC070 |
| Y007R06 | | 1N5618 DIODE-BLOCKING COMMON LAV D | 10-62085 92824 | 1 | 33-27-11 / / | YD151-YN260, YR301-YR328 |
| Y007R06 | | 1V5618 DIODE-BLOCKING COMMON LAV D | 10-62085 92824 | 1 | 33-27-11 / / | YN501 |

EQUIPMENT LIST

D280A108

Section Y007

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| Y007S04 | | A20247AM1 SW-ATTENDANT CALL RESET | 10-62085 92824 | 1 | 33-27-11 / / | YC051-YD157 |
| Y007S11 | | D72D93001-111 SW-DOOR MANUAL LT OVERRIDE COMMON LAV D | D72S98008 | 1 | 33-27-11 / / | YL951-YR328 |
| Y007S13 | | TBD SW-ATTENDANT CALL COMMON LAV D | TBD-0000 | 1 | 33-27-11 / / | YN501-YR328 |
| Y007S14 | | D72D93005-11 SW-ATTEND CALL RESET COMMON LAV D | D72S98014 92824 | 1 | 33-27-11 / / | YD158-YR328 |
| Y007XL5 | | 502B SOCKET-LAV INCANDESCENT LT | 10-62085 81205 | 1 | 33-26-31 / / | YC051-YD157 |
| Y007XR1 | | HRTS-13KM RELAY-SOCKET-ATT CALL COMMON LAV D | 10-62085 92824 | 1 | 33-27-11 / / | ALL |
| Y007XR2 | | BACS16X3 SOCKET-LAV LIGHT RELAY | 10-62085 81205 | 1 | 33-26-31 / / | YC051-YD170 |

EQUIPMENT LIST

D280A108

Section Y007

Page 3 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-----------------------------|
| Y008+++ | | LRUOFMO1419 MODULE-LAVATORY UTILITY | 10-62085 81205 | 1 | 38-21-11 / / | YD158-YD170 |
| Y008+++ | | LRUOFMO1419 MODULE-LAVATORY UTILITY | S417A180 81205 | 1 | 38-21-11 / / | YL951-YL999 |
| Y008+++ | | LRUOFMO1419 MODULE-LAVATORY UTILITY | S417A180 81205 | 1 | 38-21-11 / / | YR301-YR328 |
| Y008H01 | | 10-61068-2 WATER HEATER-LAV | 10-62085 81205 | 1 | 38-21-11 / / | YC051-YD170 |
| Y008H01 | | 60B50064-4 WATER HEATER-LAV | S417A180 81205 | 1 | 38-21-11 / / | YL951-YL999, YR301-YR328 |
| Y008J03 | | 48-7191 CONNECTOR-OXYGEN MODULE | 10-62085 92824 | 1 | 35-21-12 M1419/ / | YC051-YL999, YR301-YR328 |
| Y008L02 | | 5106WW LAMP-LAV E MIRROR | 10-62085 81205 | 2 | 33-26-31 / / | YC051-YD157 |
| Y008L05 | | 1251 LAMP-LAV INCANDESCENT | 10-62085 81205 | 1 | 33-26-31 / / | YC051-YC070 |
| Y008L11 | | 5113WW LAMP-MAIN LIGHT 1 - COMMON LAV E | D72S98011 | 1 | 33-26-31 / / | YD158-YL999, YR301-YR328 |
| Y008L12 | | 5113WW LAMP-MAIN LIGHT 2 - COMMON LAV E | D72S98011 | 1 | 33-26-31 / / | YC051-YN260, YR301-YR328 |
| Y008L14 | | D72D93003-11 LED-RTS SIGN COMMON LAV E | D72S98014 | 1 | 33-26-31 / / | YL951-YL999 |
| Y008L15 | | D72D93006-111 LED - AUX LIGHT - COMMON LAV E | D72S98011 | 1 | 33-26-31 / / | YD158-YL999, YR301-YR328 |
| Y008M01 | | S283U008-19 BALLAST-LAV E LT | 10-62085 81205 | 1 | 33-26-31 / / | YC051-YD157 |
| Y008M03 | | PU90-429 SMOKE-DETECTOR LAV E | 10-62085 81205 | 1 | 26-14-11 932/ /R017 | YC051-YD170 |
| Y008M03 | | PU90-499R3 SMOKE-DETECTOR | 10-62085 81205 | 1 | 26-14-11 / / | YL951-YL954 |
| Y008M03 | | 474560-21 SMOKE-DETECTOR | S417A180 81205 | 1 | 26-14-11 / / | YL955-YL999, YR301-YR328 |
| Y008M11 | | 61-48-2 BALLAST- MAIN LT - COMMON LAV E | D72S98011 | 1 | 33-26-31 / / | YD158-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section Y008

Page 1

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-----------------------------|
| Y008P02 | | 48-7190 CONNECTOR-OXYGEN MODULE | 10-62085 92824 | 1 | 35-21-12 M1419/ / | YC051-YL999, YR301-YR328 |
| Y008R01 | | BACR13CD2 RELAY-ATTENDANT CALL | 10-62085 81205 | 1 | 33-27-11 / / | YC051-YD157 |
| Y008R01 | | BACR13CD2 RELAY-ATTENDANT CALL-COMMOM LAV E | D72S98011 81205 | 1 | 33-27-11 / / | YD158-YD170, YR301-YR328 |
| Y008R01 | | BACR13CD2 RELAY-ATTENDANT CALL-COMMON LAV E | D72S98011 81205 | 1 | 33-27-11 / / | YL951-YL999 |
| Y008R04 | | 1N5618 DIODE-BLOCKING COMMON LAV E | D72S98011 | 1 | 33-27-11 / / | YD158-YL999, YR301-YR328 |
| Y008R05 | | 1N5618 DIODE-BLOCKING | 10-62085 92824 | 1 | 33-27-11 / / | YC051-YD157 |
| Y008R05 | | 1N5618 DIODE-BLOCKING COMMON LAV E | D72S98011 | 1 | 33-27-11 / / | YD158-YL999, YR301-YR328 |
| Y008R06 | | 1N5618 DIODE-BLOCKING COMMON LAV E | D72S98011 92824 | 1 | 33-27-11 / / | YC051-YD170, YR301-YR328 |
| Y008R06 | | 1V5618 DIODE-BLOCKING COMMON LAV E | 10-62085 92824 | 1 | 33-27-11 / / | YL951-YL999 |
| Y008S04 | | A20247AM1 SW-ATTENDANT CALL RESET | 10-62085 92824 | 1 | 33-27-11 / / | YC051-YD157 |
| Y008S11 | | D72D93001-111 SW-DOOR MANUAL LT OVERRIDE COMMON LAV E | D72S98011 | 1 | 33-27-11 / / | YD158-YL999, YR301-YR328 |
| Y008S13 | | TBD SW-ATTENDANT CALL COMMON LAV E | TBD-0000 | 1 | 33-27-11 / / | YR301-YR328 |
| Y008S14 | | D72D93005-111 SW-ATTENDANT CALL RESET COMMON LAV E | D72S98011 | 1 | 33-27-11 / / | YD158-YD170 |
| Y008S14 | | D72D93005-111 SW-ATTEND CALL RESET COMMON LAV E | D72S98011 | 1 | 33-27-11 / / | YL951-YL999, YR301-YR328 |
| Y008XL5 | | 502B SOCKET-LAV INCANDESCENT LT | 10-62085 81205 | 1 | 33-26-31 / / | YC051-YD157 |
| Y008XR1 | | HRTS-13KM RELAY-SOCKET-ATTENDANT CALL | 10-62085 92824 | 1 | 33-27-11 / / | YC051-YD157 |
| Y008XR1 | | HRTS-13KM RELAY-SOCKET-ATT CALL COMMON LAV E | D72S98011 92824 | 1 | 33-27-11 / / | YL951-YL999, YR301-YR328 |

EQUIPMENT LIST

D280A108

Section Y008

Page 2

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| Y008XR2 | | BACS16X3 SOCKET-LAV LIGHT RELAY | 10-62085 81205 | 1 | 33-26-31 / / | YC051-YD170 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section Y008
Page 3 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| Y04XR11 | | HRTS-17KJV2 RELAY SOCKET-ATTENDANT CALL COMMON LAV A | D72S98008 | 1 | 33-27-11 / / | YD158-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section Y04X
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| Y07XR11 | | HRTS-17KJV2 RELAY SOCKET-ATTENDANT CALL COMMON LAV D | D72S98014 | 1 | 33-27-11 / / | YD158-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section Y07X
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| Y08XR11 | | HRTS-17KJV2 RELAY-SOCKET-ATTENDANT CALL COMMON LAV E | D72S98011 | 1 | 33-27-11 / / | YD158-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section Y08X
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| YAAM001 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC IGNITION UNIT | 351A1000 64547 | 1 | 49-41-11 APU/ / | ALL |
| YAAM002 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC FUEL CONTROL UNIT | 351A1000 64547 | 1 | 49-62-12 APU/ / | ALL |
| YAAM003 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC MDL-DATA MEMORY | 351A1000 64547 | 1 | 49-62-12 APU/ / | ALL |

EQUIPMENT LIST

D280A108

Section YAAM00

Page 1 End

Nov 12/2012

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| YAAT001 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC SNSR-OIL LEVEL | 351A1000 64547 | 1 | 49-94-21 APU/ / | ALL |
| YAAT002 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC SNSR(+2)-INLET TEMPERATURE | 351A1000 64547 | 1 | 49-94-21 APU/ / | ALL |
| YAAT003 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC SNSR(P2)-INLET PRESSURE | 351A1000 64547 | 1 | 49-62-12 APU/ / | ALL |
| YAAT004 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC SNSR(PT)-TOTAL PRESSURE | 351A1000 64547 | 1 | 49-52-31 APU/ / | ALL |
| YAAT006 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC SNSR-OIL TEMPERATURE | 351A1000 64547 | 1 | 49-94-21 APU/ / | ALL |
| YAAT007 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC SNSR-SPEED | 351A1000 64547 | 1 | 49-62-12 APU/ / | ALL |
| YAAT008 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC SW-LOW OIL PRESSURE | 351A1000 64547 | 1 | 49-71-21 APU/ / | ALL |
| YAAT009 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC EXHAUST GAS TEMPERATURE THERMOCOUPLE 1 | 351A1000 64547 | 1 | 49-71-21 APU/ / | ALL |
| YAAT010 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC EXHAUST GAS TEMPERATURE THERMOCOUPLE 2 | 351A1000 64547 | 1 | 49-71-21 APU/ / | ALL |
| YAAT011 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC S/G FILTER BYPASS SWITCH | 351A1000 64547 | 1 | 49-94-21 / / | ALL |
| YAAT012 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC SNSR (DELTA P)-DELTA PRESSURE | 351A1000 64547 | 1 | 49-52-31 / / | ALL |

EQUIPMENT LIST

D280A108

Section YAAT00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| YAAV001 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC VLV-BLEED | 351A1000 64547 | 1 | 49-52-31 APU/ / | ALL |
| YAAV002 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC INLET GUIDE VANE | 351A1000 64547 | 1 | 49-52-31 APU/ / | ALL |
| YAAV003 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC VLV-SURGE | 351A1000 64547 | 1 | 49-52-31 APU/ / | ALL |
| YAAV004 | | ALLIEDSIGNALSUPPLIEDSEEVENDORIPC FLOW DIVIDER SOLENOID | 351A1000 64547 | 1 | 49-62-12 APU/ / | ALL |

EQUIPMENT LIST

D280A108

Section YAAV00
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-----------------------------------|-----------------------|-----|------------------------------|-------------|
| YAB++++ | | LRUOFM1888 MODULE-WASTE SYSTEM | 417A6110 81205 | 1 | 38-32-13 P014-00/ / | YC051-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YAB+
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------------|-----------------------|-----|------------------------------|-------------|
| YABA101 | | 285A1731-1 ASSEMBLY-PRINTED WIRING | 417A6110 81205 | 1 | 38-32-13 M01888/ / | YC051-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YABA00
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| YABS001 | | 2100-1 SWITCH-LAVS INOP/TEST SWITCH | 417A6110 81205 | 1 | 38-32-13 M01888/ / | YC051-YN260 |
| YABS01B | | 2100-240 LENS-LAVS INOP/TEST SWITCH | 417A6110 81205 | 1 | 38-32-13 M01888/ / | YC051-YN260 |
| YABS01L | | AML91LA85 LAMP-LAVS INOP/TEST SWITCH | 417A6110 81205 | 1 | 38-32-13 M01888/ / | YC051-YN260 |

EQUIPMENT LIST

D280A108

Section YABS00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|------------------------------------|-----------------------|-----|------------------------------|-------------|
| YAC++++ | | LRUOFM1887 MODULE-POTABLE WATER | A17A6110 81205 | 1 | 38-41-11 P014-00/ / | YC051-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YAC+
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------------|-----------------------|-----|------------------------------|-------------|
| YACA101 | | 285A1721-1 ASSEMBLY-PRINTED WIRING | A17A6110 81205 | 1 | 38-41-11 M01887 / / | YC051-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YACA00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| YAD++++ | | LRUOFM01885 MDL-LIGHTING | 417A5500 81205 | 0 | 33-29-11 / / | YC051-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YAD+
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------------|-----------------------|-----|------------------------------|-------------|
| YADP001 | | S906-30234-400 PLUG-ATT PNL MODULE | S417A150 | 1 | 33-29-11 / / | YC051-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YADP00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| YADS001 | | 44MY233385 SW-CEILING | S417A150 81073 | 1 | 33-22-11 / / | YC051-YN260 |
| YADS002 | | 44MY241308 SW-ENTRY | S417A150 81073 | 1 | 33-29-11 / / | YC051-YN260 |
| YADS003 | | 44MY241307 SW-WINDOW | S417A150 81073 | 1 | 33-21-11 / / | YC051-YN260 |
| YADS004 | | 2100-1 SW-GROUND SERVICE | S417A150 91929 | 1 | 24-23-51 / / | YC051-YN260, YR301-YR328 |
| YADS005 | | 2100-3 SW-WORK | S417A150 91929 | 1 | 33-26-11 / / | YC051-YN260 |
| YADS04B | | 2100-100 LENS | S417A150 91929 | 1 | 24-23-51 / / | ALL |
| YADS04L | | AML91LA85 LAMP | S417A150 91929 | 1 | 24-23-51 / / | ALL |
| YADS05B | | 2100-100 LENS | S417A150 91929 | 1 | 33-26-11 / / | YC051-YN260 |
| YADS05L | | AML91LA85 LAMP- | S417A150 91929 | 1 | 33-26-11 / / | YC051-YN260 |

EQUIPMENT LIST

D280A108

Section YADS00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| YAE++++ | | LRUOFM01886 MDL-LIGHTING | 417A5500 81205 | 0 | 33-29-11 / / | YC051-YN260, YR301-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YAE+
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------------|-----------------------|-----|------------------------------|-------------|
| YAEP001 | | S906-30234-400 PLUG-ATT PNL MODULE | S417A150 | 1 | 33-29-11 / / | YC051-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YAEP00
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|-------------|
| YAES001 | | 44MY241308 SW-ENTRY | S417A150 81073 | 1 | 33-29-11 / / | YC051-YN260 |
| YAES002 | | 2100-13 SW-EMERGENCY EXIT LIGHTS | S417A150 91929 | 1 | 33-51-11 / / | YC051-YN260 |
| YAES003 | | 2100-3 SW-WORK | S417A150 91929 | 1 | 33-26-11 / / | YC051-YN260 |
| YAES026 | | 2100-11 SW-GUARD | S417A150 | 1 | 33-51-11 / / | YC051-YN260 |
| YAES02B | | 2100-100 LENS | S417A150 91929 | 1 | 33-51-11 / / | YC051-YN260 |
| YAES02L | | AML91LA85 LAMP- | S417A150 91929 | 1 | 33-51-11 / / | YC051-YN260 |
| YAES03B | | 2100-100 LENS- | S417A150 91929 | 1 | 33-26-11 / / | YC051-YN260 |
| YAES03L | | AML91LA85 LAMP- | S417A150 | 1 | 33-26-11 / / | YC051-YN260 |

EQUIPMENT LIST

D280A108

Section YAES00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-----------------------------|
| YAGS002 | | 44MY241308 SW-ENTRY | S417A150 81073 | 1 | 33-29-11 / / | YC051-YN260, YR301-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YAGS00
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| YBA++++ | | LRUOFM02812 MDL-INTERNALS | 417A3001 | 0 | 33-23-31 / / | YN501-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YBA+
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| YBAD001 | | 69732 ATTENDANT CALL LIGHT | 23206XXX | 1 | 33-27-41 / / | YN501-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YBAD00
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| YBAF001 | | 69724 READING LIGHTS FUSE | 23206XXX | 1 | 33-23-31 / / | YN501-YR328 |
| YBAF002 | | 69679 OXYGEN ACTUATOR FUSE | 23206XXX | 1 | 35-21-41 / / | YN501-YR328 |
| YBAF004 | | 69724 ATTENDANT CALL FUSE | 23206XXX | 1 | 33-27-41 / / | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section YBAF00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|----------------------------------|-----------------------|-----|------------------------------|-------------|
| YBAL001 | | 69988 OXYGEN ACTUATOR | 23206XXX | 1 | 35-21-41 / / | YN501-YR328 |
| YBAL002 | | 69650 READING LIGHT IN BOARD | 23206XXX | 1 | 33-23-31 / / | YN501-YR328 |
| YBAL003 | | 69650 READING LIGHT CENTER | 23206XXX | 1 | 33-23-31 / / | YN501-YR328 |
| YBAL004 | | 69650 READING LIGHT OUT BOARD | 23206XXX | 1 | 33-23-31 / / | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section YBAL00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| YBAM001 | | 69733 PSU JUMPER WIRE | 23206XXX | 1 | 33-23-31 / / | YN501-YR328 |
| YBAM004 | | 69663 PRINTED CIRCUIT BOARD (PCB) | 23206XXX | 1 | 33-23-31 / / | YN501-YR328 |
| YBAM005 | | 69953 NS/FSB SUBASSEMBLY | 23206XXX | 1 | 33-25-41 / / | YN501-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YBAM00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| YBD++++ | | LRUOFM02884 MDL-INTERNALS | 417A3001 | 0 | 33-23-31 / / | YN501-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YBD+
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| YBDD001 | | 69732 ATTENDANT CALL LIGHT | 23206XXX | 1 | 33-27-41 / / | YN501-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YBDD00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| YBDF001 | | 69724 READING LIGHTS FUSE | 23206XXX | 1 | 33-23-31 / / | YN501-YR328 |
| YBDF002 | | 69679 OXYGEN ACTUATOR FUSE | 23206XXX | 1 | 35-21-41 / / | YN501-YR328 |
| YBDF004 | | 69724 ATTENDANT CALL FUSE | 23206XXX | 1 | 33-27-41 / / | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section YBDF00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|----------------------------------|-----------------------|-----|------------------------------|-------------|
| YBDL001 | | 69988 OXYGEN ACTUATOR | 23206XXX | 1 | 35-21-41 / / | YN501-YR328 |
| YBDL002 | | 69650 READING LIGHT IN BOARD | 23206XXX | 1 | 33-23-31 / / | YN501-YR328 |
| YBDL003 | | 69650 READING LIGHT CENTER | 23206XXX | 1 | 33-23-31 / / | YN501-YR328 |
| YBDL004 | | 69650 READING LIGHT OUT BOARD | 23206XXX | 1 | 33-23-31 / / | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section YBDL00

Page 1 End

Nov 12/2012

BOEING PROPRIETARY - Copyright © Unpublished Work - See title page for details



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| YBDM001 | | 69733 PSU JUMPER WIRE | 23206XXX | 1 | 33-23-31 / / | YN501-YR328 |
| YBDM004 | | 69663 PRINTED CIRCUIT BOARD (PCB) | 23206XXX | 1 | 33-23-31 / / | YN501-YR328 |
| YBDM005 | | 69953 NS/FSB SUBASSEMBLY | 23206XXX | 1 | 33-25-41 / / | YN501-YR328 |

EQUIPMENT LIST

D280A108

Section YBDM00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| YUR++++ | | LRUOFM11031 MDL-PSU U/B COMPONENT | 417N3011 81205 | 0 | 33-23-31 / / | YL951-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YUR+
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| YURB001 | | S417T402-2 LATCH-PASS OXYGEN | 417N3152 92552 | 1 | 35-21-41 / / | YC051-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YURB00
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|-------------|
| YURJ005 | | 48-7191 RCPT-PASS OXYGEN LATCH | S417N313 TBD | 1 | 35-21-41 / / | YC051-YN260 |
| YURJ006 | | 48-7191-1 RCPT-PASS OXYGEN LATCH | S417N313 TBD | 1 | 35-21-41 / / | YC051-YN260 |
| YURJ007 | | TBD RCPT-PASS SIGN | S417N301 | 1 | 33-25-41 / / | YL951-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YURJ00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------------|-----------------------|-----|------------------------------|-------------|
| YURL004 | | S417N311-5 LIGHT ASSY-PASS READING | S417N313 01781 | 1 | 33-23-31 / / | YL951-YN260 |
| YURL005 | | S417N311-5 LIGHT ASSY-PASS READING | S417N313 01781 | 1 | 33-23-31 / / | YL951-YN260 |
| YURL006 | | S417N311-5 LIGHT ASSY-PASS READING | S417N313 01781 | 1 | 33-23-31 / / | YL951-YN260 |
| YURL007 | | S417N301-2 SIGN-PSU U/B NSFSB | S417N313 30190 | 1 | 33-25-41 / / | YL951-YN260 |
| YURL04T | | 9204 LAMP-PASS READING | S417N311 68045 | 1 | 33-23-31 / / | YL951-YN260 |
| YURL05T | | 9204 LAMP-PASS READING | S417N311 68045 | 1 | 33-23-31 / / | YL951-YN260 |
| YURL06T | | 9204 LAMP-PASS READING | S417N311 68045 | 1 | 33-23-31 / / | YL951-YN260 |
| YURL07T | | 7387 LAMP-PASS SIGN | S417N301 08806 | 6 | 33-25-41 / / | YL951-YN260 |

EQUIPMENT LIST

D280A108

Section YURL00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-------------------------------------|-----------------------|-----|------------------------------|-------------|
| YURP005 | | 48-7190 PLUG-PASS OXYGEN LATCH | S417N313 TBD | 1 | 35-21-41 / / | YC051-YN260 |
| YURP006 | | 48-7190-1 PLUG-PASS OXYGEN LATCH | S417N313 TBD | 1 | 35-21-41 / / | YC051-YN260 |
| YURP007 | | 103958-2 PLUG-PASS SIGN | S417N301 TBD | 1 | 33-25-41 / / | YL951-YN260 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YURP00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| YUS++++ | | LRUOFM11032 MODULE-PSU U/B COMPONENT | 417N3011 81205 | 1 | 33-23-31 / / | YC051-YD170 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YUS+
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| YUSJ007 | | TBD RCPT-PASS SIGN | S417N301 TBD | 1 | 33-25-41 / / | YC051-YD170 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YUSJ00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------------|-----------------------|-----|------------------------------|-------------|
| YUSL004 | | S417N311-1 LIGHT ASSY-PASS READING | S417N313 01781 | 1 | 33-23-31 / / | YC051-YD170 |
| YUSL005 | | S417N311-1 LIGHT ASSY-PASS READING | S417N313 01781 | 1 | 33-23-31 / / | YC051-YD170 |
| YUSL006 | | S417N311-1 LIGHT ASSY-PASS READING | S417N313 01781 | 1 | 33-23-31 / / | YC051-YD170 |
| YUSL007 | | S417N301-2 SIGN-PSU U/B NSFSB | S417N313 30190 | 1 | 33-25-41 / / | YC051-YD170 |
| YUSL04T | | 9204 LAMP-PASS READING | S417N311 TBD | 1 | 33-23-31 / / | YC051-YD170 |
| YUSL05T | | 9204 LAMP-PASS READING | S417N311 TBD | 1 | 33-23-31 / / | YC051-YD170 |
| YUSL06T | | 9204 LAMP-PASS READING | S417N311 TBD | 1 | 33-23-31 / / | YC051-YD170 |
| YUSL07T | | 7387 LAMP-PASS SIGN | S417N301 08806 | 6 | 33-25-41 / / | YC051-YD170 |

EQUIPMENT LIST

D280A108

Section YUSL00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| YUSP003 | | M103958-2 PLUG-PSU COMPONENT | S417N313 TBD | 1 | 33-23-31 / / | YC051-YD170 |
| YUSP007 | | 103958-2 PLUG-PASS SIGN | S417N301 TBD | 1 | 33-25-41 / / | YC051-YD170 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YUSP00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|-----------------------------------|-----------------------|-----|------------------------------|-------------|
| YUXP001 | | 87922-4 PLUG-PSU JUMPER | S417N313 81205 | 1 | 33-23-31 / / | YC051-YN260 |
| YUXP002 | | 39-01-2045 PLUG-PSU JUMPER | S417N313 81205 | 1 | 33-23-31 / / | YC051-YN260 |
| YUXP004 | | BACC45FT18A14P PLUG-PSU JUMPER | S417N313 81205 | 1 | 33-23-31 / / | YC051-YN260 |

EQUIPMENT LIST

D280A108

Section YUXP00
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--|-----------------------|-----|------------------------------|-------------|
| YVEJ001 | | 103168-6 RCPT-PSU U/B SWITCH MODULE | S417N312 | 1 | 33-23-31 / / | YC051-YN260 |
| YVEJ002 | | 39-31-0048 RCPT-PSU U/B SWITCH MODULE | S417N312 | 1 | 33-23-31 / / | YC051-YN260 |
| YVEJ003 | | 103168-8 RCPT-PSU U/B SWITCH MODULE | S417N312 | 1 | 33-23-31 / / | YC051-YN260 |

EQUIPMENT LIST

D280A108

Section YVEJ00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---------------------------------|-----------------------|-----|------------------------------|-------------|
| YVES004 | | SW-5931 SW-READING LIGHT | S417N312 | 1 | 33-23-31 / / | YC051-YN260 |
| YVES005 | | SW-5931 SW-READING LIGHT | S417N312 | 1 | 33-23-31 / / | YC051-YN260 |
| YVES006 | | SW-5931 SW-READING LIGHT | S417N312 | 1 | 33-23-31 / / | YC051-YN260 |

EQUIPMENT LIST

D280A108

Section YVES00
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|--------------------------------------|-----------------------|-----|------------------------------|-------------|
| YWC++++ | | LRUOFM01834 MDL-ATTENDANTS OXYGEN | 411A3420 81205 | 0 | 35-21-12 MULTI/ / | YC051-YD170 |
| YWC++++ | | LRUOFM01834 MDL-ATTENDANTS OXYGEN | 411A3420 TBD | 0 | 35-21-12 / / | YL951-YR328 |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YWC+
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| YWD++++ | | LRUOFM01766 SW-AUTOTHROTTLE PACK#1,L ENG | 254A1150 81205 | 1 | 32-42-11 235/199/R001 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YWD+
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|----------------------------------|-----------------------|-----|------------------------------|-------------|
| YWDS001 | | 39SE8 SW-LANDING GEAR WARNING | 254A11F0 81205 | 1 | 32-64-21 235/199/R01 | ALL |
| YWDS002 | | 39SE8 SW-AUTOBRAKE | 254A1150 91812 | 1 | 32-42-11 235/199/R004 | ALL |
| YWDS003 | | 39SE8 SW-AUTOBRAKE | 254A1150 91812 | 1 | 32-42-11 235/199/R004 | ALL |
| YWDS004 | | 39SE9 SW-T/R 1 SYNC LOCK | 254A1150 3G533 | 1 | 78-32-51 235/199/R004 | ALL |
| YWDS005 | | 39SE9 SW-T/R 1 ARM | 254A1150 3G533 | 1 | 78-34-11 235/199/R004 | ALL |
| YWDS006 | | 39SE9 SW-T/R 1 STOW | 254A1150 3G533 | 1 | 78-34-11 235/199/R004 | ALL |
| YWDS008 | | 39SE8 SW-LANDING GEAR WARNING | 254A2250 81205 | 1 | 32-64-21 235/199/R004 | ALL |
| YWDS009 | | 39SE8 SW-LANDING GEAR WARNING | 254A2250 81205 | 1 | 32-64-21 235/199/R004 | ALL |

EQUIPMENT LIST

D280A108

Section YWDS00

Page 1 End

Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|---|-----------------------|-----|------------------------------|-------------|
| YWE++++ | | LRUOFM01767 SW-AUTOTHROTTLE PACK#2,R ENG | 254A1150 81205 | 1 | 32-42-11 235/199/R004 | ALL |

For training purposes only!

EQUIPMENT LIST

D280A108

Section YWE+
Page 1 End
Nov 12/2012



737-700/800 WIRING DIAGRAM MANUAL

| Equip | Opt | Part Number Part Description | Used On Dwg Vendor | Qty | Diagram Station / WL / BL | Effectivity |
|---------|-----|----------------------------------|-----------------------|-----|------------------------------|-------------|
| YWES001 | | 39SE8 SW-LANDING GEAR WARNING | 254A2250 81205 | 1 | 32-64-21 235/199/R004 | ALL |
| YWES002 | | 39SE8 SW-AUTOBRAKE | 254A1150 91812 | 1 | 32-42-11 235/199/R004 | ALL |
| YWES003 | | 39SE8 SW-AUTOBRAKE | 254A1150 91812 | 1 | 32-42-11 235/199/R004 | ALL |
| YWES004 | | 39SE9 SW-T/R 2 SYNC LOCK | 254A1150 3G533 | 1 | 78-32-61 235/199/R004 | ALL |
| YWES005 | | 39SE9 SW-T/R 2 ARM | 254A1150 3G533 | 1 | 78-34-21 235/199/R004 | ALL |
| YWES006 | | 39SE9 SW-T/R 2 STOW | 254A1150 3G533 | 1 | 78-34-21 235/199/R004 | ALL |
| YWES008 | | 39SE8 SW-LANDING GEAR WARNING | 254A2250 81205 | 1 | 32-64-21 235/199/R004 | ALL |
| YWES009 | | 39SE8 SW-LANDING GEAR WARNING | 254A2250 81205 | 1 | 32-64-21 235/199/R004 | ALL |

EQUIPMENT LIST

D280A108

Section YWES00

Page 1 End

Nov 12/2012